

Texas Health and Human Services

Preferred Drug List

Texas Medicaid

Effective July 24, 2026



General Information

Preferred drugs are medications recommended by the Texas Drug Utilization Review Board for their efficaciousness, clinical significance, cost-effectiveness, and safety.

Formulary

Everyone enrolled in Medicaid adheres to the same formulary. The Medicaid formulary includes legend and over-the-counter drugs. Certain supplies and select vitamin and mineral products are also available as a pharmacy benefit. Some drugs are subject to one or both types of prior authorization: clinical or non-preferred. The [Formulary Drug Search](#) identifies the list of Medicaid-covered drugs and whether the drug requires prior authorization.

Preferred Drug List

HHSC arranges the **Medicaid Preferred Drug List (PDL)** by the therapeutic class and contains a subset of many, but not all, drugs on the Medicaid formulary. Drugs identified on the PDL as “preferred” are available without prior authorization unless clinical prior authorization is associated with the drug. Some drugs are subject to both non-preferred and clinical prior authorizations.

HHSC makes PDL changes twice a year, during January and July. HHSC will announce other changes based on exceptional circumstances.

CHIP drugs are not subject to PDL requirements.

The [PDL Criteria Guide](#) explains the criteria used to evaluate prior authorization requests.

HHSC links drugs with Drug Utilization Review Board (DUR) -approved clinical prior authorization within the list. Links will take the user to the specific drug or drug class clinical prior authorization criteria with a narrative explaining the purpose and requirements.

Pharmacy Prior Authorization

Each MCO administers pharmacy prior authorization services for people enrolled in Medicaid managed care. The Texas Prior Authorization Call Center administers traditional Medicaid prior authorizations.

PDL Prior Authorization

Drugs identified as “non-preferred” require a PDL prior authorization. The PDL Criteria Guide explains the criteria used to evaluate the non-preferred prior authorization requests.

Clinical Prior Authorization

Clinical prior authorizations may apply to any individual drug or an entire drug class on the formulary, including some preferred and non-preferred drugs. HHSC requires MCOs to perform specific clinical prior authorizations. Usage of all other clinical prior authorizations will vary between MCOs at the discretion of each MCO. The DUR Board approves all criteria.

- Review the [list of clinical prior authorizations](#) allowable in Medicaid managed care
- Review the [list of clinical prior authorizations](#) active in Medicaid fee-for-service

The [Clinical Prior Authorization Assistance Chart](#) identifies which MCOs utilize each clinical prior authorization.

Obtaining Prior Authorization

Prescribing providers can help people enrolled in Medicaid receive medications quickly and conveniently with a few simple steps by contacting one of the following:

Medicaid Managed Care

Pharmacy prior authorization call centers vary by MCO. Refer to the [MCO Search](#) for each MCO’s prior authorization call center number and other contact information.

Traditional Medicaid

The Texas Prior Authorization Call Center accepts prior authorization requests by phone at 877 PA TEXAS (877-728-3927), by fax at 1-866-469-8590, or online through the [VDP Provider Portal](#).

For more information, refer to these resources:

- [VDP Provider Portal Registration User Manual](#)
- [VDP Provider Portal User Guide](#)
- [VDP Prior Authorization Manual](#)

Texas Drug Utilization Review Board

The DUR board recommends the PDL and clinical prior authorizations four times a year. Close to 75 therapeutic classes are reviewed each year, with approximately one-quarter of the classes reviewed at each meeting:

- The January edition of the PDL includes decisions made at the July and October meetings
- The July edition of the PDL includes decisions made at the January and April meetings

Education

Texas Health Steps provides resources for primary care providers and other health professionals, including a [pharmacy continuing education course](#) available for credit and three quick courses:

- The pharmacy continuing education course is accredited and includes requirements related to pharmacy enrollment, using the PDL and online formulary, obtaining prior authorization, and dispensing a 72-hour emergency supply of medication.
- A five-minute [Prescriber's Guide to Medicaid Prior Authorizations](#) quick course for prescribing physicians.

Health and Human Services Commission
Texas Medicaid Preferred Drug List (PDL) and Prior Authorization (PA) Criteria

Effective Date: 07/24/2026

TABLE OF CONTENTS

PDL CRITERIA EXCEPTIONS	9
REVISION HISTORY	10
ACNE AGENTS, ORAL.....	11
ACNE AGENTS, TOPICAL.....	11
ALZHEIMER’S AGENTS	12
ANALGESICS, NARCOTICS – LONG ACTING.....	13
ANALGESICS, NARCOTICS – SHORT ACTING (NON-PARENTERAL)	13
ANDROGENIC AGENTS, TOPICAL.....	14
ANGIOTENSIN MODULATORS	15
ANGIOTENSIN MODULATOR COMBINATIONS	16
ANTI-ALLERGENS, ORAL	17
ANTIBIOTICS, GASTROINTESTINAL.....	17
ANTIBIOTICS, INHALED.....	18
ANTIBIOTICS, TOPICAL	18
ANTIBIOTICS, VAGINAL.....	18
ANTICOAGULANTS	19
ANTICONSULSANTS	19
ANTIDEPRESSANTS, OTHER.....	21
ANTIDEPRESSANTS, SSRIs	22
ANTIDEPRESSANTS, TRICYCLIC	22
ANTIEMETIC-ANTIVERTIGO AGENTS (EXCLUDES INJECTABLES).....	23
ANTIFUNGALS, ORAL.....	24
ANTIFUNGALS, TOPICAL.....	24
ANTIHISTAMINES, FIRST GENERATION	25
ANTIHISTAMINES, MINIMALLY SEDATING	26
ANTIHYPERTENSIVES, SYMPATHOLYTICS.....	26
ANTHYPERURICEMICS.....	26
ANTIMIGRAINE AGENTS	27

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:
<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ANTIPARASITICS, TOPICAL.....	28
ANTIPARKINSON’S AGENTS	28
ANTIPSYCHOTICS.....	29
ANTIVIRALS, ORAL/NASAL	31
ANTIVIRALS, TOPICAL	32
ANXIOLYTICS.....	32
BETA BLOCKERS (ORAL).....	33
BILE SALTS	33
BLADDER RELAXANT PREPARATIONS.....	34
BONE RESORPTION SUPPRESSION AND RELATED AGENTS	34
BPH AGENTS	35
BRONCHODILATORS, BETA AGONIST	36
CALCIUM CHANNEL BLOCKERS	36
CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL).....	37
COLONY STIMULATING FACTORS	38
COPD AGENTS.....	38
COUGH AND COLD AGENTS	39
CYTOKINE AND CAM ANTAGONISTS.....	39
DMD AGENTS	40
EPINEPHRINE	40
ERYTHROPOIESIS STIMULATING PROTEINS.....	41
FLUOROQUINOLONES, ORAL	41
GI MOTILITY, CHRONIC.....	41
GLUCAGON AGENTS	42
GLUCOCORTICOIDS, INHALED.....	42
GLUCOCORTICOIDS, ORAL	43
GROWTH HORMONE	44
H. PYLORI TREATMENT.....	44
HEMOPHILIA TREATMENT	44
HEPATITIS C AGENTS	46
HEREDITARY ANGIOEDEMA (HAE) TREATMENTS.....	46
HIV/AIDS	47

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS.....	48
HYPOGLYCEMICS, INSULIN AND RELATED.....	50
HYPOGLYCEMICS, MEGLITINIDES.....	51
HYPOGLYCEMICS, METFORMIN.....	51
HYPOGLYCEMICS, SGLT2.....	51
HYPOGLYCEMICS, TZD.....	52
IMMUNE GLOBULINS.....	53
IMMUNOMODULATORS, ASTHMA.....	53
IMMUNOMODULATORS, ATOPIC DERMATITIS.....	54
IMMUNOSUPPRESSIVES.....	54
INTRANASAL RHINITIS AGENTS.....	55
IRON, ORAL.....	55
LEUKOTRIENE MODIFIERS.....	56
LINCOSAMIDES/OXAZOLIDINONES/ STREPTOGRAMINS.....	56
LIPOTROPICS, OTHER.....	57
LIPOTROPICS, STATINS.....	58
MACROLIDES (ORAL).....	59
MOVEMENT DISORDERS.....	59
MULTIPLE SCLEROSIS AGENTS.....	60
NEUROPATHIC PAIN.....	60
NON-NARCOTIC ANALGESICS.....	61
ONCOLOGY, ORAL - BREAST.....	63
ONCOLOGY, ORAL - HEMATOLOGIC.....	63
ONCOLOGY, ORAL - LUNG.....	65
ONCOLOGY, ORAL - OTHER.....	65
ONCOLOGY, ORAL - PROSTATE.....	66
ONCOLOGY, ORAL – RENAL CELL.....	67
ONCOLOGY, ORAL - SKIN.....	67
OPHTHALMICS, ANTIBIOTIC – STEROID COMBINATIONS.....	67
OPHTHALMIC ANTIBIOTICS.....	68
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS.....	69
OPHTHALMICS, ANTI-INFLAMMATORIES.....	69

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

OPHTHALMICS, ANTI-INFLAMMATORY IMMUNOMODULATORS	70
OPHTHALMICS, GLAUCOMA AGENTS	70
OPIATE DEPENDENCE TREATMENTS	71
OTIC ANTIBIOTICS	72
OTIC ANTI-INFECTIVES/ANESTHETICS.....	72
PAH AGENTS	73
PANCREATIC ENZYMES.....	73
PEDIATRIC VITAMIN PREPARATIONS	73
PENICILLINS.....	74
PHOSPHATE BINDERS	74
PLATELET AGGREGATION INHIBITORS	75
POTASSIUM BINDERS	75
PRENATAL VITAMINS.....	75
PROGESTINS FOR CACHEXIA.....	75
ROSACEA AGENTS, TOPICAL.....	76
SEDATIVE HYPNOTICS	76
SICKLE CELL ANEMIA TREATMENTS.....	77
SKELETAL MUSCLE RELAXANTS AND RELATED AGENTS	77
SMOKING CESSATION	78
STEROIDS, TOPICAL.....	79
STIMULANTS AND RELATED AGENTS.....	80
STOMACH ACID REDUCERS AND RELATED	81
TETRACYCLINES	82
THROMBOPOIESIS STIMULATING PROTEINS	82
TRANSTHYRETIN-RELATED AMYLOIDOSIS.....	83
ULCERATIVE COLITIS.....	83
UREA CYCLE DISORDERS	84
UTERINE DISORDER TREATMENTS	84
APPENDICES	84

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

PDL CRITERIA EXCEPTIONS

HB 3286, Section 2, 88th Legislature, Regular Session, 2023, required the Health and Human Services Commission (HHSC) to allow the following exceptions on the PDL. Specific PDL exceptions about contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section. The exceptions listed in HB 3286 include:

- Is contraindicated.
- Will likely cause an adverse reaction or physical or mental harm to the recipient.
- Is expected to be ineffective based on the known clinical characteristics of the recipient and the known characteristics of the prescription drug regimen.
- The recipient previously discontinued taking the preferred drug at any point in their clinical history and for any length of time due to ineffectiveness, diminished effect, or adverse event(s).

These exceptions will be notated by “*” in each PDL class section.

HB 3286, Section 2, 88th Legislature Regular Session, 2023, required the HHSC to allow the following exceptions on the PDL within the antipsychotic and antidepressant drug classes. For the antipsychotic and antidepressant drug classes, if the member was prescribed and is taking a non-preferred drug, the following PDL exception criteria will apply:

- The member was prescribed a non-preferred drug before being discharged from an inpatient facility.
- The member is stable on the non-preferred drug.
- The member is at risk of experiencing complications from switching from the non-preferred drug to another drug.

REVISION HISTORY

The PDL is published biannually (January, July). Recent changes to the PDL status are highlighted.

DATE	ISSUES/UPDATES
7/24/2026	PDL Drug Classes Published with updates
7/24/2026	PDL Class CALCIUM CHANNEL BLOCKERS (ORAL) updated to CALCIUM CHANNEL BLOCKERS
7/24/2026	PDL Class DMD AGENTS added
7/24/2026	PDL Class EPINEPHRINE, SELF-INJECTED updated to EPINEPHRINE
7/24/2026	PDL Class PAH AGENTS (ORAL, INHALATION) updated to PAH AGENTS
7/24/2026	PDL Class PROTON PUMP INHIBITORS (ORAL) updated to STOMACH ACID REDUCERS AND RELATED
7/24/2026	PDL Class SKELETAL MUSCLE RELAXANTS updated to SKELETAL MUSCLE RELAXANTS AND RELATED AGENTS
7/24/2026	The following products have been removed from the PDL and are listed in the chart below due to product market discontinuation and/or loss of CMS rebate eligibility.
7/31/2026	PDL Class IMMUNOMODULATORS, ASTHMA updated PA CRITERIA to remove “The PA criteria above apply to Dupixent for Immunomodulators, Asthma”
7/31/2026	PDL Class INTRANASAL RHINITIS AGENTS updated PA CRITERIA to remove “The PA criteria above apply to Dupixent for Chronic Rhinosinusitis”

PDL Class	Drug Product
ACNE AGENTS, TOPICAL	EVOCLIN FOAM
ANALGESICS, NARCOTICS SHORT	FENTORA (fentanyl)
ANTIDEPRESSANTS, TRICYCLIC	PAMELOR (nortriptyline)
BILE SALTS	CHENODAL (chenodiol)
GLUCOCORTICOID, INHALED	AIRDUO RESPICLICK (fluticasone/salmeterol)
HEMOPHILIA TREATMENT	KOGENATE FS
INTRANASAL RHINITIS AGENTS	ZETONNA (ciclesonide)
LIPOTROPICS, OTHER	FENOGLIDE (fenofibrate)
LIPOTROPICS, OTHER	niacin ER OTC
NON-NARCOTIC ANALGESICS cont.	PENNSAID (diclofenac)
ONCOLOGY, ORAL - BREAST	KISQALI/FEMARA KIT (ribociclib/letrozole)
ONCOLOGY, ORAL - LUNG	TARCEVA (erlotinib)
PAH AGENTS	VENTAVIS Inhalation (iloprost)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ACNE AGENTS, ORAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ABSORICA (isotretinoin) ACCUTANE (isotretinoin) AMNESTEEM (isotretinoin) CLARAVIS (isotretinoin) isotretinoin ZENATANE (isotretinoin)	ABSORICA LD (isotretinoin) isotretinoin AG (ABSORICA)

ACNE AGENTS, TOPICAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization may apply to drugs in the class: Retinoids Topical Acne Agents Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIBIOTICS	
CLEOCIN-T (clindamycin) CLINDAGEL (clindamycin) clindamycin gel (Cleocin-T) clindamycin lotion clindamycin pledgets clindamycin solution erythromycin gel, solution	CLINDACIN FOAM (clindamycin) CLINDACIN ETZ KIT (clindamycin) CLINDACIN ETZ PLEDGETS (clindamycin) CLINDACIN P PLEDGETS (clindamycin) CLINDACIN PAC KIT (clindamycin) clindamycin foam clindamycin gel (Clindagel) erythromycin medicated swab
BENZOYL PEROXIDE	
benzoyl peroxide gel (OTC) benzoyl peroxide lotion (OTC) benzoyl peroxide wash (OTC)	benzoyl peroxide benzoyl peroxide bar, towelette (OTC)
RETINOIDS	
adapalene gel OTC ATRALIN (tretinoin) DIFFERIN CREAM, LOTION (adapalene) RETIN-A MICRO GEL (tretinoin microspheres) tretinoin cream (Avita, Retin-A)	adapalene cream, gel, gel pump, lotion RX AKLIEF (trifarotene) ALTRENO (tretinoin) ARAZLO (tazarotene) DIFFERIN GEL (adapalene)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

tretinoin gel (Avita, Retin-A)	FABIOR (tazarotene) RETIN-A (tretinoin) RETIN-A MICRO PUMP (tretinoin microspheres) tazarotene tretinoin gel (Atralin)
COMBINATION AND OTHER AGENTS	
ACANYA GEL PUMP (clindamycin/benzoyl peroxide) adapalene/benzoyl peroxide (Epiduo Forte) benzoyl peroxide/clindamycin (Duac) clindamycin/benzoyl peroxide gel, gel pump (Benzacclin) erythromycin/benzoyl peroxide EPIDUO FORTE (benzoyl peroxide/adapalene) KLARON (sulfacetamide sodium) NEUAC 1.2-5% KIT (clindamycin/benzoyl perox/emol CMB94) ONEXTON GEL PUMP (clindamycin/benzoyl peroxide) ZIANA (clindamycin/tretinoin)	adapalene/benzoyl peroxide AG (Epiduo Forte) BENZAMYCIN (erythromycin/benzoyl peroxide) CABTREO (adapalene/benzoyl peroxide/clindamycin) clindamycin/benzoyl peroxide gel (Acanya) clindamycin/tretinoin dapsone DERMACINRX ATRIX CLEANSER OTC (TOPICAL) DERMACINRX ATRIX CREAM OTC (TOPICAL) DERMACINRX ATRIX SOLUTION OTC (TOPICAL) NEUAC GEL (clindamycin/benzoyl peroxide) ONEXTON GEL (clindamycin/benzoyl peroxide) sulfacetamide sodium sulfacetamide sodium/sulfur sulfacetamide/sulfur/urea TWYNEO (tretinoin/benzoyl peroxide) WINLEVI (clascoterone) ZMA CLEAR CLEANSER (sulfacetamide sodium/sulfur)

ALZHEIMER'S AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	
PREFERRED AGENTS	NON-PREFERRED AGENTS
CHOLINESTERASE INHIBITORS	
donepezil 5, 10 mg tablets donepezil ODT EXELON (rivastigmine) transdermal	ADLARITY (donepezil) transdermal ARICEPT (donepezil) donepezil 23 mg tablets galantamine galantamine ER rivastigmine capsules rivastigmine transdermal ZUNVEYL (benzgalantamine)
NMDA RECEPTOR ANTAGONIST	
memantine tablets NAMENDA (memantine) titration pack	memantine ER memantine solution memantine tablet dose pack NAMENDA XR (memantine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

CHOLINESTERASE INHIBITOR/NMADA RECEPTOR ANTAGONIST COMBINATIONS	
	memantine/donepezil ER (Namzaric) NAMZARIC (donepezil/memantine)
ANTI-AMYLOID ANTIBODIES	
	LEQEMBI IQLIK (lecanemab-irmb)

ANALGESICS, NARCOTICS – LONG ACTING	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions • Methadone oral solution will be authorized for patients less than 24 months of age.	The following Clinical Prior Authorization applies to all drugs in the class: • Opioid Policy Criteria • Opiate Overutilization • Opiate/Benzodiazepine/Muscle Relaxant Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BUTRANS (buprenorphine) fentanyl patch (12, 25, 50, 75, 100 mcg) methadone soln, tabs morphine ER (generic MS Contin) OXYCONTIN ER (oxycodone) tramadol ER (generic Ultram ER) XTAMPZA ER (oxycodone)	BELBUCA (buprenorphine) buprenorphine buccal/film buprenorphine patch CONZIP (tramadol) DISKETTS (methadone) fentanyl patch (37.5, 62.5, 87.5 mcg) hydrocodone ER hydromorphone ER HYSINGLA ER (hydrocodone) methadone tabs for soln, intensol METHADOSE (methadone) morphine ER (generic Avinza, Kadian) MS CONTIN (morphine) oxycodone ER oxymorphone ER tramadol ER (generic Conzip) tramadol ER (generic Ryzolt)

ANALGESICS, NARCOTICS – SHORT ACTING (NON-PARENTERAL)	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs*	The following Clinical Prior Authorization applies to all drugs in the class: • Opioid Policy Criteria • Opiate Overutilization

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

- Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Opiate/Benzodiazepine/Muscle Relaxant Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
APAP/codeine hydrocodone/APAP hydromorphone liquid AG hydromorphone tablets morphine tablets morphine concentrated solution , solution oxycodone solution oxycodone tablets oxycodone/APAP tablets tramadol 50 mg tramadol/APAP tablets	butalbital/ASA/caffeine/codeine butalbital/APAP/caffeine/codeine butorphanol carisoprodol/aspirin/codeine codeine dihydrocodeine/APAP/caffeine DILAUDID (hydromorphone) DSUVIA (sufentanil citrate) fentanyl buccal (Fentora) fentanyl citrate oral transmucosal (Actiq) FIORICET W/CODEINE (butalbital/APAP/caffeine/codeine) hydrocodone/ibuprofen hydromorphone liquid hydromorphone suppositories levorphanol meperidine morphine ENFIT syringe morphine disp syringe, oral morphine suppositories NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) oxycodone/APAP solution oxycodone capsules oxycodone concentrate solution oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) PROLATE (oxycodone/APAP) ROXICODONE (oxycodone) ROXYBOND (oxycodone) SEGLENTIS (celecoxib/tramadol) tapentadol tramadol 25 mg, 75mg, 100 mg tramadol solution

ANDROGENIC AGENTS, TOPICAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated	The following Clinical Prior Authorization applies to all drugs in the class: Androgenic Agents Hormonal Therapy Agents Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANDROGEL (testosterone) pump TESTIM (testosterone) testosterone gel packet (Androgel 1% pkt, Vogelxo) testosterone gel pump (Androgel) testosterone gel tube (Testim, Vogelxo)	ANDROGEL (testosterone) packets NATESTO (testosterone) testosterone gel (Axiron, Fortesta, Androgel 1.62% pkt) VOGELXO (testosterone)

ANGIOTENSIN MODULATORS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - Epaned will be authorized for patients six years of age and under	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ACE INHIBITORS	
benazepril enalapril solution enalapril tablets fosinopril lisinopril quinapril ramipril trandolapril VASOTEC (enalapril)	ACCUPRIL (quinapril) ALTACE (ramipril) captopril EPANED (enalapril) LOTENSIN (benazepril) moexipril perindopril QBRELIS (lisinopril) solution ZESTRIL (lisinopril)

ANGIOTENSIN MODULATORS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

prior authorization	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ACE INHIBITOR/DIURETIC COMBINATIONS	
enalapril/HCTZ lisinopril/HCTZ VASERETIC (enalapril/HCTZ)	ACCURETIC (quinapril/HCTZ) benazepril/HCTZ captopril/HCTZ fosinopril/HCTZ LOTENSIN HCT (benazepril/HCTZ) quinapril/HCTZ ZESTORETIC (lisinopril/HCTZ)
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)	
DIOVAN (valsartan) EDARBI (azilsartan) irbesartan losartan	ARBLI (losartan) ATACAND (candesartan) AVAPRO (irbesartan) azilsartan BENICAR (olmesartan) candesartan COZAAR (losartan) MICARDIS (telmisartan) olmesartan telmisartan valsartan
ARB/DIURETIC COMBINATIONS	
DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) irbesartan/HCTZ losartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) BENICAR-HCT (olmesartan/HCTZ) candesartan/HCTZ HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/HCTZ telmisartan/HCTZ valsartan/HCTZ
DIRECT RENIN INIBITORS	
TEKTURN (aliskerin)	aliskiren
ARB/NEPRILYSIN INHIBITOR COMBINATIONS	
valsartan/sacubitril	ENTRESTO SPRINKLE (valsartan/sacubitril) pellet ENTRESTO (valsartan/sacubitril) tablet

ANGIOTENSIN MODULATOR COMBINATIONS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
benazepril /amlodipine EXFORGE HCT (valsartan/amlodipine/HCTZ) olmesartan/amlodipine valsartan/amlodipine	AZOR (olmesartan/amlodipine) EXFORGE (valsartan/amlodipine) LOTREL (benazepril/amlodipine) olmesartan/amlodipine/HCTZ telmisartan/amlodipine trandolapril/verapamil TRIBENZOR (olmesartan/amlodipine/HCTZ) valsartan/amlodipine/HCTZ

ANTI-ALLERGENS, ORAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
GRASTEK (grass pollen-timothy, standard) ODACTRA (house dust mite allergen extract) ORALAIR (Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass mixed pollens allergen extract) RAGWITEK (weed pollen-short ragweed)	

ANTIBIOTICS, GASTROINTESTINAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
DIFICID (fidaxomicin) tablets FIRVANQ (vancomycin) metronidazole tablets neomycin tinidazole VANCOCIN (vancomycin)	AEMCOLO (rifamycin) DIFICID (fidaxomicin) suspension fidaxomicin FLAGYL (metronidazole) LIKMEZ (metronidazole) suspension metronidazole capsules metronidazole tablets, 125 mg nitazoxanide vancomycin

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

[VOWST](#) (fecal microbio spore, live-brpk)
[XIFAXAN](#) (rifaximin)

ANTIBIOTICS, INHALED

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to drugs with an “*” in the class:

- [Antibiotics, Inhaled](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

BETHKIS (tobramycin)*
 CAYSTON (aztreonam)*
 KITABIS PAK (tobramycin)*
 TOBI PODHALER (tobramycin)*

NON-PREFERRED AGENTS

[ARIKAYCE](#) (amikacin)
 TOBI (tobramycin) solution*
 tobramycin solution*

ANTIBIOTICS, TOPICAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

bacitracin ointment
 bacitracin/polymyxin ointment
 mupirocin ointment
 neomycin/bacitracin/polymyxin/pramoxine ointment
 triple antibiotic ointment

NON-PREFERRED AGENTS

bacitracin packets
 CENTANY (mupirocin)
 gentamicin
 mupirocin cream
 neomycin/polymyxin/pramoxine
 XEPI (ozenoxacin)

ANTIBIOTICS, VAGINAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
CLEOCIN (clindamycin) cream, ovules metronidazole 0.75% (generic Metrogel-Vaginal, Vandazole) NUVESSA (metronidazole) XACIATO (clindamycin)	clindamycin CLINDESSE (clindamycin) cream metronidazole 1.3% (generic Nuversa) SOLOSEC (secnidazole) VANDAZOLE (metronidazole)

ANTICOAGULANTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
dabigatran ELIQUIS (apixaban) tablets ELIQUIS (apixaban) tab suspension enoxaparin LOVENOX (enoxaparin) syringe JANTOVEN (warfarin) warfarin XARELTO (rivaroxaban) tablets, dosepak, suspension	ARIXTRA (fondaparinux) ELIQUIS (apixaban) sprinkle caps enoxaparin AG fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin) vial PRADAXA (dabigatran) capsules, pellet pack rivaroxaban SAVAYSA (edoxaban)

ANTICONSULSANTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • All of the agents in the Anticonvulsants class are preferred	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
APTIOM (eslicarbazepine) BANZEL (rufinamide) brivaracetam BRIVIACT (brivaracetam) carbamazepine carbamazepine ER, XR CARBATROL (carbamazepine) CELONTIN (methsuximide)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

clobazam clonazepam DEPAKOTE (divalproex sodium) DEPAKOTE ER (divalproex sodium) DIACOMIT (stiripentol) diazepam DILANTIN (phenytoin) DILANTIN INFATAB (phenytoin) divalproex divalproex ER ELEPSIA XR (levetiracetam) EPIDIOLEX (cannabidiol) EPITOL (carbamazepine) EPRONTIA (topiramate) eslicarbazepine EQUETRO (carbamazepine)	
ANTICONVULSANTS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the Anticonvulsants class are preferred	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ethosuximide felbamate FELBATOL (felbamate) FINTEPLA (fenfluramine) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) KLONOPIN (clonazepam) lacosamide LAMICTAL (lamotrigine) tablets, ODT LAMICTAL XR (lamotrigine) lamotrigine tablets, ER, ODT levetiracetam levetiracetam XR LIBERVANT (diazepam) methsuximide MOTPOLY XR (lacosamide) MYSOLINE (primidone) NAYZILAM (midazolam) ONFI (clobazam) oxcarbazepine oxcarbazepine ER OXTELLAR XR (oxcarbazepine) perampanel phenobarbital VIGAFYDE (vigabatrin) PHENYTEK (phenytoin) phenytoin primidone QUDEXY XR (topiramate) ROWEEPPRA (levetiracetam) rufinamide suspension	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

rufinamide tablets
 SABRIL (vigabatrin)
 SPRITAM (levetiracetam)
 SUBVENITE (lamotrigine)
 SYMPAZAN (clobazam)
 TEGRETOL (carbamazepine)
 TEGRETOL XR (carbamazepine)
 tiagabine
 TOPAMAX (topiramate)
 topiramate
 topiramate ER
 TRILEPTAL (oxcarbazepine)
 TROKENDI XR (topiramate)
 valproic acid
 VALTOCO (diazepam)
 vigabatrin
 VIGADRONE (vigabatrin)
 VIMPAT (lacosamide)
 XCOPRI (cenobamate)
 ZARONTIN (ethosuximide)
 ZONISADE (zonisamide)
 zonisamide
[ZTALMY](#) (ganaxolone)

ANTIDEPRESSANTS, OTHER

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Non-preferred drug usage prior to inpatient facility discharge
- Stability with non-preferred drug usage
- Complication risk with switch from non-preferred drug
- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

APLENZIN (bupropion)
 bupropion
 bupropion SR (Wellbutrin SR)
 bupropion XL (Wellbutrin XL)
 EFFEXOR XR (venlafaxine)
[FETZIMA \(levomilnacipran\)](#)
 FORFIVO XL (bupropion)
 mirtazapine
[nefazodone](#)

NON-PREFERRED AGENTS

AUVELITY (dextromethorphan HBr/bupropion)
 bupropion XL (Forfivo XL)
 desvenlafaxine ER
 EMSAM (selegiline)
[EXXUA \(gepirone\)](#)
 MARPLAN (isocarboxazid)
 NARDIL (phenelzine)
 RALDESY (trazodone)
 REMERON (mirtazapine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

phenelzine	tranylcypromine
PRISTIQ (desvenlafaxine)	TRINTELLIX (vortioxetine)
trazodone	venlafaxine besylate ER
venlafaxine ER capsules	venlafaxine ER tablets
venlafaxine IR	vilazodone
VIIBRYD (vilazodone)	WELLBUTRIN SR (bupropion)
	WELLBUTRIN XL (bupropion)
PPD AGENTS	
ZURZUVAE (zuranolone)	

ANTIDEPRESSANTS, SSRIs	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Non-preferred drug usage prior to inpatient facility discharge • Stability with non-preferred drug usage • Complication risk with switch from non-preferred drug • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
citalopram tablets, solution escitalopram tablets fluoxetine capsules, solution fluvoxamine LEXAPRO (escitalopram) paroxetine (Paxil) PROZAC (fluoxetine) sertraline concentration, tablets ZOLOFT (sertraline concentration, tablets)	CELEXA (citalopram) citalopram 30mg capsules escitalopram capsules , solution fluoxetine capsules DR fluoxetine tablets fluvoxamine ER paroxetine (Brisdelle) paroxetine CR PAXIL (paroxetine) PAXIL CR (paroxetine) sertraline capsules

ANTIDEPRESSANTS, TRICYCLIC
PA CRITERIA
Client must meet at least one of the listed PA criteria: • Non-preferred drug usage prior to inpatient facility discharge • Stability with non-preferred drug usage • Complication risk with switch from non-preferred drug • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs*

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
amitriptyline ANAFRANIL (clomipramine) doxepin imipramine nortriptyline capsules	amoxapine clomipramine desipramine imipramine pamoate nortriptyline solution protriptyline trimipramine

ANTIEMETIC-ANTIVERTIGO AGENTS (EXCLUDES INJECTABLES)	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions • For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	The following Clinical Prior Authorization may apply to drugs in the class: • Antiemetic Agents Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTICHOLINERGICS, ANTIHISTAMINES, DOPAMINE ANTAGONISTS	
ANTIVERT (meclizine) tablet BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine) dimenhydrinate meclizine metoclopramide solution, tablets phosphoric acid/dextrose/fructose prochlorperazine tablets promethazine syrup, tablets TRANSDERM-SCOP (scopolamine)	ANTIVERT (meclizine) chewable COMPRO (prochlorperazine) doxylamine/pyridoxine GIMOTI (metoclopramide) prochlorperazine suppositories promethazine suppositories REGLAN (metoclopramide) scopolamine patches trimethobenzamide
CANNABINOIDS	
MARINOL (dronabinol)	dronabinol
5-HT3 RECEPTOR ANTAGONISTS	
ondansetron ODT (4 mg, 8 mg), tablets, soln	ANZEMET (dolasetron) granisetron ondansetron ODT 16 mg SANCUSO (granisetron) SUSTOL (granisetron)
SUBSTANCE P ANTAGONISTS AND COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) aprepitant EMEND (aprepitant)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ANTIFUNGALS, ORAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
clotrimazole fluconazole griseofulvin suspension griseofulvin tablets /ultramicrosize ketoconazole posaconazole suspension, tablets AG NOXAFIL (posaconazole) suspension, tablets nystatin SPORANOX (itraconazole) capsule, solution terbinafine VFEND (voriconazole) suspension, tablets	ANCOBON (flucytosine) BREXAFEMME (ibrexafungerp) CRESEMBA (isavuconazonium sulfate) DIFLUCAN (fluconazole) flucytosine itraconazole NOXAFIL (posaconazole) susp dr packet ORAVIG (miconazole) posaconazole suspension AG, tablets TOLSURA (itraconazole) VIVJOA (oteseconazole) voriconazole

ANTIFUNGALS, TOPICAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization may apply to drugs in the class: Antifungal Agents, Topical Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIFUNGALS	
ciclopirox cream, nail solution clotrimazole clotrimazole solution RX econazole cream JUBLIA (efinaconazole) ketoconazole cream, shampoo KLAYESTA (nystatin) powder miconazole cream, powder NYAMYC (nystatin) powder nystatin NYSTOP (nystatin) powder	ALEVAZOL (clotrimazole) CICLODAN (ciclopirox) ciclopirox gel, kit, shampoo, susp DESENEX AERO POWDER OTC (miconazole) econazole foam ERTACZO (sertaconazole) EXTINA (ketoconazole) FUNGOID (miconazole) ketoconazole foam KETODAN (ketoconazole) LOPROX (ciclopirox)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

terbinafine tolnaftate cream, powder VUSION (miconazole/zinc/petrolatum)	LOTRIMIN AF (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole LUZU (luliconazole) miconazole ointment, soln MICOTRIN AC (clotrimazole) cream MICOTRIN AL (tolnaftate) liquid MICOTRIN AP (miconazole) powder MYCOZYL AC cream OTC (clotrimazole) MYCOZYL AL (tolnaftate) liquid MYCOZYL AP (miconazole) powder naftifine NAFTIN (naftifine) oxiconazole OXISTAT (oxiconazole) tavaborole tolnaftate solution, spray TRIPENICOL (undecylenic acid) cream, solution
ANTIFUNGAL/STEROID COMBINATIONS	
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion nystatin/triamcinolone

ANTI-HISTAMINES, FIRST GENERATION	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure after no less than a 30-day trial of preferred drugs - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTI-HISTAMINES	
BANOPHEN (diphenhydramine) carbinoxamine liquid, tablets chlorpheniramine IR tablets cyproheptadine syrup, tablets diphenhydramine capsules, liquid, tablets HISTEX (triprolidine) liquid, PD DROPS hydroxyzine PEDIACLEAR PD DROPS OTC (triprolidine) PEDIACLEAR-8 LIQUID OTC (pyrilamine maleate) triprolidine drops OTC (Histex PD)	carbinoxamine ER suspension clemastine syrup /tablets diphenhydramine chew, elixir ED CHLORPRED (chlorpheniramine/phenylephrine) HISTEX (triprolidine) chew, PDX drop KARBINAL ER (carbinoxamine) suspension PEDIAVENT (dexbrompheniramine) RYCLORA (dexchlorpheniramine) RYVENT (carbinoxamine) triprolidine drops OTC (Pedioclear PD) VISTARIL (hydroxyzine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ANTI-HISTAMINES, MINIMALLY SEDATING

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure after no less than a 30-day trial of preferred drugs
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Duplicate Therapy](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

NON-PREFERRED AGENTS

ANTI-HISTAMINES

cetirizine solution, tablets
loratadine solution, tablets

cetirizine chewable, capsules
CLARINEX (desloratadine)
CLARITIN LIQUI-GEL (loratadine)
desloratadine
fexofenadine
levocetirizine
loratadine capsule, chewable, ODT

ANTI-HISTAMINES/DECONGESTANT COMBINATIONS

cetirizine/pseudoephedrine
CLARINEX-D (desloratadine/pseudoephedrine)
fexofenadine/pseudoephedrine
loratadine/pseudoephedrine

ANTI-HYPERTENSIVES, SYMPATHOLYTICS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

NON-PREFERRED AGENTS

clonidine transdermal
clonidine IR tablets
guanfacine IR
methyldopa

CATAPRES-TTS (clonidine)
clonidine ER
JAVADIN (clonidine)
methyldopate vial

ANTI-HYPERURICEMICS

PA CRITERIA

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
allopurinol 100mg & 300mg tablets MITIGARE (colchicine) probenecid probenecid/colchicine		allopurinol 200mg colchicine COLCRYS (colchicine) febuxostat GLOPERBA (colchicine) ULORIC (febuxostat)

ANTIMIGRAINE AGENTS		
PA CRITERIA		
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		The following Clinical Prior Authorization may apply to drugs in the class: • Antimigraine Agents, Triptans • Antimigraine Agents, Ergot Derivatives • Calcitonin Gene-Related Peptide Receptor Antagonists, Acute Treatment • Calcitonin Gene-Related Peptide Receptor Antagonists, Prophylaxis Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
TRIPTANS		
FROVA (frovatriptan) IMITREX (sumatriptan) injection kit MAXALT MLT (rizatriptan) naratriptan RELPAX (eletriptan) rizatriptan sumatriptan nasal sumatriptan tablets zolmitriptan tablets		almotriptan eletriptan frovatriptan IMITREX (sumatriptan) tablets MAXALT (rizatriptan) tablets ONZETRA XSAIL (sumatriptan) sumatriptan injection kit, vial sumatriptan/naproxen SYMBRAVO (meloxicam/rizatriptan) TOSYMRA (sumatriptan) TREXIMET (sumatriptan/naproxen) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan nasal, ODT ZOMIG (zolmitriptan) nasal , tablets
NON-TRIPTANS		
AIMOVIG (erenumab) AJOVY (fremanezumab-vfrm)		BREKIYA (dihydroergotamine mesylate) CAFERGOT (ergotamine tartrate/cafeine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

[EMGALITY](#) (galcanezumab-gnlm)
[NURTEC ODT](#) (rimegepant)
[QULIPTA](#) (atogepant)
[UBRELVY](#) (ubrogepant)

diclofenac potassium powder
[dihydroergotamine mesylate](#)
 ELYXYB SOLUTION (celecoxib)
[EMGALITY 100 mg \(cluster headache\)](#) (galcanezumab-gnlm)
[MIGERGOT supp](#) (ergotamine tartrate/caffeine)
[MIGRANAL](#) (dihydroergotamine mesylate)
 REYVOW (lasmiditan)
[ZAVZPRET](#) (zavegepant)

ANTIPARASITICS, TOPICAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

permethrin
 piperonyl butoxide/pyrethrins
 piperonyl butox/pyrethr/permet
 SKLICE (ivermectin)
 spinosad
 VANALICE GEL OTC (piperonyl butoxide/pyrethrins)

NON-PREFERRED AGENTS

CROTAN (crotamiton)
 EURAX (crotamiton)
 malathion
 NATROBA (spinosad)
 OVIDE (malathion)

ANTIPARKINSON'S AGENTS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

NON-PREFERRED AGENTS

ANTICHOLINERGICS

benztropine

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

trihexyphenidyl	
COMT INHIBITORS	
TASMAR (tolcapone)	entacapone ONGENTYS (opicapone) tolcapone
DOPAMINE AGONISTS	
APOKYN (apomorphine) pramipexole ropinirole	apomorphine bromocriptine NEUPRO transdermal (rotigotine) ONAPGO (apomorphine) pramipexole ER ropinirole ER
MAO-B INHIBITORS	
AZILECT (rasagiline) ZELAPAR (selegiline)	rasagiline selegiline XADAGO (safinamide)
OTHERS	
amantadine carbidopa/levodopa tablets carbidopa/levodopa ER carbidopa/levodopa/entacapone LODOSYN (carbidopa)	carbidopa carbidopa/levodopa ODT CREXONT (carbidopa/levodopa) DHIVY (carbidopa/levodopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) INBRIJA (levodopa) NOURIANZ (istradefylline) RYTARY (carbidopa/levodopa) SINEMET (carbidopa/levodopa) VYALEV (foslevodopa/foscarbidopa)

ANTIPSYCHOTICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Non-preferred drug usage prior to inpatient facility discharge • Stability with non-preferred drug usage • Complication risk with switch from non-preferred drug • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Antipsychotics Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIPSYCHOTICS	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

aripiprazole tablets CAPLYTA (lumateperone) chlorpromazine clozapine fluphenazine haloperidol haloperidol decanoate lurasidone NUPLAZID (pimavanserin) capsules olanzapine olanzapine ODT perphenazine quetiapine IR REXULTI (brexpiprazole) risperidone tablets, solution thioridazine thiothixene trifluoperazine VRAYLAR (cariprazine) ziprasidone	ABILIFY (aripiprazole) tablets ABILIFY MYCITE (aripiprazole) ADASUVE (inhalation) aripiprazole ODT, solution asenapine SL clozapine ODT CLOZARIL (clozapine) COBENFY (xanomeline/trospium chloride) FANAPT (iloperidone) fluphenazine decanoate GEODON (ziprasidone) capsule, IM HALDOL (haloperidol) decanoate haloperidol lactate injection INVEGA (paliperidone) LATUDA (lurasidone) loxapine molindone NUPLAZID (pimavanserin) tablets olanzapine IM OPIPZA (aripiprazole) paliperidone ER pimozide quetiapine ER RISPERDAL (risperidone) risperidone ODT SAPHRIS (asenapine) SECUADO (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) ziprasidone IM ZYPREXA (olanzapine) ZYPREXA ZYDIS (olanzapine)
ANTIPSYCHOTICS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Non-preferred drug usage prior to inpatient facility discharge - Stability with non-preferred drug usage - Complication risk with switch from non-preferred drug - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: Antipsychotics Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIPSYCHOTIC/SSRI COMBINATIONS	
amitriptyline/perphenazine	olanzapine/fluoxetine

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ANTIPSYCHOTIC/SEROTONIN ANTAGONIST COMBINATIONS	
	LYBALVI (olanzapine/samidorphan)
LONG-ACTING INJECTABLES	
ABILIFY ASIMTUFI (aripiprazole) ABILIFY MAINTENA (aripiprazole) ARISTADA (aripiprazole) ARISTADA INITIO (aripiprazole) ERZOFRI (paliperidone palmitate) INVEGA HAFYERA (paliperidone) INVEGA SUSTENNA (paliperidone) INVEGA TRINZA (paliperidone) PERSERIS (risperidone) RISPERDAL CONSTA (risperidone) UZEDY (risperidone)	risperidone ER vial RYKINDO (risperidone) ZYPREXA RELPREVV (olanzapine)

ANTIVIRALS, ORAL/NASAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIHERPETIC	
acyclovir famciclovir valacyclovir	VALTREX (valacyclovir)
ANTI-INFLUENZA	
oseltamivir	RELENZA (zanamivir) rimantadine TAMIFLU (oseltamivir) XOFLUZA (baloxavir)
ANTI-COVID	
PAXLOVID (nirmatrelvir/ritonavir)	
ANTI-CMV	
valganciclovir solution valganciclovir tablets	LIVTENCITY (maribavir) PREVYMIS (letermovir) VALCYTE (valganciclovir) solution VALCYTE (valganciclovir) tablets

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ANTIVIRALS, TOPICAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

acyclovir cream AG, ointment, ointment AG
 DENAVIR (penciclovir)
 docosanol cream OTC
 XERESE (acyclovir/hydrocortisone)
 ZOVIRAX (acyclovir) cream, ointment

NON-PREFERRED AGENTS

acyclovir cream
 penciclovir
 ZELSUVMI (berdazimer)

ANXIOLYTICS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Anxiolytics](#)
- [Opiate/Benzodiazepine/Muscle Relaxant](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

alprazolam tablets
 ATIVAN (lorazepam)
 buspirone
 chlordiazepoxide
 clorazepate
 diazepam solution
 diazepam tablets
 lorazepam intensol
 lorazepam tablets

NON-PREFERRED AGENTS

alprazolam ER
 alprazolam intensol
 alprazolam ODT
BUCAPSOL (buspirone)
 diazepam intensol
 LOREEV XR (lorazepam)
 meprobamate
 oxazepam
 XANAX XR (alprazolam)
 XANAX (alprazolam) tablets

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

BETA BLOCKERS (ORAL)	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BETA BLOCKERS	
acebutolol atenolol BETAPACE (sotalol) bisoprolol BYSTOLIC (nebivolol) HEMANGEOL (propranolol) INDERAL LA/XL (propranolol) INNOPRAN XL (propranolol) metoprolol IR metoprolol XL propranolol IR sotalol TENORMIN (atenolol) timolol	BETAPACE AF (sotalol) betaxolol KAPSPARGO (metoprolol succinate) LOPRESSOR (metoprolol) soln, tab nadolol nebivolol pindolol propranolol ER SOTYLIZE (sotalol) TOPROL XL (metoprolol succinate)
BETA BLOCKER COMBINATIONS	
atenolol/chlorthalidone bisoprolol/HCTZ	metoprolol/HCTZ TENORETIC (atenolol/HCTZ)
BETA- AND ALPHA-BLOCKERS	
carvedilol COREG CR (carvedilol) labetalol	carvedilol ER COREG (carvedilol)

BILE SALTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drug • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced,	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
URSO FORTE (urosodiol) ursodiol capsules, tablets	BYLVAY (odevixibat) cap/pellet CHOLBAM (cholic acid) IQIRVO (elafibranor) LIVDELZI (seladelpar) LIVMARLI (maralixibat) soln, tab OCALIVA (obeticholic acid) RELTONE (ursodiol)

BLADDER RELAXANT PREPARATIONS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
fesoterodine flavoxate MYRBETRIQ (mirabegron) tablets/granules oxybutynin IR 5 MG (generic Ditropan), syrup, soln oxybutynin ER OXYTROL (oxybutynin) solifenacin	darifenacin ER DETROL (tolterodine) DETROL LA (tolterodine) GEMTESA (vibegron) mirabegron OXYTROL FOR WOMEN (oxybutynin) oxybutynin IR 2.5 MG tolterodine tolterodine ER TOVIAZ (fesoterodine) trospium trospium ER VESICARE (solifenacin) VESICARE LS (solifenacin)

BONE RESORPTION SUPPRESSION AND RELATED AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions • For drugs in a therapeutic class or subclass with no preferred option, the provider must	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

obtain a PDL prior authorization	
PREFERRED AGENTS	NON-PREFERRED AGENTS
BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) alendronate solution ATELVIA (risedronate) BINOSTO (alendronic acid) FOSAMAX (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate
OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS	
calcitonin nasal FORTEO (teriparatide) raloxifene	BONSITY (teriparatide) EVENITY (romosozumab-aqqg) EVISTA (raloxifene) teriparatide TYMLOS (abaloparatide)

BPH AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ALPHA BLOCKERS	
alfuzosin CARDURA (doxazosin) CARDURA XL (doxazosin) doxazosin tamsulosin terazosin	FLOMAX (tamsulosin) RAPAFLO (silodosin) silodosin TEZRULY (terazosin)
5-ALPHA-REDUCTASE (5AR) INHIBITORS	
finasteride	dutasteride PROSCAR (finasteride)
ALPHA BLOCKER/5AR INHIBITOR COMBINATIONS	
	dutasteride/tamsulosin
PHOSPHODIESTERASE 5 INHIBITORS	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

BRONCHODILATORS, BETA AGONIST

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Duplicate Therapy](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

NON-PREFERRED AGENTS

INHALERS, SHORT-ACTING

VENTOLIN HFA (albuterol)
XOPENEX HFA (levalbuterol)

albuterol HFA
levalbuterol HFA
PROAIR DIGIHALER (albuterol)
PROAIR RESPICLICK (albuterol)

INHALERS, LONG ACTING

SEREVENT (salmeterol)

STRIVERDI RESPIMAT (olodaterol)

INHALATION SOLUTION

albuterol

arformoterol
BROVANA (arformoterol)
formoterol
PERFOROMIST (formoterol)

ORAL

albuterol syrup

albuterol tablets
terbutaline

CALCIUM CHANNEL BLOCKERS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

NON-PREFERRED AGENTS

SHORT-ACTING

diltiazem

CARDIZEM (diltiazem)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

nifedipine IR verapamil	isradipine nicardipine nimodipine NYMALIZE (nimodipine)
LONG-ACTING	
amlodipine CARTIA XT (diltiazem) DILT XR (diltiazem) diltiazem ER felodipine ER nifedipine ER NORLIQVA (amlodipine oral solution) NORVASC (amlodipine) TIAZAC (diltiazem) verapamil ER capsules, tablets	CARDIZEM CD (diltiazem) CARDIZEM LA (diltiazem) diltiazem LA KATERZIA (amlodipine) levamlodipine MATZIM LA (diltiazem) nisoldipine PROCARDIA XL (nifedipine) SULAR (nisoldipine) TAZTIA XT (diltiazem) TIADYLT ER (diltiazem) verapamil 360 mg capsules verapamil ER PM VERELAN PM (verapamil)

CEPHALOSPORINS AND RELATED ANTIBIOTICS (ORAL)	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS	
amoxicillin/clavulanate tablets, suspension AUGMENTIN ES 600 susp (amoxicillin/clavulanate)	amoxicillin/clavulanate chewable, XR tablets AUGMENTIN 125 susp, tablets, XR (amoxicillin/clavulanate)
CEPHALOSPORINS-FIRST GENERATION	
cefadroxil capsules, suspension cephalexin capsules, suspension	cefadroxil tablets cephalexin tablets
CEPHALOSPORINS-SECOND GENERATION	
cefprozil suspension cefprozil tablets cefuroxime tablets	cefactor ER cefactor IR capsules, suspension
CEPHALOSPORINS-THRID GENERATION	
cefdinir cefpodoxime tablets, suspension	cefixime

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COLONY STIMULATING FACTORS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

GRANIX (tbo-filgrastim) syringe
FULPHILA (pegfilgrastim-jmdb)
NYVEPRIA (pegfilgrastim-apgf)
NIVESTYM (filgrastim-aafi)

NON-PREFERRED AGENTS

FYLNETRA (pegfilgrastim-pbbk)
GRANIX (tbo-filgrastim) vial
LEUKINE (sargramostim)
NEULASTA (pegfilgrastim)
NEUPOGEN (filgrastim) vial, syringe
NYPOZI (filgrastim-txid)
RELEUKO (filgrastim-AYOW) syringe, vial
ROLVEDON SYRINGE (eflapegrastim-xnst)
RYZNEUTA (efbemalenograstim alfa-vuxw)
STIMUFEND SYRINGE (pegfilgrastim-fpgk)
UDENYCA (pegfilgrastim-cbqv)
ZARXIO (filgrastim-sndz)
ZIEXTENZO SYRINGE (pegfilgrastim-bmez)

COPD AGENTS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Duplicate Therapy](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

ANTICHOLINERGICS

ATROVENT HFA (ipratropium)
ipratropium inhalation solution
SPIRIVA HANDIHALER (tiotropium)
SPIRIVA RESPIMAT (tiotropium)

NON-PREFERRED AGENTS

INCRUSE ELLIPTA (umeclidinium)
ipratropium HFA
TUDORZA (aclidinium)

ANTICHOLINERGIC-BETA AGONIST COMBINATIONS

albuterol/ipratropium
ANORO ELLIPTA (umeclidinium/vilanterol)

BEVESPI AEROSPHERE (glycopyrrolate/formoterol)
DUAKLIR PRESSAIR (aclidinium/formoterol)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COMBIVENT RESPIMAT (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	YUPELRI (revefenacin)
PHOSPHODIESTERASE INHIBITORS	
roflumilast	DALIRESP (roflumilast) OHTUVAYRE (ensifentrine)

COUGH AND COLD AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization may apply to drugs in the class: • Cough & Cold PA criteria • Dextromethorphan Overutilization Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
See separate Preferred Cough and Cold Agent listing.	See separate Preferred Cough and Cold Agent listing.

CYTOKINE AND CAM ANTAGONISTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Cytokine and CAM Antagonists Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
adalimumab-AATY adalimumab-ADAZ adalimumab-ADBMM adalimumab-FKJP adalimumab-RYVK AMJEVITA (adalimumab-ATTO) CYLTEZO (adalimumab-ADBMM) ENBREL (etanercept) HADLIMA (adalimumab-BWWD) HULIO (adalimumab-FKJP) HUMIRA (adalimumab) HYRIMOZ (adalimumab-ADAZ) IMULDOSA (ustekinumab-SRLF) KINERET (anakinra) ORENCIA (abatacept)	ABRILADA (adalimumab-AFZB) ACTEMRA (tocilizumab) adalimumab-AACF ARCALYST (rilonacept) BIMZELX (bimekizumab-BKZX) CDV HUMIRA (adalimumab) CIBINQO (abrocitinib) CIMZIA (certolizumab) COSENTYX (secukinumab) ENSPRYNG (satralizumab-MWGE) ENTYVIO (vedolizumab) pen IDACIO (adalimumab-AACF) ILARIS (canakinumab) ILUMYA (tildrakizumab-ASMN) KEVZARA (sarilumab)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

OTEZLA (apremilast) OTULFI (ustekinumab-AAUZ) PYZCHIVA (ustekinumab-TTWE) RINVOQ ER (upadacitinib) RINVOQ LQ (upadacitinib) solution SELARSDI (ustekinumab-AEKN) SIMLANDI (adalimumab-RYVK) SIMPONI (golimumab) SKYRIZI (risankizumab-RZAA) STARJEMZA (ustekinumab-hmny) TREMIFYA (guselkumab) ustekinumab-AAUZ ustekinumab-AEKN ustekinumab-TTWE XELJANZ (tofacitinib) XELJANZ soln (tofacitinib) XELJANZ XR (tofacitinib) YESINTEK (ustekinumab-KFCE) YUFLYMA (adalimumab-AATY)	LEQSELVI (deuruxolitinib) LITFULO (ritlecitinib) OLUMIANT (baricitinib) OMVOH (mirikizumab-MRKZ) OTEZLA XR (apremilast) RHAPSIDO (remibrutinib) SILIQ (brodalumab) SIMPONI ARIA (golimumab) SOTYKTU (deucravacitinib) SPEVIGO (spesolimab-SBZO) STELARA (ustekinumab) STEQEYMA (ustekinumab-STBA) TALTZ (ixekizumab) TYENNE (tocilizumab-aazg) ustekinumab YUSIMRY (adalimumab-AQVH) ZYMFENTRA (infliximab-dyyb)
--	---

DMD AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: <u>DMD Agents</u> Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
deflazacort tablets EMFLAZA (deflazacort) suspension JAYTHARI (deflazacort) tablets KYMBEE (deflazacort) tablets	AGAMREE suspension (vamorolone) deflazacort suspension DUVYZAT (givinostat) EMFLAZA (deflazacort) tablets JAYTHARI (deflazacort) suspension KYMBEE (deflazacort) suspension PYQUVI (deflazacort) suspension

EPINEPHRINE	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred products - Contraindication to preferred products* - Allergic reaction to preferred products* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Auvi Q (epinephrine) epinephrine (Mylan authorized generic EPIPEN and EPIPEN JR) epinephrine (generic EPIPEN and EPIPEN JR) EPIPEN (epinephrine) EPIPEN JR (epinephrine) NEFFY (epinephrine nasal spray)	epinephrine (generic ADRENALIN)
--	---------------------------------

ERYTHROPOIESIS STIMULATING PROTEINS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Erythropoiesis Stimulating Proteins](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

ARANESP (darbepoetin)
 EPOGEN (RhUEPO)
 RETACRIT (RhUEPO)

NON-PREFERRED AGENTS

MIRCERA (PEG-EPO)
 PROCRT (RhUEPO)
 REBLOZYL (luspatercept-aamt)
 VAFSEO (vadadusat)

FLUOROQUINOLONES, ORAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

ciprofloxacin IR
 CIPRO (ciprofloxacin) suspension
 levofloxacin solution
 levofloxacin tablets

NON-PREFERRED AGENTS

BAXDELA (delafloxacin)
 CIPRO (ciprofloxacin) tablets
 ciprofloxacin suspension
 moxifloxacin
 ofloxacin

GI MOTILITY, CHRONIC

PA CRITERIA

Client must meet at least one of the listed PA criteria: The following Clinical Prior Authorization applies to

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

- Treatment failure with preferred drugs within any subclass (including OTC products) - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	all drugs in the class: GI Motility Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
AMITIZA (lubiprostone) LINZESS (linaclotide) LOTRONEX (alosetron) lubiprostone MOVANTIK (naloxegol) SYMPROIC (naldemedine) TRULANCE (plecanatide)	alosetron IBSRELA (tenapanor HCl) MOTEGRITY (prucalopride) prucalopride RELISTOR (methylnaltrexone) injection RELISTOR (methylnaltrexone) oral VIBERZI (eluxadoline)

GLUCAGON AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
BAQSIMI (glucagon) glucagon injection glucagon emergency kit, vial GVOKE HYPOPEN (glucagon) GVOKE syringe/vial (glucagon) PROGLYCEM (diazoxide) ZEGALOGUE AUTOINJECTOR (dasiglucagon) ZEGALOGUE SYRINGE (dasiglucagon)	diazoxide suspension glucagon hcl emergency kit, vial

GLUCOCORTICOIDS, INHALED	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
GLUCOCORTICOIDS	
ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ASMANEX HFA (mometasone) budesonide respules fluticasone HFA PULMICORT FLEXHALER (budesonide) QVAR (beclomethasone)	ALVESCO (ciclesonide) ARMONAIR DIGIHALER (fluticasone) beclomethasone fluticasone DISKUS PULMICORT respules (budesonide)
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS	
ADVAIR (fluticasone/salmeterol) AIRSUPRA (albuterol/budesonide) BREO ELLIPTA (fluticasone/vilanterol) DULERA (mometasone/formoterol) SYMBICORT (budesonide/formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) BREYNA (budesonide/formoterol) BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol) budesonide-formoterol fluticasone/salmeterol (AirDuo) fluticasone/vilanterol TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) WIXELA (fluticasone/salmeterol)

GLUCOCORTICIDS, ORAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
budesonide EC dexamethasone elixir, solution, tablets hydrocortisone methylprednisolone tablet dose pack prednisolone solution prednisone solution, tablets	ALKINDI SPRINKLE (hydrocortisone) CORTEF (hydrocortisone) cortisone dexamethasone intensol / tab ds pk EOHILIA (budesonide) HEMADY (dexamethasone) KHINDIVI (hydrocortisone) MEDROL (methylprednisolone) methylprednisolone tablets MILLIPRED (prednisolone) prednisone DR prednisolone tablets (MILLIPRED) prednisolone sodium phosphate ODT, solution (Millipred, Veripred) prednisone intensol prednisone tablet dose pack

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

RAYOS DR (prednisone)
TAPERDEX (dexamethasone)
TARPEYO (budesonide)

GROWTH HORMONE

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Growth Hormone](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

GENOTROPIN (somatropin)
NORDITROPIN (somatropin)
SKYTROFA (lonapegsomatropin-tcgd)
SOGROYA (somapacitan-beco)

NON-PREFERRED AGENTS

HUMATROPE (somatropin)
NGENLA (somatrogon-ghla)
NUTROPIN AQ (somatropin)
OMNITROPE (somatropin)
SEROSTIM (somatropin)
ZOMACTON (somatropin)

H. PYLORI TREATMENT

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

PYLERA (bismuth subcitrate/ metronidazole/tetracycline)

NON-PREFERRED AGENTS

bismuth/metronidazole/tetracycline
lansoprazole/amoxicillin/clarithromycin
OMECLAMOX-PAK
(omeprazole/clarithromycin/amoxicillin)
TALICIA (omeprazole/amoxicillin/rifabutin)
VOQUEZNA DUAL PAK (vonoprazan/amoxicillin)
VOQUEZNA TRIPLE PAK (vonoprazan/amox/clarith)

HEMOPHILIA TREATMENT

PA CRITERIA

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Client must meet at least one of the listed PA criteria:

- All of the agents in the Hemophilia Treatment class are preferred

PREFERRED AGENTS	NON-PREFERRED AGENTS
FACTOR VIII	
ADVATE ADYNOVATE AFSTYLA ALTUVIIIQ ELOCTATE ESPEROCT HEMOFIL M HUMATE P JIVI KOATE DVI KOVALTRY NOVOEIGHT NUWIQ OBIZUR RECOMBINATE XYNTHA	
FACTOR IX	
ALPHANINE SD ALPROLIX BENEFIX IDELVION IXINITY PROFILNINE REBINYN RIXUBIS	
OTHER	
ALHEMO (concizumab-MTCl) ALPHANATE (von Willebrand factor/Factor VIII) COAGADEX (Factor X) CORIFACT (Factor XIII) FEIBA NF (activated prothrombin complex) HEMGENIX (etranacogene dezaparvovec-drlb) HEMLIBRA (emicizumab-kxwh) HYMPAVZI (marstacimab-HNCQ) QFITLIA (fitusiran) NOVOSEVEN RT (Factor VIIa) SEVENFACT (Factor VIIa-jncw) TRETEN (Factor XIII) VONVENDI (von Willebrand factor) WILATE (von Willebrand factor/Factor VIII)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

HEPATITIS C AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions • For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	
PREFERRED AGENTS	NON-PREFERRED AGENTS
PEGYLATED INTERFERONS	
	PEGASYS (pegylated IFN alfa-2a)
POLYMERASE/PROTEASE INHIBITORS	
MAVYRET (glecaprevir/pibrentasvir) EPCLUSA (sofosbuvir/velpatasvir) sofosbuvir/velpatasvir	HARVONI (ledipasvir/sofosbuvir) tablets, pellet pack ledipasvir/sofosbuvir SOVALDI (sofosbuvir) tablets, pellet pack VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir) VOSEVI (sofosbuvir, velpatasvir, voxilaprevir) ZEPATIER (elbasvir/grazoprevir)
RIBAVIRIN	
ribavirin capsules ribavirin tablets	

HEREDITARY ANGIOEDEMA (HAE) TREATMENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Hereditary Angioedema Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BERINERT (C1 esterase inhibitor) CINRYZE (C1 esterase inhibitor) DAWNZERA (donidalorsen) HAEGARDA (C1 esterase inhibitor) icatibant KALBITOR (ecallantide) ORLADEYO (berotralstat) TAKHZYRO (lanadelumab-FLYO)	ANDEMBRY (garadacimab) EKTERLY (sebetralstat) FIRAZYR (icatibant) RUCONEST (C1 esterase inhibitor) SAJAZIR (icatibant)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

HIV/AIDS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the HIV/AIDS class are preferred	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIRETROVIRAL SINGLE AGENT PRODUCTS	
abacavir APTIVUS (tipranavir) atazanavir darunavir didanosine EDURANT (rilpivirine) EDURANT PED (rilpivirine) efavirenz emtricitabine EMTRIVA (emtricitabine) EPIVIR (lamivudine) etravirine fosamprenavir FUZEON (enfuvirtide) INTELENCE (etravirine) ISENTRESS (raltegravir) lamivudine maraviroc nevirapine NORVIR (ritonavir) PIFELTRO (doravirine) PREZCOBIX (darunavir/cobicistat) PREZISTA (darunavir) RETROVIR (zidovudine) REYATAZ (atazanavir) rilpivirine ritonavir RUKOBIA (fostemsavir) SELZENTRY (maraviroc) stavudine SUNLENCA (lenacapavir sodium) tablets tenofovir disoproxil fumarate TIVICAY (dolutegravir) TYBOST (cobicistat) VIRACEPT (nelfinavir) VIREAD (tenofovir disoproxil fumarate) YEZTUGO (lenacapavir) ZIAGEN (abacavir) zidovudine	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

HIV/AIDS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the HIV/AIDS class are preferred	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ANTIRETROVIRAL COMBINATIONS	
abacavir/lamivudine BIKTARVY (bictegravir/emtricitabine/tenofovir) CIMDUO (lamivudine/tenofovir DF) COMPLERA (emtricitabine/rilpivirine/tenofovir DF) DELSTRIGO (doravirine/lamivudine/ tenofovir DF) DESCOVY (emtricitabine/tenofovir alafenamide) DOVATO (dolutegravir/lamivudine) efavirenz/emtricitabine/tenofovir disoproxil fumarate efavirenz/lamivudine/tenofovir disoproxil fumarate (SYMFI LO) efavirenz/lamivudine/tenofovir disoproxil fumarate (SYMFI) emtricitabine/tenofovir disoproxil fumarate emtricitabine/rilpivirine/tenofovir disoproxil fumarate EVOTAZ (atazanavir/cobicistat) GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide) JULUCA (dolutegravir/rilpivirine) KALETRA (lopinavir/ritonavir) lamivudine/zidovudine lopinavir/ritonavir ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir DF) SYMFI (efavirenz/lamivudine/tenofovir DF) SYMFI LO (efavirenz/lamivudine/tenofovir DF) SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir DF) TRIUMEQ (abacavir/dolutegravir/lamivudine) TRIUMEQ PD (abacavir/dolutegravir/lamivudine) TRUVADA (emtricitabine/tenofovir DF)	

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs*	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
AMYLIN ANALOGS	
SYMLIN (pramlintide)	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • DPP4 Inhibitor Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
INCRETIN ENHANCERS	
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) JENTADUETO XR (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone BRYNOVIN (sitagliptin) KAZANO (alogliptin /metformin) linagliptin linagliptin/metformin NESINA (alogliptin) OSEN (alogliptin /pioglitazone) saxagliptin saxagliptin/metformin ER sitagliptin sitagliptin/metformin sitagliptin/metformin ER, AG ZITUVIO (sitagliptin)
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • GLP-1 Receptor Agonists Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
INCRETIN MIMETICS	
BYETTA (exenatide) OZEMPIC (semaglutide) TRULICITY (dulaglutide) VICTOZA (liraglutide)	BYDUREON BCISE (exenatide ER) exenatide liraglutide MOUNJARO (tirzepatide) RYBELSUS (semaglutide)
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS cont.	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: DPP4 Inhibitor The following Clinical Prior Authorization applies to all drugs in the class: GLP-1 Receptor Agonists Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
INCRETIN ENHANCERS/SGLT2 INHIBITOR COMBINATIONS	
GLYXAMBI (empagliflozin/linagliptin)	QTERN (dapagliflozin/saxagliptin)
TRIJARDY XR (empagliflozin/linagliptin/metformin)	STEGLUJAN (ertugliflozin/sitagliptin)
INCRETIN MIMETIC/INSULIN COMBINATIONS	
	SOLIQUA (lixisenatide/insulin glargine)
	XULTOPHY (liraglutide/insulin degludec)

HYPOGLYCEMICS, INSULIN AND RELATED	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
FIASP (insulin aspart) vial, pen, pump cartridge HUMALOG (insulin lispro) cartridge, kwikpen, vial (100 u/ml) HUMALOG JUNIOR KWIKPEN (insulin lispro) HUMALOG TEMPO pen HUMALOG MIX (insulin lispro/lispro protamine) pen, vial HUMULIN N (insulin) vial HUMULIN R (insulin) vial HUMULIN R 500 UNITS/ML (insulin) pen, vial HUMULIN 70/30 (insulin) pen, vial insulin aspart cartridge (AG) insulin aspart pen (AG) insulin aspart vial (AG) insulin aspart/insulin aspart protamine insulin pen (AG) insulin aspart/insulin aspart protamine vial (AG) insulin lispro junior kwikpen (AG) insulin lispro pen (AG) insulin lispro vial (AG) LANTUS (insulin glargine) NOVOLIN N (insulin NPH) flexpen, vial NOVOLIN R (insulin regular) vial	ADMELOG (insulin lispro) AFREZZA (insulin) APIDRA (insulin glulisine) BASAGLAR (insulin glargine) kwikpen/TEMPO pen HUMALOG 200 UNITS/ML kwikpen HUMULIN N (insulin) pen insulin degludec pen insulin degludec vial insulin glargine vial insulin glargine pen insulin glargine MAX SOLOSTAR pen insulin glargine SOLOSTAR pen insulin glargine-YFGN pen insulin glargine-YFGN vial insulin lispro protamine mix kwikpen (AG) KIRSTY (insulin aspart-xjhz) LEVEMIR (insulin detemir) flexpen, flextouch, vial LYUMJEV (insulin lispro) kwikpen, vial, TEMPO pen MERILOG (insulin aspart-SZJJ) vial MERILOG SOLOSTAR (insulin aspart-SZJJ) pen

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

NOVOLOG (insulin aspart)
 NOVOLOG MIX (insulin aspart/aspart protamine)
 TOUJEO (insulin glargine)
 TOUJEO MAX (insulin glargine)

MYXREDLIN (insulin regular in 0.9 % NaCl)
 NOVOLIN 70/30 (insulin)
 NOVOLIN R (insulin regular) flexpen
 REZVOGLAR (insulin glargine-AGLR) KWIKPEN
 SEMGLEE (insulin glargine) pen, vial
 TRESIBA (insulin degludec)

HYPOGLYCEMICS, MEGLITINIDES

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Duplicate Therapy](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

nateglinide
 repaglinide

NON-PREFERRED AGENTS

HYPOGLYCEMICS, METFORMIN

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

GLUMETZA (metformin ER)
 glyburide/metformin
 metformin IR 500 mg, 850 mg, 1,000 mg (GLUCOPHAGE)
 metformin ER (GLUCOPHAGE XR)

NON-PREFERRED AGENTS

glipizide/metformin
 metformin ER (FORTAMET)
 metformin ER (GLUMETZA)
 metformin IR 625 mg
 metformin IR 750 mg
 metformin (solution)
 RIOMET (metformin)

HYPOGLYCEMICS, SGLT2

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [SGLT2 Inhibitor](#)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
SUBCLASS		
FARXIGA (dapagliflozin) JARDIANCE (empagliflozin)		dapagliflozin INPEFA (sotagliflozin) INVOKANA (canagliflozin) STEGLATRO (ertugliflozin)
PA CRITERIA		
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		The following Clinical Prior Authorization applies to all drugs in the class: • SGLT2 Combinations Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
SGLT2 COMBINATIONS		
SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)		dapagliflozin/metformin ER INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin)

HYPOGLYCEMICS, TZD		
PA CRITERIA		
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		The following Clinical Prior Authorization applies to all drugs in the class: • Thiazolidinediones Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
THIAZOLIDINEDIONES		
pioglitazone		ACTOS (pioglitazone)

HYPOGLYCEMICS, TZD cont.		
PA CRITERIA		
Client must meet at least one of the listed PA criteria: • Separate prescriptions for the individual components should be used instead of the combination drug. • Treatment of stage-four advanced, metastatic cancer and associated conditions • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs*		The following Clinical Prior Authorization applies to all drugs in the class: • Thiazolidinediones Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Allergic reaction to preferred drugs*	
PREFERRED AGENTS	NON-PREFERRED AGENTS
THIAZOLIDINEDIONES COMBINATIONS	
DUETACT (pioglitazone/glimepiride)	ACTOPLUS MET (pioglitazone/metformin) pioglitazone/metformin pioglitazone/glimepiride

IMMUNE GLOBULINS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
CUVITRU (immune globulin) GAMASTAN S-D (immune globulin) GAMMAGARD (immune globulin) GAMMAKED (immune globulin) GAMUNEX-C (immune globulin) HEPAGAM B (hepatitis B immune globulin) HIZENTRA (immune globulin) syringe HIZENTRA (immune globulin) vial HYQVIA (immune globulin) PANZYGA (immune globulin) PRIVIGEN (immune globulin) XEMBIFY (immune globulin)	ASCENIV (immune globulin) BIVIGAM (immune globulin) CUTAQUIG (immune globulin) CYTOGAM (CMV immune globulin) GAMMAGARD ERC (immune globulin) GAMMAPLEX (immune globulin) OCTAGAM (immune globulin) VARIZIG (varicella-zoster immune globulin)

IMMUNOMODULATORS, ASTHMA	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: Immunomodulators, Asthma Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
FASENRA PEN (benralizumab) TEZSPIRE PEN (tezepelumab-EKKO) XOLAIR (omalizumab) autoinjector, syringe	NUCALA (mepolizumab)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

IMMUNOMODULATORS, ATOPIC DERMATITIS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- Dupixent, in this therapeutic PDL class, is for Atopic Dermatitis indication. The clinical prior authorization linked here includes the product's other indications.

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

[DUPIXENT](#) (dupilumab)
[ELIDEL](#) (pimecrolimus)
[EUCRISA](#) (crisaborole)
[tacrolimus](#)
[VTAMA](#) (tapinarof)
[ZORYVE](#) (roflumilast) 0.3% cream, foam

NON-PREFERRED AGENTS

[ADBRY](#) (tralokinumab) autoinjector, syringe
[ANZUPGO](#) (delgocitinib)
[EBGLYSS](#) (lebrikizumab-LBKZ)
[NEMLUVIO](#) (nemolizumab-ILTO)
[OPZELURA](#) (ruxolitinib)
[pimecrolimus](#)
[ZORYVE](#) (roflumilast) 0.05%, 0.15% cream

IMMUNOSUPPRESSIVES

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

azathioprine
 CELLCEPT (mycophenolate mofetil) suspension
 cyclosporine, 25 mg, 100 mg modified
 GENGRAF (cyclosporine modified) capsules, solution
 mycophenolate mofetil capsules, tablets
 NEORAL (cyclosporine, modified) capsules
 PROGRAF (tacrolimus) capsules
 RAPAMUNE (sirolimus) tablets
 sirolimus solution
 sirolimus tablets
 tacrolimus

NON-PREFERRED AGENTS

ASTAGRAF XL (tacrolimus)
 AZASAN (azathioprine)
[BENLYSTA](#) AUTOINJECTOR (belimumab.)
[BENLYSTA](#) SYRINGE (belimumab.)
 CELLCEPT (mycophenolate mofetil) capsule, tablet
 cyclosporine capsules, softgel
 cyclosporine, 50 mg modified
 ENVARUSUS XR (tacrolimus)
 everolimus tablets
 IMURAN (azathioprine)
[LUPKYNIS](#) (voclosporin)
 mycophenolate mofetil suspension
 mycophenolic acid

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

MYFORTIC (mycophenolic acid)
 MYHIBBIN (mycophenolate mofetil) suspension
 NEORAL (cyclosporine, modified) solution
 PROGRAF (tacrolimus) granules
[REZUROCK](#) (belumosudil)
 SANDIMMUNE (cyclosporine)
 tacrolimus XL
 TAVNEOS (avacopan)
 ZORTRESS (everolimus)

INTRANASAL RHINITIS AGENTS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

PREFERRED AGENTS

NON-PREFERRED AGENTS

GLUCOCORTICOIDS

budesonide

fluticasone, OTC

NASONEX OTC

OMNARIS (ciclesonide)

QNASL (beclomethasone dipropionate), 80 mcg

triamcinolone

flunisolide

mometasone

QNASL (beclomethasone dipropionate), 40 mcg

XHANCE (fluticasone)

ZETONNA (ciclesonide)

OTHERS

azelastine (generic ASTELIN)

ipratropium nasal spray

azelastine (generic ASTEPRO)

olopatadine

COMBINATIONS

DYMISTA (azelastine/fluticasone)

azelastine/fluticasone

RYALTRIS (olopatadine HCl/mometasone)

IRON, ORAL

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
See separate Preferred Oral Iron Drugs listing.	See separate Preferred Oral Iron Drugs listing.

LEUKOTRIENE MODIFIERS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Leukotriene Modifiers Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
montelukast tablets and chewable tablets ZYFLO (zileuton)	ACCOLATE (zafirlukast) montelukast granules SINGULAIR (montelukast) zafirlukast zileuton

LINCOSAMIDES/OXAZOLIDINONES/ STREPTOGRAMINS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • 14-day treatment trial with a preferred drug within the past 180 days • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
clindamycin capsules clindamycin solution linezolid tablets, IV (AG) ZYVOX (linezolid) suspension	CLEOCIN (clindamycin) clindamycin injection LINCOCIN (lincomycin) lincomycin linezolid suspension linezolid suspension AG SIVEXTRO (tedizolid) ZYVOX (linezolid) tablets, injection

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

LIPOTROPICS, OTHER	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ADENOSINE TRIPHOSPHATE-CITRATE LYASE INHIBITOR	
	NEXLETOL (bempedoic acid) NEXLIZET (bempedoic acid/ezetimibe)
APOLIPOPROTEIN C-III INHIBITOR	
REDEMPLO (plozasiran)	TRYNGOLZA (olezarsen)
BILE ACID SEQUESTRANTS	
cholestyramine COLESTID (colestipol) tablets PREVALITE (cholestyramine/aspartame) packet, powder WELCHOL (colesevalam)	colesevelam COLESTID (colestipol) granules colestipol granules colestipol tablets QUESTRAN (cholestyramine) QUESTRAN LIGHT (cholestyramine)
CHOLESTEROL ABSORPTION INHIBITORS	
ezetimibe	ZETIA (ezetimibe)
FIBRIC ACID DERIVATIVES	
fenofibrate (generic Lofibra, Tricor) gemfibrozil	fenofibrate (generic Antara, Fenoglide, Lipofen) fenofibric acid (generic Fibracor, Trilipix) LIPOFEN (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate) TRILIPIX (fenofibric acid)
HOMOZYGOUS FAMILIAL HYPERCHOLESTEROLEMIA TREATMENTS	
	JUXTAPID (lomitapide)
NIACIN	
niacin ER (Rx)	
OMEGA-3 FATTY ACIDS	
omega-3 fatty acids VASCEPA (icosapent ethyl)	icosapent ethyl LOVAZA (omega-3 fatty acids)

LIPOTROPICS, OTHER cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: Trial of atorvastatin, rosuvastatin, and ezetimibe	The following Clinical Prior Authorization applies to all PCSK9 inhibitors:

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

- Concurrent therapy of atorvastatin or rosuvastatin - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	Hyperlipidemia agents Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
PCSK9 INHIBITORS	
REPATHA (evolocumab) PRALUENT (alirocumab)	

LIPOTROPICS, STATINS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with at least two preferred drugs accounting for no less than 120 days of therapy combined - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
STATINS	
atorvastatin LIPITOR (atorvastatin) lovastatin pravastatin rosuvastatin simvastatin	ALTOPREV (lovastatin) ATORVALIQ suspension (atorvastatin) CRESTOR (rosuvastatin) EZALLOR SPRINKLE (rosuvastatin) fluvastatin fluvastatin ER LESCOL XL (fluvastatin) LIVALO (pitavastatin) pitavastatin ZOCOR (simvastatin) ZYPITAMAG (pitavastatin)
STATIN COMBINATIONS	
	atorvastatin/amlodipine CADUET (atorvastatin/amlodipine) simvastatin/ezetimibe VYTORIN (simvastatin/ezetimibe)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

MACROLIDES (ORAL)

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- A 7-day treatment trial with at least one preferred agent in the last 180 days (Exception may apply when a preferred drug requires less than a 7-day treatment trial)
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For clients with diagnosis of Gastroparesis, Cerebral Palsy Gastroparesis, and GERD associated with Gastrostomy complications, a 90-day PA duration will be approved

PREFERRED AGENTS

azithromycin
clarithromycin tablets
erythromycin ethylsuccinate 200 suspension
erythromycin ethylsuccinate 400 suspension
ERY-TAB (erythromycin)
ZITHROMAX (azithromycin) Z-PAK

NON-PREFERRED AGENTS

clarithromycin suspension
clarithromycin ER
E.E.S. (erythromycin) tablets
E.E.S. (erythromycin) 200 suspension
ERYPED 200 (erythromycin)
ERYPED 400 (erythromycin)
ERYTHROCIN (erythromycin)
erythromycin base
ZITHROMAX (azithromycin) powder packet, suspension, tablet, TRI-PAK

MOVEMENT DISORDERS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [VMAT2 Inhibitors](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

AUSTEDO (deutetrabenazine)
INGREZZA (valbenazine) capsule
tetrabenazine

NON-PREFERRED AGENTS

AUSTEDO XR (deutetrabenazine)
AUSTEDO XR (deutetrabenazine) titration pack
INGREZZA (valbenazine) initiation pack, sprinkle capsule
XENAZINE (tetrabenazine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

MULTIPLE SCLEROSIS AGENTS		
PA CRITERIA		
Client must meet at least one of the listed PA criteria: All of the agents in the Multiple Sclerosis class are preferred		Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
AMPYRA (dalfampridine) AUBAGIO (teriflunomide) AVONEX (interferon beta-1a) BAFIERTAM (monomethyl fumarate) BETASERON (interferon beta-1b) cladribine COPAXONE (glatiramer) dalfampridine dimethyl fumarate fingolimod GILENYA (fingolimod) glatiramer GLATOPA (glatiramer) KESIMPTA (ofatumumab) MAVENCLAD (cladribine) MAYZENT (siponimod) PLEGRIDY (peginterferon beta-1a) PONVORY STARTER PACK (ponesimod) PONVORY TABLETS (ponesimod) REBIF (interferon beta-1a) TASCENSO ODT (fingolimod lauryl sulfate) TECFIDERA (dimethyl fumarate) teriflunomide VUMERITY (diroximel fumarate) ZEPOSIA (ozanimod)		
NEUROPATHIC PAIN		
PA CRITERIA		
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions		Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
ORAL AGENTS		
duloxetine (Cymbalta) gabapentin GRALISE (gabapentin) HORIZANT (gabapentin enacarbil ER) LYRICA (pregabalin) capsules LYRICA (pregabalin) solution		CYMBALTA (duloxetine) DRIZALMA SPRINKLE (duloxetine) duloxetine (Irenka) gabapentin ER milnacipran pregabalin capsules

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

LYRICA CR (pregabalin) NEURONTIN (gabapentin) SAVELLA (milnacipran)	pregabalin ER, solution
TOPICAL AGENTS	
capsaicin OTC lidocaine patch LIDODERM PATCH (lidocaine)	DERMACINRX LIDOCAN PATCH (lidocaine) QUTENZA (capsaicin/skin cleanser) ZTLIDO (lidocaine)

NON-NARCOTIC ANALGESICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions • For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	The following Clinical Prior Authorization applies to all drugs in the class: • Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
NONSPECIFIC NSAIDs	
diclofenac potassium tablets diclofenac sodium ibuprofen indomethacin capsules ketorolac naproxen EC naproxen sodium OTC naproxen tablets sulindac	COXANTO (oxaprozin) DAYPRO (oxaprozin) diclofenac potassium capsules diclofenac SR diflunisal etodolac etodolac SR fenoprofen flurbiprofen indomethacin ER capsules indomethacin suppositories indomethacin suspension ketoprofen ketoprofen ER KIPROFEN (ketoprofen) Lofena (diclofenac) meclofenamate mefenamic acid nabumetone NALFON(fenoprofen) NAPRELAN CR (naproxen sodium) NAPROSYN suspension (naproxen) naproxen CR naproxen sodium (Rx)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

	naproxen suspension oxaprozin piroxicam RELAFEN DS (nabumetone) tolmetin
NSAID/GI PROTECTANT COMBINATIONS	
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol ibuprofen/famotidine naproxen/esomeprazole mag VIMOVO (naproxen/esomeprazole)

NON-NARCOTIC ANALGESICS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
TOPICAL NSAIDs	
diclofenac gel 1%	diclofenac patch diclofenac sodium pump diclofenac solution FLECTOR (diclofenac) LICART PATCH (diclofenac epolamine)
NON-NARCOTIC ANALGESICS cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: Duplicate Therapy Cox II Inhibitors Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
COX-II SELECTIVE NSAIDs	
CELEBREX (celecoxib) celecoxib capsules, AG meloxicam tablets	meloxicam capsules VYSCOX (celecoxib)
OTHER	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ONCOLOGY, ORAL - BREAST**PA CRITERIA**

Client must meet at least one of the listed PA criteria:

- All of the agents in the Oncology, Oral – Breast class are preferred

PREFERRED AGENTS**NON-PREFERRED AGENTS**

anastrozole
 ARIMIDEX (anastrozole)
 AROMASIN (exemestane)
 capecitabine
 cyclophosphamide
 exemestane
 FARESTON (toremifene)
 FEMARA (letrozole)
 IBRANCE (palbociclib)
INLURIYO (imlunestrant)
 ITOVEBI (inavolisib)
 KISQALI (ribociclib)
 lapatinib
 letrozole
 NERLYNX (neratinib)
 ORSERDU (elacestrant HCl)
 PIQRAY (alpelisib)
 SOLTAMOX (tamoxifen)
 TALZENNA (talazoparib)
 tamoxifen
 toremifene
 TRUQAP (capivasertib)
 TUKYSA (tucatinib)
 TYKERB (lapatinib)
 VERZENIO (abemaciclib)
 XELODA (capecitabine)

ONCOLOGY, ORAL - HEMATOLOGIC**PA CRITERIA**

Client must meet at least one of the listed PA criteria:

- All of the agents in the Oncology, Oral – Hematologic class are preferred

PREFERRED AGENTS**NON-PREFERRED AGENTS**

ALKERAN (melphalan)
 BOSULIF (bosutinib)
BRUKINSA (zanubrutinib)
 CALQUENCE (acalabrutinib) capsules/tablets

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COPIKTRA (duvelisib)
 DANZITEN (nilotinib)
 dasatinib
 DAURISMO (glasdegib)
 GLEEVEC (imatinib)
 HYDREA (hydroxyurea)
 hydroxyurea
 ICLUSIG (ponatinib)
 IDHIFA (enasidenib)
 imatinib
 IMBRUVICA (ibrutinib) capsules/suspension/tablets
 IMKELDI (imatinib)
 INQOVI (decitabine/cedazuridine)
 INREBIC (fedratinib)
 JAKAFI (ruxolitinib)
 KOMZIFTI (ziftomenib)
 lenalidomide
 LEUKERAN (chlorambucil)
 MATULANE (procarbazine)
 mercaptopurine
 MYLERAN (busulfan)
 nilotinib d-tartrate capsules
 NINLARO (ixazomib)
 OJJAARA (mometotinib)
 ONUREG (azacytidine)
 pomalidomide
 POMALYST (pomalidomide)
 PHYRAGO (dasatinib)
 PURIXAN (mercaptopurine)
 REVLIMID (lenalidomide)
 REVUFORJ (revumenib)
 REZLIDHIA (olutasidenib)
 RYDAPT (midostaurin)
 SCEMBLIX (asciminib)
 SPRYCEL (dasatinib)
 TABLOID (thioguanine)
 TASIGNA (nilotinib)
 THALOMID (thalidomide)
 TIBSOVO (ivosidenib)
 tretinoin
 VANFLYTA (quizartinib dihydrochloride)
 VENCLEXTA (venetoclax)
 VONJO (pacritinib)
 XOSPATA (gilteritinib)
 XPOVIO (selinexor)
 ZOLINZA (vorinostat)
 ZYDELIG (idelalisib)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:
<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ONCOLOGY, ORAL - LUNG**PA CRITERIA**

Client must meet at least one of the listed PA criteria:

- All of the agents in the Oncology, Oral – Lung class are preferred

PREFERRED AGENTS

ALECENSA (alectinib)
 ALUNBRIG (brigatinib)
 AUGTYRO (repotrectinib)
ENSACOVE (ensartinib)
 erlotinib
 GAVRETO (pralsetinib)
 gefitinib
 GILOTRIF (afatinib)
HERNEXEOS (zongertinib)
 HYCAMTIN (topotecan)
HYRNUO (sevabertinib)
 IBTROZI (taletrectinib)
 IRESSA (gefitinib)
 KRAZATI (adafrasinib)
 LAZCLUZE (lazertinib)
 LORBRENA (lorlatinib)
 LUMAKRAS (sotorasinib)
 RETEVMO (selpercatinib)
 ROZLYTREK (entrectinib)
 ROZLYTREK PELLETT PACK (entrectinib)
 TABRECTA (capmatinib)
 TAGRISSO (osimertinib)
 TEPMETKO (tepotinib)
 VIZIMPRO (dacomitinib)
 XALKORI (crizotinib)
 XALKORI PELLETT (crizotinib)
 ZYKADIA (ceritinib)

NON-PREFERRED AGENTS**ONCOLOGY, ORAL - OTHER****PA CRITERIA**

Client must meet at least one of the listed PA criteria:

- All of the agents in the Oncology, Oral – Other class are preferred

PREFERRED AGENTS

AVMAPKI FAKZYNJA CO-PACK (avutometinib/
 defactinib)
 AYVAKIT (avapritinib)
 BALVERSA (erdafitinib)
 CAPRELSA (vandetanib)
 COMETRIQ (cabozantinib)

NON-PREFERRED AGENTS

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

FRUZAQLA (fruquintinib)	
GOMEKLI (mirdametinib)	
IWILFIN (eflornithine)	
JAYPIRCA (pirtbrutinib)	
KOSELUGO (selumetinib)	
KOSELUGO SPRINKLE (selumetinib)	
lomustine	
LONSURF (trifluridine/tipiracil)	
LYNPARZA (olaparib)	
LYTGOBI (futibatinib)	
MODEYSO (dordaviprone)	
OGSIVEO (nirogacestat)	
OJEMDA (tovorafenib)	
PEMAZYRE (pemigatinib)	
QINLOCK (ripretinib)	
ROMVIMZA (vimseltinib)	
RUBRACA (rucaparib)	
STIVARGA (regorafenib)	
TAZVERIK (tazemetostat)	
temozolomide	
TURALIO (pexidartinib)	
VITRAKVI (larotrectinib)	
VORANIGO (vorasidenib)	
ZEJULA (niraparib)	

ONCOLOGY, ORAL - PROSTATE	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the Oncology, Oral – Prostate class are preferred	
PREFERRED AGENTS	NON-PREFERRED AGENTS
abiraterone ABIRTEGA (abiraterone) AKEEGA (niraparib/abiraterone) bicalutamide CASODEX (bicalutamide) ERLEADA (apalutamide) nilutamide NUBEQA (darolutamide) ORGOVYX (relugolix) XTANDI (enzalutamide) YONSA (abiraterone) ZYTIGA (abiraterone)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

ONCOLOGY, ORAL – RENAL CELL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the Oncology, Oral – Renal Cell class are preferred	
PREFERRED AGENTS	NON-PREFERRED AGENTS
AFINITOR (everolimus) CABOMETYX (cabozantinib) everolimus FOTIVDA (tivozanib HCl) INLYTA (axitinib) LENVIMA (Lenvatinib) NEXAVAR (sorafenib) pazopanib sorafenib sunitinib SUTENT (sunitinib) TORPENZ (everolimus) VOTRIENT (pazopanib) WELIREG (belzutifan)	

ONCOLOGY, ORAL - SKIN	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: All of the agents in the Oncology, Oral – Skin class are preferred	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BRAFTOVI (encorafenib) COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) MEKTOVI (binimetinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)	

OPHTHALMICS, ANTIBIOTIC – STEROID COMBINATIONS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced,	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX (tobramycin/dexamethasone) ointment TOBRADEX ST (tobramycin/dexamethasone) tobramycin/dexamethasone suspension, AG ZYLET (tobramycin/loteprednol)	MAXITROL (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/hydrocortisone neomycin/polymyxin/hydrocortisone tobramycin/loteprednol

OPHTHALMIC ANTIBIOTICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions - For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization	
PREFERRED AGENTS	NON-PREFERRED AGENTS
AMINOGLYCOSIDES	
gentamicin tobramycin TOBREX (tobramycin) ointment	
QUINOLONES	
BESIVANCE (besifloxacin) CILOXAN ointment (ciprofloxacin) ciprofloxacin moxifloxacin (Vigamox) ophthalmic, AG OCUFLOX (ofloxacin) ofloxacin	besifloxacin gatifloxacin levofloxacin moxifloxacin (Moxeza) VIGAMOX (moxifloxacin)
MACROLIDES	
AZASITE (azithromycin) erythromycin	
OTHER, ANTIFUNGAL	
	NATACYN (natamycin)
OTHER, MISC	
bacitracin/polymyxin POLYCIN (bacitracin/polymyxin B sulfate) polymyxin/trimethoprim	bacitracin neomycin/bacitracin/polymyxin neomycin/polymyxin/gramicidin sulfacetamide ointment, solution

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

ALREX (loteprednol)
BEPREVE (bepotastine)
cromolyn
ketotifen
LASTACFT (alcaftadine) OTC
olopatadine OTC (Pataday Once Daily)
olopatadine OTC/Rx (Pataday Twice a Day)
PATADAY XS ONCE DAILY OTC (olopatadine)

NON-PREFERRED AGENTS

alcaftadine
ALOMIDE (lodoxamide)
azelastine
bepotastine
epinastine
loteprednol (generic Alrex)
olopatadine
PATADAY OTC (olopatadine)
ZADITOR OTC (ketotifen)
ZERVIATE (cetirizine)

OPHTHALMICS, ANTI-INFLAMMATORIES

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

NSAIDs

ACULAR (ketorolac)
ACULAR LS (ketorolac)
ACUVAIL (ketorolac)
diclofenac
flurbiprofen
ketorolac
NEVANAC (nepafenac)
PROLENSA (bromfenac)

NON-PREFERRED AGENTS

bromfenac
BROMSITE (bromfenac)
ILEVRO (nepafenac)
ketorolac LS

STEROIDS

DUREZOL (difluprednate)
FLAREX (fluorometholone)
fluorometholone
FML (fluorometholone)
FML FORTE (fluorometholone)
LOTEMAX (loteprednol) drops, gel, ointment
MAXIDEX (dexamethasone)

dexamethasone
difluprednate
INVELTYS (loteprednol)
LOTEMAX SM (loteprednol) gel
loteprednol (generic Lotemax)
prednisolone sodium phosphate

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

PRED FORTE (prednisolone)
 PRED MILD (prednisolone)
 prednisolone acetate

OPHTHALMICS, ANTI-INFLAMMATORY IMMUNOMODULATORS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

[RESTASIS \(cyclosporine\)](#) vial
[XIIDRA \(lifitegrast\)](#)

NON-PREFERRED AGENTS

[CEQUA](#) (cyclosporine)
[cyclosporine](#)
[EYSUVIS \(loteprednol etabonate\)](#)
 MIEBO (perfluorohexyloctane/PF)
[RESTASIS MULTIDOSE \(cyclosporine\)](#)
 TRYPTYR (acoltremon)
[TYRVAYA \(varenicline\)](#)
[VERKAZIA](#) (cyclosporine)
[VEVYE \(cyclosporine\)](#)

OPHTHALMICS, GLAUCOMA AGENTS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions
- For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization

PREFERRED AGENTS

SYMPATHOMIMETICS

ALPHAGAN P (brimonidine)
 brimonidine
 pilocarpine (Isopto Carpine)

NON-PREFERRED AGENTS

apraclonidine
 brimonidine P
 IOPIDINE (apraclonidine)
 pilocarpine (Vuity)
 VUITY (pilocarpine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

BETA BLOCKERS	
BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol ISTALOL (timolol) levobunolol timolol TIMOPTIC (timolol) TIMOPTIC OCUDOSE (timolol) TIMOPTIC XE (timolol)	betaxolol timolol (Betimol, Istalol) timolol PF (Timoptic Ocudose)
CARBONIC ANHYDRASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide	brinzolamide
RHO KINASE INHIBITORS	
RHOPRESSA (netarsudil) ROCKLATAN (netarsudil/latanoprost)	
PROSTAGLANDIN ANALOGS	
latanoprost LUMIGAN (bimatoprost) TRAVATAN-Z (travoprost) XALATAN (latanoprost) ZIOPTAN (tafluprost)	bimatoprost IYUZEH (latanoprost/PF) tafluprost travoprost VYZULTA (latanoprostene bunod) XELPROS (latanoprost)
COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	brimonidine tartrate/timolol COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol) dorzolamide/timolol
MISC	
phospholine iodide	

OPIATE DEPENDENCE TREATMENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to drugs with an “*” in the class: Opiate/Benzodiazepine/Muscle Relaxant Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
buprenorphine* buprenorphine/naloxone KLOXXADO (naloxone) nasal lofexidine LUCEMYRA (lofexidine)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

naloxone syringe, vial, nasal spray naltrexone nalmeffene vial NARCAN (naloxone) nasal NARCAN OTC (naloxone) nasal OPVEE SPRAY (nalmeffene HCl nasal) REXTOVY (naloxone) nasal SUBOXONE (buprenorphine/naloxone) film VIVITROL (naltrexone) ZIMHI (naloxone) ZUBSOLV (buprenorphine/naloxone) ZURNAL (nalmeffene)	
--	--

OTIC ANTIBIOTICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
CIPRO HC (ciprofloxacin/hydrocortisone) ciprofloxacin/dexamethasone otic, AG CORTISPORIN-TC (colistin sulfate - neomycin sulfate - thonzonium bromide - hydrocortisone acetate otic suspension) neomycin/polymyxin/hydrocortisone ofloxacin	ciprofloxacin ciprofloxacin HCl/fluocinolone ciprofloxacin HCl/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)

OTIC ANTI-INFECTIVES/ANESTHETICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
acetic acid	acetic acid/hydrocortisone

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

PAH AGENTS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Clinical Prior Authorization applies **to all drugs** in the class:

- [Pulmonary Hypertension Agents](#); OR
- [PDE5-Inhibitors](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

[ADCIRCA](#) (tadalafil)
[ALYQ](#) (tadalafil)
[ambrisentan](#)
[REVATIO](#) (sildenafil)
[sildenafil suspension](#) (generic Revatio)
[TRACLEER](#) (bosentan) tablets

NON-PREFERRED AGENTS

[ADEMPAS](#) (riociguat)
[bosentan](#)
[LETAIRIS](#) (ambrisentan)
[OPSUMIT](#) (macitentan)
[OPSYNVI](#) (macitentan/tadalafil)
[ORENITRAM ER](#) (treprostinil) tablets, titration kit
[sildenafil tablets](#) (generic Revatio)
[tadalafil](#) (generic Adcirca)
[TADLIQ](#) (tadalafil) suspension
[TRACLEER](#) (bosentan) suspension
[TYVASO Inhalation](#) (treprostinil)
[TYVASO DPI](#) (treprostinil)
[UPTRAVI](#) (selexipag)
[WINREVAIR](#) (sotatercept-csrk)
[YUTREPIA](#) (treprostinil)

PANCREATIC ENZYMES

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

CREON (pancrelipase)
[VIOKACE](#) (pancrelipase)
 ZENPEP (pancrelipase)

NON-PREFERRED AGENTS

PERTZYE (pancrelipase)

PEDIATIRC VITAMIN PREPARATIONS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

- any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
See separate Preferred Pediatric Vitamin Preparations listing.	See separate Preferred Pediatric Vitamin Preparations listing.

PENICILLINS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
amoxicillin ampicillin dicloxacillin penicillin VK	PIVYA (pivmecillinam)

PHOSPHATE BINDERS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria): • Treatment failure with preferred drug • Contraindication to preferred drug* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.	
PREFERRED AGENTS	NON-PREFERRED AGENTS
calcium acetate CALPHRON (calcium acetate) MAGNEBIND (magnesium /calcium carbonate) RENVELA (sevelamer carbonate) packet sevelamer carbonate tablet	AURYXIA (ferric citrate) ferric citrate FOSRENOL (lanthanum) lanthanum RENVELA (sevelamer carbonate) tablet sevelamer sevelamer carbonate packet VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

PLATELET AGGREGATION INHIBITORS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drug
- Contraindication to preferred drug*
- Allergic reaction to preferred drug*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

aspirin/dipyridamole
aspirin/omeprazole
BRILINTA (ticagrelor)
clopidogrel
prasugrel

NON-PREFERRED AGENTS

dipyridamole
EFFIENT (prasugrel)
PLAVIX (clopidogrel)
ticagrelor

POTASSIUM BINDERS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drug
- Contraindication to preferred drug*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

LOKELMA (sodium zirconium cyclosilicate)
sodium polystyrene sulfonate
VELTASSA (patiomer calcium sorbitex)

NON-PREFERRED AGENTS

PRENATAL VITAMINS

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS

See separate **Preferred Prenatal Vitamins** listing.

NON-PREFERRED AGENTS

See separate **Preferred Prenatal Vitamins** listing.

PROGESTINS FOR CACHEXIA

PA CRITERIA

Client must meet at least one of the listed PA criteria:

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Treatment failure with preferred drug • Contraindication to preferred drug* • Allergic reaction to preferred drug* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
megestrol suspension, tablets	megestrol ES suspension (generic Megace ES)

ROSACEA AGENTS, TOPICAL	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure after no less than a 30-day trial of every preferred drug • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization may apply to drugs in the class: • Rosacea Agents, Topical Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
FINACEA (azelaic acid) foam metronidazole cream, gel NORITATE (metronidazole) ROSADAN (metronidazole) cream, gel	azelaic acid brimonidine gel ivermectin metronidazole gel pump, lotion RHOFADÉ (oxymetazoline) ROSADAN KIT (metronidazole) ZILXI (minocycline)

SEDATIVE HYPNOTICS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Anxiolytics and Sedatives/Hypnotics • Opiate/Benzodiazepine/Muscle Relaxant Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BENZODIAZEPINES	
RESTORIL (temazepam) temazepam 15, 30 mg triazolam	estazolam HALCION (triazolam) temazepam 7.5, 22.5 mg
SEDATIVE HYPNOTICS cont.	
PA CRITERIA	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions		Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS		NON-PREFERRED AGENTS
OTHERS		
AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) eszopiclone ROZEREM (ramelteon) zaleplon zolpidem		DAYVIGO (lemborexant) doxepin EDLUAR (zolpidem) flurazepam HETLIOZ (tasimelteon) HETLIOZ LQ (tasimelteon) LUNESTA (eszopiclone) quazepam QUVIVIQ (daridorexant) ramelteon tasimelteon zolpidem ER/SL/capsules

SICKLE CELL ANEMIA TREATMENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
DROXIA (hydroxyurea) ENDARI (glutamine) hydroxyurea glutamine SIKLOS (hydroxyurea) XROMI (hydroxyurea)	

SKELETAL MUSCLE RELAXANTS AND RELATED AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within	The following Clinical Prior Authorization applies to drugs with an “*” in the class:

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

- any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
Opiate/Benzodiazepine/Muscle Relaxant Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.	
PREFERRED AGENTS	NON-PREFERRED AGENTS
AMRIX (cyclobenzaprine ER)* baclofen tablets carisoprodol (except 250 mg)* cyclobenzaprine * methocarbamol* tizanidine capsules (AG) tizanidine tablets	baclofen solution, suspension carisoprodol 250 mg * chlorzoxazone* cyclobenzaprine ER cyclobenzaprine tablet AG DANTRIUM (dantrolene) dantrolene FEXMID (cyclobenzaprine)* FLEQSUVY (baclofen suspension) LORZONE (chlorzoxazone)* LYVISPAH (baclofen) metaxalone* NORGESIC (orphenadrine/aspirin/caffeine) NORGESIC FORTE (orphenadrine/aspirin/caffeine)* orphenadrine* orphenadrine/aspirin/caffeine (Norgesic, Norgesic Forte*) SOMA (carisoprodol)* TANLOR (methocarbamol) TONMYA (cyclobenzaprine)* tizanidine capsules ZANAFLEX (tizanidine)

SMOKING CESSATION	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
bupropion SR (discontinued brand Zyban) CHANTIX (varenicline) nicotine gum nicotine lozenge nicotine patch	NICOTROL (nicotine) NICOTROL NS (nicotine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

STEROIDS, TOPICAL**PA CRITERIA**

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

PREFERRED AGENTS**NON-PREFERRED AGENTS****LOW POTENCY**

DERMA-SMOOTH/FS (fluocinolone)
hydrocortisone cream, ointment
hydrocortisone/aloe cream
PROCTOSOL-HC (hydrocortisone)

alclometasone
ANUSOL-HC (hydrocortisone) cream
desonide
fluocinolone oil
hydrocortisone lotion (Rx), solution
TEXACORT (hydrocortisone) solution

MEDIUM POTENCY

fluticasone propionate cream, ointment
mometasone cream, ointment, solution
PANDEL (hydrocortisone probutate)

BESER KIT (fluticasone)
betamethasone valerate foam
clocortolone cream
fluocinolone acetonide
flurandrenolide
fluticasone propionate lotion
hydrocortisone butyrate
hydrocortisone valerate
LOCOID (hydrocortisone butyrate)
prednicarbate
SYNALAR (fluocinolone)

HIGH POTENCY

betamethasone dipropionate lotion
betamethasone dipropionate/propylene glycol cream
betamethasone valerate cream, ointment
DIPROLENE (betamethasone dipropionate) ointment
triamcinolone acetonide cream, lotion, ointment
VANOS (fluocinonide)

amcinonide
betamethasone dipropionate cream, gel, ointment
betamethasone dipropionate/ propylene glycol lotion, ointment
betamethasone valerate lotion
desoximetasone
diflorasone
fluocinonide
halcinonide
HALOG (halcinonide)
KENALOG aerosol (triamcinolone)
TOPICORT (desoximetasone)
triamcinolone acetonide aerosol

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

STEROIDS, TOPICAL cont.	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
VERY HIGH POTENCY	
clobetasol emollient clobetasol propionate cream, gel, ointment, solution halobetasol cream, ointment	APEXICON E (diflorasone) BRYHALI (halobetasol propionate) clobetasol lotion, shampoo clobetasol propionate foam, spray CLODAN (clobetasol) halobetasol foam, lotion LEXETTE (halobetasol propionate) OLUX (clobetasol) TOVET (clobetasol) ULTRAVATE (halobetasol propionate)

STIMULANTS AND RELATED AGENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to drugs with an “*” in the class: Binge Eating Disorder Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
STIMULANTS	
ADDERALL (amphetamine salt combination) ADDERALL XR (amphetamine salt combination) amphetamine salt combination ER, IR CONCERTA (methylphenidate) DAYTRANA (methylphenidate) DEXEDRINE (dextroamphetamine) dexmethylphenidate ER, IR dextroamphetamine IR DYANAVEL XR (amphetamine) suspension FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate ER)	ADZENYS XR ODT (amphetamine) amphetamine ER ODT (Adzenys ODT) amphetamine salt combination ER (AG) amphetamine sulfate APTENSIO XR (methylphenidate) armodafinil AZSTARYS (serdexmethylphenidate/dexmethyl) COTEMPLA XR ODT (methylphenidate) DESOXYN (methamphetamine) dextroamphetamine ER dextroamphetamine solution

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

[METHYLIN](#) (methylphenidate) solution

[methylphenidate IR](#)

[PROVIGIL](#) (modafinil)

[QUILLICHEW ER](#) (methylphenidate)

[QUILLIVANT XR](#) (methylphenidate)

[RITALIN LA](#) (methylphenidate ER)

[VYVANSE](#) (lisdexamfetamine)*

[VYVANSE](#) (lisdexamfetamine) chewable tablets*

[DYANAVEL XR](#) (amphetamine) tablets

[EVEKEO](#) (amphetamine)

[FOCALIN](#) (dexamethylphenidate)

[lisdexamfetamine*](#)

[methamphetamine](#)

[methylphenidate CD](#)

[methylphenidate chewable tablets](#)

[methylphenidate ER](#)

[methylphenidate LA](#)

[methylphenidate patch](#)

[methylphenidate solution](#)

[modafinil](#)

[MYDAYIS](#) (amphetamine salt combination ER)

[NUVIGIL](#) (armodafinil)

[PROCENTRA](#) (dextroamphetamine)

[RELEXXII](#) (methylphenidate)

[RITALIN](#) (methylphenidate)

[SUNOSI](#) (solriamfetol)

[WAKIX](#) (pitolisant)

[XELSTRYM](#) (dextroamphetamine) transdermal

[ZENZEDI](#) (dextroamphetamine)

STIMULANTS AND RELATED AGENTS cont.

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure with preferred drugs within any subclass
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [ADHD Agents](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

PREFERRED AGENTS

NON-PREFERRED AGENTS

NON-STIMULANTS

atomoxetine

[clonidine ER](#)

guanfacine ER

QELBREE (viloxazine)

INTUNIV (guanfacine ER)

ONYDA XR (clonidine ER) suspension

STRATTERA (atomoxetine)

STOMACH ACID REDUCERS AND RELATED

PA CRITERIA

Client must meet at least one of the listed PA criteria:

- Treatment failure after no less than a 30-day trial of each preferred drug
- Contraindication to preferred drugs*
- Allergic reaction to preferred drugs*
- Treatment of stage-four advanced, metastatic cancer and associated conditions

The following Clinical Prior Authorization applies to **all drugs** in the class:

- [Proton Pump Inhibitor](#)

Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

Prevacid Solutabs will be approved for children 10 years of age and under	
PREFERRED AGENTS	NON-PREFERRED AGENTS
NEXIUM suspension packet (esomeprazole) omeprazole RX pantoprazole PREVACID OTC (lansoprazole) PROTONIX (pantoprazole) suspension PROTONIX tablets (pantoprazole) ZEGERID (omeprazole/sodium bicarbonate)	dexlansoprazole DR DEXILANT (dexlansoprazole) esomeprazole KONVOMEK (omeprazole/sodium bicarbonate) lansoprazole NEXIUM capsules (esomeprazole) omeprazole OTC omeprazole/sodium bicarbonate pantoprazole suspension PREVACID RX (lansoprazole) PRILOSEC (omeprazole) suspension rabeprazole VOQUEZNA TABS (vonoprazen)

TETRACYCLINES	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
doxycycline hyclate capsules doxycycline hyclate IR doxycycline monohydrate 50, 100 mg capsules, suspension doxycycline monohydrate 50, 100 mg capsules (AG) doxycycline monohydrate tablets minocycline capsules MORGIDOX (doxycycline hyclate) ORACEA (doxycycline)	demeclocycline DORYX (doxycycline hyclate) doxycycline hyclate DR doxycycline monohydrate 40, 75, 150 mg capsules minocycline tablets minocycline ER MORGIDOX KIT (doxycycline/skin cleanser no19) NUZYRA tablets (omadacycline) SOLODYN (minocycline) tetracycline

THROMBOPOIESIS STIMULATING PROTEINS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs*	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

• Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	
PREFERRED AGENTS	NON-PREFERRED AGENTS
ALVAIZ (eltrombopag) PROMACTA (eltrombopag) tablets	DOPTLET (avatrombopag) eltrombopag (Promacta) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) suspension TAVALLISSE (fostamatinib) WAYRILZ (rilzabrutinib)

TRANSTHYRETIN-RELATED AMYLOIDOSIS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs within any subclass • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: • Transthyretin Agents Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
VYNDAMAX (tafamidis)	ATTRUBY (acoramidis) VYNDAQEL (tafamidis meglumine) WAINUA (eplontersen)

ULCERATIVE COLITIS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: • Treatment failure with preferred drugs • Contraindication to preferred drugs* • Allergic reaction to preferred drugs* • Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
ORAL	
APRISO (mesalamine) AZULFIDINE (sulfasalazine) DIPENTUM (olsalazine) mesalamine DR tablet (Lialda) PENTASA (mesalamine) sulfasalazine sulfasalazine DR UCERIS (budesonide)	balsalazide budesonide DR COLAZAL (balsalazide) LIALDA (mesalamine) mesalamine mesalamine DR capsule (Delzicol) mesalamine DR tablet (Asacol HD) mesalamine ER capsule (Apriso, Pentasa) VELSIPITY (etrasimod arginine)

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

RECTAL	
CANASA (mesalamine) SFROWASA (mesalamine)	mesalamine (Canasa) mesalamine (SFROWASA) mesalamine kit (ROWASA) ROWASA (mesalamine) UCERIS (budesonide)

UREA CYCLE DISORDERS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria: - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	The following Clinical Prior Authorization applies to all drugs in the class: Urea Cycle Disorders Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
BUPHENYL (sodium phenylbutyrate) CARBAGLU (carglumic acid) PHEBURANE (sodium phenylbutyrate) RAVICTI (glycerol phenylbutyrate)	carglumic acid glycerol phenylbutyrate (Ravicti) OLPRUVA (sodium phenylbutyrate) sodium phenylbutyrate powder/ tablets

UTERINE DISORDER TREATMENTS	
PA CRITERIA	
Client must meet at least one of the listed PA criteria): - Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions	Hyperlinks specify Drug Utilization Review board-approved drug clinical prior authorization criteria.
PREFERRED AGENTS	NON-PREFERRED AGENTS
MYFEMBREE (relugolix /estradiol/norethindrn) ORIAHNN (elagolix/estradiol/norethindrn) ORILISSA (elagolix)	

APPENDICES
- Treatment failure with preferred drugs within any subclass - Contraindication to preferred drugs* - Allergic reaction to preferred drugs* - Treatment of stage-four advanced, metastatic cancer and associated conditions

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COUGH AND COLD ORAL			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
ALAHIST D TABLET (ORAL)	phenylephrine hcl/pheniramine maleate	AFRIN NASAL SPRAY MUCINEX SINUS-MAX NASAL SPRAY	oxymetazoline hcl
ALA-HIST IR TABLET (ORAL)	dexbrompheniramine maleate	CHILD MUCINEX STUFFY NOSE-CHST RESCON-GG LIQUID	guaifenesin/phenylephrine
ALAHIST PE TABLET (ORAL)	dexbrompheniramine maleate/phenylephrine hcl	DEXBROMPHENIRAMINE MALEATE/PSEUDOEPHEDRINE TABLET (ORAL)	dexbrompheniramine maleate/pseudoephedrine
BROMPHENIRAMINE MALEATE/ PHENYLEPHRINE ORAL SOLUTION	brompheniramine maleate/phenylephrine	DEXCHLORPHENIRAMINE MALEATE/PHENYLEPHRINE TABLET	dexchlorpheniramine maleate/phenylephrine
CHLORPHENIRAMINE MALEATE/PHENYLEPHRINE ORAL TAB	chlorpheniramine maleate/phenylephrine	DIPHENHYDRAMINE HCL/PHENYLEPHRINE HCL/ACETAMINOPHEN LIQUID	diphenhydramine hcl/phenylephrine hcl/acetaminophen
CHLORPHENIRAMINE MALEATE/PSEUDOEPHEDRINE TABLET (ORAL)	chlorpheniramine maleate/pseudoephedrine	DIPHENHYDRAMINE HCL/PHENYLEPHRINE HCL/ACETAMINOPHEN TABLET	diphenhydramine hcl/phenylephrine hcl/acetaminophen
DECONEX IR TABLET OTC (ORAL)	chlorpheniramine maleate/phenylephrine hcl	DURAVENT PE TABLET (ORAL)	guaifenesin/phenylephrine
DEXBROMPHENIRAMINE MALEATE/ PSEUDOEPHEDRINE SOLUTION	dexbrompheniramine maleate/pseudoephedrine	FT ALLERGY MULTI-SYMPTOM CPLT GNP ALLERGY MULTI-SYMPTOM CPLT QC ALLERGY MULTI-SYMPTOM CPLT GNP SINUS-HEADACHE DAY-NIGHT	phenylephrine hcl/acetaminophen/chlorpheniramine
DIPHENHYDRAMINE /PHENYLEPHRINE/ ACETAMINOPHEN ORAL POWDER IN PACKET	diphenhydramine hcl/phenylephrine hcl/acetaminophen	GILTUSS-D ALLERGY TAB (ORAL)	chlorpheniramine maleate/phenylephrine
DURAHIST 2-60 MG TABLET (ORAL)	dexbrompheniramine maleate/pseudoephedrine	GUAIFENESIN ORAL LIQUID (ML) 200 MG/5ML	guaifenesin
ED A-HIST LIQUID OTC (ORAL)	guaifenesin	GUAIFENESIN/PHENYLEPHRINE HCL TABLET (ORAL)	guaifenesin/phenylephrine
GUAIFENESIN ORAL LIQUID (ML) 100 MG/5ML (ORAL)	guaifenesin	GUAIFENESIN-PSE TABLET POLY-VENT IR TABLET (ORAL)	guaifenesin/pseudoephedrine
GUAIFENESIN TABLET (ORAL)	guaifenesin	HISTEX-PE SYRUP OTC (ORAL)	phenylephrine hcl/triprolidine hcl
GUAIFENESIN TABLET, EXTENDED RELEASE (ORAL)	guaifenesin	IBUPROFEN/PSEUDOEPHEDRINE TABLET (ORAL)	ibuprofen/pseudoephedrine
GUAIFENESIN/PHENYLEPHRINE HCL LIQUID	guaifenesin/phenylephrine	MUCINEX COLD-FLU HBP (ORAL)	acetaminophen/guaifenesin
GUAIFENESIN/PHENYLEPHRINE HCL/ACETAMINOPHEN TABLET (ORAL)	guaifenesin/phenylephrine hcl/acetaminophen	MUCINEX D TAB ER 12H (ORAL) FT MUCUS RELIEF D ER (ORAL)	guaifenesin/pseudoephedrine
GUAIFENESIN/PSEUDOEPHEDRINE HCL ER TABLET (ORAL)	guaifenesin/pseudoephedrine	MUCINEX ER TABLET (ORAL)	guaifenesin
HISTEX-DM 20-30-2.5MG/5ML SYRP (ORAL)	triprolidine hcl/pseudoephedrine hcl/dextromethorphan hbr	MUCINEX INSTASOOTH (ORAL)	hexylresorcinol
IBUPROFEN/PSEUDOEPHEDRINE HCL CAPSULE (ORAL)	ibuprofen/pseudoephedrine	MUCINEX SINUS-MAX CONG-PAIN (ORAL)	guaifenesin/phenylephrine hcl/acetaminophen
LOHIST-D LIQUID OTC	diphenhydramine hcl/phenylephrine hcl/acetaminophen	NASOPEN PE LIQUID (ORAL)	thonzylamine hcl/phenylephrine hcl
MUCINEX INSTASOOTH SPARY	benzocaine/menthol	NAPROXEN SODIUM/PSEUDOEPHEDRINE HCL ER TABLET (ORAL)	naproxen sodium/pseudoephedrine
OXYMETAZOLINE HCL NASAL SPRAY, NON- AEROSOL	oxymetazoline hcl	NEO-SYNEPHRINE 1% SPRAY OXYMETAZOLINE HCL NASAL AEROSOL, MIST	phenylephrine hcl oxymetazoline hcl
PHENYLEPHRINE HCL NASAL SPRAY, NON- AEROSOL	phenylephrine hcl	PHENYLEPHRINE HCL NASAL DROPS	phenylephrine hcl
PHENYLEPHRINE HCL/ACETAMINOPHEN ORAL TABLET	phenylephrine hcl/acetaminophen	PROMETHAZINE VC SYRUP	phenylephrine hcl/promethazine hcl
PHENYLEPHRINE HCL/ACETAMINOPHEN/CHLORPHENIRAMINE ORAL TABLET	phenylephrine hcl/acetaminophen/chlorpheniramine	RESCON TABLET (ORAL)	dexchlorpheniramine maleate/pseudoephedrine
POLY HIST FORTE TABLET OTC (ORAL)	doxylamine succinate/phenylephrine	RU-HIST D TABLET OTC (ORAL)	guaifenesin/pseudoephedrine hcl
RYMED TABLET (ORAL)	dexchlorpheniramine maleate/phenylephrine	TUSNEL PEDI DROP OTC (ORAL)	guaifenesin/phenylephrine
RYNEX PSE LIQUID OTC (ORAL)	brompheniramine maleate/pseudoephedrine		
TRIPROLIDINE HCL/PSEUDOEPHEDRINE HCL ORAL TABLET	triprolidine hcl/pseudoephedrine hcl		

COUGH AND COLD, NARCOTIC			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
CODEINE-GUAIFEN SOLUTION OTC (ORAL)	codeine phosphate/guaifenesin solution	CAPCOF LIQUID OTC (ORAL) POLY-TUSSIN AC LIQUID OTC (ORAL)	brompheniramine maleate/phenylephrine hcl/codeine phosphate
HYDROCODONE-HOMATROPINE SOLUTION (ORAL)	hydrocodone bitartrate/homatropine methylbromide	HISTEX-AC SYRUP OTC (ORAL)	triprolidine hcl/phenylephrine hcl/codeine phosphate
		HYCODAN SOLUTION (ORAL)	hydrocodone bitartrate/homatropine methylbromide
		HYCODAN TABLET (ORAL) HYDROCODONE-HOMATROPINE TABLET (ORAL)	hydrocodone bitartrate/homatropine methylbromide
		HYDROCODONE-CHLORPHEN ER SUSPENSION (ORAL)	hydrocodone polistirex/chlorpheniramine polistirex
		MAR-COF CG LIQUID (ORAL)	codeine phosphate/guaifenesin solution
		PROMETHAZINE VC-CODEINE SYRUP (ORAL)	promethazine/phenylephrine hcl/codeine
		PROMETHAZINE-CODEINE SOLUTION (ORAL)	promethazine hcl/codeine
		TUXARIN ER TABLET (ORAL)	chlorpheniramine maleate/codeine phosphate

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COUGH AND COLD, NON-NARCOTIC			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
ALAHIST CF TABLET OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/dexbrompheniramine	AQUANAZ TABLET OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine
ALAHIST DM LQ OTC (ORAL)	pheniramine maleate/phenylephrine hcl/ dextromethorphan hbr	BRANTUSSIN DM LIQUID OTC (ORAL) WESTUSSIN DM NF LIQUID OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/dexbrompheniramine
ALA-HIST DM LQ OTC (ORAL) POLYTUSSIN DM LIQUID OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/dexbrompheniramine	CAPMIST DM TABLET OTC (ORAL)	guaifenesin/dextromethorphan hbr/ pseudoephedrine hcl
BENZONATATE CAPSULE (ORAL)	benzonatate	CAPRON DM LIQUID OTC (ORAL)	pyrilamine maleate/dextromethorphan hbr
BROMPHEN-PSE-DM SYRUP (ORAL)	brompheniramine maleate/pseudoephedrine hcl/ dextromethorphan	CAPRON DM TABLET OTC (ORAL)	pyrilamine maleate/dextromethorphan hbr
CHILD DELSYM COUGH PLUS DY-NT OTC (ORAL) DELSYM COUGH PLUS DAY-NIGHT LQ OTC (ORAL)	diphenhydramine/phenylephrine/dextromethorphan/ acetaminophen/gg	CHLO HIST ORAL SOLUTION OTC (ORAL)	dexbrompheniramine maleate/chlophedianol hcl
CHILD MUCINEX FREEFROM DY COLD LIQUID OTC (ORAL)	phenylephrine hcl/dextromethorphan hbr/acetaminophen/guaifen	CHLO TUSS LIQUID OTC (ORAL)	dexbrompheniramine maleate/pseudoephedrine hcl/chlophedianol
CHILDREN'S MUCINEX FREEFROM LQ OTC (ORAL) MUCINEX FAST-MAX CONGEST-COUGH LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/phenylephrine	COLD MAX DAY-NIGHT CAPLET OTC (ORAL)	dextromethorphan/phenylephrine/acetaminophen/ chlorpheniramin
CHILD'S MULTI-SYMPTOM COLD LIQ OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine	COUGH DM SYRUP OTC (ORAL)	guaifenesin/dextromethorphan hbr
CHILDREN'S COUGH-COLD LIQUID OTC (ORAL) RYNEX DM LIQUID OTC (ORAL)	brompheniramine maleate/phenylephrine hcl/dextromethorphan	DAYTIME COLD-FLU LIQUID OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/ acetaminophen
CHLOPHENDIANOL-DEXCHLORP-PSE LQ OTC (ORAL)	dexchlorpheniramine maleate/ pseudoephedrine/chlophedianol	DAYTIME SEVERE COLD-FLU CAPLET OTC (ORAL)	phenylephrine hcl/dextromethorphan hbr/ acetaminophen/guaifen
COLD MAX DAYTIME CAPLET OTC (ORAL) DM/PHENYLEPHRINE/APAP TABLET OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/acetaminophen	DAYTIME SEVERE COLD-FLU LIQUID OTC (ORAL)	phenylephrine hcl/dextromethorphan hbr/ acetaminophen/guaifen
COUGH-COLD HBP TABLET OTC (ORAL) DM/CHLORPHENIRAMINE TABLET OTC (ORAL)	chlorpheniramine maleate/dextromethorphan hbr	DAYTIME-NIGHTTIME COLD-FLU CAPSULE OTC (ORAL)	dextromethorphan hbr/phenylephrine/ acetaminophen/doxylamine
DAY MULTI-SYMP FLU-SEVERE COLD POWDER PACK OTC (ORAL) FLU-SEV COLD-COUGH DAY PACKET OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/ acetaminophen	ED A-HIST DM TABLET OTC (ORAL)	chlorpheniramine maleate/phenylephrine hcl/dextromethorphan
DAYTIME COLD-FLU SOFTGEL OTC (ORAL)	dextromethorphan hbr/phenylephrine hcl/ acetaminophen	FLU HBP CAPLET OTC (ORAL)	dextromethorphan hbr/acetaminophen/ chlorpheniramine maleate
DECONEX DMX TAB OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine	LOHIST-DM SYRUP OTC (ORAL)	brompheniramine maleate/phenylephrine hcl/dextromethorphan
DELSYM COUGH CAPLET OTC (ORAL)	dextromethorphan hbr	M-END DMX LIQUID OTC (ORAL)	dexbromphen/pseudoephedrine/ dextromethorphan
DELSYM NIGHTTIME COUGH LIQUID OTC (ORAL) MUCINEX NIGHTSHIFT COLD-FLU LQ OTC (ORAL)	triprolidine hcl/dextromethorphan hbr/acetaminophen	MUCINEX DM ER TABLET OTC (ORAL)	guaifenesin/dextromethorphan hbr
DEXTROMETHORPHAN CAPSULE OTC (ORAL) DEXTROMETHORPHAN SUSPENSION ER 12H OTC (ORAL)	dextromethorphan hbr dextromethorphan polistirex	MUCUS RLF DM MAX TABLET OTC (ORAL) NINJACOF LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr pyrilamine maleate/chlophedianol hcl
DM-GUAIF-PE LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine	NINJACOF-D LIQUID OTC (ORAL)	pyrilamine maleate/pseudoephedrine hcl/ chlophedianol hcl
DM-GUAIF-PE TABLET OTC (ORAL) DURAFLU TAB OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine pseudoephedrine/dextromethorphan/guaifenesin/ acetaminophen	PYRILAMINE DM LIQUID OTC (ORAL) SEVERE COLD-FLU NIGHTTIME LQ OTC (ORAL)	pyrilamine maleate/dextromethorphan hbr dextromethorphan hbr/phenylephrine/ acetaminophen/doxylamine
ED-A-HIST DM LIQUID OTC (ORAL) NOHIST-DM LIQUID OTC (ORAL)	chlorpheniramine maleate/phenylephrine hcl/dextromethorphan	TUSNEL CAPLET OTC (ORAL)	guaifenesin/dextromethorphan hbr/ pseudoephedrine hcl
ENDAL LIQUID OTC (ORAL)	dextromethorphan hbr/triprolidine hcl	TUSNEL DM LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine
GUAIFENESIN DM LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr	TUSNEL DM PEDIATRIC LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine
GUAIFENESIN DM TAB OTC (ORAL)	guaifenesin/dextromethorphan hbr	TUSNEL LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ pseudoephedrine hcl
GUAIFENESIN-DM SYRUP OTC (ORAL)	guaifenesin/dextromethorphan hbr	TUSNEL PED LIQ OTC (ORAL)	guaifenesin/dextromethorphan hbr/ pseudoephedrine hcl
HISTEX-DM SYRUP OTC (ORAL)	triprolidine hcl/phenylephrine hcl/ dextromethorphan hbr	VANACOF DMX LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine
MUCINEX INSTASOOTH COUGH LOZENGE OTC (ORAL)	dextromethorphan hbr/hexylresorcinol	WESTUSSIN DM SYR OTC (ORAL)	dexchlorpheniramine maleate/ phenylephrine/dextromethorphan
MUCINEX NIGHTSHIFT COLD-FLU LQ OTC (ORAL)	triprolidine hcl/dextromethorphan hbr/ acetaminophen		
MUCINEX NIGHTSHIFT CLD-FLU CPT OTC (ORAL)	triprolidine hcl/dextromethorphan hbr/ acetaminophen		
MUCINEX NIGHTSHIFT SEVR CLD-FLU LIQUID OTC (ORAL) MUCINEX NIGHTSHIFT SINUS LIQ OTC (ORAL)	triprolidine hcl/phenylephrine/dextromethorphan/ acetaminophen		
MUCINEX NIGHTSHIFT SEVR CLD-FLU TABLET OTC (ORAL) MUCINEX NIGHTSHIFT SINUS CAPLT OTC (ORAL)	triprolidine hcl/phenylephrine/dextromethorphan/ acetaminophen		
MUCINEX SINUSMAX DAY-NT CAPLET OTC (ORAL)	triprolidine/phenylephrine/dextromethorphan/ acetamin/guaifenes		
MUCINEX SINUS-MAX PRESSURE-CGH CAPSULE OTC (ORAL)	phenylephrine hcl/dextromethorphan hbr/acetaminophen/guaifen		
MUCUS RELIEF DM MAX LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr		
MUCUS RLF DM ER TAB OTC (ORAL)	guaifenesin/dextromethorphan hbr		
NIGHTTIME COLD-FLU LIQUID OTC (ORAL)	dextromethorphan hbr/acetaminophen/ doxylamine		
NIGHTTIME COLD-FLU RLF SOFTGEL OTC (ORAL)	dextromethorphan hbr/acetaminophen/ doxylamine		
NIGHTTIME COUGH LIQUID OTC (ORAL)	dextromethorphan hbr/doxylamine succinate		
POLY-HIST DM LIQUID OTC (ORAL)	thonzylamine hcl/phenylephrine hcl/ dextromethorphan hbr		
POLYTUSSIN DM LIQUID OTC (ORAL)	pyrilamine maleate/phenylephrine hcl/dextromethorphan hbr		
POLYTUSSIN DM SYR OTC (ORAL)	dexchlorpheniramine maleate/ phenylephrine/dextromethorphan		
POLY-VENT DM TABLET OTC (ORAL)	guaifenesin/dextromethorphan hbr/ pseudoephedrine hcl		
PROMETHAZINE-DM SYRUP (ORAL)	promethazine hcl/dextromethorphan hbr		
SEVERE COLD-FLU CAPLET OTC (ORAL)	phenylephrine hcl/dextromethorphan hbr/acetaminophen/guaifen tablet		
TUSSIN CF LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine		

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary: <https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

COUGH AND COLD, NON-NARCOTIC cont.			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
VANACOF 2 LIQUID (ORAL)	dexchlorpheniramine maleate/chlophedianol hcl		
VANACOF CP LIQUID (ORAL)	pyrilamine maleate/chlophedianol hcl		
VANACOF DM OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine		
VANACOF LIQUID OTC (ORAL)	dexchlorpheniramine maleate/ pseudoephedrine/chlophedianol		
VANACOF XP LIQUID OTC (ORAL)	guaifenesin/dextromethorphan hbr		
VANATAB DM CAPLET OTC (ORAL)	guaifenesin/dextromethorphan hbr/ phenylephrine		

IRON, ORAL			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
CENTRATAX CAPSULE (ORAL)	multivitamin-minerals no. 73/ferrous fumarate/folic acid	ACCURFER CAPSULE (ORAL)	ferric maltol
FERREX CAPSULE OTC (ORAL)	iron polysaccharide complex	ACTIVE FE TABLET (ORAL)	iron, carbonyl/folic acid/multivit with minerals
FERROUS FUMARATE TABLET OTC (ORAL)	ferrous fumarate	BENTIVITE BX TABLET (ORAL)	ferrous sulfate/folic acid
FERROUS GLUCONATE TABLET OTC (ORAL)	ferrous gluconate	CORVITE 150 TABLET (ORAL)	iron, carbonyl/methyltetrahydrofolate, folic acid/mv, min no.41
FERROUS SULFATE DROP OTC (ORAL)	ferrous sulfate (drops)	CORVITE FE TABLET (ORAL)	iron/methyltetrahydrofolate gluc, folate/multivit, mins no.40
FERROUS SULFATE EC TABLET OTC (ORAL)	ferrous sulfate (enteric coated)	FEROSOL BIFERA CAPLET OTC (ORAL)	iron polysaccharide complex/iron heme polypeptide
FERROUS SULFATE ELIXIR OTC (ORAL)	ferrous sulfate (elixir)	FERGON TABLET OTC (ORAL)	ferrous gluconate
FERROUS SULFATE SOLUTION OTC (ORAL)	ferrous sulfate (solution)	FERIVA 21-7 TABLET (ORAL)	iron asp gly/ascorbic acid/folate no.1/vit B12/ zinc/succinic
FERROUS SULFATE TABLET OTC (ORAL)	ferrous sulfate (tablet)	FERIVA FA CAPSULE (ORAL)	iron bisgly, aspart, fumarate/vit C/folate/vit B12/ biotin/cupric
FERROUS SULFATE, DRIED TABLET ER OTC (ORAL)	ferrous sulfate, dried tablet ER	FERRIMIN TAB OTC (ORAL)	ferrous fumarate
PUREVIT DUALFE PLUS CAPSULE (ORAL)	iron fumarate-iron polysacch cplex/folic acid/multivit no.18	FOLITAB CAPLET OTC (ORAL)	ferrous sulfate/ascorbic acid/folic acid
SE-TAN PLUS CAPSULE (ORAL)		FOLIVANE-F CAPSULE (ORAL)	iron fumarate, polysac comp/folic acid/vitamin C/niacinamide
		HEMAX EZY TABLET (ORAL)	Iron/vit C/folate/vit B12/biotin/copper/vit E
		IROSPAN TABLET (ORAL)	iron bisgl, ps cmlpx/folic acid/vit B, C no.12/succinic acid
		NEPHRON FA TABLET (ORAL)	vit B complex and vit C no.24/ferrous fumarate/folic acid
		TARON FORTE CAPSULE (ORAL)	iron bisgly, pscmlpx/ascorbate calc/B12/folic acid/calc-threo

PEDIATRIC VITAMIN PREPARATIONS			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
MULTIVIT-FLUOR DROP (ORAL)	pediatric multivitamin no. 2/ sodium fluoride	DAVIMET-FLUORIDE CHW TB (ORAL)	pediatric multivitamin no.247/sodium fluoride
MULTIVIT-FLUOR TAB CHW (ORAL)	pediatric multivitamins no. 17 with sodium fluoride	FLORAFOL PEDI CHEW TAB (ORAL)	pediatric multivitamin no.251 with sodium fluoride
MULTIVIT-FLUOR-IRON DROP (ORAL)	pediatric multivitamin no. 45/sodium fluoride/ ferrous sulfate	FLORIVA CHEWABLE TABLET (ORAL)	pediatric multivitamin no. 85 with sodium fluoride
		FLORIVA PLUS DROP OTC (ORAL)	pediatric multivitamin no. 161/sodium fluoride
		MULTI-VIT-FLOR TAB CHEW OTC (ORAL)	pediatric multivitamin no. 228 with sodium fluoride
		MULTIVIT-FLUOR TAB CHW OTC (ORAL)	pediatric multivitamin no. 219 with sodium fluoride
		POLY-VI-FLOR TAB CHEW (ORAL)	
		MULTIVIT-FLUOR TAB CHW OTC (ORAL)	pediatric multivitamin no. 242 with sodium fluoride
		POLY-VI-FLOR DROP (ORAL)	pediatric multivitamin no. 213 with sodium fluoride
		POLY-VI-FLOR DROP (ORAL)	pediatric multivitamin no. 220 with fluoride
		MULTIVIT-FLUOR DROP (ORAL)	
		POLY-VI-FLOR TAB CHEW (ORAL)	pediatric multivitamin no. 175 with fluoride
		POLY-VI-FLOR-IRON CHW (ORAL)	pediatric multivitamin no. 175 with fluoride and iron
		POLY-VI-FLOR-IRON DROP (ORAL)	pediatric multivitamin no. 220/sodium fluoride/iron sulfate
		QUFLORA FE CHEW TABLET (ORAL)	pediatric multivitamin no. 142 / iron carbonyl/ sodium fluoride
		QUFLORA FE PED DROP (ORAL)	pediatric multivitamin no. 151 / ferrous sulfate / sod fluoride
		QUFLORA GUMMIES (ORAL)	pediatric multivitamin no. 157 with sodium fluoride
		QUFLORA PED CHEW TAB (ORAL)	pediatric multivitamin no. 63 with sodium fluoride
		QUFLORA PED DROP (ORAL)	pediatric multivitamin no. 83 with sodium fluoride
		QUFLORA PED DROP (ORAL)	pediatric multivitamin no. 84 with sodium fluoride
		TRI-VI-FLOR DROPS (ORAL)	pediatric multivit A, C, and D3 no.38 with sodium fluoride
		SOLUVITA MV-FLUORIDE DROPS (ORAL)	pediatric multivitamin no. 82 with sodium fluoride
		TRI-VIT-FLUOR DROPS (ORAL)	pediatric multivitamin no. 265 with sodium fluoride
		FLORAFOL FE PEDI DROPS (ORAL)	pediatric multivitamin no. 257/sodium fluoride/iron sulfate
		FLORAFOL PEDI DROPS (ORAL)	pediatric multivitamin no. 257 with sodium fluoride
		SOLUVITA A, C, D WITH FLUORIDE (ORAL)	pediatric multivit with A, C, D3 no.21/sodium fluoride
		TRI-VITE-FLUORIDE DROPS (ORAL)	
		VIT A, C, D-FLUORIDE (ORAL)	

PRENATAL VITAMINS			
PREFERRED AGENTS	PREFERRED INGREDIENTS	NON-PREFERRED AGENTS	NON-PREFERRED INGREDIENTS
COMPLETE NATAL DHA (ORAL)	prenatal vitamin no.52/iron/folic acid/omega-3/dha	CITRANATAL B-CALM COMBO PACK (ORAL)	prenatal vitamin no.48/iron carbonyl, gluconate/folic acid/b6
WESNATAL DHA COMPLETE (ORAL)		C-NATE DHA SOFTGEL (ORAL)	prenatal vitamins no.11/ ferrous fumarate/ folic acid/omega-3
FOLIVANE-OB CAPSULE OTC (ORAL)	mv-mins no. 74/ ferrous fumarate/ iron ps cplx/folic acid	WESNATE DHA SOFTGEL (ORAL)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.

M-NATAL PLUS TABLET (ORAL)	prenatal vits with calcium no.72/ferrous fumarate/folic acid	COMPLETENATE TABLET CHEW (ORAL)	prenatal vitamins no.14/ferrous fumarate/folic acid
PRENATAL VITAMIN PLUS LOW IRON (ORAL)			
WESTAB PLUS TABLET (ORAL)			
SELECT-OB + DHA PACK (ORAL)	prenatal vitamins no. 33/iron poly sach complex/folic acid/dha	DERMACINRCX CAPLET OTC (ORAL)	prenatal vitamins no. 170/ferrous fumarate/folic acid
THRIVITE RX TABLET (ORAL)	prenatal vitamin with calcium no.76/iron, carbonyl/folic acid	ELITE-OB CAPLET (ORAL)	multivitamin with minerals no. 69/iron, carbonyl/folic acid
TRICARE PRENATAL TABLET (ORAL)	prenatal vits with calcium 103/ferrous fumarate/folic acid	OB COMPLETE CAPLET (ORAL)	
TRINATAL RX 1 TABLET (ORAL)	prenatal vitamin 27 with calcium/ferrous fumarate/folic acid	ENBRACE HR SOFTGEL (ORAL)	multivit no.41/iron cysteine glycinate/ folate no. 8/ phosph-dha
VITAFOL GUMMIES (ORAL)	prenatal vit no. 112/iron phosph/folic acid/omega-3s/dha/epa	NESTABS DHA COMBO PACK (ORAL)	prenatal vits with calcium no.87/iron bisgly/folic acid/dha
VITAFOL FE PLUS SOFTGEL (ORAL)	prenatal vit no. 102/iron polysacch/folate no.1/dha	NESTABS ONE SOFTGEL (ORAL)	multivit 42/iron carbonyl, b-g che/ methyltetrahydrofolate/dha
VITAFOL NANO TABLET (ORAL)	prenatal vitamins no.75/ferrous fumarate/folate comb. no. 1	NESTABS TABLET (ORAL)	prenatal vitamin no.86/iron bis-glycinate/folic acid
VITAFOL ULTRA SOFTGEL (ORAL)	prenatal vit no.67/iron polysaccharides/folate comb. no. 1/dha	NIVA-PLUS TABLET OTC (ORAL)	multivitamin with minerals no. 60/ferrous fumarate/folic acid
VITAFOL-OB CAPLET (ORAL)	prenatal vits with calcium no.10/ferrous fum/folic acid	OB COMPLETE ONE SOFTGEL (ORAL)	prenatal vit no. 85/iron carb, asp. gly/folic acid/dha/fish oil
VITAFOL-OB+DHA COMBO PACK (ORAL)	prenatal vits with calcium no.10/ferrous fum/folic acid/dha	OB COMPLETE PETITE SOFTGEL (ORAL)	prenatal no56/iron carbonyl, asparto glycinate/folic acid/dha
VITAFOL-ONE CAPSULE (ORAL)	prenatal vits no.26/iron polysaccharide cplex/folic acid/dha	OB COMPLETE PREMIER TABLET (ORAL)	prenatal vits no.83/iron, carbonyl,iron aspart.gly/ folic acid
		NESTABS ABC PRENATAL COMBO PK (ORAL)	prenatal vitamin no.86/iron ps complex/folic acid/dha/epa
		VITAPEARL SOFTGEL	prenatal vitamin no. 71/iron fumarate/sodium ferredate/folic acid/dha
		PRENATAL TABLET (ORAL)	
		PRENATAL VITAMINS TABLET (ORAL)	prenatal vitamin no. 95/ferrous fumarate/folic acid
		PRENATAL MULTIVITAMIN TABLET (ORAL)	
		PRENATAL CAPLET	
		VITAMEDMD ONE RX SOFTGEL (ORAL)	prenatal vitamins no. 25/ferrous fumarate/folate no. 6/ dha
		STUART ONE CAPSULE (ORAL)	prenatal vitamins no. 63/iron/folic acid/dha
		PRENATAL VITAMIN TABLET (ORAL)	prenatal vitamins no. 124/ferrous fumarate/folic acid
		CLASSIC PRENATAL TABLET	prenatal vit with calcium no. 126/ferrous fumarate/folic acid
		PRENATAL VITAMIN TABLET (ORAL)	prenatal vit with calcium no. 137/ferrous fumarate/folic acid
		TENDERA-OB SOFTGEL (ORAL)	prenatal vitamins no. 148/iron/folate no. 6/dha
		ALTRIXA OB PRENATAL TABLET (ORAL)	prenatal vitamins no. 181/ferrous fumarate/folate
		NATAL PNV TABLET	prenatal vitamins no. 164/ferrous gluconate/folate no. 6
		OBSTETRIX EC CAPLET (ORAL)	prenatal vitamins no. 12/iron/levomefolate calcium
		CENTRUM PRENATAL GUMMY (ORAL)	multivitamin-min no. 115/folic acid/omega-3/dha/epa/fish oil
		NEOMATERNA PRENATAL TABLET (ORAL)	prenatal vitamins no. 197/iron bis-glycinate/folate no. 10
		MATERNACEL PRENATAL TABLET (ORAL)	
		VITALARA PRENATAL TABLET (ORAL)	
		MATERVIA PRENATAL CAPSULE (ORAL)	prenatal vitamins no. 178/iron bis-glycinate/folic acid
		FOLATEXCEL PRENATAL TABLET (ORAL)	prenatal vitamins no. 199/iron bis-glycinate/folate no. 10
		OB COMPLETE WITH DHA SOFTGEL (ORAL)	prenatal vit no.30/iron carbonyl, asp glyc/folic acid/omega-3
		PNV-DHA SOFTGEL (ORAL)	multivitamin combination no. 47/ferrous fum/folate no. 1/dha
		WESCAP-PN DHA CAPSULE (ORAL)	
		ZATEAN-PN DHA CAPSULE (ORAL)	
		PNV-OMEGA SOFTGEL (ORAL)	multivitamin-minerals no. 71/iron fumarate/folic acid no. 1/dha
		ZATEAN-PN PLUS SOFTGEL (ORAL)	
		PNV-SELECT TABLET (ORAL)	prenatal vit with calcium no.40/iron fumarate/folate no. 1
		PRENATE AM TABLET (ORAL)	multivit no. 38/methyltetrahydrofolate glucose, folic acid/ginger
		PRENATE CHEWABLE TABLET (ORAL)	multivitamin no. 36/methyltetrahydrofolate gluc, folic acid
		PRENATE DHA SOFTGEL (ORAL)	prenatal vitamins no. 78/iron/ asparto glycin/folate no. 1/dha
		PRENATE ELITE TABLET (ORAL)	prenatal vits no. 114/ferrous aspart glycinate/folate no. 1
		PRENATE ENHANCE SOFTGEL (ORAL)	prenatal vitamins no.68/iron fumarate/folate no.6/dha
		PRENATE ESSENTIAL SOFTGEL (ORAL)	multivitamin no. 40/iron asparto glycinate/folate no. 1/dha
		PRENATE MINI SOFTGEL (ORAL)	prenatal vits no.87/iron carb-asp.glycinate/folate no.1/dha
		PRENATE PIXIE SOFTGEL (ORAL)	prenatal vitamins no. 85/iron asparto glycin/folate no. 1/dha
		PRENATE RESTORE SOFTGEL (ORAL)	prenatal vitamins no.69/iron fumarate/folate comb no.6/dha
		PRENATE STAR TABLET (ORAL)	prenatal vitamins no. 77/ferrous asparto glycinate/folic acid
		PRIMACARE SOFTGEL (ORAL)	prenatal vits no.118/iron asparto glycinate/folate no.6/dha
		SELECT-OB CHEWABLE CAPLET (ORAL)	prenatal vit no. 128/iron polysaccharide complex/folic acid
		SELECT-OB CHEWABLE CAPLET (ORAL)	prenatal vitamin no.13/iron polysaccharides/folate comb no.1
		SE-NATAL 19 CHEWABLE TABLET (ORAL)	prenatal vits with calcium 118/ferrous fumarate/folic acid
		SE-NATAL-19 TABLET (ORAL)	
		TARON-C DHA CAPSULE (ORAL)	prenatal vitamins no. 119/iron fumarate/folic acid
		WESCAP-C DHA SOFTGEL (ORAL)	mv-min 75/ ferrous fum/iron ps cplx/folic ac/ omega-3/dha/epa
		TRISTART DHA SOFTGEL (ORAL)	prenatal vitamins no. 93/iron carbonyl/folate comb no.9/dha
		WESTGEL DHA SOFTGEL (ORAL)	

*To verify formulary coverage for any drugs listed on PDL, search the Medicaid Formulary:

<https://www.txvendordrug.com/searches/formulary-drug-search>. Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions section and are located on page 9 of the PDL Document after the Table of Contents.