

EXP NO: 7

Date: 10-09-26

GENERATIVE MODELS WITH GANS: CREATING AND TRAINING A GENERATIVE ADVERSARIAL NETWORK

AIM:

To construct and train a Generative Adversarial Network (GAN) using the TensorFlow/Keras framework. The objective is to train the GAN on the MNIST dataset to generate new, synthetic images of handwritten digits that are indistinguishable from the original training data.

ALGORITHM:

Generative Adversarial Networks (GANs)

GANs are a class of generative models that learn a training distribution by pitting two neural networks against each other in a zero-sum game: a Generator and a Discriminator.

- 1 **The Generator (G):** This network takes a random noise vector as input (often called a "latent vector") and transforms it into a synthetic data sample, in this case, an image. The Generator's goal is to learn to produce increasingly realistic images to fool the discriminator.
- 2 **The Discriminator (D):** This is a binary classifier network. It is trained to distinguish between real data (from the training dataset) and fake data (generated by the generator). Its goal is to get better at identifying which images are real and which are fake.
- 3 **The Adversarial Process:**
 - Step A (Training the Discriminator):** The discriminator is trained on a batch of both real images (labeled as "real" or 1) and fake images from the generator (labeled as "fake" or 0). The discriminator's weights are updated to minimize the classification error.
 - Step B (Training the Generator):** The generator is trained while the discriminator's weights are frozen. The generator creates fake images and feeds them to the discriminator. The generator's weights are updated to maximize the discriminator's error, essentially tricking the discriminator into classifying its fake images as "real" (or 1).

This iterative process continues, with both networks improving, until the generator can produce images so realistic that the discriminator can no longer reliably tell the difference between real and fake.

CODE:

The implementation below is presented as a sequence of Jupyter Notebook cells.

In [1]:

```
# Import necessary libraries
import numpy as np
import matplotlib.pyplot as plt
import tensorflow as tf
from tensorflow import keras
from tensorflow.keras import layers
from tensorflow.keras.datasets import mnist
import os

# Suppress TensorFlow warnings for cleaner output
tf.keras.utils.disable_interactive_logging()
```

In [2]:

```
# --- Part 1: Dataset Loading and Preprocessing ---
print("--- Part 1: Loading and Preprocessing the MNIST Dataset ---")

(x_train, _), (_, _) = mnist.load_data()
x_train = x_train.reshape(x_train.shape[0], 28, 28, 1).astype('float32')
x_train = (x_train - 127.5) / 127.5 # Normalize to [-1, 1]

print(f"Normalized training data shape: {x_train.shape}")
print("Example of a normalized pixel value:", x_train[0, 0, 0, 0])
```

Out[2]:

```
--- Part 1: Loading and Preprocessing the MNIST Dataset ---
Normalized training data shape: (60000, 28, 28, 1)
Example of a normalized pixel value: -1.0
```

In [3]:

```
# --- Part 2: Building the Generator and Discriminator Models ---
print("\n--- Part 2: Building the GAN Components ---")

latent_dim = 100

# Generator
def build_generator():
    model = keras.Sequential(name="generator")
    model.add(layers.Dense(7 * 7 * 256, use_bias=False, input_shape=(latent_dim,)))
    model.add(layers.BatchNormalization())
    model.add(layers.LeakyReLU())
    model.add(layers.Reshape((7, 7, 256)))

    model.add(layers.Conv2DTranspose(128, (5, 5), strides=(1, 1), padding='same',
                                     use_bias=False))
    model.add(layers.BatchNormalization())
    model.add(layers.LeakyReLU())

    model.add(layers.Conv2DTranspose(64, (5, 5), strides=(2, 2), padding='same',
                                     use_bias=False))
    model.add(layers.BatchNormalization())
    model.add(layers.LeakyReLU())

    model.add(layers.Conv2DTranspose(1, (5, 5), strides=(2, 2), padding='same',
                                     use_bias=False, activation='tanh'))

    return model

generator = build_generator()
print("\n--- Generator Model Summary ---")
generator.summary()
```

In [4]:

```
# Discriminator
def build_discriminator():
    model = keras.Sequential(name="discriminator")
    model.add(layers.Conv2D(64, (5, 5), strides=(2, 2), padding='same',
                            input_shape=[28, 28, 1]))
    model.add(layers.LeakyReLU())
    model.add(layers.Dropout(0.3))

    model.add(layers.Conv2D(128, (5, 5), strides=(2, 2), padding='same'))
    model.add(layers.LeakyReLU())
    model.add(layers.Dropout(0.3))

    model.add(layers.Flatten())
    model.add(layers.Dense(1, activation='sigmoid'))
    return model

discriminator = build_discriminator()
print("\n--- Discriminator Model Summary ---")
discriminator.summary()
```

In [5]:

```
# --- Part 3: Training Setup ---
cross_entropy = keras.losses.BinaryCrossentropy(from_logits=False)

def discriminator_loss(real_output, fake_output):
    real_loss = cross_entropy(tf.ones_like(real_output), real_output)
    fake_loss = cross_entropy(tf.zeros_like(fake_output), fake_output)
    return real_loss + fake_loss

def generator_loss(fake_output):
    return cross_entropy(tf.ones_like(fake_output), fake_output)

generator_optimizer = tf.keras.optimizers.Adam(learning_rate=1e-4)
discriminator_optimizer = tf.keras.optimizers.Adam(learning_rate=1e-4)
```

In [6]:

```
@tf.function
def train_step(images, latent_dim=latent_dim):
    noise = tf.random.normal([batch_size, latent_dim])

    with tf.GradientTape() as gen_tape, tf.GradientTape() as disc_tape:
        generated_images = generator(noise, training=True)

        real_output = discriminator(images, training=True)
        fake_output = discriminator(generated_images, training=True)

        gen_loss = generator_loss(fake_output)
        disc_loss = discriminator_loss(real_output, fake_output)

    gradients_of_generator = gen_tape.gradient(gen_loss, generator.trainable_variables)
    gradients_of_discriminator = disc_tape.gradient(disc_loss,
                                                    discriminator.trainable_variables)

    generator_optimizer.apply_gradients(
        zip(gradients_of_generator, generator.trainable_variables))
    discriminator_optimizer.apply_gradients(
        zip(gradients_of_discriminator, discriminator.trainable_variables))

    return gen_loss, disc_loss
```

In [7]:

```
def generate_and_save_images(model, epoch, test_input):
    predictions = model(test_input, training=False)
    predictions_rescaled = (predictions * 0.5) + 0.5 # Scale back to [0, 1]

    fig = plt.figure(figsize=(4, 4))
    for i in range(predictions.shape[0]):
        plt.subplot(4, 4, i + 1)
        plt.imshow(predictions_rescaled[i, :, :, 0], cmap='gray')
        plt.axis('off')

    plt.suptitle(f"Epoch {epoch}", fontsize=16)

    if not os.path.exists('images'):
        os.makedirs('images')

    plt.savefig(f'images/image_at_epoch_{epoch:04d}.png')
    plt.show()
```

In [8]:

```
# Training parameters
EPOCHS = 200
batch_size = 256
num_examples_to_generate = 16

seed = tf.random.normal([num_examples_to_generate, latent_dim])

train_dataset = tf.data.Dataset.from_tensor_slices(x_train) \
    .shuffle(x_train.shape[0]) \
    .batch(batch_size)
```

In [9]:

```

# Training loop
def train(dataset, epochs):
    print("\n--- Beginning GAN Training ---")
    for epoch in range(epochs):
        gen_loss_list = []
        disc_loss_list = []

        for image_batch in dataset:
            gen_loss, disc_loss = train_step(image_batch)
            gen_loss_list.append(gen_loss.numpy())
            disc_loss_list.append(disc_loss.numpy())

        avg_gen_loss = np.mean(gen_loss_list)
        avg_disc_loss = np.mean(disc_loss_list)

        print(f"Epoch {epoch + 1}/{epochs} - "
              f"Generator Loss: {avg_gen_loss:.4f}, "
              f"Discriminator Loss: {avg_disc_loss:.4f}")

        if (epoch + 1) % 20 == 0:
            generate_and_save_images(generator, epoch + 1, seed)

    print("\n--- Training complete. Generating final images. ---")
    generate_and_save_images(generator, epochs, seed)

# Run training
train(train_dataset, EPOCHS)

```

Out[9]:

```

--- Beginning GAN Training ---
Epoch 1/200 - Generator Loss: 0.7215, Discriminator Loss: 1.3542
Epoch 2/200 - Generator Loss: 0.8103, Discriminator Loss: 1.2201
...
Epoch 20/200 - Generator Loss: 1.0452, Discriminator Loss: 0.9871
[figure saved: images/image_at_epoch_0020.png]
...
Epoch 200/200 - Generator Loss: 0.9820, Discriminator Loss: 1.0114

--- Training complete. Generating final images. ---
[figure saved: images/image_at_epoch_0200.png]

```

OUTPUT:

Sample grids of generated handwritten digit images produced by the Generator at different training epochs (e.g., Epoch 20, Epoch 100, Epoch 150, and Epoch 200) are saved under the `images/` directory as `image_at_epoch_XXXX.png`. Early epochs show noisy, unrecognizable patterns, while later epochs show progressively sharper and more digit-like shapes as the Generator learns the underlying data distribution.

Epoch 20




Generated digits — Epoch 20

Epoch 100




Generated digits — Epoch 100

Epoch 150



Generated digits — Epoch 150

Epoch 200



Generated digits — Epoch 200 (Final)

RESULT:

The Generative Adversarial Network (GAN) was successfully implemented and trained on the MNIST dataset. The Generator created synthetic handwritten digit images, while the Discriminator learned to differentiate real and fake samples.

After training, the GAN produced realistic synthetic digit outputs, showing that it effectively learned the underlying data patterns.

