

Get Gym Done — Web · UI Teardown Fix List

Full manual QA pass performed 2026-07-15 with Playwright-driven Chromium at 390×844 (mobile) and 1280×800 (desktop). 42 issues, ordered by severity. Prepared as an implementation brief for a follow-up coding session.

Context for the implementing session

Repo: `pranavchandar/get-gym-done-web` · working branch: `claude/ui-review-bug-list-bantt0`

Stack: React 18 + Vite 5 + Zustand (persist → localStorage key `get-gym-done:v1`) + HashRouter. No test framework is set up.

Run: `npm install && npm run dev` → `http://localhost:5173/get-gym-done-web/`. Typecheck/build: `npm run build` (strict tsc).

Verify UI changes at a 390×844 viewport (app is phone-first). Onboard via GET STARTED → pick a split → CURATE FOR ME to reach the main app quickly.

Each task below has: **What's wrong** (with reproduction), **Where** (file:line as of this audit), **Fix**, and **Done when** (acceptance criteria). Line numbers may drift — treat them as anchors, not gospel.

Severity index

BAND	TASKS	THEME
P0 (3)	1–3	Permanent user-data loss
P1 (9)	4–12	Broken flows, missing validation, shipped placeholders
P2 (24)	13–36	UX defects, copy, visual bugs, unit handling
P3 (6)	37–42	Polish and housekeeping

Suggested implementation order: 1 → 2 → 3 → 5 → 6 → 4 (biggest refactor in P1) → rest of P1 → P2 → P3. Tasks 6+33, 13+36, 18+25, and 10+35 pair naturally.

P0 · 1 Import accepts any JSON object and silently wipes ALL user data

WHAT'S WRONG

Settings → Import from JSON with a file containing `{"not": "a backup"}` passes validation, shows the REPLACE confirm, and on confirm erases every store table (verified: exercises 0, splits 0, sessions 0, `onboardingComplete` false). The user is dumped onto the splash screen while a **“Data imported” success toast** shows. Routine, workout history and body metrics are unrecoverable. (The seed catalog re-seeds on next load via `ensureSeeded` 's empty-exercises check, so the app itself recovers — the data doesn't.)

WHERE


`src/backup/backup.ts:106` — `parseBackup` only checks `typeof data === 'object'`. `applyBackup` (same file) then calls `replaceAll` with empty records for every missing array. Import UI: `src/screens/Settings.tsx`.

FIX

- In `parseBackup`, require `data.version === 2` and that `exercises`, `splits`, `workoutDays`, `dayExercises`, `sessions`, `setLogs`, `bodyMetrics` are arrays; throw a descriptive error otherwise.
- Surface the error as a toast/inline error *before* the REPLACE dialog ever opens.
- Before applying a valid import, write a safety copy of the current state (e.g. `localStorage['get-gym-done:pre-import-backup']` or trigger a download) and mention it in the confirm dialog.

DONE WHEN

Importing a junk file shows an error and changes nothing; importing a valid v2 file still works; a safety backup exists after every import.



After junk import: back to splash, all data gone, “Data imported” toast

P0 · 2 “Rest day” checkbox in the routine builder permanently deletes the day's exercises

WHAT'S WRONG

Onboarding step 3 (Build Your Routine): checking **Rest day** on a day that has exercises wipes them (`exercises: []`); unchecking restores the now-empty array. Verified on the PPL template: check + uncheck on D1 → all 6 exercises gone. No warning, no undo.

WHERE


`src/screens/CustomizeRoutine.tsx:129` — checkbox `onChange` patches `exercises: e.target.checked ? [] : day.exercises`.

FIX

Never clear the draft's exercise list. Keep `exercises` untouched and only *hide* the list while `isRestDay` is true (rendering already gates on `!day.isRestDay`). Strip exercises from rest days once, at commit time, inside `commitCustomSplit`.

DONE WHEN

Toggleing Rest day on/off round-trips with the full exercise list intact; a day committed as rest has no `dayExercises` rows.



Rest day checked on “Push A” — its 6 exercises are already gone

P0 · 3 Days-per-week stepper roundtrip destroys trimmed days

WHAT'S WRONG

Same screen: stepping days 7 → 2 pops days 3–7 from the draft; stepping back to 7 pushes brand-new empty "Day N" days. The PPL template content of days 3–7 is silently lost. Combined with task 2, exploring this screen at all is dangerous.

WHERE

```
src/screens/CustomizeRoutine.tsx:46-55 — setDayCount ( while (days.length > target) days.pop() ).
```

FIX

Keep a shadow list of trimmed days in component state (or simply never truncate the array — track a visible `dayCount` and slice for rendering/commit). Growing back within the same screen session restores the original days. Only the committed slice becomes the split.

DONE WHEN

7 → 2 → 7 restores days 3–7 exactly; committing at 2 days creates a 2-day split.

P1 — Bugs and broken flows

P1 · 4 Per-screen scroll containers never scroll — scroll position bleeds across tabs and routes

WHAT'S WRONG

`.screen-scroll { flex:1; overflow-y:auto }` lacks `min-height:0`, so inside the flex column it stretches to its content height (measured 1456px in an 844px viewport) and never overflows. The *outer* `.app-frame` becomes the real scroller for the whole app. Measured consequences:

- Completing onboarding (LOCK IT IN → `/home`) lands on Home **pre-scrolled to the calendar** — the carried-over offset from the customize screen (screenshot).
- Home scrolled to 677px → switch to Workouts tab → it renders at offset 107px → switch back to Today → still 107px. Tabs neither reset to top nor restore their own position.
- Mouse-wheel scrolling was dead on several screens in headless testing (touch pan works). Verify wheel in a headed desktop browser after the fix.

WHERE


`src/styles/global.css:128-129` (`.screen` , `.screen-scroll`); tab switching in `src/App.tsx` (`MainShell`); route-level screens all share the pattern.

FIX

- Add `min-height: 0` to `.screen` and `.screen-scroll`, and give `.app-frame` `height: 100%` + `overflow: hidden` so each screen owns its scrolling.
- Reset scroll to top on tab change and on route navigation (effect on location/tab key), or store per-tab offsets if position retention is wanted.
- Re-test: sticky `.tabbar` /topbar behavior, the rest-timer overlay, and keyboard focus scrolling.

DONE WHEN

Every screen opens at its top; wheel + touch both scroll; switching tabs never inherits another tab's offset.



First ever Home render — arrives mid-page due to inherited scroll

P1 · 5 ±30s on the rest timer permanently rewrites the default rest duration

WHAT'S WRONG

Tapping +30s during one rest writes `prefs.restSeconds = newDur`. Verified: default 90s; after one +30s every subsequent set logs “Set N logged · 120s rest”. There is **no rest-duration control in Settings**, so users can't see or undo the change — the only mutation path is this side effect.

WHERE

`src/store/store.ts:532-546` (`adjustRestTimer` sets `prefs.restSeconds`); Settings screen lacks the control (`src/screens/Settings.tsx` , Workout section).

FIX

Make `adjustRestTimer` touch only `activeSession.restEndAt/restDuration`. Add “Default rest” (e.g. 30s–5min stepper) under Settings → Workout writing `prefs.restSeconds`.

DONE WHEN

±30s affects only the running timer; the Settings value is the single source of the default; export/import round-trips it.

P1 · 6 Sets log with 0 reps (and 0 kg) — no validation

WHAT'S WRONG

Weight and reps steppers/keypad allow 0; “Complete set” happily records `0 kg · 0 reps` (screenshot: SET 1 logged as 0x0). Zero-rep rows pollute total volume, PR detection and progressive-overload suggestions.

WHERE


```
src/screens/ActiveWorkout.tsx:400-448 (steppers min={0} , Complete-set CTA has no guard);  
logSet in src/store/store.ts .
```

FIX

Disable “Complete set” while `reps < 1` (tooltip/hint why). Keep weight 0 allowed *only* for bodyweight-equipment exercises (see task 33) and display it as “BW”.

DONE WHEN

A 0-rep set cannot be completed; bodyweight movements still log without a load.



“SET 1 · 0 kg · 0 reps” accepted; also shows the full-screen rest overlay (task 31)

P1 · 7 Finishing a workout with entirely un-logged exercises is silent

WHAT'S WRONG

The “Finish workout” CTA appears whenever the *current, last-positioned* exercise is done — other exercises can be completely untouched. Verified: finished a session where only one exercise had logs; the summary read “1 exercises · 3 sets” with no mention of the skipped exercise. Users lose sets they think they’ll come back to.

WHERE

```
src/screens/ActiveWorkout.tsx:467-489 ( BottomBar looks only at the current exercise's info ); onFinish at :180 .
```

FIX

On Finish, if any exercise in `active.exerciseIds` has 0 logged sets (or unfinished prescribed sets), show a confirm dialog: “2 exercises have no sets logged — finish anyway?” listing them.

DONE WHEN

Finishing a fully-logged workout is unchanged; finishing a partial one requires explicit confirmation.

P1 · 8 No “workout in progress” indicator anywhere

WHAT'S WRONG

Close a live workout with `×` → Home shows the identical lime “UP NEXT / START WORKOUT” card. The session *does* resume when re-entered (state is persisted, including a running rest timer), but nothing tells the user a session is alive — easy to believe the workout was discarded, or to be surprised by a resumed timer.

WHERE

```
src/screens/Home.tsx:152-186 (up-next card); state.activeSession is available in the store.
```

FIX

When `activeSession` exists, switch the card CTA to “Resume workout” with progress (“3/22 sets · started 14:05”), and consider a small badge on the Workouts tab icon. If the active session's day differs from up-next, offer resume vs discard.

DONE WHEN

A live session is visibly resumable from Home; starting a different day first asks about the orphaned session.

P1 · 9 Body-metric inputs accept absurd values (body fat 300%)

WHAT'S WRONG

Profile → Log body metrics accepted body fat **300%**; it renders in the stat tile, the history table and the sparkline (screenshot). Weight/muscle have no bounds either.

WHERE


Log-body sheet in `src/screens/Profile.tsx:337+`; `logBodyMetric` in `src/store/store.ts`.

FIX

Validate before save with inline errors: body fat 2–70%, bodyweight 20–400 kg (44–880 lbs), muscle mass < bodyweight. Reject rather than clamp silently.

DONE WHEN

Out-of-range entries show an error and don't persist; valid entries unchanged.



300% body fat in tile, history row and sparkline

P1 · 10 Empty training day is an enabled dead end

WHAT'S WRONG

A day with 0 exercises (easily created via Home → Edit week → “Add day”) shows a fully enabled **START WORKOUT** CTA on its Day Overview; tapping it lands on a terminal “NOTHING TO DO” screen. The schedule row also advertises “0 exercises · 0 sets”.

WHERE


`src/screens/DayOverview.tsx:112-118` (CTA not gated on `exs.length`); empty-day terminal in `src/screens/ActiveWorkout.tsx:67`; day creation via `addDay` (`src/screens/Home.tsx:245`).

FIX

When `exs.length === 0`, replace START WORKOUT with “Add exercises” opening the existing edit sheet; in the week list, style empty days as needing setup.

DONE WHEN

An empty day can never reach the NOTHING TO DO screen; adding exercises from its overview takes ≤2 taps.



“0 EXERCISES · ~0 MIN” yet START WORKOUT is enabled

P1 · 11 Placeholder assets shipped throughout the core flow

WHAT'S WRONG

Three placeholder surfaces are user-visible on day one: the splash hero is a striped box literally labeled **“hero — athlete”**; every exercise row in Day Overview shows a striped **“gif”** square; the workout screen leads with a 160px striped **“illustration”** block. Together they make the app read as unfinished scaffolding.

WHERE


`StripedPlaceholder` usages: `src/screens/Splash.tsx` , `src/screens/DayOverview.tsx:81` , `src/screens/ActiveWorkout.tsx:325` . Component in `src/components/ui.tsx` .
`illustrationFilename` exists in seed data but is never resolved on web.

FIX

Either ship real assets, or design intentional fallbacks: splash → typographic/gradient hero; exercise rows → `MuscleMap` mini-silhouette or equipment glyph; workout hero → large `MuscleMap` + name. Remove the placeholder labels entirely.

DONE WHEN

No striped boxes or placeholder labels anywhere in onboarding, day overview, or workout.



Workout hero “illustration” placeholder above real content

P1 · 12 Notification permission requested with zero context

WHAT'S WRONG

`Notification.requestPermission()` fires the moment the first workout screen mounts — a browser permission popup with no explanation, before the user knows the rest timer exists. This is the classic path to a permanent “Block”.

WHERE

`src/screens/ActiveWorkout.tsx:48-53` .

FIX

Defer until the first rest timer starts and show a one-line pre-prompt (“Get a ping when rest is over?” → request on accept), or move behind an opt-in toggle in Settings.

DONE WHEN

No native permission dialog appears without a user-initiated, explained action.

P2 — UX and visual defects

P2 · 13 Destructive “Reset routine” disguised as a refresh icon on Home — and Settings' version skips the confirm

WHAT'S WRONG

The ↺ icon in the Today header opens “Reset routine?” — it reads as refresh/undo and sits in prime position (`src/screens/Home.tsx:117`). Meanwhile Settings → Reset routine navigates *straight* to pick-split with no dialog at all (inconsistent with Home).

FIX

Remove the Home header button (Settings owns the action); give the Settings entry the existing confirm dialog. If a Home entry point must stay, label it (“Change split”).

DONE WHEN

Exactly one reset entry point, always behind a confirm that states what will be lost.

P2 · 14 “Swap” icon on the up-next card actually opens Day Overview

WHAT'S WRONG

The ⇄ button next to START WORKOUT navigates to `/day/:id` (aria-label “Day overview”, `src/screens/Home.tsx:169-176`) — but the same ⇄ icon on the Day Overview top bar means “Switch day”. One icon, two meanings, no visible labels.

FIX

Use a distinct affordance for preview (list/eye icon or a text button “Details”), keep ⇄ exclusively for switch-day.

DONE WHEN

No icon is reused for two different actions; both buttons have tooltips/aria-labels that match their look.

P2 · 15 Onboarding copy references a PDF that doesn't exist

WHAT'S WRONG


Step 2 subtitle reads “Curate from your PDF, or assemble exercises day-by-day.” There is no PDF concept anywhere in the web app — leftover copy from another context.

WHERE

`src/screens/RoutineMethod.tsx` (subtitle text).

FIX

Rewrite, e.g. “Use the preset as-is, or assemble exercises day-by-day.”



Step 2 — “Curate from your PDF”; also note the missing progress bar (task 16)

P2 · 16 Step progress bar appears only on step 1 of 3

Pick-split shows a lime progress track under the title; steps 2 (“HOW DO YOU WANT IT?”) and 3 (“BUILD YOUR ROUTINE.”) label themselves “STEP N OF 3” but render no track. Render the same progress component on all three (1/3, 2/3, 3/3) or drop it everywhere. Files:

`src/screens/PickSplit.tsx`, `RoutineMethod.tsx`, `CustomizeRoutine.tsx`.

P2 · 17 Splash theme toggle appears broken

The splash toggle's label shows the *current* theme (“LIGHT”/“DARK”) but the splash screen itself is hard-coded dark (`src/screens/Splash.tsx`, `.ob` styling) — so flipping it changes nothing visible on screen. First interaction with the app looks like a broken control. Fix: make the splash respect the theme, or restyle as an explicit labeled switch (“Dark mode” + on/off state) and note it applies after onboarding.


P2 · 18 Pluralization and copy bugs (calendar, completion screen, PR tile)

WHAT'S WRONG

- Calendar header: “**1 sessions**” (`src/screens/Home.tsx:314`).
- Completion screen: “**1 exercises** · 3 sets · logged.” — trailing “· logged.” is a fragment (`src/screens/WorkoutComplete.tsx`).
- PR tile: “**1 PRS**”.
- The second stat tile shows the word “**NEW**” as its value with label “VOL” — it means “no prior volume to compare”, but reads as broken data. Show the session volume (“360 kg”) and add a “first session” footnote instead.

FIX

Add a tiny `plural(n, word)` helper and use it in all three spots; redesign the VOL tile value.



“1 exercises”, “1 PRS”, “NEW/VOL”, and stale toasts over the CTA (task 23)

P2 · 19 lbs mode leaks raw kg → lb conversions everywhere

WHAT'S WRONG

With lbs selected: the set stepper prefills “**44.09 lbs**” (20 kg default), the keypad opens at 44.09, the PR list shows “44.09 lbs”, and stepping produces 46.59 → 49.09... No lifter can load 44.09 lbs.

WHERE


`src/domain/units.ts` (`kgToDisplay /rounding/ displayStep`); prefill in `src/screens/ActiveWorkout.tsx:283-303`.

FIX

Round all lbs *display* values to the nearest 0.5 and snap prefills to the unit step (2.5 lb); keep kg as the storage unit. Audit every `formatWeight` call site (Home tile, Profile, PRs, steppers, keypad, toasts).

DONE WHEN

No lbs value anywhere shows more than one decimal; stepping from a fresh exercise yields plate-realistic numbers (45 → 47.5 → 50...).



Keypad prefilled with 44.09 lbs

P2 · 20 Missing unit labels on stats

Home's bodyweight tile shows bare “82.5”/“183.2” (is that kg or lbs?); Profile shows “TOTAL VOLUME 360” with no unit at all. Append the active unit (“82.5 kg”, “360 kg total”) — Home tile: `src/screens/Home.tsx:132-138` ; Profile: `src/screens/Profile.tsx:158-161`.

P2 · 21 Light theme: accent-on-background contrast failures

WHAT'S WRONG


In light mode the lime accent is used directly for text and icons on the near-white background: active tab label “TODAY”, “Edit” text-links, accent labels. Contrast is far below WCAG AA (lime ≈ #B5E315 on #F5F3EF ≈ 1.6:1). Several of the 10 accent palettes (mono/white worst) will be equally bad.

WHERE

`src/theme/palettes.ts` + light-theme variables in `src/styles/global.css`; consumers use `var(--accent-primary)` for text.

FIX

Introduce a separate `--accent-text` (darkened accent for light theme, e.g. lime → #5c7a00) and use it for any text/icon on background; keep `--accent-primary` for fills with dark on-accent content. Validate all 10 palettes × 2 themes ≥ 4.5:1 for text.



Light theme: lime tab label and links barely legible

P2 · 22 Replaced exercise labeled “· ADDED”

After menu → “Replace this exercise”, the header shows “EXERCISE 1 · ADDED” because `replaceExercise` pushes the new id into `addedExerciseIds` (`src/store/store.ts:485-486`). Track replacements separately (or drop the tag for replacements) so the label reads “· REPLACED” or nothing.

P2 · 23 Stale set-logged toasts stack over the completion screen

“Set 2 logged · 120s rest” and “Set 3 logged” were still stacked on top of the BACK HOME button after navigating to the completion screen (see task 18’s screenshot). Clear the toast queue on route change (hook in `src/components/toast.tsx` or the router), and/or cap to a single visible toast that replaces its predecessor.

P2 · 24 Confetti replays on later Home visits

`confettiArmed` persists until a Confetti animation calls `onFinished` ; if the user navigates away (or closes the tab) mid-animation it re-fires on every subsequent Home mount — observed three times in one session. Consume the flag immediately on mount (`src/screens/Home.tsx:107` , `consumeConfetti` in the store) rather than on animation completion.


P2 · 25 “Streak” and “This week” contradict each other

WHAT’S WRONG

Logging a 30-min run (not counted as today’s workout) set STREAK to “1d” while THIS WEEK stayed “0/6” — activities feed the streak but not the weekly counter, with no explanation, on adjacent tiles. Additionally “THIS WEEK” is actually a rolling last-7-days window (`today - epochDay ≤ 6` , `src/screens/Home.tsx:77`), not the calendar week its label implies.

FIX

Decide the semantics: either activities count for both or neither (recommend: streak counts any logged day, weekly counts scheduled training days — then add an info tooltip saying so). Rename the tile “LAST 7 DAYS” or compute the true calendar week.



Run logged: streak 1d, this week 0/6, “1 sessions” (task 18)

P2 · 26 Calendar: single tag per day, no session detail anywhere — history is write-only

(a) A day with both a workout and an activity shows only the workout tag (D1 replaced RUN on the 15th) — `src/screens/Home.tsx:324` picks workout over activity. (b) Past completed days are not tappable, and no screen in the app shows what was logged on a given day — sessions can never be reviewed. (c) The legend explains Completed/Today but not the activity abbreviations (RUN, YOG...). Fix: tapping any non-empty day opens a session-summary sheet (sessions, exercises, sets, activities for that date); render a dot/stack for multiple entries; extend the legend. This also resolves task 36.

P2 · 27 Workouts tab: exercise preview chips clipped mid-word

WHAT'S WRONG


Day cards show up to 4 preview chips in a single non-wrapping row that gets hard-clipped at the card edge: “Incline Dum”, “Face”, “Dun”, “Single Arm (”. No ellipsis, no “+N more”.

WHERE

`src/screens/WorkoutsList.tsx` (chip row).

FIX

Show as many whole chips as fit plus a “+N” overflow chip, or apply a fade-out mask; never cut a chip mid-letter.



Chips cut at the card edge

P2 · 28 Custom exercise form: silent alphabetical defaults

WHAT'S WRONG


“New exercise” pre-selects Primary muscle = **Abductors** and Equipment = **Band** (first options alphabetically). Users who only type a name create miscategorized exercises — verified: a test squat variant landed under Abductors and now surfaces there in the picker and muscle stats.

WHERE

`src/components/ExercisePicker.tsx` (create form initial state).

FIX

Start both selects on a disabled “Select...” option and require a choice before CREATE enables (or at minimum default to Chest/Barbell).



Defaults: Abductors / Band

P2 · 29 Profile name silently truncated at 20 characters

Typing a 43-character name into Edit Profile saved exactly “PRANAV CHANDRASEKARA” — the input's `maxLength` quietly discards the rest (`EditProfileSheet` in `src/screens/Profile.tsx`). Either raise/remove the limit and ellipsize the header display, or show a live character counter when near the cap.

P2 · 30 Warmup tab is boilerplate and its CTA doesn't start a warmup

The Warmup tab always lists the same 4 generic steps, and for custom splits the “focus” slot interpolates the *day name*: “Dynamic stretch — Push A, 2 min” (custom splits commit with `muscleGroups: []`, `src/store/store.ts:216`; fallback `focus = day.muscleGroups[0]` ?? `day.name`, `src/screens/Day0verview.tsx:31`). The CTA relabels to “Start warmup” but navigates to the normal workout (`Day0verview.tsx:114-116`). Fix: derive focus from the day's exercises' primary muscles; either make the CTA honest (“Start workout”) or build a real warmup step-through.

P2 · 31 Rest overlay blocks the entire screen during rest

While resting you cannot adjust the next set's weight/ reps, re-read form cues, or scroll — the overlay owns the screen and offers only –30s/+30s/Skip (see task 6's screenshot). Between-set weight changes are exactly what lifters do during rest. Consider a minimized state: collapse to a floating pill/bottom bar (timer + skip) after ~3s or on tap, leaving the sets interactive. `src/screens/ActiveWorkout.tsx:492-550`, `.rest-overlay` in `global.css`.

P2 · 32 Rest-day overview: bed icon stranded at the far left

WHAT'S WRONG


On a rest day's overview the “DAY 4 OF 7”, “REST DAY” heading and body copy are centered, but the large bed icon sits pinned to the left edge — the `.center` class centers text, not this flex child.

WHERE

`src/screens/Day0verview.tsx:51-58`; `.center` / `.stack` in `src/styles/global.css`.

FIX

Add `align-items: center` to that stack (or `margin: 0 auto` on the icon).



Bed icon left, everything else centered

P2 · 33 Bodyweight exercises prefill 20 kg like barbell moves

Plank, Pull Up, etc. (equipment “Bodyweight”) prefill the default 20 kg (`DEFAULT_START_WEIGHT_KG`, used in `ActiveWorkout.tsx:302`); a genuine bodyweight set at “0 kg” is then indistinguishable from an input mistake (interacts with task 6). Fix: for bodyweight equipment, prefill 0 and render “BW” (or “BW+2.5 kg” when loaded); exempt these from the `reps≥1-with-weight` validation nuance.

P2 · 34 Seed-data and muscle-map inconsistencies

(a) “Machine / Decline Crunch” has `equipment: "Bodyweight"` (`src/data/seed_data.json:654`) — audit all 155 entries for equipment/muscle mismatches. (b) The MuscleMap renders glutes/hamstrings/adductors as one ~4px sliver between the legs (`src/components/MuscleMap.tsx:87-89`) — effectively invisible, which is glaring for the Glute Focused preset audience. Give posterior-chain muscles a real region (e.g. shade the upper legs differently or add a back view).

P2 · 35 Cloud sync: raw error strings and duplicated status copy

A failed push surfaces the raw `Failed to fetch` string inline; a bad token would surface a raw GitHub API error similarly (`src/sync/gist.ts` ; status render in `src/screens/Settings.tsx:203-208`). Map errors to human messages: network → “Couldn't reach GitHub — check your connection”; 401/403 → “Token rejected — check it has the gist scope”; 404 gist → “Backup gist not found — push to create a new one”. Also tidy the idle status line (“No gist yet — push to create one. Never synced.” reads redundantly).

P2 · 36 Completion screen unreachable after the moment it's shown

`#/complete/:sessionId` renders a nice summary (PRs, volume, bodyweight log) but nothing ever links back to it; there's no session history UI at all. Covered by task 26's session-summary sheet — reuse the completion layout for past sessions (hide confetti/bodyweight-log for historical views).

P3 — Polish and housekeeping

P3 · 37 React Router v7 future-flag warnings on every load

Console warns about `v7_startTransition` and `v7_relativeSplatPath` on every page load. Opt in: `<HashRouter future={{v7_startTransition: true, v7_relativeSplatPath: true}}>` in `src/App.tsx:88` and retest navigation.

P3 · 38 Duration estimate is “exercises × 11 min”, duplicated in two screens

`~{exs.length * 11} min` appears in `src/screens/Home.tsx:159` and `src/screens/DayOverview.tsx:65`. Centralize in `src/domain/metrics.ts` and compute from `sets × (rest duration + ~45s work)` for credibility.

P3 · 39 Rest-marked draft days keep stale names

In the routine builder, marking “Push A” as a rest day keeps the name “Push A” on a rest day. Grey/clear the name field (placeholder “Rest”) while `isRestDay`; fold into task 2's change.

P3 · 40 Empty routine name commits silently as “My Routine”

`commitCustomSplit` falls back to “My Routine” (`src/store/store.ts:232`) with no feedback. Validate inline before LOCK IT IN (disable + hint), or show the fallback name in the input as the value.

P3 · 41 “Count as today's workout” switch is unexplained

The Log Activity toggle substitutes the entire scheduled day (sets `workoutDayId` to the up-next day) but says nothing about it. Add helper text under the switch: “Marks Day 2 · Pull A as done for today.” — `src/screens/Home.tsx:379-384`.

P3 · 42 Icon-only top-bar buttons on Day Overview

↻ (switch day) and ✎ (edit exercises) have aria-labels but no visible labels/tooltips; combined with task 14's icon collision, first-run comprehension is poor. Add `title` attributes at minimum; consider text-adjacent labels on wider viewports.

`src/screens/DayOverview.tsx:38-45`.

Verified working — do not regress

Rest timer persistence

Wall-clock based; survives a full page reload mid-countdown (verified 1:58 continuing after reload); ± 30 s/skip work; final set of the last exercise correctly skips the timer.

Session persistence

Logged sets, current exercise index, added/replaced exercises and the running timer all resume after reload; finishing produces a clean session + auto gist push hook.

Rep-range clamping

Rep-low cannot exceed rep-high and vice versa in both the routine builder and the edit-exercises sheet.

Invalid deep links

`/day/x` , `/workout/x` , `/complete/x` all render graceful terminal screens with a way back.

Backup format

Export produces a faithful BackupFile v2 with Android's userPrefs field names; kg $\leftrightarrow$ lbs math is correct end-to-end (storage stays kg).

Scheduling logic

Up-next correctly skips rest days; auto rest-day logging correctly defers when a session is already logged today; removing a day with logged history is blocked with a toast.

Exercise picker

Fast search, muscle grouping, custom creation, and a “No matches.” empty state.

Desktop rendering

Centered max-width column with dark gutters looks intentional at 1280×800.

Generated 2026-07-15 from a live teardown session · screenshots captured at 390×844 @2x from the running dev build · line numbers reflect the audited revision on `claude/ui-review-bug-list-bantt0`'s base.