

GET GYM DONE.

FOR

Claude Code

REBUILD TARGET

Native Android

The complete design specification for **Get Gym Done**, an Android workout logbook. This document is self-contained: design system, shared components, iconography, navigation model, and a full spec for all 17 screens — sufficient to rebuild the app pixel- and behaviour-perfect without the source. Read §01–05 first (foundations), then each screen section references those tokens by name.

SCREENS	WORKOUT VARIANTS	VIEWPORT	THEME	ACCENT	VERSION
17	4	412 × 892	Dark default	Electric lime	1.0

00 CONTENTS

01	Product overview & principles	11	Home / Today
02	Design system & tokens	12	Day overview + Warmup
03	Shared components	13	Override day sheet
04	Iconography	14	Workouts list
05	Navigation & app state	15	Active workout — 4 variants
06	Splash	16	Set tracking & keypad
07	Pick your split	17	Workout complete
08	Routine method	18	Profile / Metrics
09	Customize routine	19	Settings
10	Exercise picker sheet	20	Data model

01 PRODUCT OVERVIEW

Get Gym Done is a workout-tracking app built around a recurring multi-day *split*. The reference program is a 5-day split (Upper / Lower / Shoulders & Arms / Legs (Quad) / Back & Chest) with 26 exercises, each carrying form cues and prescribed sets × reps. The app auto-detects which day is next from the user's log, opens straight into it, and lets the user log sets with a single big CTA. Progress is reviewed via charts in the Profile tab.

DESIGN PRINCIPLES

- **One screen, one job.** Each surface does exactly one thing — pick, log, or review.
- **Fast logging beats rich logging.** Pre-fill from last session, big tap targets, single-tap commit.
- **Calendar-first home.** The home screen surfaces the next workout automatically; override is always one tap away.
- **Honest placeholders.** Exercise demos and anatomy use labeled striped placeholders, never fake art.
- **Bold sport aesthetic.** Warm near-black ground, a single electric-lime accent, condensed display type, oversized numerals.

NORTH STAR

"Open app → know what to lift → log it → leave." The big "Complete Set" CTA is the most-tapped pixel in the product. Anything that slows that loop is wrong.

02 DESIGN SYSTEM

COLOR — DARK THEME (DEFAULT)

All colors are CSS custom properties on `:root`; `[data-theme="light"]` overrides the ground colors. Accent is theme-independent.

--bg
#0a0a09
App background

--surface
#16140f
Cards

--surface-2
#1f1c14
Inset chips, icon btns

--surface-3
#2a2620
Pressed, muscle base

--line
#2e2b22
Borders, dividers

--fg
#f7f5f0
Primary text

--fg-2
#a8a59a
Secondary text

--fg-3
#696657
Tertiary / hints

--accent
oklch(.88 .22 125)
Electric lime

--accent-fg
#0a0a09
Text on accent

--accent-2
oklch(.70 .22 25)
Coral (day 2/4, bodyweight)

--danger
oklch(.65 .22 25)
Destructive

LIGHT THEME OVERRIDES

TOKEN	DARK	LIGHT
--bg	#0a0a09	#f5f3ee
--surface	#16140f	#ffffff
--surface-2	#1f1c14	#ebe8e0
--surface-3	#2a2620	#ddd9cd
--line	#2e2b22	#d6d2c4
--fg	#f7f5f0	#14130f
--fg-2	#a8a59a	#5a564a
--fg-3	#696657	#908a78

SELECTED / TINTED SURFACES

Selection states use `color-mix` so they track the active accent: selected card = `color-mix(in oklch, var(--accent) 12%, var(--surface))` ; done set row = `14%` ; rest-timer bar = `22%` . Never hard-code these mixes.

TYPOGRAPHY

Three families, loaded from Google Fonts: **Anton** (display + all numerals), **Inter** (400/500/600/700, all UI text), **JetBrains Mono** (data, placeholder labels).

DISPLAY / HERO	GET GYM DONE	Anton 400 32-96px · UC tracking .01-.02em
NUMERALS	120 KG * 8	Anton 400 18-110px
BODY / UI	Wide Grip Pulldown	Inter 600 14-16px
CAPTION	3×6-8 · Lats	Inter 500 11-13px
EYEBROW	STEP 1 OF 3	Inter 600 11px · .14em · UC
MONO / DATA	2026-05-16 +12%	JetBrains 500 10-13px

RADII, SPACING & MOTION

RADIUS SCALE		SPACING		MOTION	
--r-sm	10px — buttons, set rows	22px	screen gutters (home/profile)	120ms	press scale 0.97
14px	cards, sheets, CTA	20px	screen gutters (onboarding)	180ms	split commit hold
--r	18px — large cards	18px	workout gutters	200ms	sheet backdrop / toggle
22px	hero cards	16px	card padding	240ms	screen slide-in, sheet rise
100px	pills, chips, radio	10px	stack gap (cards)	300ms	progress bar fill
44px	phone frame	6px	chip gap	1.6s	pulse loop (today dot)

Screen entrance: `slideIn` — from `translateX(8%) + opacity:0` to rest, 240ms ease. **Sheet:** rises from `translateY(100%)` with `cubic-bezier(.2,.8,.2,1)`. **Toast:** from `translateY(20px)` + fade, 200ms. **No drop shadows** anywhere except the phone frame and floating toasts; depth comes from surface stacking + 1px borders.

Foundations continue below. Per-screen specs begin at §06.

03 SHARED COMPONENTS

Every screen is assembled from this kit. Specs here are the source of truth; screen sections reference them by name.

PHONE FRAME & CHROME

- **Frame:** `412 × 892px`, `border-radius:44px`, `8px solid #1a1813` border, large soft drop shadow. Inner content clipped to the radius.
- **Status bar:** `38px` tall, `0 22px` padding. Left: time "9:30" (13px Inter 600). Center: `18px` black circular camera punch-hole, absolutely centered, top 9px. Right: wifi + battery SVGs in `--fg`.
- **Gesture nav:** `24px` tall, centered `132 × 5px` pill at `--fg` / 0.6 opacity.
- **Column model:** phone is `display:flex; flex-direction:column`. Status bar (fixed) → screen content (`flex:1`) → gesture nav (fixed). Scroll happens inside the content region only via a `.scrollable` wrapper (`flex:1; overflow-y:auto`, scrollbar width 0).

TOPBAR

Header used by onboarding + day overview. Three-slot flex row: `left` (36px) · title block (flex-1) · `right` (36px).

- Padding `20px 22px 12px` when `big`, else `14px 18px 12px`.
- Optional `sub` eyebrow above title (11px Inter 600, .14em, UC, `--fg-2`, margin-bottom 4px).
- Title: Anton, 36px when `big` else 22px, `--fg`.
- Left/right slots hold `IconBtn` or nothing (the 36px gutter is always reserved for symmetry).

ICONBTN

`36 × 36px`, `border-radius:10px`, background `--surface-2`, color `--fg`, centered icon at 20×20. No border. Active scale 0.97.

Buttons

Variant	Spec
<code>.btn-cta-huge</code>	Full width, <code>padding 22px 24px</code> , <code>radius 14px</code> , Anton 26px, .04em, UC, bg <code>--accent</code> , text <code>--accent-fg</code> . Active scale 0.98. Disabled = opacity 0.4. The primary CTA across the app.
<code>.btn-primary</code>	<code>padding 14px 20px</code> , <code>radius 10px</code> , Inter 600 15px, bg <code>--accent</code> .
<code>.btn-ghost</code>	Transparent, <code>1px solid --line</code> , text <code>--fg</code> . Used for "Skip — keep it local" (Anton 18px variant).
<code>.btn-surface</code>	bg <code>--surface-2</code> , text <code>--fg</code> .

Card & Chip

- `.card` — bg `--surface`, `1px solid --line`, `radius 18px`, `padding 16px`.
- `.card-flat` — bg `--surface-2`, no border, same radius/padding.
- `.chip` — inline-flex, `padding 6px 10px`, `radius 100px`, bg `--surface-2`, `--fg-2`, 12px Inter 500. Modifiers: `.solid` (bg accent, text accent-fg), `.outline` (transparent, border line).

Striped Placeholder

The honest stand-in for exercise GIFs and any missing imagery. A `repeating-linear-gradient(-45deg, ...)` of two white-alpha stripes (0.04 / 0.08) over `--surface-2`, with a centered lowercase mono label (11px, `--fg-3`, .08em). In light theme the stripes switch to black-alpha. Always labeled with what belongs there (e.g. "exercise gif · incline-smith-press", "hero — athlete", "gif").

MuscleMap

A stylized front/back body silhouette in a `100×200` viewBox, rendered as flat blob `<path>`s. Muscle groups light up: active = `--accent` fill, inactive = `--surface-3` fill, `--line` stroke. Accepts `active` (array of muscle names, case-insensitive) and `side` ('front' default | 'back'). Recognized names: Upper Chest, Chest, Shoulders, Front/Side/Rear Delts, Biceps, Triceps, Forearms, Abs/Core, Quads, Hamstrings, Glutes, Adductors, Calves, Lats, Mid Back, Posterior Chain. *Not anatomical art — intentionally abstract; replace with a real anatomy system in production.*

LineChart & Sparkline

- LineChart** — SVG, `320×height` viewBox, `preserveAspectRatio:none`. Draws a filled area (accent at 0.14 opacity) under a 2.4px accent stroke line, a dot at every point (last point larger, 4px, with a `--bg` ring). Optional min/max axis labels in mono. Accepts `data: [{x, y}]`, `height`, `color`.
- Sparkline** — tiny inline line, no fill, for card corners.

Bottom Sheet

Modal pattern for keypad, day-override, exercise picker. Full-screen `.sheet-backdrop` (rgba(0,0,0,.5), fade-in 200ms) with a bottom-anchored `.sheet` (bg `--surface`, `radius 24px 24px 0 0`, `padding 20px`, rises

240ms cubic-bezier(.2,.8,.2,1), max-height 80% , scrolls internally). Top: 40×4px grab handle in --fg-3 / 0.5. Tap backdrop to dismiss; stopPropagation on the sheet body.

TABBAR

Bottom navigation, 4 destinations. bg --surface , 1px top border. Each tab: column, padding 10px 0 8px , 22px icon + 10px UC label (.08em), --fg-2 idle / --accent active.



04 ICONOGRAPHY

All icons are inline SVG, 24×24 viewBox, stroke="currentColor" , stroke-width 2 (2.4 for emphasis glyphs), round caps/joins. A few (more, fire, play, pause) are filled. Render at 12–28px depending on context. The full set:

NAME	USE	NAME	USE
back	Top-bar back arrow	close	Exit workout, dismiss
plus / minus	Steppers, add	check	Set done, selected
chev / chevDown	Row affordance, expanders	arrow	Next exercise
home	Tab: Today	dumbbell	Tab: Workouts
chart	Tab: Profile	cog	Tab: Settings
flame / fire	Streak, warmup	timer	Rest timer
trend	PRs, progression deltas	swap	Override day
edit	Edit profile/routine	more	Overflow menu (filled dots)
play / pause	Demo playback (filled)	bell	Notifications
filter	Picker filters	user	Profile, account

05 NAVIGATION & APP STATE

Top-level state is a single state machine in the root `App` component. Onboarding is linear; the main app is a tab shell with modal takeovers.

```
// Top-level screen machine
screen: 'splash' | 'split' | 'method' | 'customize' | 'app'

// When screen === 'app', a tab + view drive what renders:
tab:      'home' | 'workouts' | 'profile' | 'settings'
appView:  'home' | 'day-overview' | 'workout' | 'complete'
openDayIdx: 0-4           // which day is being viewed/worked
workoutLog: [{date, day}] // grows when a session completes
tweaks: { palette, theme, layout, unit, ... }
```


FLOWS

- **Onboarding:** splash → split → method → (custom only) customize → app. "Curate for me" skips customize.
- **Workout:** home → [day-overview] → workout (per-exercise loop) → complete → home. The home CTA can skip straight to workout.
- **Next-day logic:** `nextDayIndex = lastLog ? (lastLog.day % 5) : 0`. After day 5 wraps to day 1. User can override on any tap; the override is what gets logged.
- **Modals** (override sheet, keypad, exercise picker) overlay the current screen without changing `screen / appView`.

Per-screen specifications follow. Each cites tokens and components from §02–04.

06 SPLASH

ONBOARDING



SPLASH

Cold-launch welcome. Full-bleed flow (no TopBar). Vertical layout with `space-between`: brand block top, action block bottom.

ELEMENTS

- **Eyebrow** "v1.0 — beta" in `--accent`.
- **Wordmark** "Get / Gym / Done." Anton 84–88px, `line-height 0.85`, "Done." in accent. Three lines, hard breaks.
- **Tagline** 16px `--fg-2`, max-width 280.
- **Hero placeholder** 160–180px striped, labeled "hero — athlete".
- **Primary CTA** `.btn-cta-huge` "Sign up / Sign in".
- **Secondary** ghost button "Skip — keep it local" (Anton 18px, 1.5px line border).
- **Helper line** 11px `--fg-3` explaining the sync-vs-local trade-off.


BEHAVIOUR

Both buttons call `onStart()` → advances to Pick your split. (Sign-in screen is a future stub — wire both to the same handler for now.) No "already have an account" link.

Padding: 24px all around. Brand block has 60–80px top padding to push the wordmark down.

07 PICK YOUR SPLIT

ONBOARDING · 1/3



PICK YOUR SPLIT

First onboarding step. Choose the recurring weekly structure. *Full standalone spec exists in "Pick Your Split — Handover"; condensed here.*

KEY POINTS


- **TopBar** big, sub "Step 1 of 3", back button → splash.
- **Progress** 33% lime fill.
- **Intro** locked copy: "The split decides what muscles you train on which day. You can change this anytime."
- **Option cards** from `SPLIT_OPTIONS`: name (Anton 22px), sub (12px), radio (22px), day-preview chips (`D{n} · {name}`). `radius 14px` , `1.5px` border, `padding 16px` .
- **Selected state**: accent border + 12% accent-tint bg + filled radio dot.
- **Recommended badge** "From your PDF" overhangs top edge (`top:-8px; right:14px`) on the `recommended:true` option.
- **Custom option** ("Build my own") has empty `days` → no chips.

INTERACTION — SINGLE-TAP COMMIT

No Continue button. `onClick → setSelected(id);`
`setTimeout(onNext, 180)` . The 180ms hold lets the selection register visually before advancing. Hint line "Tap a split to continue" sits below the list. Guard against double-tap; cancel the timer on back.

08 ROUTINE METHOD

ONBOARDING · 2/3



ROUTINE METHOD

Two large choice cards. Unlike the split picker, this one **does** keep a bottom CTA — selection is a toggle, commit is explicit.

CARDS


- **radius 18px**, **2px** border (note: thicker than split cards), **padding 18px**.
- Tag chip at top: "Recommended" (solid accent when selected) / "Advanced".
- Title Anton 30px. Sub 14px **--fg-2**.
- Bullet list with accent check icons (Curate: "26 exercises preloaded", "Form cues on every screen", "Edit any time"; Build: "Drag to reorder", "Search 200+ exercises", "Save as template").
- Selected = accent border (bg stays **--surface**); tag chip flips to solid accent.

CTA

Bottom **.btn-cta-huge** with dynamic label: 'Use this program →' (curated) / 'Build it →' (custom). Disabled (opacity 0.4) until a method is chosen. Curated → app; Custom → customize.

09 CUSTOMIZE ROUTINE

ONBOARDING · 3/3 · CUSTOM ONLY



CUSTOMIZE ROUTINE

Per-day exercise editor, shown only when "Build my own" was chosen. Pre-populated with the curated days so the user edits rather than starts empty.

ELEMENTS

- **Progress** 100%.
- **Day tabs** D1–D5, horizontally scrollable. Active = solid accent, idle = `--surface-2`. Anton 14px.
- **Day title** Anton 30px + meta line ("N exercises · ~N×12 min").
- **Exercise rows** — `.card` padding 12px: 44px gif placeholder, name (14px 600) + primary muscles (11px), right column with `{sets} × {reps}` chip and "tap to swap" hint.
- **Add exercise** — dashed-border button (1.5px `--line`) opening the picker sheet (\$10).


CTA

Bottom `.btn-cta-huge` "Lock it in →" → app. Adding/removing exercises mutates `customDays[activeDay].exercises`.

10

EXERCISE PICKER SHEET

MODAL



EXERCISE PICKER SHEET

Bottom sheet (85% height) opened from "Add exercise". Multi-select against the full EXERCISES library.

ELEMENTS

- **Title** "Add exercise" (Anton 28px) + count line "{n} picked · tap to add/remove".
- **Filter chips** — horizontally scrollable: all + 11 muscle groups (Chest, Back, Lats, Shoulders, Biceps, Triceps, Quads, Hamstrings, Glutes, Calves, Abs). Active chip = solid accent.
- **Exercise rows** — 44px MuscleMap (highlighting primary+secondary), name (14px 600), muscle summary (11px: primary · secondary), 24px check circle on the right.
- **Selected row** = 14% accent-tint bg + accent border + filled check.


BEHAVIOUR

Tapping a row toggles it in the active day's exercise list (default {sets:3, reps:'8-12'}). Filter narrows by primary OR secondary muscle. Tap backdrop or handle to dismiss.

11

HOME / TODAY

TAB · TODAY



HOME / TODAY

The default tab and emotional center of the app. Scrolls vertically; 22px gutters. Order top to bottom:


- **Greeting header** — eyebrow "Today · {weekday}", then Anton 38px "Ready to / get it." (accent period). Bell IconBtn top-right. Title block is `flex:1; min-width:0` so it wraps on two lines.
- **Stat strip** — 3 equal pills: Streak ("3w"), This week ("4/5"), Bodyweight ("81.0 kg"). Each: small accent icon + UC label + Anton 22px value.
- **Up-next hero card** — full `--accent` fill, `radius 22px`. Giant faded "D{n}" watermark (Anton 200px, 0.12 opacity, top-right). "Up next" label with a pulsing dot. "Day N / {name}" Anton 44px. Meta row (exercises · minutes · sets). Two actions: big "Start workout →" (inverted: accent-fg bg, accent text) + swap IconBtn (opens override sheet).
- **Calendar** — month title + session count, weekday header row (S M T W T F S), then a 7-col grid. Completed days = solid accent cell with "D{n}" label; today = accent outline; future = muted.
- **Legend + "This week" list** — all 5 days as rows; next day highlighted with accent border + "Next" chip; completed days show a check.

CALENDAR LOGIC

Build from `WORKOUT_LOG` keyed by date. Tapping a completed day opens its overview; tapping today opens the next-up day's overview.

12 DAY OVERVIEW + WARMUP

PRE-WORKOUT



DAY OVERVIEW

Pre-workout briefing. Reached by tapping a day (not the direct "Start" CTA). Has a back button + overflow (opens override sheet).

STRUCTURE

- **Header** — eyebrow "Day N of 5", title Anton 44px, two outline chips (exercise count, est. minutes).
- **Segmented tabs** — "Exercises" / "Warmup" in a `--surface-2` track; active pill = `--bg`.
- **Exercises tab** — numbered cards: index (Anton 26px), 48px gif placeholder, name + primary muscle, prescription `{sets} x{reps}` in accent Anton 18px.
- **Warmup tab** — a header card (flame icon + "Recommended warmup · ~8 min · primes the muscles you'll hit today"), then numbered `.card-flat` rows from `day.warmup`, each with accent index + check icon. Footer note "Skip warmup at your own risk."


CTA

Bottom `.btn-cta-huge` : "Start workout →" (Exercises tab) / "Start warmup →" (Warmup tab) → active workout.

13

OVERRIDE DAY SHEET

MODAL



OVERRIDE DAY SHEET

Bottom sheet for going off-schedule. Opened from the home hero card's swap icon or the day-overview overflow.

ELEMENTS


- **Title** "Override today" (Anton 26px) + sub "Feeling like a different day? Switch up."
- **Day rows** — all 5: index (Anton 20px), name + exercise count. The currently-targeted day gets a 12% accent-tint bg + "Current" solid chip.

BEHAVIOUR

Tapping a day sets `openDayIdx` and closes the sheet. The chosen day — not the scheduled one — is what the session logs.

14 WORKOUTS LIST

TAB · WORKOUTS



WORKOUTS LIST

Browser of the whole routine.
Reached via the Workouts tab.

ELEMENTS

- **Header** — eyebrow "Routine" + split name (Anton 36px).
- **Day cards** — `.card` padding 14px. Top row: big accent index (Anton 36px), name (15px 700) + meta (exercises · sets), right column with completion count ("5x" Anton 18px + "completed").
- **Exercise preview** — horizontally scrollable mini-chips showing the first ~6 exercises (first two words each), with "+N" overflow.

Tapping a card opens that day's overview (§12).

15 ACTIVE WORKOUT – 4 VARIANTS

CORE LOOP

The highest-traffic surface. The same session data renders in one of four user-selectable layouts (Tweaks → Layout variant). All four share: a top bar, exercise progress dots, a rest-timer bar, and the bottom Complete-Set CTA. The variant is a global preference applied to every exercise.

SHARED CHROME

- **WorkoutTopBar** — close IconBtn (exit) · centered {day name eyebrow + "{exIdx+1} / {total}" Anton 18px} · more IconBtn. Below it a full-width `.progress` bar tracking total sets completed across the whole session.


- **ExerciseDots** — one thin bar per exercise; done = accent, active = `--fg` , upcoming = `--surface-3` .
Tappable to jump.
- **RestBar** — appears after a completed set: 22% accent-tint bg, accent top/bottom border, timer icon + "RESTING · {s}s" (Anton 18px) + outlined "Skip" button. Counts down from 90s.
- **CompleteSetCTA** — pinned bottom. While sets remain: "Complete Set {n}" with inline "{weight}{unit} × {reps}" preview. When the exercise is done: turns into "Next exercise →" (or finishes the session on the last exercise).
An "Undo last set" ghost button appears above once any set is logged.

THE FOUR VARIANTS




A - STACKED DEFAULT

B - FOCUS HUGE NUMERALS



C · COACH CUE-FIRST



D · COMPACT DENSE


VARIANT	FOR	COMPOSITION (TOP → BOTTOM)
stacked	Default / first-timers	170–200px gif (with "Demo" button) → name + prescription pill → muscle-map card with primary (solid) + secondary (outline) chips → numbered form-cue card → set rows + "Add set".
focus	Experienced lifters	Centered name → giant 110px weight × reps numerals (tap to edit) → set chip row (done=accent / active=outline) → collapsible "Form cues" toggle. Minimal chrome.
coach	Learning new lifts	Muscle map + name + prescription → one big lime cue card (Anton 36px) with prev/next + dot indicators → compact set rows + "Add set".
compact	Fast loggers	Single compact header (64px gif + name + chips + prescription) → 2×2 cue grid → compact set rows + "Add set". Everything in one scroll-free view.

IMPLEMENTATION NOTE

One `WorkoutSession` component owns all session state (a per-exercise array of `{weight, reps, done}` sets) and the callbacks. It passes a single `props` object into whichever `Layout*` renderer matches `tweaks.layout`. To add a variant: write a new `Layout*` consuming the same props, register it in the switch, and add it to the Tweaks select.

16 SET TRACKING & KEYPAD

INTERACTION



SET ROW

The atomic logging unit. Three states: **active** (accent border + 8% tint), **done** (14% accent tint, accent set-number + check), **idle**.

- **Layout:** set number (Anton, zero-padded "01") · weight cell · "x" · reps cell · 18px done-check slot.
- **Steppers:** each of weight & reps is flanked by `28×28` `-/+` buttons. Weight steps by `2.5kg` (or `5lbs`); reps by `1`. Buttons disable on completed sets; active-press flips to accent.
- **Tap the number** (not the steppers) opens the keypad sheet for big edits.
- **Add set** — dashed button below the list; new set inherits the previous set's weight + reps.

COMPLETE-SET CTA

Bottom `.btn-cta-huge` variant showing "Complete Set {n}" + inline "{weight}{unit} × {reps}". On tap: marks the current set done, starts the 90s rest timer, toasts "Set {n} logged · 90s rest". After the last set: becomes "Next exercise →".


KEYPAD SHEET

Opened by tapping a weight/reps number. Big accent value display (Anton 80px) + quick-adjust chips (weight: $\pm 1.25/\pm 2.5/\pm 5$; reps: $\pm 1/\pm 2/\pm 5$), a 3-col numeric keypad (7-8-9 / 4-5-6 / 1-2-3 / . 0 `<math>\infty</math>`), and a "Save" CTA.

17

WORKOUT COMPLETE

END STATE



WORKOUT COMPLETE

Celebration shown after the final set of the final exercise. Centered, full-bleed.

- Large accent check (80px), eyebrow "Day N done", Anton 50–56px "{day name} / locked in."
- Summary line: "{n} exercises · {n} sets · logged."
- Two stat pills: PRs count + Volume delta.
- Bottom `.btn-cta-huge` "Back home →" → resets to home tab.

On mount, the session is appended to `workoutLog` as `{date: today, day: dayIdx+1}` so the calendar + next-day logic update.

18

PROFILE / METRICS

TAB · PROFILE



PROFILE / METRICS

Where the work pays off. Scrolls; 22px gutters. Sections top to bottom:


- **Profile header** — 64px lime monogram avatar ("AX"), name (Anton 24px), meta line, edit IconBtn.
- **Big stats** — 2 cards: Total volume ("48k kg", +12% trend) and PRs this month ("6", "On fire" flame).
- **Exercise progression** — card with current PR (Anton 48px + unit), 8-week delta (accent, "+Nkg" + "+N%"), a LineChart , and date axis. Below: horizontally-scrollable exercise chips to switch the charted exercise (active = solid accent).
- **Bodyweight** — same card pattern, coral line color, "Today" value + 8-week delta.
- **Consistency heatmap** — 7×8 grid of the last 8 weeks; trained days = accent cell, rest = -- surface-2 , today outlined. Summary line: sessions / avg-per-week / streak.
- **Recent PRs** — list rows: accent trend icon tile, exercise name + "Nd ago", weight (Anton 22px accent).

Charts accept any [{date, weight}] array — wire to the live store in production. Data: EXERCISE_HISTORY , BODYWEIGHT , WORKOUT_LOG .

19

SETTINGS

TAB · SETTINGS



SETTINGS

Grouped list. Title "Settings" (Anton 36px), then labeled groups, each a single `.card` with rows separated by 1px dividers inset 52px (past the icon).

GROUPS & ROWS

- **Routine** — Your routine (→ customize), Switch split (→ split picker), Edit exercises, Default rest ("90 seconds").
- **Workout experience** — Layout style ("open Tweaks panel"), Notifications (toggle, on), Auto-start rest timer (toggle, on), Haptics on set complete (toggle, on).
- **Preferences** — Units (kg/lbs), Theme (dark/light), Profile & body metrics.
- **Account** — Sync to cloud (toggle, on), Export history (CSV/JSON), Delete all data (danger styling — red icon tile + red label).

SETTINGSROW

32px icon tile (`--surface-2`) + label (14px 500) + optional sub (11px) + right element: either a chevron (navigation) or a toggle. Toggle = `38×22` pill, accent when on, with an 18px knob sliding 16px. Footer: "Get Gym Done · v1.0.0 (beta)".

20

DATA MODEL

All reference data lives in one module. Shapes:

NAME	SHAPE	CONSUMED BY
SPLIT_OPTIONS	{id, name, sub, days[], recommended?}	Split picker (\$07)
EXERCISES	{id, name, primary[], secondary[], cues[]}	Every exercise surface
WORKOUT_DAYS	{id, name, subtitle, color, exercises: [{id,sets, reps}], warmup[]}	Overview, workout
WORKOUT_LOG	[{date: 'YYYY-MM-DD', day: 1-5}]	Calendar, heatmap, next-day
EXERCISE_HISTORY	{exId: [{date, weight}]}	Progression chart
BODYWEIGHT	[{date, kg}]	Bodyweight chart
LAST_WEIGHT	{exId: kg}	Pre-fill Complete-Set

The reference program is the 5-day split: **Day 1 Upper** (Pulldown, Incline Smith, T-Bar Row, Lateral Raise, Close-Grip Bench, Barbell Curl), **Day 2 Lower** (Deadlift, Leg Ext, Seated Ham Curl, Seated Calf, Decline Crunch), **Day 3 Shoulders & Arms** (7 lifts), **Day 4 Legs Quad** (6 lifts), **Day 5 Back & Chest** (5 lifts). Day 1/2 use 6–8 reps, Day 3+ use 8–12; each exercise carries 3–4 form cues lifted from the source PDF. **Units:** all weights stored in kg; convert to lbs at display only (`kg × 2.20462` , rounded to nearest 0.5).

21 TWEAKS & THEMING

A design-exploration panel (not user-facing in production) exposes live knobs. Persist these as app preferences:

TWEAK	VALUES	AFFECTS
Accent palette	lime · ember · electric · blood · mono	--accent , --accent-fg , --accent-2
Theme	dark · light	data-theme ground colors
Layout variant	stacked · focus · coach · compact	Active workout (\$15)
Auto rest timer	on · off	90s timer after set
Show muscle map	on · off	Body diagrams
Unit	kg · lbs	All weight displays
Type size	regular · large	Body base font-size

PALETTE PRESETS

PRESET	--ACCENT	--ACCENT-FG
lime	oklch(0.88 0.22 125)	#0a0a09
ember	oklch(0.74 0.20 50)	#0a0a09
electric	oklch(0.80 0.18 235)	#0a0a09
blood	oklch(0.62 0.22 25)	#f7f5f0
mono	#f7f5f0	#0a0a09

22 ACCEPTANCE CHECKLIST

- ☐ **Foundations**
All tokens (§02) defined as CSS variables; light theme overrides ground colors; accent swappable via the 5 presets.
- ☐ **Type**
Anton for display + all numerals, Inter for UI, JetBrains Mono for data/placeholders. Sizes match §02.
- ☐ **Phone chrome**
412×892 frame, 38px status bar with centered punch-hole, 24px gesture nav.
- ☐ **Onboarding**
Splash (sign-in + skip), single-tap split picker, method choice with CTA, customize + picker sheet.
- ☐ **Home**
Greeting, stat strip, lime up-next hero card, calendar with completed/today marking, week list.
- ☐ **Day overview**
Exercises + Warmup segmented tabs; start CTA.
- ☐ **Active workout — 4 variants**
Stacked, Focus, Coach, Compact all render the same session; switchable by preference.
- ☐ **Set logging**
Stepper ±, tap-to-keypad, Complete-Set CTA with preview, 90s rest timer, Add set, Undo.
- ☐ **Workout complete**
Celebration + PR/volume stats; appends to log.
- ☐ **Profile**
Progression chart (switchable), bodyweight (coral), consistency heatmap, recent PRs.
- ☐ **Settings**

Grouped rows with toggles + navigation chevrons; danger row styling.



Navigation

4-tab bottom nav; modal sheets overlay without changing the tab; next-day auto-logic + override.

FILE MAP (CURRENT PROTOTYPE)

`styles.css` // tokens, components, both themes `data.js` // SPLIT_OPTIONS, EXERCISES, WORKOUT_DAYS, history `ui.jsx` // Icons, TabBar, TopBar, LineChart, MuscleMap `onboarding.jsx` // Splash, SplitSelect, MethodSelect, CustomizeRoutine, ExercisePicker `home.jsx` // HomeScreen, DayOverview, SwitchDaySheet `workout.jsx` // WorkoutSession + 4 Layout* + SetRow + KeypadSheet + Complete `profile.jsx` // ProfileScreen + charts + heatmap `settings.jsx` // SettingsScreen, SettingsGroup, SettingsRow `app.jsx` // App state machine, routing, tweaks wiring

PRODUCTION GAPS

Persistence: log mutations are in-memory — back them with Room/DataStore. **Placeholders:** exercise GIFs & the MuscleMap silhouette need real assets/art. **Stubs:** notifications, cloud sync, export have UI but no logic. **Open questions:** superset/drop-set support, deload handling, tablet layouts, plate calculator.

Get Gym Done.

17 screens · 4 workout variants · 1 design system

Master engineering handover · v1.0 · June 2026

Build it.

