

## SAMPLE CODE

### Login code

```
<form name="form1" action=" " method="post">
  <div class="row row-sm-offset">
    <div class="col-xs-12 col-md-6">
      <div class="form-group">
        <tr>
          <div style="margin-left: 50%">
            <table>
              <td>Name</td>
              <td><input type="text" name="t1"></td>
            </table>
          </div>
        </tr>
      </div>
    </div>
    <div class="col-xs-12 col-md-6">
      <div class="form-group">
        <tr>
          <td>Password</td>
          <td><input type="password" name="t2"></td>
        </tr>
      </div>
    </div>
    <table style="margin: auto;">
      <div style="margin-left: 45%">
        <td colspan="2" align="center"><input type="submit" class="btn btn-primary"
name="submit1" value="LOGIN"></td>
      </div>
    </table>
  </form>
```

### Registration code

```
<form action=" register.php" method="post" data-form-title="Registration">

  <input type="hidden"
value="SeGyeLf9MPU1pnOaqb4FuWGSv3gOCSAhN7AAdH68MZ2xc8ecaCUSWb5hLN9dkKFOu3ddw
m4CaB2sXUmLuuaJ/4TDId294eXPJ0koZm7ELmv902I8MX4qp2yLHyNNZVhB" data-form-
email="true">
  <div class="row row-sm-offset">
    <p>New member</p>
    <div class="col-xs-12 col-md-4">
      <div class="form-group">
        <label class="form-control-label" for="form1-c-name">Name<span class="form-
asterisk">*</span></label>
```

```

                <input type="text" class="form-control" name="name" required="" data-form-
field="Name" id="form1-c-name">
            </div>
        </div>
        <div class="col-xs-12 col-md-4">
            <div class="form-group">
                <label class="form-control-label" for="form1-c-name">Email<span class="form-
asterisk">*</span></label>
                <input type="text" class="form-control" name="email" required="" data-form-
field="Email" id="form1-c-name">
            </div>
        </div>

        <div class="col-xs-12 col-md-4">
            <div class="form-group">
                <label class="form-control-label" for="form1-c-phone">Phone<span
class="form-asterisk">*</span></label>
                <input type="tel" class="form-control" name="phone" required="" data-form-
field="Phone" id="form1-c-phone">
            </div>
        </div>
        <div class="col-xs-12 col-md-4">
            <div class="form-group">
                <label class="form-control-label" for="form1-c-name">Password<span
class="form-asterisk">*</span></label>
                <input type="password" class="form-control" name="password" required=""
data-form-field="Password" id="form1-c-name">
            </div>
        </div>

    </div>

    <div><button type="submit" class="btn btn-primary" >Register</button></div>

</form>

```

## Admin code

```

<body>
<form name="form1" action="adminc1.php" method="post">
<table>
    <tr>
        <td>Name<td>
        <td><input type="text" name ="t1"></td>
    </tr>
    <tr>
        <td>Phone<td>
        <td><input type="text" name ="t2"></td>
    </tr>
    <tr>
        <td>Address<td>

```

```

        <td> <textarea name="t3"></textarea></td>

    </tr>
    <tr>
        <td>Exp<td>

        <select name="t4">
<?php
    for($i=0;$i<=30;$i++)
    {
        echo "<option value=\".$i.\">.$i.\" yrs</option>";
    }
?>

        </select>
    </tr>
    <tr>
        <td><colspan="2" align="center" ><input type="submit" name="submit1" value="insert"></td>
        <td><colspan="2" align="center" ><input type="submit" name="submit2"
value="delete"></td>
        <td><colspan="2" align="center" ><input type="submit" name="submit4"
value="update"></td>
        <td><colspan="2" align="center" ><input type="submit" name="submit3"
value="display"></td>

    </tr>
</table>
</form>

</body>

```

```

<body>
<form name="form1" action="adminc.php" method="post">
</tr>
    <tr>
        <td><colspan="2" align="center" ><input type="submit" name="submit" value="back"></td>

    </tr>
</table>
</form>
</body>
</html>
<?php

```

```
include "db.php";
```

```

if(isset($_POST["submit1"]))
{
    $add=addslashes($_POST["t3"]);

```

```

echo $add;
$sql="INSERT INTO table4 (name,phone,address,exp) values
('{$_POST["t1"]}', '{$_POST["t2"]}', '{$add}', '{$_POST["t4"]}');"
echo $sql;

if (mysqli_query($conn, $sql)) {
    echo "Inserted successfully";
} else {
    echo "Error: " . $sql . "<br>" . mysqli_error($conn);
}
}

if(isset($_POST["submit2"]))
{
    $sql = "DELETE FROM table4 WHERE name='{$_POST["t1"]}' ";

    if (mysqli_query($conn, $sql)) {
        echo " Deleted successfully";
    } else {
        echo "Error : " . mysqli_error($conn);
    }
}

if(isset($_POST["submit3"]))
{
    echo "<table>";
    $result = mysqli_query($conn,"SELECT * FROM table4 ");

    echo "<table border=1 align=center style=width:50% margin:auto >";
    echo "<tr>";
    echo "<th>"; echo 'sno'; echo "</th>";
    echo "<th>"; echo 'name'; echo "</th>";
    echo "<th>"; echo 'phone'; echo "</th>";
    echo "<th>"; echo 'address'; echo "</th>";
    echo "<th>"; echo 'exp'; echo "</th>";
    echo "</tr>";
    while($row = mysqli_fetch_array($result))
    {
        // echo $row['sno'] . " " . $row['name'] . " " . $row['phone'] . " " . $row['address'] . " " . $row['exp'];
        //these are the fields that you have stored in your database table employee
        // echo "<br />";

        echo "<tr>";

        echo "<td>"; echo $row['sno']; echo "</td>";
        echo "<td>"; echo $row['name']; echo "</td>";
        echo "<td>"; echo $row['phone']; echo "</td>";
        echo "<td>"; echo $row['address']; echo "</td>";

```

```

        echo "<td>"; echo $row['exp']; echo "</td>";
        echo "</tr>";
    }
    echo "</table>";

//} else {
//    echo "0 results";
//}

echo "</table>";

}
if(isset($_POST['submit4']))
{

    $sql = "UPDATE table4 SET phone='{$_POST["t2"]}'
,address='{$_POST["t3"]}',exp='{$_POST["t4"]}' WHERE name='{$_POST["t1"]}' ";

    if ($conn->query($sql) === TRUE) {
        echo "Record updated successfully";
    } else {
        echo "Error updating record: " . $conn->error;
    }

}

mysqli_close($conn);

?>

```