# PRANAV RAIKAR D15A 47 Experiment 4

AIM: To create interactive form using form widget.

Theory: In Flutter, a "Form" is a widget that represents a container for a collection of form fields. It helps manage the state of the form and facilitates the validation and submission of user input. Here are some key concepts and theories about forms in Flutter:

### 1. Widget Hierarchy:

Forms in Flutter are composed of the `Form` widget, which contains a list of `FormField` widgets. Each `FormField` represents an individual input field like text fields, checkboxes, or dropdowns.

### 2. Form State:

The `Form` widget maintains the state of the form, including the current values of the form fields and their validation statuses. The form state is automatically managed by Flutter.

### 3. Validation:

Forms provide built-in validation through the `validator` property of each `FormField`. Validators are functions that determine whether the input is valid. The form's overall validity is determined by the validity of all its fields.

### 4. Form Submission:

Form submission is typically triggered by a button press. The `onPressed` callback of the button can call the `FormState.save()` method, which invokes the `onSaved` callback for each form field and then calls the `onFormSaved` callback.

### 5. GlobalKey<FormState>:

To interact with the form state, a `GlobalKey<FormState>` is commonly used. This key allows access to the form state and is used to validate and save the form.

#### 6. Auto-validation:

Flutter provides automatic validation by calling the `validator` function whenever the user input changes. This allows for real-time feedback to the user about the validity of their input.

### 7. Form Submission Lifecycle:

The form submission process involves validation, saving, and then handling the saved data. Developers can customize this process by providing their own logic within the `onSaved` and `onFormSaved` callbacks.

### 8.FocusManagement:

Formshandlethefocusof input fields, making it easy to navigate through the formusing keyboard input or programmatically setting focus on specific fields.

### 9.FormKeyandGlobalKey:

Usinga`GlobalKey<FormState>`allowsformorecontrolovertheform,suchastriggering formvalidationorresettingtheform. It is usually defined a saglobal key in the widget tree.

### 10.FormPersistence:

Formdatacanbepersistedacrossdifferentscreensorappsessionsbypassingthedata downthewidget treeorusingstatemanagementsolutionslikeProviderorRiverpod. Formsplayacrucial roleinuserinteraction,datacollection,andvalidationinFlutter

applications, providing a structured and efficient way to handle user input.

### Code:

```
Login
// import 'package:firebase_auth/firebase_auth.dart';
import 'package:firebase_auth/firebase_auth.dart';
import 'package:flutter/material.dart';
import 'package:food_panda/pages/bottomnav.dart';
import 'package:food_panda/pages/forgotpassword.dart';
import 'package:food_panda/pages/signup.dart';
import 'package:food_panda/widget/widget_support.dart';
// import 'package:sample_flutter/pages/bottomnav.dart';
// import 'package:sample_flutter/pages/forgotpassword.dart';
class LogIn extends StatefulWidget {
 const LogIn({super.key});
 @override
 State<LogIn> createState() => _LogInState();
}
class LogInState extends State<LogIn> {
 String email = "", password = "";
final _formkey = GlobalKey<FormState>();
 TextEditingController useremailcontroller = new TextEditingController();
 TextEditingController userpasswordcontroller = new TextEditingController();
 userLogin() async {
  try {
   await FirebaseAuth.instance
      .signInWithEmailAndPassword(email: email, password: password);
   Navigator.push(
      context, MaterialPageRoute(builder: (context) => BottomNav()));
  } on FirebaseAuthException catch (e) {
   if (e.code == 'user-not-found') {
     ScaffoldMessenger.of(context).showSnackBar(SnackBar(
       content: Text(
      "No User Found for that Email",
      style: TextStyle(fontSize: 18.0, color: Colors.black),
     )));
   } else if (e.code == 'wrong-password') {
     ScaffoldMessenger.of(context).showSnackBar(SnackBar(
       content: Text(
      "Wrong Password Provided by User",
      style: TextStyle(fontSize: 18.0, color: Colors.black),
    )));
   }
  }
 @override
 Widget build(BuildContext context) {
```


```
return Scaffold(
 body: Container(
  child: Stack(
   children: [
    Container(
      width: MediaQuery.of(context).size.width,
      height: MediaQuery.of(context).size.height / 2.5,
      decoration: BoxDecoration(
        gradient: LinearGradient(
           begin: Alignment.topLeft,
           end: Alignment.bottomRight,
           colors: [
          Color(0xFFff5c30),
          Color(0xFFe74b1a),
        ])),
    ),
    Container(
      margin:
        EdgeInsets.only(top: MediaQuery.of(context).size.height / 3),
      height: MediaQuery.of(context).size.height / 2,
      width: MediaQuery.of(context).size.width,
      decoration: BoxDecoration(
        color: Colors.white,
        borderRadius: BorderRadius.only(
           topLeft: Radius.circular(40),
           topRight: Radius.circular(40))),
      child: Text(""),
    ),
    Container(
      margin: EdgeInsets.only(top: 60.0, left: 20.0, right: 20.0),
      child: Column(
       children: [
        Center(
           child: Image.asset(
          "images/logo.png",
         width: MediaQuery.of(context).size.width / 1.5,
         fit: BoxFit.cover,
        )),
        SizedBox(
         height: 50.0,
        ),
        Material(
         elevation: 5.0,
         borderRadius: BorderRadius.circular(20),
          child: Container(
           padding: EdgeInsets.only(left: 20.0, right: 20.0),
           width: MediaQuery.of(context).size.width,
           height: MediaQuery.of(context).size.height / 2,
           decoration: BoxDecoration(
             color: Colors.white,
             borderRadius: BorderRadius.circular(20)),
           child: Form(
            key: _formkey,
            child: Column(
```

```
children: [
 SizedBox(
  height: 30.0,
 ),
 Text(
  "Login",
  style: AppWidget.HeadlineTextFieldStyle(),
 SizedBox(
  height: 30.0,
 ),
 TextFormField(
  controller: useremailcontroller,
  validator: (value) {
   if (value == null || value.isEmpty) {
     return 'Please Enter Email';
   }
   return null;
  },
  decoration: InputDecoration(
     hintText: 'Email',
     hintStyle: AppWidget.semiBoldTextFieldStyle(),
     prefixIcon: Icon(Icons.email_outlined)),
 ),
 SizedBox(
  height: 30.0,
 ),
 TextFormField(
  controller: userpasswordcontroller,
  validator: (value) {
   if (value == null || value.isEmpty) {
     return 'Please Enter Password';
   return null;
  },
  obscureText: true,
  decoration: InputDecoration(
     hintText: 'Password',
     hintStyle: AppWidget.semiBoldTextFieldStyle(),
     prefixIcon: Icon(Icons.password_outlined)),
 ),
 SizedBox(
  height: 20.0,
 ),
 GestureDetector(
  onTap: () {
   Navigator.push(
      context,
      MaterialPageRoute(
         builder: (context) =>
           ForgotPassword()));
  },
  child: Container(
     alignment: Alignment.topRight,
```

```
child: Text(
           "Forgot Password?",
           style: AppWidget.semiBoldTextFieldStyle(),
         )),
      ),
      SizedBox(
       height: 80.0,
      GestureDetector(
       onTap: () {
        if (_formkey.currentState!.validate()) {
          setState(() {
           email = useremailcontroller.text;
           password = userpasswordcontroller.text;
         });
        }
        userLogin();
       },
       child: Material(
        elevation: 5.0,
        borderRadius: BorderRadius.circular(20),
        child: Container(
          padding: EdgeInsets.symmetric(vertical: 8.0),
          width: 200,
          decoration: BoxDecoration(
            color: Color(0Xffff5722),
            borderRadius: BorderRadius.circular(20)),
          child: Center(
            child: Text(
           "LOGIN",
           style: TextStyle(
             color: Colors.white,
             fontSize: 18.0,
             fontFamily: 'Poppins1',
             fontWeight: FontWeight.bold),
         )),
        ),
SizedBox(
height: 70.0,
GestureDetector(
  onTap: () {
   Navigator.push(context,
      MaterialPageRoute(builder: (context) => SignUp()));
  },
  child: Text(
   "Don't have an account? Sign up",
```

),

```
style: AppWidget.semiBoldTextFieldStyle(),
))
],
),
),
),
),
),
),
),
```



# Signup:

# Code:

// import 'package:firebase\_auth/firebase\_auth.dart';

import 'package:firebase\_auth/firebase\_auth.dart'; import 'package:flutter/material.dart'; import 'package:food\_panda/pages/bottomnav.dart'; import 'package:food\_panda/pages/login.dart';

```
import 'package:food_panda/service/database.dart';
import 'package:food_panda/service/shared_pref.dart';
import 'package:food_panda/widget/widget_support.dart';
import 'package:random_string/random_string.dart';
// import 'package:sample_flutter/pages/bottomnav.dart';
class SignUp extends StatefulWidget {
 const SignUp({super.key});
 @override
 State<SignUp> createState() => _SignUpState();
class _SignUpState extends State<SignUp> {
 String email = "", password = "", name = "";
 TextEditingController namecontroller = new TextEditingController();
 TextEditingController passwordcontroller = new TextEditingController();
 TextEditingController mailcontroller = new TextEditingController():
 final _formkey = GlobalKey<FormState>();
 registration() async {
  if (password != null) {
   try {
    UserCredential userCredential = await FirebaseAuth.instance
       .createUserWithEmailAndPassword(email: email, password: password);
    ScaffoldMessenger.of(context).showSnackBar((SnackBar(
       backgroundColor: Colors.redAccent,
       content: Text(
        "Registered Successfully",
        style: TextStyle(fontSize: 20.0),
       ))));
    String Id = randomAlphaNumeric(10);
    Map<String, dynamic> addUserInfo = {
      "Name": namecontroller.text.
      "Email": mailcontroller.text,
      "Wallet": "0",
      "ld": ld,
    };
    await DatabaseMethods().addUserDetail(addUserInfo, Id);
    await SharedPreferenceHelper().saveUserName(namecontroller.text);
    await SharedPreferenceHelper().saveUserEmail(mailcontroller.text);
    await SharedPreferenceHelper().saveUserWallet('0');
    await SharedPreferenceHelper().saveUserId(Id);
    // ignore: use_build_context_synchronously
    Navigator.pushReplacement(
       context, MaterialPageRoute(builder: (context) => BottomNav()));
   } on FirebaseException catch (e) {
```

```
if (e.code == 'weak-password') {
    ScaffoldMessenger.of(context).showSnackBar(SnackBar(
       backgroundColor: Colors.orangeAccent,
       content: Text(
        "Password Provided is too Weak",
        style: TextStyle(fontSize: 18.0),
       )));
   } else if (e.code == "email-already-in-use") {
    ScaffoldMessenger.of(context).showSnackBar(SnackBar(
       backgroundColor: Colors.orangeAccent,
       content: Text(
        "Account Already exsists",
        style: TextStyle(fontSize: 18.0),
       )));
   }
  }
}
@override
Widget build(BuildContext context) {
 return Scaffold(
  body: Container(
   child: Stack(
    children: [
      Container(
       width: MediaQuery.of(context).size.width,
       height: MediaQuery.of(context).size.height / 2.5,
       decoration: BoxDecoration(
          gradient: LinearGradient(
            begin: Alignment.topLeft,
            end: Alignment.bottomRight,
            colors: [
           Color(0xFFff5c30),
           Color(0xFFe74b1a),
         ])),
      ),
      Container(
       margin:
          EdgeInsets.only(top: MediaQuery.of(context).size.height / 3),
       height: MediaQuery.of(context).size.height / 2,
       width: MediaQuery.of(context).size.width,
       decoration: BoxDecoration(
          color: Colors.white,
          borderRadius: BorderRadius.only(
            topLeft: Radius.circular(40),
            topRight: Radius.circular(40))),
       child: Text(""),
      ),
      Container(
       margin: EdgeInsets.only(top: 60.0, left: 20.0, right: 20.0),
       child: Column(
        children: [
          Center(
```

```
child: Image.asset(
 "images/logo.png",
 width: MediaQuery.of(context).size.width / 1.5,
fit: BoxFit.cover,
)),
SizedBox(
height: 50.0,
Material(
 elevation: 5.0,
 borderRadius: BorderRadius.circular(20),
 child: Container(
  padding: EdgeInsets.only(left: 20.0, right: 20.0),
  width: MediaQuery.of(context).size.width,
  height: MediaQuery.of(context).size.height / 1.8,
  decoration: BoxDecoration(
     color: Colors.white,
     borderRadius: BorderRadius.circular(20)),
  child: Form(
   key: _formkey,
   child: Column(
     children: [
      SizedBox(
       height: 30.0,
      ),
      Text(
       "Sign up",
       style: AppWidget.HeadlineTextFieldStyle(),
      SizedBox(
       height: 30.0,
      TextFormField(
       controller: namecontroller,
       validator: (value) {
        if (value == null || value.isEmpty) {
          return 'Please Enter Name';
        return null;
       },
       decoration: InputDecoration(
          hintText: 'Name',
          hintStyle: AppWidget.semiBoldTextFieldStyle(),
          prefixIcon: Icon(Icons.person_outlined)),
      SizedBox(
       height: 30.0,
      TextFormField(
       controller: mailcontroller,
       validator: (value) {
        if (value == null || value.isEmpty) {
          return 'Please Enter E-mail';
        }
```

```
return null;
 },
 decoration: InputDecoration(
   hintText: 'Email',
   hintStyle: AppWidget.semiBoldTextFieldStyle(),
   prefixIcon: Icon(Icons.email_outlined)),
),
SizedBox(
 height: 30.0,
TextFormField(
 controller: passwordcontroller,
 validator: (value) {
  if (value == null || value.isEmpty) {
   return 'Please Enter Password';
  }
  return null;
 },
 obscureText: true,
 decoration: InputDecoration(
   hintText: 'Password',
   hintStyle: AppWidget.semiBoldTextFieldStyle(),
   prefixIcon: Icon(Icons.password_outlined)),
),
SizedBox(
 height: 80.0,
),
GestureDetector(
 onTap: () async {
  if (_formkey.currentState!.validate()) {
   setState(() {
     email = mailcontroller.text;
     name = namecontroller.text;
     password = passwordcontroller.text;
   });
  }
  registration();
 },
 child: Material(
  elevation: 5.0,
  borderRadius: BorderRadius.circular(20),
  child: Container(
   padding: EdgeInsets.symmetric(vertical: 8.0),
   width: 200,
    decoration: BoxDecoration(
      color: Color(0Xffff5722),
      borderRadius: BorderRadius.circular(20)),
    child: Center(
      child: Text(
     "SIGN UP",
     style: TextStyle(
       color: Colors.white,
       fontSize: 18.0,
       fontFamily: 'Poppins1',
```

```
fontWeight: FontWeight.bold),
                    )),
            ),
           ),
          SizedBox(
           height: 70.0,
          ),
          GestureDetector(
            onTap: () {
              Navigator.push(context,
                MaterialPageRoute(builder: (context) => LogIn()));
            },
            child: Text(
              "Already have an account? Login",
             style: AppWidget.semiBoldTextFieldStyle(),
),
),
),
);
}
                                 ர
     =Quick foodie
                                 •
           Sign up
                                 0
                                 Q
    Name
                                 \Diamond
   \Diamond
    *** Password
                                 ◁
                                 0
```

#### AddItem

#### Code:-

```
import 'dart:io';
import 'package:firebase_storage/firebase_storage.dart';
import 'package:flutter/material.dart';
import 'package:food_panda/service/database.dart';
import 'package:food_panda/widget/widget_support.dart';
import 'package:image_picker/image_picker.dart';
import 'package:random_string/random_string.dart';
// import 'package:sample_flutter/widget/widget_support.dart';
class AddFood extends StatefulWidget {
 const AddFood({super.key});
 @override
 State<AddFood> createState() => _AddFoodState();
class _AddFoodState extends State<AddFood> {
final List<String> fooditems = ['Ice-cream', 'Burger', 'Salad', 'Pizza'];
 String? value:
 TextEditingController namecontroller = new TextEditingController();
 TextEditingController pricecontroller = new TextEditingController():
 TextEditingController detailcontroller = new TextEditingController();
 final ImagePicker _picker = ImagePicker();
 File? selectedImage;
 Future getImage() async {
  var image = await _picker.pickImage(source: ImageSource.gallery);
  selectedImage = File(image!.path);
  setState(() {});
}
 uploadItem() async {
  if (selectedImage != null &&
     namecontroller.text != "" &&
     pricecontroller.text != "" &&
     detailcontroller.text != "") {
   String addId = randomAlphaNumeric(10);
   Reference firebaseStorageRef =
      FirebaseStorage.instance.ref().child("blogImages").child(addld);
   final UploadTask task = firebaseStorageRef.putFile(selectedImage!);
   var downloadUrl = await (await task).ref.getDownloadURL();
   Map<String, dynamic> addItem = {
     "Image": downloadUrl,
     "Name": namecontroller.text,
     "Price": pricecontroller.text,
     "Detail": detailcontroller.text
   await DatabaseMethods().addFoodItem(addItem, value!).then((value) {
     ScaffoldMessenger.of(context).showSnackBar((SnackBar(
```


```
backgroundColor: Colors.redAccent,
      content: Text(
       "Food item added successfully",
       style: TextStyle(fontSize: 20.0),
      ))));
  });
 }
@override
Widget build(BuildContext context) {
 return Scaffold(
  appBar: AppBar(
   leading: GestureDetector(
      onTap: () {
       Navigator.pop(context);
      },
      child: Icon(
       Icons.arrow_back_ios_new_outlined,
       color: Color(0xFF373866),
      )),
    centerTitle: true,
    title: Text(
     "Add Item",
     style: AppWidget.HeadlineTextFieldStyle(),
   ),
  ),
  body: SingleChildScrollView(
    child: Container(
     margin:
       EdgeInsets.only(left: 20.0, right: 20.0, top: 20.0, bottom: 50.0),
     child: Column(
      crossAxisAlignment: CrossAxisAlignment.start,
      children: [
       Text(
         "Upload the Item Picture",
        style: AppWidget.semiBoldTextFieldStyle(),
       ),
       SizedBox(
        height: 20.0,
       ),
       selectedImage == null
          ? GestureDetector(
            onTap: () {
              getImage();
            },
            child: Center(
              child: Material(
               elevation: 4.0,
               borderRadius: BorderRadius.circular(20),
               child: Container(
                width: 150,
                height: 150,
                decoration: BoxDecoration(
```

```
border:
             Border.all(color: Colors.black, width: 1.5),
          borderRadius: BorderRadius.circular(20),
         ),
         child: Icon(
          Icons.camera_alt_outlined,
          color: Colors.black,
        ),
       ),
      ),
  : Center(
     child: Material(
      elevation: 4.0,
      borderRadius: BorderRadius.circular(20),
      child: Container(
       width: 150,
       height: 150,
       decoration: BoxDecoration(
         border: Border.all(color: Colors.black, width: 1.5),
         borderRadius: BorderRadius.circular(20),
       ),
       child: Image.file(
         selectedImage!,
        fit: BoxFit.cover,
       ),
      ),
     ),
   ),
SizedBox(
 height: 30.0,
Text(
 "Item Name",
 style: AppWidget.semiBoldTextFieldStyle(),
SizedBox(
 height: 10.0,
Container(
 padding: EdgeInsets.symmetric(horizontal: 20.0),
 width: MediaQuery.of(context).size.width,
 decoration: BoxDecoration(
   color: Color(0xFFececf8),
   borderRadius: BorderRadius.circular(10)),
 child: TextField(
  controller: namecontroller,
  decoration: InputDecoration(
     border: InputBorder.none,
     hintText: "Enter Item Name",
     hintStyle: AppWidget.LightTextFieldStyle()),
 ),
),
```

),

```
SizedBox(
 height: 30.0,
),
Text(
 "Item Price",
 style: AppWidget.semiBoldTextFieldStyle(),
),
SizedBox(
 height: 10.0,
),
Container(
 padding: EdgeInsets.symmetric(horizontal: 20.0),
 width: MediaQuery.of(context).size.width,
 decoration: BoxDecoration(
   color: Color(0xFFececf8),
   borderRadius: BorderRadius.circular(10)),
 child: TextField(
  controller: pricecontroller,
  decoration: InputDecoration(
     border: InputBorder.none,
     hintText: "Enter Item Price",
     hintStyle: AppWidget.LightTextFieldStyle()),
),
),
SizedBox(
 height: 30.0,
),
Text(
 "Item Detail",
 style: AppWidget.semiBoldTextFieldStyle(),
SizedBox(
 height: 10.0,
),
Container(
 padding: EdgeInsets.symmetric(horizontal: 20.0),
 width: MediaQuery.of(context).size.width,
 decoration: BoxDecoration(
   color: Color(0xFFececf8),
   borderRadius: BorderRadius.circular(10)),
 child: TextField(
  maxLines: 6,
  controller: detailcontroller,
  decoration: InputDecoration(
     border: InputBorder.none,
     hintText: "Enter Item Detail",
     hintStyle: AppWidget.LightTextFieldStyle()),
),
),
SizedBox(
 height: 20.0,
),
Text(
 "Select Category",
```

```
style: AppWidget.semiBoldTextFieldStyle(),
SizedBox(
 height: 20.0,
),
Container(
 padding: EdgeInsets.symmetric(horizontal: 10.0),
 width: MediaQuery.of(context).size.width,
 decoration: BoxDecoration(
   color: Color(0xFFececf8),
   borderRadius: BorderRadius.circular(10)),
 child: DropdownButtonHideUnderline(
   child: DropdownButton<String>(
  items: fooditems
     .map((item) => DropdownMenuItem<String>(
       value: item,
       child: Text(
        item,
        style:
           TextStyle(fontSize: 18.0, color: Colors.black),
       )))
     .toList(),
  onChanged: ((value) => setState(() {
      this.value = value;
     })),
  dropdownColor: Colors.white,
  hint: Text("Select Category"),
  iconSize: 36.
  icon: Icon(
   Icons.arrow_drop_down,
   color: Colors.black,
  ),
  value: value,
 )),
),
SizedBox(
 height: 30.0,
),
GestureDetector(
 onTap: () {
  uploadItem();
 },
 child: Center(
  child: Material(
   elevation: 5.0,
   borderRadius: BorderRadius.circular(10),
   child: Container(
     padding: EdgeInsets.symmetric(vertical: 5.0),
     width: 150,
     decoration: BoxDecoration(
       color: Colors.black,
       borderRadius: BorderRadius.circular(10)),
     child: Center(
      child: Text(
```



Conclusion: Thus I learnt to create interactive form widgets