




Using generated security password: b7ddd50-961b-4979-b74f-ea87ab58edc1

This generated password is for development use only. Your security configuration must be updated before running your application in production

```
2026-09-22T13:50:45.382+05:30 INFO 37864 --- [library-api] [      main] r$InitializeUserDetailsManagerConfigurer : Global Authentication
Manager configured with UserDetailsServiceImpl bean with name inMemoryUserDetailsManager
2026-09-22T13:50:46.018+05:30 INFO 37864 --- [library-api] [      main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat started on por
t 8080 (http) with context path '/'
2026-09-22T13:50:46.028+05:30 INFO 37864 --- [library-api] [      main] com.library.api.LibraryApplication      : Started LibraryApplic
ation in 5.242 seconds (process running for 5.672)
[]
```

```
PS D:\College\SB_DBSE\library_react_springboot_mysql> cd frontend
PS D:\College\SB_DBSE\library_react_springboot_mysql\frontend> npm run dev
```

```
> library-react-client@1.0.0 dev
> vite
```

VITE v7.3.6 ready in 2143 ms

```
→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
```

