- 1. Clone this repository https://github.com/abdulmalikO7-m/java project.git
- 2. Navigate inside the project's Directory
- 3. Execute maven clean

A: cloned it without using sudo this is old screenshot

## 4. Execute mvn package

A:

```
[pranay@localhost java_project]$ mvn package
[INFO] Scanning for projects...
[INFO]
[INFO] Building Hello World Web Application Repository 1.0.0
[INFO]
             from pom.xml
                                                                    -[ war ]-
[INFO] --- resources:3.3.1:resources (default-resources) @ hello-world-war ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/pranay/optionall/java_project/src/main/resources
[INFO]
                - compiler:3.11.0:compile (default-compile) @ hello-world-war ---
 [INFO] No sources to compile
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ hello-world-war ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/pranay/optionall/java_project/src/test/resources
[INFO] --- compiler:3.11.0:to
[INFO] No sources to compile
                - compiler:3.11.0:testCompile (default-testCompile) @ hello-world-war ---
[TNFO]
[INFO]
               -- surefire:3.1.2:test (default-test) @ hello-world-war ---
 [INFO] No tests to run.
[INFO]
                   war:3.3.0:war (default-war) @ hello-world-war ---
[INFO] Packaging webapp
[INFO] Fackaging webapp
[INFO] Assembling webapp [hello-world-war] in [/home/pranay/optional1/java_project/target/hello-world-war-1.0.0]
[INFO] Processing war project
[INFO] Copying webapp resources [/home/pranay/optional1/java_project/src/main/webapp]
[INFO] Building war: /home/pranay/optional1/java_project/target/hello-world-war-1.0.0.war
```

- A Directory named 'target' is created
- 6. Navigate inside 'target' directory and copy the the war file into tomcat 'webapps' Folder

A:


```
[pranay@localhost target]$ cp hello-world-war-1.0.0.war /opt/tomcat/webapps
[pranay@localhost target]$ cd /opt/tomcat/webapps
[pranay@localhost webapps]$ ls
docs examples hello-world-war-1.0.0 hello-world-war-1.0.0.war host-manager manager ROOT
[pranay@localhost webapps]$ cd
[pranay@localhost webapps]$ cd
[pranay@localhost ~]$ sudo systemctl restart tomcat
[sudo] password for pranay:
[pranay@localhost ~]$ sudo systemctl status tomcat

• tomcat.service - Apache Tomcat Web Application Container
    Loaded: loaded (/etc/systemd/system/tomcat.service; disabled; vendor preset: disabled)
    Active: active (exited) since Mon 2023-10-16 01:27:35 IST; 10s ago
```

## 7. Restart the tomcat and access your page

http://192.168.56.101:8080/hello-world-war-1.0.0/

A:



## Hello World!

It is now Mon Oct 16 01:28:46 IST 2023

You are coming from 192.168.56.1