

Integrator Guide

ABDM ABHA V3 APIs

Version 1.4

Version History:

Version	Release Date	Created By	Reviewed by	Approved by	Nature of changes
1.0	07-08-2024	Priyanka Varude	Prasad Vishwanath	Sachin Yadav	Document Approved
1.1	19-09-2024	Priyanka Varude	Prasad Vishwanath	Nitesh Jain	Updated document with QR code API details
1.2	04-10-2024	Priyanka Varude	Prasad Vishwanath	Nitesh Jain	Updated Password Uses Cases
1.3	16-12-2024	Nilam Barve	Priyanka Varude	Nitesh Jain	Biometric Login APIs and Forgot ABHA
1.4	28-01-2025	Kushal Pandita	Priyanka Varude	Nitesh Jain	Find ABHA via Biometric, ABHA address Verification via Biometric

Table Of Contents

ABHA APIs	7
1.0 Generate session token	7
2.0 Encrypt data (Aadhaar/Mobile/OTP/Password).....	9
3.0 ABHA Creation via Aadhaar	10
Step 1: Login via Aadhaar OTP	10
Step 2: Resend Aadhaar OTP.....	11
Step 3: Enrol ABHA	13
Step 4: ABHA Mobile Verification	20
Step 5: Email Verification	23
Step 6: ABHA Suggestions and ABHA Address creation	25
4.0 ABHA Creation via Driving License.....	27
5.0 ABHA Creation via Demo Auth	32
6.0 ABHA Creation via Biometrics	34
6.2.1 Create ABHA via FingerPrint	34
6.2.2 Create ABHA via FaceAuth.....	39
6.2.3 Create ABHA via IrisAuth	47
7.0 ABHA verification	53
7.1 Login via Aadhaar OTP	53
7.2 Login via Aadhaar Number	57
7.3 Login via Abha OTP.....	61
7.4 Login via Mobile OTP.....	65
7.5 Login via Biometric	71
7.5.1 Login via FaceAuth	71
7.5.2 Login via FingerprintAuth	75
7.5.3 Login via IrisAuth	80

7.6 Find ABHA.....	84
7.6.1 Search ABHA using Mobile	84
7.6.1.1 Search ABHA	84
7.6.1.2 Generate OTP	85
7.6.1.3 Verify OTP	87
7.6.2 Search ABHA using Aadhaar	90
7.6.2.1 Search ABHA	90
7.6.2.2 Generate OTP	92
7.6.2.3 Verify OTP	93
7.6.3 Search ABHA using Biometrics.....	97
7.6.3.1 Search ABHA using Biometric (Face)	97
7.6.3.1.1 Search ABHA	97
7.6.3.1.2 Generate OTP	98
7.6.3.1.3 Verify OTP	100
7.6.3.2 Search ABHA using Biometric (Fingerprint)	104
7.6.3.2.1 Search ABHA	104
7.6.3.2.2 Generate OTP	105
7.6.3.2.3 Verify OTP	107
7.6.3.3 Search ABHA using Biometric (IRIS).....	110
7.6.3.3.1 Search ABHA	110
7.6.3.3.2 Generate OTP	111
7.6.3.3.3 Verify OTP	113
8.0 Update Profile	116
8.1 Update Mobile.....	116
8.2 Update Email	119
8.3 Delete/Deactivate ABHA Number	121
8.3.1 Delete ABHA Via Aadhaar.....	121
8.3.2 Delete ABHA Via ABHA OTP	124
8.3.3 Delete ABHA Via Password	127

8.4 Deactivate ABHA Number	128
8.4.1 Deactivate ABHA Via Aadhaar	128
8.4.2 Deactivate ABHA Via ABHA OTP	131
8.4.3 Deactivate ABHA Via Password	135
8.5 Re-activate ABHA Number	136
8.6 Re-KYC	140
9.0 Get Profile	142
10.0 Generate QR Code	150
11.0 Generate ABHA Card	150
12.0 Forgot ABHA number	151
12.1 Recover via Aadhaar OTP	151
12.2 Recover via Mobile OTP	155
13.0 Benefit API's	160
13.1 Create ABHA using Aadhaar	160
Step 2: Enrol ABHA	162
13.2 Create ABHA via Biometric	167
13.2.1 Create ABHA via FingerPrint	167
13.2.2 Create ABHA via FaceAuth	174
13.2.3 Create ABHA via IrisAuth	182
13.3 Link OR Delink ABHA With Benefit Name	188
13.3.1 Link ABHA With Benefit Name	188
13.3.2 De-link ABHA With Benefit Name	191
13.4 Update ABHA Profile Details	193
13.4.1 Update Mobile	193
13.4.2 Update Profile	194
13.4.3 Update Profile	196
13.5 Search Benefit Details	198
13.5.1 Search by Aadhaar	198

13.5.2 Search by Health Id Number	199
13.5.3 Search.....	201
13.6 Find ABHA (For Govt Entity)	201
13.6.1 Search ABHA using Mobile	201
13.6.1.1 Search ABHA	201
13.6.1.2 Generate OTP	203
13.6.1.3 Verify OTP	204
13.6.2 Search ABHA using Aadhaar	207
13.6.2.1 Search ABHA	207
13.6.2.2 Generate OTP	209
13.6.2.3 Verify OTP	210
13.6.3 Search ABHA using Biometrics.....	215
13.6.3.1 Search ABHA using Biometric (Face)	215
13.6.3.1.1 Search ABHA	215
13.6.3.1.2 Generate OTP	216
13.6.3.1.3 Verify OTP	217
13.6.3.2 Search ABHA using Biometric (Fingerprint)	222
13.6.3.2.1 Search ABHA	222
13.6.3.2.2 Generate OTP	223
13.6.3.2.3 Verify OTP	225
13.6.3.3 Search ABHA using Biometric (IRIS)	228
13.6.3.3.1 Search ABHA	229
13.6.3.3.2 Generate OTP	230
13.6.3.3.3 Verify OTP	231
13.7 Child ABHA (These APIs are intended for use only by specific Government	236
integrators, approved by NHA).....	236
13.7.1 Create ABHA	236
13.7.2 Get Child ABHA	238
13.7.3 Update Child ABHA	239
14.0 ABHA Address Verification	241

14.1 ABHA Address Verification via Mobile OTP	241
14.2 ABHA Address Verification via Aadhaar OTP	248
14.3 ABHA Address Verification via Biometric	255
14.3.1 ABHA Address Verification via Biometric (Face)	255
14.3.2 ABHA Address Verification via Biometric (Fingerprint)	263
14.3.3 ABHA Address Verification via Biometric (Iris)	269
14.4 Profile.....	277
14.4.1 Get ABHA address ABHA Profile	277
14.4.2 Get ABHA address ABHA card	279
14.4.3 Get QR Code	280

ABHA APIs

Environment URLs {{base_url}}:

SBX: <https://abhasbx.abdm.gov.in/abha/api>

Prod: <https://abha.abdm.gov.in/api/abha>

Note: Base URLs for ABHA Address verification (applicable to section 12 of this document only):

SBX: <https://abhasbx.abdm.gov.in/abha/api/v3/phr/web>

PROD: <https://phr.abdm.gov.in/api/phr/web/v3>

1.0 Generate session token

This API generates Session token using client_id and client_secret.

V3 Session:

Sandbox Session URL <https://dev.abdm.gov.in/api/hiecm/gateway/v3/sessions>

Production Session URL

<https://apis.abdm.gov.in/api/hiecm/gateway/v3/sessions>

Method: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-CM-ID	{{X_CM_ID}}	Yes	This value depends on the environment where API is getting executed. Eg. SBX or PROD. For SBX- sbx and for PROD- abdm

Request Body:

Request Body
<pre>{ "clientId": "{{ClientId}}", "clientSecret": "{{ClientSecret}}", "grantType": "client_credentials" }</pre>

Response:

Response
Code: 200 OK


```
{
  "accessToken":
  "eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUiIiwia2lkIA6IClYBbFJiNVdbThUbTIFS9JZk85ejA2a
  jlvQ3Y1MXBLS0ZrbkdX1RCdkswn0..hmJ4tmAbpRd8tPMmzZTDQvzGhxE7rQcDJEow2MrL3W1MhSeZk_
  CEjGYyHh7NDgFzzfT39oQjUAYf06buXi1KWX8xptkrQk1uitgNecqw8LeI5wufs2Z8dFawsYJtmVHPP_2r
  DqvUhSeTADGYBp-84tXkpslgp2tjkjsdOOkQsZtpJLaV_vHkklI7QRncl2KG2IfHDS8yebcpqi-
  MMGYcDmyb42Po5xmQ9Lzw6lwgJzUJsFxKblQ22m3MaYqXYt4ZOPfxYcunr7ppMhNldJVE55_CMuY-
  NfWrbaTkc6iLA-yOPCQ-yvyu9l1pN2iwyJbtMotEtV065Uqek0oQ0py2Mw",
  "expiresIn": 1200,
  "refreshExpiresIn": 1800,
  "refreshToken":
  "eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUiIiwia2lkIA6IClYMWU5NzA4OS00ZTcxLTQyNGEtOTAzY
  S1jOTAYMWM1NmFINWYifQ.eyJleHAiOiE3MTA0MDM1NjlsimlhdCI6MTcxMDQwMTc2MiwiianRpIjoizTQ0
  NDgzYctZDFmYy00ZG5lTkyNzctOTUxY2I0MDNhYzUwliwiaXNzljoiHR0cHM6Ly9kZXlYubmRobS5nb3
  YuaW4vYXV0aC9yZWZwFsbXVY2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6Imh0dHBzOi8vZGV2Lm5kaG0uZ292
  LmluL2F1dGgvcmlhbmG1zL2NlbnRyYWwtdcmVnaXN0cnkiLCJzdWliOiIiwia2lkIA6IClYNGZlNy04NjEyLTRiZmEtYT
  l1NS1iMDdiZmFjZmU1M2QlLCJ0eXAiOiSZWZyZXNoliwiYXpwlijoiaGVhbnRoaWQtYXBpIiwic2Vzc2lv
  bl9zdGF0ZSI6IjBjNDJlZDBjLWQ0OWQ0NDAA0Yi1hZWY3LWVRIZGY3NDRINTA1ZCIsInNjb3BlIjoib3Blbm
  lklGvtYWIsIHByb2ZpbGUifQ.NAMWFGblqmGHaWa__9WnJPvglyZdCAE9AwXyUz5UrM",
  "tokenType": "bearer"
}
```

2.0 Encrypt data (Aadhaar/Mobile/OTP/Password)

Step 1 : To encrypt any data(Aadhaar/Mobile/OTP/Password etc) public key can be generated using below API

URL: <https://abhasbx.abdm.gov.in/abha/api/v3/profile/public/certificate>

Request: GET

Request Body	
GET https://abhasbx.abdm.gov.in/abha/api/v3/profile/public/certificate Send Params Auth Headers (10) Body Scripts Settings none This request does not have a body	
Response	
<pre>{ "publicKey": "MIIClJANBgkqhkiG9w0BAQEFAAOCAg8AMIICCgKCAgEASTWB95C5pHLXiYW59qyO4Xb+59KYVm9Hywbo77qETZVAyc6VlsU+UWWhd/k/Yt jZibCznB+HaXWX9TfTfS9Nwgv7LRGq5uLczpZQDrU7dnGkl/urRA8p0Jv/f8T0MZdFWQgks91uFffeBmJOb58u68ZRxSYGMPe4hb9XXKDVsg oSJaRNYvIH7RgAI2QhTCwLEiMqlaUX3p1SAc178ZIN8qHXSSGxvhDR1GKM+y2DlyJqlzfk7ID14mDY/I4lcbftib8cv7llkybtjX1AayfZp4XpmIXK Wv8nRM488/jOAF81Bi13paKgpjQUUuwq9tb5Qd/DChytYgBTBTJFe7irDFCmTlCqPr8+IMB7tXA3YXp3z605Z6cGoYxezUm2Nz2o6oUmarD UntDhq/PnkNergmSeSvS8gD9DHBuJkVZweG3xOPXiKQAUBr92mdFhJGm6fitO5jsBxgpmulxpG0oKDy9IAOLWSqK92JMcbMNHn4wRikdl 9HSiXrri7LhJYTbyU3I4v5ESdEsayHXuiwO/1C8y56egzKSw44GAtEpbAKTNEEFK5H5R0QnVBIXOvfeF4tzGvmkFOO6nNXU3o/WAdOyV3xSQ 9dqLY5MEL4sJCGY1iJBIAQ452s8v0ynJG5Yq+8hNhsCVnklCzAlsZQpnSVDUVEzv17grVAw078CAwEAAQ==", "encryptionAlgorithm": "RSA/ECB/OAEPWithSHA-1AndMGF1Padding" }</pre>	

Step 2 : once public key is generated data can be encrypted using below third party API
“<https://www.devglan.com/online-tools/rsa-encrypt>”

Step 3: Select Cipher type as **RSA/ECB/OAEPWithSHA-1AndMGF1Padding**

3.0 ABHA Creation via Aadhaar

Create via Aadhaar OTP

Step 1: Login via Aadhaar OTP

This API accepts encrypted Aadhaar Number and then Generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),

loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	OTP system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{Aadhaar_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP is sent to Aadhaar registered mobile ending xxx001" }</pre>

Step 2: Resend Aadhaar OTP

This API resends Aadhaar OTP

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	OTP system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{AadhaarencryptedOutput}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "0658241c-1ad1-4703-8fc2-512a5fb8754b", "message": "OTP sent to Aadhaar registered mobile number ending with *****5852" }</pre>

Step 3: Enrol ABHA

API accepts transaction ID (previous step response) and encrypted OTP along with a primary mobile number for ABHA.

V3 URL: [{{base_url}}/v3/enrollment/enrol/byAadhaar](#)

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	Otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),

timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number V3

Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{lastResponseTxnId}}", "otpValue": "{{OTP_encryption}}", "mobile": "" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response

a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK

[illegible]

```
t9ilpJnVQPSIT30M6isj2zQIFtdLggAI2IBn8K2Qe9U7Wlw26Ix5UAGrQ/Kus5CQNTs1HmlzQBAooZcjBFKBQaQile2wntJYum9SK8L1/TD58odeYzj
GO9e/NXnfjTfHuxdKMJMMNgdGrCsna5vRlrucn4bceQIHgg4ruLMploBA4rgLQGxvSjfdJyMV1un3OchTfUXVHdT7HRLaxyDtjtihRKEbguT
61FBluwH009WDMCvLVlc3Of1V33iOPIm6UzTJVsrGJjwxNQ1WOcTCeFdwHBFYP2dpNQ+0rPOso6KzZBrRRutyG2megXRtUttP3AnGcVzkbGS
5a4TAVJ0qpPlc3Fo0U7GNCMHYeTUNIGYAkasiD+8xOapJLcV7nTiNZVGv5pGto15wKSODPLXJ5pk0uV4qDTSxWumVQQuMVB4e0Zr7xImpkg
LbcAeqC7k0O59fzrs/Ddp9l0uMkfNJ8x/GuvDrW5w4l2VjbBz1pwaowaUGuw4iYHNLmohTgaAFppp5ppNlkjbrWbq1jFfwXilXOCCK02qtOrtO
amSurFJ21PGtWtfs16VUD5WK8dqvacbcYC57V1OtR2QhIBhjVn4L471xdudshwePauOpT5VqdtKrzM6uK7CJkkdKEvAcsTWL5heMhSaha5aND1
JHbNc/KdfObr3mQRkVmsSQNu3AEelYJvLy5IKkeWua2d00b7Vjdcqvrmt4U+4leexPLOjpxLkemKZFqOFYEjtv+TQLdYiftS4X0Nc5qNp5DnyJm
NU6aHKDgrm2t4WUjOCKeLvK4ziucszcoD5z7s9MctDdtHXJrFwsQp3ReiBvdRhghIZwD9K9KgQRxlqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6h
G0bnBWneQ4U4U0UorcwHilpuaCaAJM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzjx5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi
/P1AHb3rkvdymSCb+8rcVz1tjppHUJOY8HtUhXzCWzwapRSBxg9R1zvUCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NUm
ZbXd6UwRgnrxUPztzJXUy21uB8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlPLe4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKj9IsF0/T
o4QPmxlj6mtAGmoekd1rutY4L3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eIFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG4
0KyYDFLGWUnnSutLmQ3Bnz5rMd3qVyl7e3lmmuGyqIpYkdunNUPD1jcWtxdx3ELxYfbh1wcjrx0Sdl0/SLeSa0toopNmN56gD39K8iumE97JL
hhvYtgnOOa5609Jl3orUybqzdDvTrVIXDKcNwwrp0jVv2sMis290sZLKOK54z6M6pQ6kEOphV2uPxqZdQTOvBFZ5syDgg4pBZdwpxq8qBSaNdV
4IL5z3qM3e7OOTVH7Kw6E1PFaEnnmhJIHKTJQ5kfPU/yrsvCbqvtJEW5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWd5D0OLp7VL
zUyW6FB1/Cpo7NGIHvZ186OSxAp1aC2MRXnOfrQbBGGVYihTQWZQoq01hPukGomt5U6oarmQWN6iiisDpCiiigTKeqRGbT5ox1ZCB+VeKSJ
hwccv7nMMxmvJtZ042WpSxY+XdlfoelYV1pcug/eaM6lflURbL680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRjHTFUpNC5TOa3XPFTx
W3tU2xQc4wanDALgUXYKJXaMKKjs5Eg1i0nYfckGfpVh+elQw2cl7eRW0f3pGwD6e9VB2ZnUWh6zbDdCG9qtjwrUVsg8nA+ITxLhDXaedYeo+
WnKMUKOBSgUDF7UmKXFFAyaiimahRRRQAjLuUiuS8Uad5sK3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2
BVWW2yeRg153kz0lu6M/BxxUZDHPzV9YecYqTyQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8A
Vr1716Fo1mLPSreHHZbdzfU8mt6Mbyv2OXEstGxp264WpWuFpsS4WpR1rqXoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAflwypa
KBPY5PX7YldLIBw45+zOBiQkBT0DHT9a6rW7bzbQsOsZ3fhXLOoJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqq3TlrUttSntlzEQstuesUgyPw9K
Vl0y5gedBPs+/GBvBz0wf8ajlXQ05mviOfmc1VbzG+UKcnvWs6lXlSPaPVjk00IoHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE
59zx/jXXKQK66C925w4h3lYmQcVIBTVHNPfamI7NFIOKWgBDDQKKA0aAHU0U0UzUKKKKACiiigGQ3EYkjKkcEYNcRcxNBcSRnqpxRRWfY0of
EOV5DkDFMSeeCOWOKUqko+dcD5qKK572OrdahgMBmoicPPRRQwaOk8MwEWktwR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9F
FMBvenUUUAf/Z",
  "phrAddress": [
    "91160145481380@sbx"
  ],
  "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
  "districtCode": "494",
  "stateCode": "27",
  "pinCode": "415001",
  "abhaType": "STANDARD",
  "stateName": "MAHARASHTRA",
  "districtName": "SATARA",
  "ABHANumber": "91-1601-4548-XXXX",
  "abhaStatus": "ACTIVE"
},
"isNew": true
}
```

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK


```
{
  "message": "Account created successfully",
  "txnId": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJSUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklj0cnVlCjZdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkljoiYWJlYmVudElkIjoiOTEtMTYwMS00NTQ4LTEzODAiLCJwcmVmdmVzZjYzZWRBYmhhQWRkcmVzcyl6IjksMTYwMTQ1NDgxMzgwQHNieClslR5cCl6IlRyYW5zYWw0aW9uIiwiaXhwaWVudE1ODUwNDY2LCJpYXQiOiE3MTU4NDg2NjYsInR4bklkIjoiMmVjODI4MzU0OTMxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OTkln0.NXTXYzvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5ZzSS0lOwBCOU6yW5wDCA9a03W59UUGEOjXs9QXQG0C5eyWVQSMlsuYwxjhMXN0yNhQxFTMiXjZFfGiXJEUcsHznT5f0UHZINd82dw-bljZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBCSw6pj6WzzuA2AVB0w15yLW3LAdsxMZqFTEsACxC_iQsJc2HOcGduWQu4L9i5rJLEn8Rn4yx_DDJgtxAtP6Gem5jy-82qQausJUyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjl8ygfAncXmElZhwwV3TXfhCg6lgnbg-YXN6668oAoGCg8G5tljjim6-5yEKJH4bgArhsYJ_0djLKK_UqFjXRpy6CoJ6S_qgNBUVtA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqhZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBCgYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3fLkxH_swTMR13JJYWNcU9CAFXbcirTEDTWIngdh2JZNDOboz7_Q68_L8rxGM49kZCQcaVWr5jlPsGvJ7Ban3Ur8kk",
    "expiresIn": 1800,
    "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkljoiYWJlYmVudElkIjoiOTEtMTYwMS00NTQ4LTEzODAiLCJ0eXAiOiJSZWZyZyZlbnR4bklkIjoiE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjZ9.feDbP3ZZ5rjyVHVNTjt2MkecmaRMoorscip-812w899srCCkvdqawh2dwyDsJLOJS6O7tw1g5Bu7qOJdr3GxfQDFzGV3rejfVDNyuq8ZRzyUrrWR3x3P54JbZ51msY0W166arm0SSypaKKitaXsc
```

[illegible]

```
"email": null,  
"phrAddress": [
```

```

"91160145481380@sbx"
},
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note: If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.

Step 4: ABHA Mobile Verification

a. Send OTP

This API generates OTP for mobile verification (Mobile number not linked with Aadhaar).

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to /enrollment/enrol/byAadhaarAPI

Scope	abha- enrol mobile- verify	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),
loginHint	mobile	Yes	
loginId	Encrypted Mobile number	Yes	
otpSystem	abdm	Yes	OTP system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "txnId": "{{txnId}}", "scope": ["abha-enrol", "mobile-verify"], "loginHint": "mobile", "loginId": "oEIWeeEnSg4tzWQQ8iPedMACyD/+6pfmdPsnwADBwaj26wWM0emiAHZRMV0lr8W21oa6ai22CxY2XatoT8DhWnQEIU/ g86QaPsqlr/ksMaSBsKSe0TIPwPasB1RwCmfstelj+Zg0yNplvD/sYqyBFvSLHka7FSqk4/Djp4PK3PCji6He8y3mZXy7rNYBBbo7 9VsZQkgpoiQCzaynZzzW2iEwEmpGmZ0yJz0L9ynjQh/sVvzpljPz5BUIcnn5Qw5nrPlzR764VcBP15MGjdFleNrDn/m1WGaYlQg 7c+AGelcJ/3XRjoVqR722xB0aicJa631Qy3CIQyoX4hJgMv1vgLfdRHB4AsvnbfofZmHngnCuYnBah44tclSZTOyET3nqP6Y/zPHh mPh4CoMu0DAli3dBKKj96SHWVd44JostStCq6hUDKDrNuzNPzdeQPGFcu+B24LuvflKglQR4DGyhwCH6Jr17Atvk/vAi7fxCPpX PLxPoXj9JRJmsp3Gfe3MjtSddpZbGNG24ds47ijhcyusdchwuXzxRq6nW/iJ4k09qj8WQO1KG7a4b7SLx7OCPoQqizQFZzV+wGf FrNbqZtZ1toAKGKnu7HS5iY5RACYwUffhZvbpu/hUNblsda+zxKzJ3O3zOAjYMie4SBD0W+ZaNem8hQao3brsE5WqxqeyHGxE iDPpA=", "otpSystem": "abdm" }</pre>

V3 Response:

Response
<pre>{ "txnId": "3ec0e997-fd1b-47cd-b0f5-60199d334e73", "message": "OTP sent to mobile number ending with *****3372" }</pre>

b. Verify OTP

This API verifies via Mobile OTP.

V3 URL: {{base_url}}/v3/enrollment/auth/byAbdm **V3 Request:** POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	Otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-enrol",
    "mobile-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "timeStamp": "{{current_timestamp}}",
      "txnId": "{{txnId}}",
      "otpValue":
        "WYjtOAFee5hyS5gizaNxl3rGNahqe6cO8Ada+gFBkm0PjWLeVpElh1hsd8GzP2GlvyB6fEstF1aUjqYi9B275EWdpqqTchVn13
        X0zI94SBnEFR6VcdJ35OQaey1JAdldcVAvaAQbbb7M2ih+mLuQ3Y3UsHynt4cUcH5L76Wilk4s2zfB9GZ7PpRPWFJWGJat9LdAs
        wX1H41Ce7PP3Fqp/hs3yhZkEYF25VeESBZyYQnuCNTdoy+S+D+dPcYBJKB7Ehwe+o+18F7tcS+Cqj20LQRHGnLWE39A1nXNxc
        kEVdUcoZJA8+otLNFvjINrSS0YHu0uud2UxsCkj1HfM6SLkQzu4QEdllkKB10AtpGFaAbAk4NiKyAJSQsneLRsV66fDE7D7RZjJVlrs
        awXJeqfrTr4xryR+NCEl+90o74T2Im3K/IFxYuMLnUza66pIM0/9NRkk772p9142/F43pY/ntWle8UoZGODUNQySRJuhOhK8JW
        ExZxdocwgWJI7fo9d3SFQ3gIHfsDswtkyDxWLikrVSWvAnaqoBCKa+WlrXx+Ey76ZtPxGjURZ00tldMUfhK31X6SzfWlkzOIQUm
        3cAaLeJaLYd0hg+QewbDP6k1nWzZiAap2jpkfUnLunJVRfeSyzRE6tEgvdqT/jUI62S3ApJUrLQQgFAPP3VjUU84="
    }
  }
}

```

V3 Response:

Response
<pre> { "txnId": "366c8f41-4ef8-49ee-b73a-2e3e44613086", "authResult": "success", "message": "OTP verified successfully" } </pre>

Step 5: Email Verification

V3 URL: {{base_url}}/v3/profile/account/request/emailVerificationLink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile email- linkverify	Yes	Defines the scope of the current action of the API, following are the values that can be used. abha-profile email-link-verify
loginHint	email	Yes	Type of login
loginId	Encrypted email idr	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "email-link-verify"], "loginHint": "email", "loginId": "pb2Rf4GQ3zq5rlxXWgpn8Td9HMh0sJlb/SbN+6CHpylD422FxcJPHgo9Zyc3SES5etu60JFga4729tdi4BPU0mW053M6d2kC3E W8cd917VNP0hett79+S80JG6VdWYsb3pzF3G7GoGaCEqcmr6pt5ZX2NNkN9YT5f9QXq\$UkrNam9/RJVUzUy+KuXo0MbV35 nOU6IO5Bs8Bly+Ggs96kogiTf8iajlxheoO02nVU1Ln6Q9rjgLF11ibyEJ5/wvOp8FvSA3Ed8+CodQpkWeiJbRFokZCMHx9ONII08 Zbr0brbCGQsZkfQOjRZswgS8vV3Ilded1Vx7qY3bqb/QWZSYLWgXN61TFU4EZ/vq1jix0YasluuxjjjWUzTV43qDL/AJPKLnsOhGis 1G+quo7WKzTCAAekjbEEApZNRzL5RYcn3gykXfbNJaSu82tHO4Bke9uXc6ON91QcAhNHeOJFc3zPvftCQu59YYunuiaM3YmX MCeVtaOYyaO1mLd+OEDCrWTeEyPZCKRf32W0TXjhoTN7UcC+t94hWWv2dAahbVzpMiS+NXVoAMj66/l/7wbUqsem/aK+3j /tveftXJTyREg7/wjHwBrjUdt8hMFsbinsYs+S7Bpus65Oafqrost5MDdxlu+Og8C3ce0EUDF76sklA1S885gN3KMsqk5cC9hY=", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200
No Response

Step 6: ABHA Suggestions and ABHA Address creation

a) Get ABHA Address Suggestion

This API returns ABHA address suggestion.

V3 URL: {{base_url}}/v3/enrollment/enrol/suggestion

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
Transaction_Id	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA.
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters: NA

V3 Request body: NA

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "daa3ec62-60b2-4d06-8dc0-16e38c38d102",
  "abhaAddressList": [
    "anchalsing1",
    "anchal1995",
    "anchal.singh",
    "anchal299",
    "singh299"
  ]
}
```

b) Create Custom ABHA Address.

API is used to create Custom ABHA Address against that transaction ID.

V3 URL: {{base_url}}/v3/enrollment/enrol/abha-address

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after successful ABHA Address creation
abhaAddress	String	Yes	Custom ABHA Address that the user wants to create
Preferred	Number	Yes	The accepted value is "1" which is used for setting the ABHA Address as the Preferred one.

V3 Request Body:

Request Body

```
{
  "txnId": "e4a7ebfa-18c5-481f-acd2-a6dc1165ae46",
  "abhaAddress": "gaurav_22101991",
  "preferred": 1
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "e4a7ebfa-18c5-481f-acd2-a6dc1165ae46", "healthIdNumber": "91-6285-4575-XXXX", "preferredAbhaAddress": "gaurav_22101991" }</pre>

4.0 ABHA Creation via Driving License

Step 1: Generate OTP

This is an API that will be invoked to send OTP to a given encrypted mobile number and create transaction id.

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-enrol mobile-verify dl-flow	Yes	Defines the scope of the current action of the API
loginHint	"mobile"	Yes	Type of login

loginId	Encrypted mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	"abdm"	Yes	OTP system to verify hlu/hip/phr login

V3 Request Body:

Request body
<pre>{ "scope": ["abha-enrol", "mobile-verify", "dl-flow"], "loginHint": "mobile", "loginId": "{{Mobile_Encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "34935c59-f57e-4304-a318-3aa0b146c426", "message": "OTP is sent to Aadhaar registered mobile ending *****3603" }</pre>

Step 2: Verify Mobile OTP

This API will verify mobile OTP and update details in the transaction table.

V3 URL: {{base_url}}/v3/enrollment/auth/byAbdm

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

scope	abha-enrol mobile-verify dl-flow	Yes	Defines the scope of the current action of the API
authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol", "mobile-verify", "dl-flow"], "authData": { "authMethods": ["otp"], "otp": { "timeStamp": "{{timestamp}}", "txnId": "{{lastResponseTxnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "649ce755-810e-4f05-a9e6-022741acc42d",
  "authResult": "success",
  "message": "OTP verified successfully." }
```

Step 3: Verify DL documents

This is an API to validate the driving license document with NEPIX and create a new account and generate an enrolment number.

V3 URL: {{base_url}}/v3/enrollment/enrol/byDocument

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
documentType	"DRIVING_LICENCE"	Yes	
documentId	MH1320140019054	Yes	Driving license number
frontSidePhoto	BASE 64 ENCODED JPEG	Yes	
backSidePhoto	BASE 64 ENCODED JPEG	Yes	
Dob	Yyyy-mm-dd	Yes	Date of Birth

Consent	{ "code": "abhaenrollment", "version": "1.4" }	Yes	Consent code and consent version
---------	--	-----	----------------------------------

V3 Request Body:

Request Body
<pre>{ "txnId": "{{lastResponseTxnId}}", "documentType": "DRIVING_LICENCE", "documentId": "MH1320140019054", "firstName": "anand", "middleName": "vyankatesh", "lastName": "sunchu", "dob": "1996-07-15", "gender": "M", "frontSidePhoto": "{{BASE 64 ENCODED JPEG}}", "backSidePhoto": "{{BASE 64 ENCODED JPEG}} ", "address": "russia", "state": "maharashtra", "district": "pune", "pinCode": "413005", "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "EnrolProfile": { "enrolmentNumber": "91-6087-5423-XXXX", "enrolmentState": "VERIFIED", "firstName": "anand", "middleName": "V", "lastName": "sunchu", "dob": "1996-7-15", "gender": "M", "mobile": "*****3603", "email": null, "address": "india", "districtCode": "490", "district": "PUNE", "stateCode": "27", "state": "MAHARASHTRA", "abhaType": STANDARD, "pinCode": 411017, </pre>

```

    "abhaStatus": "ACTIVE",
    "phrAddress": [
      91608754231330@abdm
    ]
  }
}

```

5.0 ABHA Creation via Demo Auth

This API is used to create ABHA using Demo Auth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	benefit name	Yes	Benefit name of client
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body parameters:

Property Name	Value	Mandatory	Description
authMethods	Demo_auth	Yes	Account creation method, currently it is demo
aadhaar	Encryoted aadhaar number	Yes	User Aadhaar number encrypted by RSA
address		No	User personal details. It's optional field.
Mobile		No	User personal details. It's optional field.
dateOfBirth		Yes	User personal details
districtCode		Yes	User personal details
Name		Yes	User personal details
Gender		Yes	User personal details
stateCode		Yes	User personal details
pinCode		No	User personal details
Validity		No	User personal details
profilePhoto		No	User personal details

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["demo_auth"], "demo_auth": { "aadhaarNumber": "CRmMrv8dA/an19TRnKxUYuzNlx+xSezheT83aQ/U1lFilzPl+h5U+/SG2uhnIW17hro6i7LnImqAiP5gd+buQ5aa8LeC/tnhlyIESMxtltoQOIyUmr wOgDFQAo7BLqGyWsXJayWn0sa2yhmzxzrdIpGdaQhDMBW+Z5DFZC4ZWwBqoEeAt69eLH+9qGA9UEmJRrbDD2vl7crHmkhSZjFnn/BcaKv 86DCHkLwmJIAgzODJknBIWgIMdIkXhGhjRSNeSaVKFgpxzxzx4xjX2jmQnaW5FtUOjV2THjfgW6ptV0yGpe+lJuevzLcJo7skNpTjPCILTGhXZqF PLWeDLHzbOumidhOxtrd5kt0mHQXhdR2jPcvw2J+Y/27dLUH05q5xzbifSZm5pvGxB9bs0M8nVmfuc6kPvHSHg3wSbXVMTkRffq/wfV5sa86x Obsu+ewocCgq5OpMPsEJFUEGdjLWAEvaBgKpMX/pc3XJrrfaD/yGB58QjReoYkucemDCY+vJ0SlmisxvzNZtC+jhj2iVFuG5yRDewC7WR9sYsblQ 2KUUFgZ43M15CSNzmIkOAsBv/UlpcYkMeTIWe5IhRq8/Sd8oIW8x4+uyehDDwPR/F3RZJtnD1U5LBnMQHeKqDmEh6eX43KJXCBS1RCCBOao OifNfv1CVb2V+ZtQNqBb8TTPyJzQg=", "districtCode": "490", "stateCode": "27", "dateOfBirth": "23-1-1989", "gender": "M", "name": "Yashraj Chonde", "mobile": "*****1670", //Optional Field "pinCode": "234562" //Optional Field } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "photo": "/9j/4AAQSkZJRgABAgAAYaAF0vqVVjebUF3OVuJvs1ykkk4Ujsamph3BWlucU8RGtU5oLQ740NuKjkc=", "gender": "M", "name": "Sushant Kumar Jha", "email": null, "phone": null, "pincode": "847121", "birthdate": "20-11-1997", "careOf": "Avinash Kumar", "house": null, "street": null, "landmark": null, "locality": "dulha", "villageTownCity": "Khairi Banka", "subDist": "Bisfi", "district": "Madhubani", "state": "Bihar", "postOffice": "Keoti Ranway", "aadhaar": null, "txnId": "4ebe8020-17a8-4c35-b39e-201bdb01d417", "healthIdNumber": "91-3111-6864-XXXX", "jwtResponse": { "token": "eNSjzkMI", "expiresIn": 1800, "refreshToken": "eqKGvH-Yfzr0dAVys_MMaQpwrZ1mPoxWrMNGqonL-iKG2yyv22xHC_7iDbVEr7htQWtk", } }</pre>

```

    "refreshExpiresIn": 1296000
  },
  "new": true
}

```

6.0 ABHA Creation via Biometrics

6.2.1 Create ABHA via FingerPrint

Note : List of UIDAI-approved biometric devices

- <https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric-devices.html>. (Kindly note that the list is updated by UIDAI periodically.)

This API creates an ABHA account using FingerPrint.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	bio	Yes	Defines the authentication method used for enrolment, following are the values that can be used. BIO("bio"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API

fingerPrintAuthPid	Encrypted fingerPrintAuthPid value	Yes	PID value is base 64 encoded which is generated by fingerprint scanner device.
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["bio"], "bio": { "aadhaar": "{{Encrypted Aadhaar Number}}", "fingerPrintAuthPid": "<PID>", "mobile": "*****6565" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

Note: Checkpoints to generate fingerPrintAuthPid:- Ir = 'Y'; (This Attribute should be passed as 'Y' otherwise it will give K-547 error) ra = deviceType; rc = 'Y'; de = 'N'; pfr = 'N'; text = '2.5' + ra + rc + Ir + de + pfr; wadh = Base64.stringify(sha256(text)) or convert to SHA-256 and then to base64.

V3 Response:

a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK
<pre>{ "message": "Account created successfully", "txnId": "2ec82835-9314-4296-acc0-5d526371998d", "tokens": { "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklj0cnVlCjZdWiiOiI5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkljoiYWJlOYS1wcm9maWxlLWwC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkIiwibW9iaWxIjpudWxsLCJhYmhhTnVtYmVyljoiOTEtMTYwMS00NTQ4LTEzODAiLCJwcmVmZXJyZWRYbW9mZyZyZWRkcmVzcyI6IjR4MTYwMTQ1NDgxMzgwQHNieCislnR5cCI6IjRyYw5zYWN0aW9uIiwizXhwIjoxNzE1ODUwNDY2LCJpYXQiOiE3MTU4NDg2NjYsInR4bklkIjoiMmVjODI4MzUtOTMxNC00Mjk2LWVjYzAtNWQ1MjYzNzE5OThtIn0.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBjNQ5ZzSS0IIOWBCOU6yW5wDCA9a03W59UUGEQjXs9QXQG0C5eyWVQSMlsuYwxjhMXN0yNhQxFTMiXjZFGiXJEUcShznT5f0UHZINd82dw-</pre>

[illegible]

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

[illegible]

30f1V33iOPlm6UzTJVsgJJwxNO1WOCTCeFdwHBFYP2dpNQ+0rPOso6kZzBrRRutyG2megXRtUtfP3AnGcVzkbGSSa4TAVj0qpPLc3Fo0U7GNC
 MHYeTUNIGYAkasiD+8xOapJLcV7nTiNZVGv5pGto15wKSODPLXJ5pk0uV4qDTSxWumVQQuMVB4e0Zr7xImpkgLbcAeqC7kO059fzrs/Ddp9I
 0uMkfnJ8x/GuvDrW5w4l2VjbZ21pwaowaUGuw4iYHNLmohTgaFppp5ppNlkjbrWbq1jFfWxiiXOCCCK02qtOrtOamSurFJ21PGtWtfs16VUD5
 WK8dqvacbCYC57V1OtR2QhIBhjVn4L471xdudshwePauOpT5VqdtKrzM6uK7CJkkdKEvAcSfWV5heMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
 QtNu3AEelYvJyL5IKKeWua2d00b7Vjdcqvrm4U+4leexPLOjpxLkemKZCfcQFYEjtV+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgmr2t4WUjOCKeL
 vK4ziucscoD5z7s9MCTdDtHXJrFwsQp3ReiBvdRhgHIZwD9K9KgQXRlqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
 puaCaAJM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzjx5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvDymSCb+8rcVz1tj
 ppHUJOY8HtUhXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NUmZbXd6UwRgnrxUPztzJXUy21u
 B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9IsF0/To4QPmxlj6mtAGmoeKd1rutY4L
 3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eIFTLpifxOT9KjmQ1FsyjOrL1GQRW7s7YUUD0a6ptMhbGCwH1qG40KyuYDFLGWUnn5utLmQ3Bnz5r
 Md3qyVl7e3ImmuGyqlpYkdunNUPD1jcWtxdx3ELxYfbh1wcjrX05dI0/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybzqzDvT
 rVIXDKcNwwrpOjV2k2sMis290sZLKOK54z6M6pQ6kEOphV2uPxpZdQTOVbFZ5syDgg4pBZdwxp8qBSaNDJ4L5z3qM3e7OOTVH7Kw6E1PFaEn
 nmhJIHKTJQ5kfPU/yrsVcbqtvJEw5L5z+FcxHb7BjFamkam9pNvZrCHE8iruzuyTitaM1zGFWd5D0OLp7VLzUyW6FB1/Cpo7NGIHZv186OSxTap
 1aC2MRXnOfRqB8GgVYihTQWZQoq01hIPukGomt5U6oarmQWN6iisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvJtZ042WpSxY+Xdlf
 oelYV1pcug/eaM6lflUrRbl680xU2mp1xjmuQ7TNI9rElaaLWMjOK0ymR1zULRjHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
 Eg1iOnYfckGfpVh+elQw2cl7eRW0f3pGwD6e9VB2ZnUWh6zbDdCG9qtjwUvsg8nA+ITxLhDXaedYeo+WnKMUKOBSgUDF7UmKXFFAyiiimah
 RRRQAJLuUiu8Uad5sK3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
 V9YecYqTyQD0oLMkxmt2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+Vp3cf17n8v51izMP8AVr1716Fo1mLPsreHHzbdfU8mt6Mbyv
 2OXESTGxp264WpWuFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YldLiBw45+ZOBiQkjBT0DHT9a
 6rW7bzbQsOsZ3fhXLOoJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqQ3TlrUttSntlzEQstuesUgyPw9KVI0y5gedBPPBs+/GBvBz0wrf8ajlXQ05mviOf
 mc1VbzG+UKcnvW56lxSPaPvjK00lHP50rMq9ylyWDT3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKQK66C925w4h3lYmQcVIBTVH
 NPFamI7NFIOWkgBDQKKA0aAHUUUuZUKKKKACiiigGQ3EYkjkCEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
 OrdahgMBmociCPpRRRQwaOk8MwEWktwR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//Z",

```

    "mobile": null,
    "email": null,
    "phrAddress": [
      "91160145481380@sbx"
    ],
    "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
    "districtCode": "494",
    "stateCode": "27",
    "pinCode": "415001",
    "abhaType": "STANDARD",
    "stateName": "MAHARASHTRA",
    "districtName": "SATARA",
    "ABHANumber": "91-1601-4548-XXXX",
    "abhaStatus": "ACTIVE"
  },
  "isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

6.2.2 Create ABHA via FaceAuth

This API creates an ABHA account using FaceAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	face	Yes	Defines the authentication method used for enrolment, following are the values that can be used. FACE("face"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API
rdPidData	Encrypted rdPidData value	Yes	PID value is base 64 encoded which is generated by the Aadhaar RD service application
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body

```
{
  "authData": {
    "authMethods": [
      "face"
    ],
    "face": {
      "aadhaar": "{{Encrypted Aadhaar Number}}",
      "rdPidData": "<PID>",
      "mobile": "*****6565"
    }
  },
  "consent": {
    "code": "abha-enrollment",
    "version": "1.4"
  }
}
```

V3 Response:

- a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK

[illegible]

```

dnd4eXqDhIWGH4iJipKTIJWWI5iZmqKjpKWmp6ipqrKztLW2t7i5usLDxMXGx8jJytLT1NXW19jZ2uHi4+Tl5ufo6erx8vP09fb3+Pn6/8QAHwEAA
wEBAQEBAQEBAQAAAAAAAAECAwQFBgcICQoL/8QAtREAAgECBAQDBAcFBAQAAQJ3AAECAxEEBSExBhJBUQdhcRMiMoEIFEKRobHBCSMz
UvAVYnLRChYkNOEl8RcYGRomJygpKjU2Nzg5OkNERUZHSElKU1RVVldYWVpjZGVmZ2hpanN0dXZ3eHl6goOEhYaHiImKkpOUlZaXmJmaoQOk
paanqMqsrO0tba3uLm6wsPExcbHyMnK0tPU1dbX2Nna4uPk5ebn6Onq8vP09fb3+Pn6/9oADAMBAAIRAxEAPwD2emk0plphOa2OcBui0XR
TxxQAtLTHclMsQBXP614ptNlt5HMi5Udc96QGze6ha6fCZbmVY0HcmuK1H4hWJuhFAGeJfvPkDNebeKPGVxrEmN5EQPAFcXNeu7fKxJ9qL2G
onserfEeKJtlirOCpVGuP1Hx5q0jSiKYXgdga4k3MrAfNwPWmm4ztVySouRSuO1jsY/iFr8LArDsD16Cug0z4vakjBb2KKZc8kfKcfyrlzXuNvT3zUboi
qWSTJoHZH0hofjvS9ZAVbhY5T/yzfg5rrkcMgwQcivkOK7lg2tnaQeoNeofD74gzx3iafqMzPC/Ecjtyp9PpTWpLVj2w0CooplkAYYOehHepsCmlWi
jNAOaAFxzS4ope1ICE03NKxpmeaYEgpHcKkaThaz9SultrGSZ2wFGaQJfE8VeJltMtXZm5ArwvV9dn1m6LEHy88L2q94v15tX1J4klzbo35msXckc
QCqKly6FqNtSpL5nQDC980kFmzMGArStrOS5YccHtXV6boK8M3TvWcQkUaxpyZx40t2GShx9Kil0l1xltivUF02JRwoxUcumRMpyor1jJdYc8tbSH
JzyM1TNpLBJ8yMR2xXp7aYgJ+SqN5pisM7BTjWE6DOC3owCYwfenxZhkBU4lrWv9GG8sowR6VlspX5XHI71tGSexhKDR658PvHTSFdOvJMso
whJ+8K9cglEsSupBBGa+SYbg20sc0LbXRsjHY19B+BPey1zSFocTRABlzWiZk1Y7jrSiokLFQfzqQE0xDxS5ptLQBxJ9qaK0CkIVjXnnxL1n+zdFaE
P8AvHyAK79pQp25zXgvsb1TzfEP2ZfuxIMj3qWyoq7OERY7Fm+prSsbZ7ghm5HaseF97npiuu0NNxGRkCsakuWJ0U48zNnS7BY0Ukc10tsGVaz7
al8YfBUehYjPFbcl7kkGUARIoplzV3ysjpTTCxOAuaNWUzKqHsKqTRjBzg1ty2pZenNUZLyn5cHmgdrnO3NsCDxXL6tZbcyKM+1d9PZOeAM1IXW
nBgQy1tTKYVlpln8km1zJlFejCbWgtdbNsW4IHqnrXG67pbWlwSB8JHlPfc16bDxBZZ4EgB+ldcXdnFJaWPrGN9wBFTZ4qhZSeZCjg8FQavDmt
DEdThim0uTSApEO0swHFNzzUM8oUgd6BENxJHlrZcgr6HBfFovjudLjxHeSO5k07AbGOle66pdqIXDLk4PK9a+efe3z67OoJ27icnrUyLgZlhC0k6
jtnpXoGmiKyGdykAVyOixZmL46V1tjYteuGIOEHSuSprLU66W2hqxelbSln8qux+K7MjluMjOrSokHnbM+hrP1DS9GJ3Rkof9mko02ti25rqdPZ+
+tZOBIQkjBT0Dht9a6rW7bzbQsOsZ3fhXLOJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqq3TirUttSntlzEQstuesUgyPw9KVI0y5gedBpBs+/GBvB
z0wf8ajlXQ05mviOfmc1VbzG+UKcnvWs6lXlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXK0QK66C925
w4h3lYmQcVIBTVHNPfamI7NFIOKWgBDQKKAQaAHUUUuUzUKKKKACiigGQ3EYKjKkcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWO
KUqko+dcD5qKK572OrdahgMBmoiCPpRRQwaOk8MwEWkwrR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCaO9FFMBvenUUUAf//Z",
  "mobile": "*****1670",
  "email": "*****1670",
  "phrAddress": [
    "91160145481380@sbx"
  ],
  "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
  "districtCode": "494",
  "stateCode": "27",
  "pinCode": "415001",
  "abhaType": "STANDARD",
  "stateName": "MAHARASHTRA",
  "districtName": "SATARA",
  "ABHANumber": "91-1601-4548-XXXX",
  "abhaStatus": "ACTIVE"
},
"isNew": true
}

```

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

```
"message": "Account created successfully",
"txnid": "2ec82835-9314-4296-acc0-5d526371998d",
"tokens": {
  "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t0Y1ZlcmImaWVklp0cnVlCjZdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJhY2NvdW50VHlwZSI6ImN0YW5kYXkiIiwibW9iaWxlbjpuZDVsLCJhYmhhTnVtYmVyljoiOTETMTYwMS00NTQ4LTEzODAiLCJwcmVmZXJyZWRYbYmhhQWRkcmVzcyI6IjJkMTYwMTQ1NDgxMzgwQHNieCisInR5cC16IiRyYW5zYWN0aW9uIiwizXhwIjoxNzE1ODUwNDY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_OdjLKK_UqfjXRPY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqghZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBcYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3flkxH_swTMR13JJYWNcU9CAFXbcirTEDTWTngdh2JZNDOboboz7_Q68_L8rxGM49KZCQcavWR5jPlsGvJ7Ban3Ur8kk",
  "expiresIn": 1800,
  "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJ0eXhAioi5SZWZyZXNoliwiZXhwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_OdjLKK_UqfjXRPY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqghZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBcYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3flkxH_swTMR13JJYWNcU9CAFXbcirTEDTWTngdh2JZNDOboboz7_Q68_L8rxGM49KZCQcavWR5jPlsGvJ7Ban3Ur8kk",
  "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJ0eXhAioi5SZWZyZXNoliwiZXhwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_OdjLKK_UqfjXRPY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqghZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBcYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3flkxH_swTMR13JJYWNcU9CAFXbcirTEDTWTngdh2JZNDOboboz7_Q68_L8rxGM49KZCQcavWR5jPlsGvJ7Ban3Ur8kk",
  "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJ0eXhAioi5SZWZyZXNoliwiZXhwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_OdjLKK_UqfjXRPY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqghZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBcYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3flkxH_swTMR13JJYWNcU9CAFXbcirTEDTWTngdh2JZNDOboboz7_Q68_L8rxGM49KZCQcavWR5jPlsGvJ7Ban3Ur8kk",
  "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJ0eXhAioi5SZWZyZXNoliwiZXhwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_OdjLKK_UqfjXRPY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOIqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoeXvoBWqghZ_A-oOpY-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBcYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-h3flkxH_swTMR13JJYWNcU9CAFXbcirTEDTWTngdh2JZNDOboboz7_Q68_L8rxGM49KZCQcavWR5jPlsGvJ7Ban3Ur8kk",
  "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWlI0i5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiYWJlOyS1wcm9maWxlbWFWcC1hcGkiLCJzeXNOZW0iOiBQkhBLU4iLCJ0eXhAioi5SZWZyZXNoliwiZXhwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYzInR4bkkljoiMmVjODI4MzUtOTMTxNC00Mjk2LWFjYzAtNWQ1MjYzNzE5OThtklno.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fMFY1X00uLBJNQ5ZSS0lOWbCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsLsuYwXjHMXN0yNhXqFTMiXjZFgiXIEuCsHzn5f0UHZInD82dw-bJJZpFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6Wzua2ABV0w15yLW3LADsxMZqFTES-aCxC_qJSJC2HOCGduWQU4L9i5rJlEn8Rn4yx_DJjgxtAtP6Gem5jy-82qQauslJyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjly8ygfAncXmElZhhwV3TXfhCg6lgnbg-YNX6668oAoGCG8G5tljim6-5yEKJH4bgArhsYl_O
```

[illegible]

"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",

```

"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

6.2.3 Create ABHA via IrisAuth

This API creates an ABHA account using IrisAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.

authMethods	iris	Yes	Defines the authentication method used for enrolment, following are the values that can be used. IRIS("iris"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API
pid	Encrypted PID value	Yes	PID value is base 64 encoded which is generated by iris scan device.
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["iris"], "iris": { "aadhaar": "{{Encrypted Aadhaar Number}}", "pid": "<PID>", "mobile": "*****6565" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

- a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK


```
{
  "message": "Account created successfully",
  "txnId": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJSUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVkljp0cnVlLCJzdWl0iil5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkljoiYWJ  
oYS1wcm9maWxILWFwcC1hcGkiLCJzeXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0i  
VtYmVyljoiOTEtMTYwMS00NTQ4LTEzODAiLCJwcmVmZlJyZWRYbWVhQWRkcmVzcyI6IjYxMTYwMTQ1NDgxMzgwQHNieClslmNsaWVudElkljoiYWJ  
5zYWN0aW9uIiwiaXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0iOiJlYXN0ZW0i  
YzNzE5OTklmN0.NXTXYzvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5ZzSS0lOwBCOU6yW5wDCA9a03W59UUGEOjXs9QXQG  
OC5eyWVQSMlSuYwxjhMXN0yNhQxFTMiXjZFFGiXIEuCsHznT5f0UHZINd82dwbJjZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6WzzuA2  
AVB0w15yLW3LAdsxMZqFTESaCx_c_iQSlc2HOcGduWQu4L9i5rJLEn8Rn4yx_DDjgtxAtP6Gem5jy-  
82qQausJUyC30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjI8ygfAncXm-ElZhHWV3TXfhCg6lgnbg-YXN6668oAoGCg8G5tljjim6-
```

[illegible]

Response

Code : 200 OK

[illegible]

```

OuMkfNJ8x/GuvDrW5w4I2VjbBz1pwaowaUGuw4iYHNLmohTgaAFppp5ppNlkjbrWbq1jFfWxilXOCCK02qtOrtOamSurFJ21PGtWtfs16VUD5
WK8dqvacbCYC57V1OtR2QhIBhVn4L71xdudshwePauOpT5VqdtKrzM6uK7CjkkdKEvAcsTWL5heMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
QtNu3AEelYvLy5IKKeWua2dO0b7Vjdcqvrmt4U+4leexPLOjpxLkemKZFcqOFYEjtV+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgrm2t4WUjOCKeL
vK4ziucszcoD5z7s9MctDdtHXJrFwsQp3ReiBvdRhghIZwD9K9KgQRxqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
puaCaAJM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzj5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvDymSCb+8rcVz1tj
ppHUJOY8HtUhXzCWzwapRSBg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NNUmZbXd6UwRgnrxUPtztXUy21u
B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbvYHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9IsF0/To4QPmxlj6mtAGmoeKd1rutY4L
3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eIFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyuYDFLGWUnnSutLmQ3Bnz5r
Md3qVyl7e3lmmuGyqlpYkdunNUPD1jcWtbdx3ELxYfbh1wcjRX0SdlQ/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybyqzdDvT
rVIXDKcNwwrp0jV2sMis290sZLKOK54z6M6pQ6kEOphV2uPxdQZTOVbFZ5syDgg4pBZdwxp8qBSaNDV4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJIHKTJQ5kfPU/yrsVcbqtvJew5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWDD5D0OLp7VLzUyW6FB1/Cpo7NGIHV186OSxTap
1aC2MRXnOfrQbBGGVYihTQWZQoq01hIPukGomt5U6oarmQWN6iisDpCiiigTKeqRGbT5ox1ZCB+VeKShhwccV7nMMxmvtJtZ042WpSxY+Xdlf
oeIYV1pcug/eaM6fLUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRjHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg10nYfckGfPvH+eIQw2cl7eRW0f3pGwD6e9VB2ZnUWh6zbDdCG9qtWjrUVsg8nA+TxLhDXaedYeo+WnKMUKOBSgUDF7UmKXFFAyaiimah
RRRQAJLuiUuS8Uad5sK3Cr8ycN9K66q15brPE8bDicyNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
V9YecYqTyQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8AVr1716Fo1mLPsreHHzbdfzU8mt6Mbyv
2OXEstGxp264WpwwFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YldLiBw45+tZOBIQkjBTODht9a
6rW7bzbQsOsZ3fhXLOJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxq3TlrUtSntlEQstuesUgyPw9KVI0y5gedBPPBs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UKcnvWs6lxlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKOQK66C925w4h3IYmQcVIBTVH
NPFamI7NFIOKWgBDQKKA0aAHUUUzUUKKKACiiigGQ3EYKjKkcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
OrdahgMBmoiCpPRRQwaOk8MwEWktwr/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//",
"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

7.0 ABHA verification

7.1 Login via Aadhaar OTP

Step 1: Generate OTP

This API accepts the encrypted ABHA number and then generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	Abha-number	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-login",
    "aadhaar-verify"
  ],
  "loginHint": "abha-number",
  "loginId":
    "eP7sVhb5mxtlleG1xKUUTYDvcUoVBFDewpYFcA+pwFAOTsvZ/yTEOgyCfRKXcUKG0fTvAjtU73OIR9aJAu2llr6FWM8pwcdWlvZgP8YR6+X/8
    rxvcuYYyGkBuWB6zoXeHE7ZwTDHNCUwEFyWlWbPnkbYJ+vbtYllyB7y3fRk+cJtB+ilq/IOQaLYZQoYqR4aTMutQaopWukaBRz1h/0LSFh2PI
    fOxfSMKymOFvS33OqVVmqQ6p9aajm5zuFW/dG86oeN5qFZHaPjN/dx2Rv0VWlLvAm8J+ZQGuJovm0OuPmfal+FZgbjJDLPMAmhUYm+
    WBv9GPqWbxt3sjYtQy2Th6y4j12Nw+O++9eKuWBMZ28Vdo6w/ulp1kmKzZvMdVUGp1piF6h/ru6r5k4nNT+C6ib6BB8rH8qcBs00nrX4WjzJ
    iVgOAuvvZxAsCMzAXf+cep6RXZgeg68ORouvoA9mCv2xyOWKAkc+eJ7Y6GcdT3Vvl0Kqa/awqUpY/Tsppk7RVGAN2w2RL+SX7/V6Sa7o2Gw
    JJJFgGhiehUWIHkX3yaCyS7wCIMFzeLHIC4bTPb0lyoyYnM3MxvPtWl6Rlq08eyZFSUeEhpa+nTfVPjok6j7p2WjBXRln4ynxwr4yYpiiONlgnHta
    ziUPvcW47B+sb28ZlqU1Gpldfcw8bXJrcHqc=",
  "otpSystem": "aadhaar"
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "01a71f23-b26f-463a-b54b-ea50446eae9", "message": "OTP is sent to Aadhaar registered mobile number ending with *****0161" } </pre>

Step 2: Verify OTP

This API accepts OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

[illegible]

7.2 Login via Aadhaar Number

Step 1: Generate OTP

This API accepts the encrypted Aadhaar Number and then generates OTP for Aadhaar linked ABHA number.

V3 URL: {{base url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	aadhaar	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-verify"
  ],
  "loginHint": "aadhaar",
  "loginId":
    "eP7sVhb5mxtileG1xKUUTYDvcUoVBFDewpYFcA+pwFAOTsvZ/yTEOgyCfRKXcUKG0fTvAjtU73OIR9aJAu2llr6FWM8pwcdWlvZgP8YR6+X/8
    rxvcuYYyGkBuwb6zoXeHE7ZwTDHNCUwEFyWLwBpNkbYJ+vbtYLlyB7y3fRk+cJtB+iQ/IOQaLYZQoYqR4aTMutqQaopWukaBRz1h/0LSFh2PI
    fOxfSMKymOFvS33OqVVmqQ6p9aajm5zuFW/dG86oeN5qFZHaPjN/dx2Rv0VWlLlvAm8J+ZQGuJovm0OuPmfal+FZgbjJDLPMAmhUYm+
    WBv9GPqWbxt3sjYtQy2Th6y4j12Nw+O++9eKuwBmZ28Vdo6w/ulp1kmKzZvMdVUGp1piF6h/ru6r5k4nNT+C6ib6BB8rH8qcBs00nrX4WjzJ
    iVgOAuvvZxAsCMzAXf+cep6RXZgeg68ORouvoA9mCv2xyOWKAkc+eJ7Y6GcdT3Vvl0Kqa/awqUpY/Tsppk7RVGAN2w2RL+SX7/V6Sa7o2Gw
    JIJFgGhihUWIHkX3yaCyS7wCIMFzeLHIC4bTPb0lyoyYnM3MxvPtWl6Rlq08eyZFSUeEhpa+nTfVPjok6j7p2WjBXRln4ynxwr4yYpiiONIgnHta
    ziUPvcW47B+sb28ZLqU1Gpldfcw8bXJrcHqc=",
  "otpSystem": "aadhaar"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "01a71f23-b26f-463a-b54b-ea50446eae9", "message": "OTP is sent to Aadhaar registered mobile number ending with *****0161" }</pre>

Step 2: Verify OTP

This API accepts OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

[illegible]

7.3 Login via Abha OTP

Step 1: Generate OTP

This API accepts the encrypted ABHA number and then generates OTP for Abha linked mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-number	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "mobile-verify"
  ],
  "loginHint": "abha-number",
  "loginId": "{{Abha_encryptedOutput}}",
  "otpSystem": "abdm"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "cef6460d-a068-4c84-ae78-407fe6ad13d4", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	mobile	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "loginHint": "mobile", "loginId": "{{Mobile_Encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244",
  "message": "OTP sent to mobile number ending with *****9260"
}
```

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated along with the list of ABHA numbers (ACTIVE and DEACTIVATED) linked with the mobile number.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

otpValue	Encrypted OTP value	Yes	
----------	---------------------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7",
  "authResult": "success",
  "message": "OTP verified successfully",
  "token":
    "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiI5ODcyNjk5MjYwIiwiaXNpZj2xpZW50SWQiOiJhYmhhLXByb2ZpbGUtYXBwLWFwaSIsInN5c3RibSI6IkFCSEEtTilslm1vYmIsZSI6Ij4NzI2OTkyNjAiLCJ0eXAiOiJ1cmFuc2ZlciIsImV4cCI6MTcwNzEyMzMywWiaWF0IjoxNzA3MTIzMDYzfQ.Jn9Xt0UuiVJ61-9paqnr0KWoy9T6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZj_
",
  "expiresIn": 300,
  "accounts": [
    {
      "ABHNumber": "91-2568-7073-XXXX",
      "preferredAbhaAddress": "guneetarora@sbx",
      "name": "Guneet Singh Arora",
      "gender": "M",
      "dob": "07-03-1997",
      "status": "ACTIVE",
      "profilePhoto":
        "/9j/zVr7GGNefc7jIEYzjFLKmwZNaotkU4A5qveRooztpXGY3lGe4RNU4kgBSM7j2Fen2MC29vHChJCKFyep964rSYkWcXUzKiqQF8xwgB/vc9QCvHHfHvXbWs8dxAs0EkcsbdHjcMDjigjrXo0YcsTgrT5pBMWWYnkX7yxtjnHIFVwvlbY5BuUj589iRzj061dj+YlCM5JqNh56O+CcsxBPpk4rUyZFKJ13zQHzE2fKg9Qp7e5x09acl6pco4IOSAQMjg4/MnPHTUdrJ5c/IE8HpVuSBJTuK/OMfOOCMDaVgRLFKrQGRgynuDmpw3FY32Sa3Km3fl3AHHB2/Nzz+WfnfLI/7pJbuXkbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2lzxj5j/EcADnPTtWzpOnzRafJJYhZJ0lwVbManoQAccgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGBG3dgY/Nf++gOatDGOKK82vFRloelSk3HUgcYnNRR239o38VpnG/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRSzRAxmJskAHAQTg5BAUdcZD5ycVJBrUqS+ZqViBJtCm4tC2SA24Bh98KPQFs/3T0oor0KjzeZnU2ModAwMwbnKsuPmX+E8d8DH1B6dKbp7Smwg81NknLvTH3WlyR+tFFMorz5Vgw6g1owS70Vs+xoopMS3Eb5W9qbJFHcgFwcJlDDqAQQf59DRRSgf/9k=",
      "kycVerified": true
    }
  ]
}
```

Step 3: Verify User.

This API accepts the ABHA number and transaction id, once both are validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify/user

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
T-token	Bearer {{token}}	Yes	Token received in login/verify API. Its' valid for 5mins.

V3 Body parameters:

Property Name	Value	Mandatory	Description
ABHANumber	AbhaNumber	Yes	14-digit ABHA number
txnId	9b4ce0f9-3a27-4598a02ab889479f4fb0	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login generated from Verify OTP step.

V3 Request Body:

Request Body
<pre>{ "ABHANumber": "{{AbhaNumber}}", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code :200 OK

```
{
  "token":
  "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI1MS00MTczLTMyNTMtNTQwNiIsImNsaWVudElkIjoieWJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjozOTI1LCJpYXQiOiE2NzZmZng5MjV9LnR4bklkIjoIODY1MjEzODgtZThkNS00NzJlLWVmYzEtYjEzE0ZDgyMGM4In0.OiNgxXenYMMliGNTx4OPr29qyXYBunUa3DSKyy2TRRWZNzFp1bW6CWNlz-9QbKnfgmDx449QMQmKwRxBnbaA9A9SmchriMgG1OWc6H1DittwzdUSfhUKNDABr1eHLbtXcbKqAAIhPhZ9uWw7nshhxKXkYmMWPGAUm9T-N746Lb4P1qQQfo6RQA7r4fq5g_6fyhFxnIz2_HV2XSVy3gyZZ3aJPmM0APZLMjLYbvkoXv8HXWcYXLXYW7EYdRCh8unJeY3Px2VDQvdsJr3z8jmsGsbltXTbymoJBo3rR243zO2u-wf1dEZuZbsiNko5Yeu67Mu2p3o6z6bAoMzK6crxcusOgw0kuAkUuC8md1Xy4-FD98TtUmETa5umWW3zs155_J4rk9cd1wmNPOMLRjCt5hRpqfXmrSWNatw61VdQp6enUAg9Kkf8eLLlaQFv_qSIKyhMgSFXjKk2PBU2nvC3L uDcqf_YxCxqzWx_c_rrzOLN2h6MzGYQgtXqf1gsrD_IQ7H14-BZwkrDeYMYsDSiZCFGqJfDJBLQNIfc7eZKGmkjTFz_IdUL4EaIJ3qX2TbIMCCW5UA2IYbLJPcIPaCLXApf2zpaOnZmBh Ur-8ycDYTCVnMt6XpZm7J5by-CacYa0v0rTN7H-RbJOEq3loLiooPf4dWZd4UUrTA",
  "expiresIn": 1800,
  "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI1MS00MTczLTMyNTMtNTQwNiIsImNsaWVudElkIjoieWJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjozOTI1LCJpYXQiOiE2NzZmZng5MjV9LnR4bklkIjoIODY1MjEzODgtZThkNS00NzJlLWVmYzEtYjEzE0ZDgyMGM4In0.OiNgxXenYMMliGNTx4OPr29qyXYBunUa3DSKyy2TRRWZNzFp1bW6CWNlz-9QbKnfgmDx449QMQmKwRxBnbaA9A9SmchriMgG1OWc6H1DittwzdUSfhUKNDABr1eHLbtXcbKqAAIhPhZ9uWw7nshhxKXkYmMWPGAUm9T-N746Lb4P1qQQfo6RQA7r4fq5g_6fyhFxnIz2_HV2XSVy3gyZZ3aJPmM0APZLMjLYbvkoXv8HXWcYXLXYW7EYdRCh8unJeY3Px2VDQvdsJr3z8jmsGsbltXTbymoJBo3rR243zO2u-wf1dEZuZbsiNko5Yeu67Mu2p3o6z6bAoMzK6crxcusOgw0kuAkUuC8md1Xy4-FD98TtUmETa5umWW3zs155_J4rk9cd1wmNPOMLRjCt5hRpqfXmrSWNatw61VdQp6enUAg9Kkf8eLLlaQFv_qSIKyhMgSFXjKk2PBU2nvC3L uDcqf_YxCxqzWx_c_rrzOLN2h6MzGYQgtXqf1gsrD_IQ7H14-BZwkrDeYMYsDSiZCFGqJfDJBLQNIfc7eZKGmkjTFz_IdUL4EaIJ3qX2TbIMCCW5UA2IYbLJPcIPaCLXApf2zpaOnZmBh Ur-8ycDYTCVnMt6XpZm7J5by-CacYa0v0rTN7H-RbJOEq3loLiooPf4dWZd4UUrTA",
  "refreshExpiresIn": 1296000
}
```

7.5 Login via Biometric

7.5.1 Login via FaceAuth

Step 1: Send Biometric Verification Request

API accepts ABHA number and then by verifying the account will send the face verification request to the application.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-face-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify"),
loginHint	ABHA number	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-face-verify"], "loginHint": "abha-number", "loginId": "{{Abha_Number Encrypted}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "FACE authentication request successfully sent." }</pre>

Step 2: Verify Face

This API accepts base-64 encoded face auth PID for the user which is generated by the Aadhaar RD service application. once the PID value is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-face-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify")

authMethods	face	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"), FACE("face"), BIO("bio"), IRIS("iris")
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
faceAuthPid	Base 64 encoded face auth Pid	Yes	PID value is base 64 encoded which is generated by the Aadhaar RD service application

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-face-verify"
  ],
  "authData": {
    "authMethods": [
      "face"
    ],
    "face": {
      "txnId": "{{txnId}}",
      "faceAuthPid": "{{Base-64-encoded_faceAuthPid}}"
    }
  }
}
```

V3 Response:

Response

Code: 200 OK

```

{
  "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7",
  "authResult": "success",
  "message": "Face verified successfully",
  "token":
    "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiI5ODcyNjk1MjYwIiwiaXNjaW50SWQ6OiJhYmhhLXByb2ZpbGUtYXBwLWFWaSI6N5c3RlbiSI6IjFCSEEtTilSI6Im1vYmIsZSI6Ij4NzI2OTkyNjAiLCJ0eXAiOiJ1cmFuc2ZlcnI6ImV4cCI6MTcwNzEyMzMywWiaWzF0IjoxNzA3MTIzMDYzZQ.Jn9Xt0UuiVJ61-9paqnr0KWoy9T6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZj_
  ",
  "expiresIn": 300,
  "accounts": [
    {
      "ABHNumber": "91-5568-7073-XXXX",
      "preferredAbhaAddress": "nilam11@sbx",
      "name": "Nilam Pratik Jadhav",
      "gender": "M",
      "dob": "07-03-1997",
      "status": "ACTIVE",
      "profilePhoto":
        "/9j/zVr7GGNefc7jIEYzjFLKmwZNaotkU4A5qveRooztpXGY3lGe4Rnu4kgBSM7j2Fen2MC29vHChJCKFyep964rSYkWcXUzKiqQF8xwgb/vc9QCVHHfHvXbWs8dxAs0EkcsbdHjcMDjjgrXo0YcsTgrT5pBMWWynkX7yxtjnHIFVwvIbY5BuUj589iRzj061dj+YlCM5JqNh56uO+CcsxBPpk4rUyZFKJ13zQHZE2fKg9Qp7e5x09acl6pco4IOSAQMJg4/MnPHTUdrJ5c/IE8HpVuSBJTuK/OMfOOCMDaOaVgRLFKrqGRgynuDmpw3FY32Sa3Km3fl3AHHB2/Nzz+WfnfLI/7pJbuXkbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2lzxj5j/EcAdnPttWzpOnzRafJJYhZl0lwVbManoQAccgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGbg3dgY/Nf++gOatDGOKK82vFRloelSk3HUgcYYnNRR239o38VpnG/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRSzRAxmJskAHaQTg5BAUdcZD5ycVJBrUqS+ZqViBJtCm4tC2SA2
    }
  ]
}

```

```

4Bh98KPQFs/3T0oor0kjeZnU2ModAwmWbnKsuPmX+E8d8DH1B6dKbp7Smwg81NknLvTH3WlyR+tFFMorz5Vgw6g1owS70Vs+xoopsMS3Eb5W9qbjFHcgFwcjIDDqAQQf59DRRSgf/9k=",
  "kycVerified": true
}

```

7.5.2 Login via FingerprintAuth

Note : List of UIDAI-approved biometric devices

- <https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric-devices.html>. (Kindly note that the list is updated by UIDAI periodically.)

Step 1: Send Biometric Verification Request

API accepts ABHA number and then by verifying the account will send the fingerprint verification request to the application.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-bio-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify"),
loginHint	ABHA number	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using public key

otpSystem	aadhaar	Yes	Otp system to verify login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	---------	-----	---

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-bio-verify"], "loginHint": "abha-number", "loginId": "{{ABHA_Number Encrypted}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "Fingerprint authentication request successfully sent." }</pre>

Step 2: Verify Fingerprint

This API accepts base-64 encoded Fingerprint auth pid for the user which is generated by the biometric device. Once the pid value is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-bio-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify")
authMethods	bio	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"), FACE("face"), BIO("bio"), IRIS("iris")
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
fingerprintAuthPid	Base 64 encoded bio auth PID	Yes	PID value is base 64 encoded which is generated by biometric device

Note: Checkpoints to generate fingerprintAuthPid:- Ir = 'Y'; (This Attribute should be passed as 'Y' otherwise it will give K-547 error) ra = deviceType; rc = 'Y'; de = 'N'; pfr = 'N'; text = '2.5' + ra + rc + Ir + de + pfr; wadh = Base64.stringify(sha256(text)) or Convert to SHA-256 and then to base64.

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-bio-verify"
  ],
  "authData": {
    "authMethods": [
      "bio"
    ],
    "bio": {
      "txnId": "{{txnId}}",
      " fingerprintAuthPid ": "{{Base-64-encoded_fingerprintAuthPid}}"
    }
  }
}
```

V3 Response:

```
Response
Code: 200 OK

{
  "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7",
  "authResult": "success",
  "message": "Bio verified successfully",
  "token":
    "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiI5ODcyNjk5MjYwIiwia2xpZW50SWQ9OiIhYmhhLXB5b2ZpbGUTYXBwLWFWaSlzInN5c3RlbSI6Ikc5EETiIsIm1vYmlsZSI6IjE4NzI2OTkyNjAiLCJOeXAI0iOiJ1cmFuc2ZlcilzImV4cCI6M2MwNzEyMzM2MywiaWF0IjoxNzA3MTIzMDYzFQ.Jn9Xt0UuiVJ61-9paqnrOKWoy9T6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZj_
",
  "expiresIn": 300,
  "accounts": [
    {
      "ABHANumber": "91-5568-7073-XXXX",
      "preferredAbhaAddress": "nilam33@sbx",
      "name": "Nilam Pratik Jadhav",
      "gender": "M",
      "dob": "19-03-1997",
      "status": "ACTIVE",
      "profilePhoto":
        "/9/j/zVr7GGNefc7jIEYzjFLkmwZNaotkU4A5qveRoootzpXGY3lGe4RNU4kgBSM7j2Fen2MC29vHChJCKFYep964rSYkWcXUzKiqQF8xwgb/vc9QCvHHfHvXbpyWs8dxAs0EkcsbdHjcMDjgjrXo0YcsTgrT5pBMWWynkX7yxtjnHIFVwvlbY5BuUj589iRzj061dj+YlCM5JqNh56O+CcsxBPpk4rUyZFKJ13zQHZE2fKg9Qp7e5x09acl6pco4IOSAQMjg4/MnPHTUdrJ5c/IE8HpVuSBJTuK/OMfOOCmdOaVgRLFKrqGRgynuDmpw3FY32Sa3Km3f13AHHB2/
/Nzz+WfNfLI/7pJbuXkbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2lzxj5j/EcAdNPtTzWpOnzRafJJYhZl0lvBm
anoQAcgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGBG3dgY/Nf++gOatDGOKKK82vFRloeISk3HUgcYnNRR239o38Vpn
G/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLSzRAXmJskAHaQTg5BAUdcZD5ycVJBrUqS+ZqViBjtCm4tC2SA2
4Bh98KPQFs/3T0oor0kjeZnU2ModAwMwbnKsuPmX+E8dDH1B6dKbp75mwwg81NknLhTVH3WlyR+TFFMorz5Vgw6g1
owS70Vs+xoopsMS3Eb5W9qbjFHcgFwcjIDDQaQQf59DRRSgf/9k=",
      "kycVerified": true
    }
  ]
}
```

7.5.3 Login via IrisAuth

Step 1: Send Iris verification Request

API accepts ABHA number and then by verifying the account will send the Iris verification request to the application.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-irisverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify"),
loginHint	ABHA number	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using public key

otpSystem	aadhaar	Yes	Otp system to verify login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	---------	-----	---

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-iris-verify"], "loginHint": "abha-number", "loginId": "{{Abha_Number Encrypted}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "Iris authentication request successfully sent." }</pre>

Step 2: Verify Iris

This API accepts base-64 encoded Iris auth PID for the user which is generated by the Iris device. Once the PID value is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-irisverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"), AADHAAR_FACE_VERIFY("aadhaar-face-verify"), AADHAAR_BIO_VERIFY("aadhaar-bio-verify"), AADHAAR_IRIS_VERIFY("aadhaar-iris-verify")
authMethods	iris	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"), FACE("face"), BIO("bio"), IRIS("iris")
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
irisAuthPid	Base 64 encoded iris auth PID	Yes	PID value is base 64 encoded which is generated by Iris Device

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-iris-verify"
  ],
  "authData": {
    "authMethods": [
      "iris"
    ],
    "iris": {
      "txnId": "{{txnId}}",
      "irisAuthPid": "{{Base-64-encoded_irisAuthPid}}"
    }
  }
}
```

V3 Response:

Response
<pre>Code: 200 OK { "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7", "authResult": "success", "message": "Iris verified successfully", "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5ODcyNjk5MjYwIiwia2xpZW50SWQ9OiIhYmhhLXByb2ZpbGUtYXBlWfwaSIsInN5c3RibSI6IkFCSEETiIsIm1vYmIsZSI6IjEzMTI2OTkyNjAiLCJ0eXAiOiJ1cmFuc2Zlcil9ImV4cCI6MTcwNzEyMzM2MywiaW50LjoxNzA3MTIzMDYzYzQ6Jn9xT0UuiVj61-9paqnrOKWoy9T6l6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZ_ ", "expiresIn": 300, "accounts": [{ "ABHANumber": "91-5568-7073-XXXX", "preferredAbhaAddress": "nilam11@sbx", "name": "Nilam Pratik Jadhav", "gender": "M", "dob": "27-03-1997", "status": "ACTIVE", "profilePhoto": "/9j/zVr7GGNefc7jIEYzjFLKmwZNaoTkU4A5qveRoootpXGY3lGe4RNU4kgBSM7j2Fen2MC29vHChJCKFYep964rSYkWcXUzKiqQF8xwgB/vc9QCvHHfHvXbWs8dxAs0EkcsbdHjcMDjigjrXo0YcsTgrT5pBMWWynkX7yxtjnHIFvwwlbY5BuUj589iRzjO61dj+YlCM5JqNh56O+CcsxBPpk4rUyZFKJ13zQHZE2fKg9Qp7e5x09acl6pco4IOSAQMJg4/MnPHtUdrJ5c/IE8HpVuSBJTuK/OMfOOCmdOaVgRLFKrqGRgynuDmpw3FY32Sa3f13AHHB2/ /Nzz+wFnfLI/7pIbuxKbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2IzXj5j/EcAdnPTtWzPOnzRafJJYhZl0IwVbM anoQAccgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGGB3dgY/Nf++gOatDGOKK82vFRloelSk3HUgcYnNRR239o38Vpn G/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRSzRAxmJskAHaQTg5BAUdcZD5ycVJBrUqS+ZqViBtCm4tC2SA2</pre>

```
4Bh98KPQFs/3T0oor0kজেZnU2ModAwmWbnKsuPmX+E8d8DH1B6dKbp7Smwg81NknLvTH3WlyR+tFFMorz5Vgw6g1
owS70Vs+xoopsMS3Eb5W9qbJFHcgFwcjIDDqAQQf59DRRSgf/9k=",
  "kycVerified": true
}
]
}
```

7.6 Find ABHA

7.6.1 Search ABHA using Mobile

7.6.1.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

7.6.1.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

Scope	abha-login, mobile-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "mobile-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "abdm", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "OTP sent to mobile number ending with *****6265" }</pre>

7.6.1.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login mobile-verify	Yes	Defines the scope of the current action of the API
authMethods	“otp”	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"),
txnId	“3585baee-eab3-4651-b2cb215ee4f4d181”	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	Otp received on mobile should be encrypted first

V3 Request Body:

Request Body

```
{
  "scope": ["abha-login", "mobile-verify"],
  "authData": {"authMethods": ["otp"],
    "otp": {
      "txnId": "{{otpTxnId}}",
      "otpValue": "{{rsaOtpEncryptionOutput}}"
    }
  }
}
```

V3 Response:

Response
200 OK

Gz3jSoTtKv29+IehaL4nTUMJIMEgfMRjB759vf3rxNZACDjmtSx1a4snDRu20NuKk0nED32Mh1BU5GM5qXGK5Twh4pg1mP7K6mO7ReV5wwHGRn+VdeF4rN6C18e1AqXbmkK47UANC0bakC0u2i4HmMn3jUdPmyJdXtBSGLS0lGaAlrq4S2geWRgqK MkmvPNW1P7fdM6AilcKD1rd8Xagu1bJHOeGfB/IVx7cn5fxqqrqAE/NmlwD3ojjaRtqjn1rQi01m6559Ku41FsoBSTtBOB60w xsPcV0cGkqpUsefpVoaZGw5QAdqTKi1TZy0YkXkA4pxXkHocV1Uelx7vmUY+ITDRosHCcH2p3D2bOVUjB7U4S4PA5rTu9HaB iyDI9Ky8MmVlwfUyGmtzV0/UpbW5SRZjhbPLISDjvzXsPhrxZYajCYTOyyq2AJW5Yex714TuKnJzVy3lyC245F51cR9LDDDjmlx

XJ/D7Vm1HQfJllLz2zbG3HJ2nkH+Y/CuurMQm2lxSqOaftoA8suhisq9X79Nrk1n0MYti7bVJoprjK4oA821NzPdyuzZYsTms9AX
clOpOK2NcjSG+dBnb165qnpNv5lxvl4FaLYaVzTtLJYkHc9zWnFEBiokGOMVct4yT0qZHRBFiKIHGRVvyl2AYp11KKBU689qzNBi
QAHmrJiUR8Dmmqpl4F5SmM7a0iSzNnjGTms65tI5hyozWxNGTKvUMRnAnqchc27W+4HkZ4pIFIA4wvrW5qlurxcEYPUVKR
s20lvKA9PWtEc8lZne/DiaWDW1SNvkmRg6no2ASK9fAyK8v8AAMa3t5A8ccUP2RckA5Lkjb9tXqK5xzWUtyBQKWilqQPMt
RYfjWYTV/UM+ZWfjFNjDNLsgJOOKAOE8TwGG/bIO1yWU/WnaVElrMzNgA1seKrdZrHzgw3RdvYkVl2kfnaXbpnA5z+Zq09C
o7if2hEjHmrdrGXAERwO+aIdDhkOGUc9wa0YtFs0j4mU47bqdl1NfeLtnclD9FwavrF6DNYsNxFYyBAygHoQa1rO8jeXazZX2
qHY0V+pDdPNbnclZz61mnXLpGktCp5xgzro7ualpwAynoKw5760VsMglB5G3NWmiJKQwasZT/AKps+wqOO/YPiRCVJ4lrVs9
S0x4cK6qc4C7lB/LOac6W8xyu049etEmrCSfco3NulxavgckcGuRIMdwQO1d0sWxcDp9a5PUbfy72VOh3ZHHY0oEVEdrM4
3k1x5Qfl+zsSFPgdyj/wCv+FetjpXNeB9Jj03w3aMi/PPGsrN655H866cCpk9TIAKXFKBTtSB5hqqhCSeKwpLyJScsK3dXjLqXnc
bOpVyDRJ2KSuXZNSjX7oJNU5r+WTgfkPaqxpuOam7KsMnBmiZWJORikgt2jsUCj7o7/WnnpTpEeSJFOXCKuBcUvOA89wVu2
kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2Kcl7mPJ59/qJlLMQTKZ
JO0dhmuQyNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jua16mklU8UkiZifBqhb289tJkhWOQsQulKXsforW5NaPbk7QS
BTliWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnyOFH0HatXyG3bQ3FSjTlxktk05SuSoWQKbOBisUrN
p9TIeY5KBmPpzXRG2VB0pptwXmMdm36c1EXZkyjQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilXsJrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBYCm0WmcefSkPFTTRlGOahrMsbV61ddi+wpjUkTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDt2ptvjKyzUdxc+WDydx9K0aNkyGz2WNo0Uk0cciE4Ynhhmt7R9ak+zhldXslcMmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5GAd1WoJ1IDEDCK5qoltcNEDJEB7ZGRTo0mibpxQ0NsfU00iB5lpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tAplGMnuatAVHbv5tvfJ/eQH9KnAp
HlxoFPAoAp1AjhhUFzbrNGQRU4p1UxnD6rphRiwFc/LGUy8V6fc2aTocjmuN1rThbsSBUNFJnOkUD07inEyPluzLRYtpsNhqS
SRAXeToOnrVUPtfl61lrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bFZq53AgjFWVKlJEmMegp3Ktsa4juzGP3qBR371E813E
+i8SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qjXPTNTJCTsWO4NddoHh21u9Phu52KdidgOAOQDj
B/KuShja4mjhjGXdgq/U8V6taW62tpDbqSVjQlCe+B1rN6GU5W2LCrgAdoKeBSAU6pMgoopaAOEFOpgNI80cYyzAfU1QEw
PFc14kTMRNXrrX7S3BG8MR2FcXqutG+yqrhaTY0jDbrTcVIRsbagOK8i4OaargHB6VZZPIOpkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHfIrZOarhmOMkY96fHl2wPu+tsWua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUBE7jV43Bz+tZMiaLwp1NHNOqSApaBS0AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9l2dsKpJ9q0bfS3BfnPYf1NEYt7DuZqRs5woJptVhLF8bnlUAZPeugj0xlUXcOT0VR1q39iAVo9q5ZeeOa2VDuLm
O1lZ3spbS3jjKmf5mdhtzt0HpURi39ua6TxPp5ks7S8CnNvJhVqK2Bn8wo/GsQJhs461Tjy7Fx1KhR14bketPjChuhBhtV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyIOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlVs2PBJrY8lzSvc2D
uWh2B4lz9w55A9ulZkkZI6V1ngvSXVJtQkBAIAWMedVHf86fVVKN3YzqGvaajPbny5T5gBwcjK+tbddvcx3C5Rvw71h3K5bKB
QXO4+4HA/PFPVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjJSRQyMCK55QcdxHxzDbyztjZj7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhWGPzH7dM1ejsG34xVCctPcbBnaOK2UFFCftYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quUCCeyiuYZLeQZilXacjpn+tcldWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHPVLUDhH1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSltJGMjHuO1QRrXJJNaM3TTJolT0qWCo6CokWp1UAZPAHepLG
8scVKKdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9lIbr5Q+4Pr6/y9q0jTlImU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVxKlyDOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJVdTuHH
65pY5TC4ZC0Z79wamLTB6k1CyAjdgaUop7iOckilcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRINQOPQVcV1ArahOIISI4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCr3oerGMktX5YwcD0NUzG4k8uNyMntWreSigPTGOoNYn2l3kKWq5bP
LdhQ0gLCggtaqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTwtKkccOxdqg9eOaaQEliBPKNJ6HFRyaZYXR/fwQOW6EoCarx
XLpCyKhyi/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdzrYysAvoAOp7Clyrs
F2TLtyYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTsIY87XF5sRiscfAUVVuEjvVY4xjHHFPsctI7Z5zUt0mAj
8Ek+tiZJ5KIAC4AMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCr85FZt
9epBCZnGccAdyfSiinLRAGh6XJK7XlYmSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVhbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFDXJu9UHQAmNDuwaKKHsBamUyzpvDECn3JVIzJO
AOM0UVQEwnjZiOCasXgymMA0UVix1p80W7JqO8TztcHJB5zRRTAkifi4PW05AwOQwx6ZoooEf/2Q=="
}
]
}

7.6.2 Search ABHA using Aadhaar

7.6.2.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

7.6.2.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "aadhaar-verify"] }</pre>

```

    },
    "loginHint": "index",
    "loginId": "{{Index_Encryption}}",
    "otpSystem": "aadhaar",
    "txnId": "{{txnId}}"
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "OTP sent to Aadhaar registered mobile number ending with *****6265" } </pre>

7.6.2.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-verify	Yes	Defines the scope of the current action of the API
authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")

txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA.
			Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	Otp received on mobile should be encrypted first

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": {"authMethods": ["otp"], "otp": { "txnId": "{{otpTxnId}}", "otpValue": "{{rsaOtpEncryptionOutput}}" } } }</pre>

V3 Response:

Response
200 OK

```
{
  "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34",
  "authResult": "success",
  "message": "OTP verified successfully",  "token":
  "eyJhbGciOiJSUzUxMij9.eyJpc0t5Y1ZlcmImaWVkljp0cnVlCjZdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiHjoiY
WJoYS1wcm9maWxlWFwC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkIiwibW9iaWxli
oiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImByZWZlcnJlZEFiaGFhZGRyZXRzIjo
iOTExMzc2N
zAwNjUyNTIAC2J4liwidHlwIjo
iVHJhbnNhY3Rpb24iLCJleHAiOiE3MjEzODkyNDgslmIhdCI6MTcyMTM4NzQ0OCwidHhuSW
QiOiI3NzViNmExMS1YTA1LTQ5ZTI0ODY2MS1mOWFhODU1Y2FkMzQifQ.Bw0NXK2Z1AbCDrehPT8fEcCbNOCJGYBUx2eVf
zMm1RvK85OxoeGaZPKYc2hIke3wtFkv_BHt45Cfhr-
2Cncb73Kto9NFxPV8M9r9C1NnVlVxb7beAjHHCTrNS0XW4bID3EdVWllkRwbrRSA4HOKBpNphCbth5IG9f8NFyd0Aovp4fv
AJgOi2sTo5JDJdg5GweeSYZSXqQNKK1oDCq_UcuuDG3-
P4gfl1r6K3QKPBecHF1mmet7iSjopRDPuQuSuvZfG7k1QoDitV2RzXTY-
F9_Em9QmIvzbNjXvBz5T42DZBZa4QTcdBw9KqJwBlSL_oCxlQEHDHh1_VH8YO_KmkqIMWpYto09ix34xiZh8LIQKFLFboF
PtndwL9Y6Ucl35zeTNQI9GSI7x3CKQJmGv_ICRyWZXBDELUPeB2d2fiwQmaPkXTvNnTbGwEi0H8Qv--n-L4-
pERFbmAXqsO4PGf2aRrzz1AOAbJXE1VaVQJP3rOysXL71pTRL8ELF6kmq8tRE_nwBbYI7BQRnHPZ6StGS7cm9C1VYZpyVy22
qX6YslGAmlosTwOcB-
96dEri31WXZRGtYSV_74iNDCBZ3CDUMbBLjtGIRf7UZhmB8Xlx8nuF7qt0WnNtwqoIAtdcQtRWZA3S8BRDiTslyfjHIVmNSvP
d5n3u_rBD-kml",  "expiresIn": 1800,  "refreshToken":
  "eyJhbGciOiJSUzUxMij9.eyJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiHjoiYWJoYS1wcm9maWxlWFwC1hc
GkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjozNzlyNjgzNDQ4LCJpYXQiOiE3MjEzODc0NDh9.WKYqR
LsamNnDCfXU2OqWUHYzeoe_TnI9IL16Y62kdZByuBIhwc9nw8KD6M_xZjEmy8aEnGTmwoQPRq4b1OLiy7m9Dqlbq4fDo_
LsDHikWFqhvNSgNSLD04RQ2TiMOnXkRjOUUpF3TgvUeoVOPfi8Q55fLLRFgN5Tuzay0xVyFMZYL-
KW38_h1OU2KyMjErSjrR2su7XdUc0rxMsoDnRGyvZvJW1iRgUfG00WahT4HpMa1rrYHhOQOEi8RM92zvycjTj4kxwB4HJra
K4XHmFwHAQI_WddrM940c1-
1y3DnTjITomgGmn5ym3DI_IHFe0uqQKAAnaLrMFPJvAFxg19bVGN0ipEKDgmyV5reJo2TDPULjls8Kis8f9-
PVo03cQxJ7krOXc8bqmqkqilYINdC-JcwDxZE8m5SYVSISnbQK7HGLHWZuuPnyp1-
5iWT1JtUcdJ0CzGOSOVAltmTSdqqtWV5p8HguO9jNh6znXrrZy0BHzMtY4D5Z169dqCU76ULXtLyATQBSFPP7A-
HRSqcAiJ4jHU-NSYsbJSzgD2ryq78pK14LXA-N_Dcohp80Qsd_2f7H_fs2csRglZL3A-
zqyunUId0ekfv2onySSGYOLib4Iz30Nb8IfM-Ysrm4JT3SkVPu_QgKZ00NNM62ZwduufrICdfeCDJboH67zQQQ",
  "refreshExpiresIn": 1296000,
```


[illegible]


```
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCR3oerGMktx5YwcD0NUzG4k8uNyMntWreSigPTGOoNYn2l3kKWq5bP
LdhQ0gLCggtAqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQELiBPKnJ6HFRyaZYXR/fwQOw6EoCarx
XLPcyKhyi/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdZrYysAvoAOp7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTsIY87XF5sRiscfAUVVuEJvVY4xjHHFPsctl7Z5zUt0mAj
8Ek+tIzJ5KIAC4FMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwjNSOKxtVCr85FZt
9epBCZnGccAdyfSiinLRAGh6XJK7XlyMSSHIBHQdq3ry5js4cO30oooStG4GEBcapKBhkh6AdzW5YaVHbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSGNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JvlzJO
AOM0UUVQEWnjZiOCasXgymMA0UVlx1p80W7JqO8TZtcHJB5zRRTAkifl4PW05AwOQwx6Zooof/2Q=="
    }
  ]
}
```

7.6.3 Search ABHA using Biometrics

7.6.3.1 Search ABHA using Biometric (Face)

7.6.3.1.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

7.6.3.1.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

Scope	abha-login, aadhaar-face-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "aadhaar-face-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "aadhaar", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "FACE authentication request successfully sent. " }</pre>

7.6.3.1.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-face-verify	Yes	Defines the scope of the current action of the API
authMethods	"face"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
faceAuthPid	Generated FaceAuthPid Value	Yes	Face auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-face-verify"], "authData": {"authMethods": ["face"], "face": { "txnId": "{{otpTxnId}}", "faceAuthPid": "{{faceAuthPid}}" } } }</pre>

V3 Response:

Response
200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "authResult": "success", "message": "FACE verified successfully ", "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklj0cnVlLCJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkljoiY WJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkIiwibW9iaWxllj oiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXliOiI5MS0xMzc2LTcwMDYtNTI1OSIsInByZWZlcnJlZEFiGFZGRyZXRyZjoiOTExMzc2N zAwNjUyNTIAC2J4IiwidHlwIjoiVHJhbnNhY3Rpb24iLCJleHAiOiE3MjEzODkyNDgsImIhdCI6MTcyMTM4NzQ0OCwidHhuSW QiOiI3NzViNmExMS1YTA1LTQ5ZTItODY2MS1mOWFhODU1Y2FkMzQifQ.Bw0NXK2Z1AbCDrehPT8fEcCbNOCJGYBUx2eVf zMml1RVK85OxaoGaZPKYc2hlke3wtFkv_BHt45Cfhr- 2Cncb73Kto9NFxPV8M9r9C1NnVILvXb7beAjJHCTrNS0XW4bID3EdVWIlkRwbRSA4HOKBpNphCbth5IG9f8NFyd0Aovp4fv AJgOi2sTo5JDJdg5GweeSYZSXqQNKk1oDCq_UcuuDG3- P4gfl1r6K3QKPbEcHF1mmet7iSjopRDPUQuSuvZfG7k1QoDitV2RzXTY- F9_Em9QmIvzbNJXvBz5T42DZBZa4QTcDbw9KqJwIBLsL_oCx1QEHdDHh1_VH8YO_KmkqIMWpYto09ix34xiZh8LIQKFLFboF PtndwL9Y6Ucl35zeTNQI9GSI7x3CKQJmGv_ICRyWZXBXDELUPeB2d2fiwQmaPkXTvNnTbGwEi0H8Qv--n-L4- pERFbmAXqsO4PGf2aRzz1AOAbJXE1VaVQJP3rOysXL71pTRL8ELF6kmq8tRE_nwBbYI7BQRnHPZ6StGS7cm9C1VYZpyVy22 qX6YslGAmlosTwOcB- 96dEri31WXZRGtYSV_74iNDCBZ3CDUMbBLjtGIRf7UZhmB8Xlx8nuF7qt0WnNtwqoIAtdcQtRWZA3S8BRDiTsYfJfHlVmNSvP d5n3u_rBD-kml", "expiresIn": 1800,</pre>

"eyJhbGciOiJIUzUxMiJ9.ejYzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkIjoiyWJoYS1wcm9maWxILWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjoxNzlyNjgzNDQ0LCJpYXQiOiE3MjEzODc0NDh9.WKYqR
LsamNnDCfXU2OqWUHYzeoe_TnI9IL16Y62kdZByuBIhwc9nw8KD6M_xJzEmy8aEnGtmwoQPRq4bl1OLiy7m9Dqlbq4fDo_
LsDHikWFqhvnSgNSLD04RQ2TiMonXkrJOUpF3TgvUeoVOPFi8Q55fLRFgN5TuzayOxVyFMZYL-
KW38_h1OU2KyMjErSjrR2su7XdUc0rxMsoDnRGyvZjW1iRgUfGO0WahT4HpMa1rrYHhOQOEi8RM92zvycjTj4kxwB4HJra
K4XHmFwHAQI_WddrM940c1-
1y3DnTjITOmGmn5ym3DI_IHFe0uqQKAAAnaLrMFpJvAFxg19bVGN0ipEKDgmyV5reJo2TDPULjls8Kis8f9-
PVo03cQxJ7krOXc8bmqmkqilYINdC-JcwDxE8m5SYVSISnbQK7HGLHWZuuPnyp1-
5iWT1JtUcdJ0CzGOSOVALtmTSdqqtWV5p8HguO9JNh6znXrrZy0BHzMtY4D5Z169dqCU76ULXtLyAtQBSFPF7A-
HRSqcAiJ4jHU-NSYsbJSzgD2ryq78pK14LXA-N_Dcohp80Qsd_2f7H_fs2csRgiZL3A-

```
"refreshExpiresIn": 1296000,
```

```
{
  "ABHANumber": "91-1376-7006-XXXX",
  "preferredAbhaAddress": "narayananxxx@sbx",
  "name": "Narayanan Madaswamy",
```

"profilePhoto":

7j/4AAQSKZJRgABAgAAQAABAAD/2wBDAAGBgGcGBQcHBWcJCQgKDBQNDA5LDBKSEw8UHrOfHh0aHBWJc4nC1sIswx
 KDcpLDAXNDQ0Hyc5PTgyPC4zNDL/2wBDAQKJCQwLDBgNDRgyLRwhMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjly
 yMjlyMjlyMjlyMjlyMjL/wAARCAIAKADASIAAhEBAxEB/8QAHwAAAQUBAQEBAQEAAAAAAAAAAAECAwQFBgcICQoL/8Q
 AtRAAAgEDAwIEAwUFBAQAAAF9AQIDAAQRBRIhMUEGE1FhByJxFDKBkaEII0KxwRVS0fAkM2JyggkKFhcYGRolJicoKSo0NTY
 3ODk6Q0RFRkdISUpTVFVWV1hZWmNkZWZnaGlqc3R1dnd4eXqDhIWGh4iJipKTlJWWl5iZmqKjpKWmp6ipqrKztLW2T7i5u
 sLDxMXGx8jJytLT1NXW19JZ2uHi4+Tl5ufo6erx8vP09fb3+Pn6/8QAHwEAAwEBAQEBAQEBAQAAAAAAAAECAwQFBgcICQo
 L/8QAtREAAgECBAQDBAcFBAQAAQJ3AAECAxEEBSExBhJBUQdhcRMiMoEIFEKRobHBCSMzUvAVYnLRChYkNOEl8RcYGRo
 mJygpKjU2Nzg5OkNERUZHSElKU1RVVldYWVpjZGVmZ2hpanN0dXZ3eHl6goOEhYaHilmKkpOUlZaXmJmaoqOkpaanqKmqs
 rOOtba3Ulm6wsPExcHyMnK0tP1dbX2Nna4uPk5ebn6Onq8vP09fb3+Pn6/9oADAMBAAIRAxEPAPwBs0hBqsE1P0PDGq
 yfJLSCnCGaFObXSUUghBbqKXqnetRfVCfXNkNm+VsDFIDctryBAJRyhlDqDXmsniyx15BducYUw+y8rHMqyWrrETjYcHyf/8Ar
 1VmJ9CQWnba5+28U2Eip++Xvnt6t5Ww+oW04Qxz128/Kdw5oQoFolInfbalyEAEE07rQAOLRin4pW6jBmKXFP0CUtKjEKMjVito
 20Aef3TzC1VqecguahpDAUtFLSAKM460Vh6/qbWkQjijDnuD/n3oSuBX1nXGgIkghkKbMcpg5Nctc6j3P8ArZ3ftyaqvIXkZjYs
 c1GTgHmtVGWd+nJjZThkd+1M5UBsU0SfNkimBp22p3EBUhz8vTNXIdYulX3xSuhGSdrEdaxUbeuOmkcvj+9zRYDsBhxrqsFx
 Gz3jSoTtkV29+lehaL4nTUMJIMEgfMRjB759vf3rxNZACDjmtSx1a4snDRu20NUkk0nED32Mh1BU5GM5qXGK5Twh4pg1mP
 7K6mO7ReV5wwHGRn+VdeF4rN6C18e1AqXbmkK47UANCobakC0u2i4HmMn3jUdPmyJDXtBSGLS0lGaAlrq4S2geWRgqK
 MkmvPNW1P7fdM6AilcKD1rd8Xagu1bJHOeGfB/IVx7cn5fxqorqAE/NmlwD3oijaRtqjn1rQ01m6559Ku41FsoBSTtBOB60w
 xsPcV0cGkqpUsefpVoaZGw5QAdqTKi1TzyOYkXA4pxXkHOCv1Uelx7mUY+ITDRosHCCH2p3D2bOVUjB7U454PA5rTu9HaB
 iyDI9Ky8MmVlwfcUyGmtzV0/UpbW5SRZHjbPLISIdjvzXsPhrxZyajCYTOyyq2AJW5Yex714TukNjzVy3IlyC245FS1cR9LDDDJmlx
 XJ/D7Vm1HQfJILL2z2bG3HJ2nkH+Y/CuurMQm2lxSqOaftoA8suhiSq9X79Nrkn1n0MYtl7bVJoprjK4oA821NzPdyuzZYsTms9AX
 clOpOK2NcjSG+dBnb165qnpNv5lxvl4FaLaVzTtLjYkHc9zWnFEBiokGOMVct4yT0qZHRBFiKHGRVvyl2AYpl1KKBU689qzNBI
 QAHmrjiUR8Dmmmqj4FSm7a0iSzNnjGTms65tl5hyozWxNGTKvUMRNAncqhc27W+4HkZ4pIFIA4wvrW5qlurxkEYPUVR
 s20lvKA9PWtEc/8Wfne/DiaWDL51SNkvmRg6no2ASK9fAyK8vA8Ama3t5A8ccUP2RcdARLkjb9nTQdKX5xzWUtyBQKWilqZPM
 rYfJWYTW/Um+ZlfJfJNDLSGJOOKA0E8twGG/bIo1yWU/WnaAEitrMzNgA1seKrdZHzgw3RdvYKv12kfnaXbqnAK5+Qp09C
 o7if2hEjHmrrdrGXAERWo+aldDhkOGUc9wa0Ytf5oj4mU47bqdl1NfeLtncLDg9FwavrF6DNysNxFFyBAygHoQa1rO8jeXazX2
 qHY0V+pDdPNbnciZz61mnXLpGkTCp5xgZro7ualpwAynoKw5760VsMglB5G3NWmiJKQwasZT/AKps+wgOO/YPIrCVJ4IrVs9
 S0x4cK6qc4C7IB/LOac6W8xyu049etEmrCSfco3NulxavgckcGuRIMdwQO1d0sWxcDp9a5PUbfy72VOh3ZHHY0oEVEdr8M4
 3k1x5Qfl+zsSFPgdjy/wCv+FetjXNeB9j03w3aMi/PPGsrN655H866cCpk9TIAXFKBtttSB5hqqhCSeKwpLyJScsK3dXjLqxNc
 bOpVyDRJ2KSuXZNSjX7oJNU5r+WTgFKPaqxpuOam7KsMnBmiZWJORikt2jsUCj7o7/WnnpTpEeSJFOXCKuBcUVoA89wVu2
 kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2Kcl7mPJ59/qJLLMQTKz
 JOOdhmuy0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jua16mkIKU8UKiZifBgqhb289tJKhWOQSqUlKXsfoRW5NaPbk7QS
 BTliWsiEj8aluw3G5hWWh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnYOFH0HatXyG3bQ3FSjTlxktk05SuSoWQKbcOBisUrN
 p9TiEY5KBmPpzXRG2VB0pptwXMMOdm36c1EXZkyjfQ9L0SS3m0e0Nsu2ERhVXGMY4x+IaYfc94Mt3h0MF+kkhZee2AP5g
 10YFI5pKzsJilxSjrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBjYcm0WmcefskPFTTRIGoahrMsbv61ddi+wqjUkTYwKuG5Udz
 UK+Y3HSi4tVulGhY4DDT2ptvJkYzUdxc+Wdydx9K0aNkyGz2WNo0U0ccieY4nnhmt7R9ak+zhIdXslCmMfUcjNcm0Us8grckf
 yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5Gd4Woj1IDEDck5qoltcNEDJEBjB8rTQ0mibpxQ0NSfU00iB5IpZFkIMRT
 cDdwfens4bipehaaZASSuBQTLlNykh8v+8P5U6RhuWgkCjYpZ3c4QjTnvXQ9VsLYfjBjB8rTQ0mibpxQ0NSfU00iB5IpZFkIMRT
 HlXoFPAAopA1AjhhUzZbbrNGQRU4p1UxnD6phRiWfC/LGU9H5V6fc2aTocjmuN1rThbsBUNfJnOkODO70inEYpKluzLRtYpsNhqS
 SRAXeToOnrVUPtfl61IrKzbmPFbmlwgupj/kiT2+Y4rVgt7hVDS6K3bFzq53AgjFWVklLjEmMegp3KTsa4juzGP3qBR371E813E
 +I8SGkt/tGCG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qJXPTNTJCTsWo4NddoHh21u9Phu52KJdidgOAQD

B/KuShja4mjhjGXdgq/U8V6taW62tpDbqSVjQICe+B1rN6GU5W2LCrgADoKeBSAU6pMgoopaAOEFOPgNI80cYyzAfU1QEw

```
PFc14kTMRNXrrX7S3BG8MR2FcqxutG+yqrhaTY0jDbrTcVIRSBagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHFlrZOarhmOMkY96fHl2wPu+tsWua+jP8A8TizY9
BOn/oQr1IeleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSAPA50AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9l2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqRs5woJpVhLF8bniUAZPeugi0xIUxcOT0VR1q39iAvo9q5ZeeOa2VDuLm
Ol1Z3spbS3jjKmF5mdhztz0HpURi39ua6TxPp5ks7S8CnNvJhvQK2Bn8wo/GsQJhs461Tjy7Fx1KhR14bketPjChuhBHTV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyIOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlsV2PBJrY8IzSvcz2D
uWh2B4lz9w55A9ulZkkZI6V1ngvSXVJtQkBAIAWMEdVHf8f6VVKN3YzqGvaajPbny5T5gBwcjkH+tbdvxc3C5Rvw71h3K5bKB
QXO4+4HA/PFPVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjLSRQyMCK55QcdxHzxDbyztjjZ7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhwGPzH7dM1ejsgE34xVCctPcbBnaOK2UFFCftYWmIMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quUCCeyiuYZLeQZilXacjpn+tcLdWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHpvLUdHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFrvQL/TnPmRGSltJGMjHuO1QRrXJJNaM3TTJolT0qwCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9llb5Q+4Pr6/y9q0JlImU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVvXlyDOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJvdtJHH
65pY5TC4ZC0Z79wamITB6k1CyAjdauOp7iOciJcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRiNQOPQVcV1ArahOISi4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCR3oerGMktx5YwcD0NUzG4k8uNyMntWreSlgPTGOoNyn2I3kKWq5bP
LdhQ0glcggtAqLl5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQELiBPknJ6HFRyaZYXR/fwQOw6EoCarx
XLpCyKhyj/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mWvBgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdFZrYysAvoAOp7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTsIY87XF5sRiscfAUUVuEjvVY4xjHHFPsctI7Z5zUt0mAj
8Ek+tIzJ5KlAcA4FMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCr85Fzt
9epBCZnGccAdyfSiinLRAGh6XJK7XlyMSSHIBHqDq3ry5js4cO30oooStG4GEBcapKBhkh6AdzW5YaVhbqG2nPvRRSsir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JVizjO
AOM0UVQEwnjJZiOCasXgymMA0UVlx1p80W7JqO8TztcHJB5zRRTAkifi4PW05AwOQwx6ZooEf/2Q=="
}
]
}
```

7.6.3.2 Search ABHA using Biometric (Fingerprint)

Note : List of UIDAI-approved biometric devices

- <https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric-devices.html>. (Kindly note that the list is updated by UIDAI periodically.)

7.6.3.2.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

7.6.3.2.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-bio-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"),
			AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "aadhaar-bio-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "aadhaar", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34",
  "message": "Fingerprint authentication request successfully sent. "
}
```

7.6.3.2.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-bio-verify	Yes	Defines the scope of the current action of the API
authMethods	"bio"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
fingerPrintAuthPid	Generated Fingerprint AuthPid Value	Yes	Fingerprint auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body

```
{
  "scope": ["abha-login","aadhaar-bio-verify"],
  "authData": {"authMethods": ["bio"],
    "bio": {
      "txnId": "{{otpTxnId}}",
      "fingerPrintAuthPid": "{{fingerPrintAuthPid}}"
    }
  }
}
```

V3 Response:

Response
200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "authResult": "success", "message": "BIO verified successfully ", "token": "eyJhbGciOiJSUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklj0cnVILCJzdWl5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkljoiYWJlY1wcm9maWxILWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkIiwibW9iaWx1IjoiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXIiOiI5MS0xMzc2LTcwMDYtNTI1OSIsImByZWZlcnJlZEFiaGFhZGRyZXNzIjoiOTExMzc2NzAwNjUyNTIAC2J4liwidHlwIjoiVHJhbnNhY3Rpb24iLCJleHAiOiE3MjEzODkyNDgsImhdCI6MTcyMTM4NzQ0OCwidHhuSW</pre>

[illegible]

```
kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2KcL7mPJ59/qjILMQTkZ
JO0dhmuq0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jua16mkIkU8UkiZifBqhb289tJKhWOQSQUIkXsfoRW5NaPbk7QS
BTiIWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnYOFH0HatXyG3bQ3FSjTlxktk05SuSoWKQbcOBisnUrN
p9TiEY5KBmPpzXRG2VB0pptwXMMOdm36c1EXZkyjfQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilxSjrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBYCm0WmcefSkPFTTRlGOahrMsbV61ddi+wqjUkTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDt2ptvJkYzUdxc+WdYdx9K0aNkyGz2WNo0Uk0cciE4Ynhhmt7R9ak+zhIDxSlcMmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmx3rCYW7Wp5GAd1WoJ1IDEDCK5qoltcNEDJEB7ZGRTo0mibpxQ0NSfU00iB5lpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tApIGMnuatAVHbv5tvFJ/eQH9KnAp
HlxoFPAAp1AjhhUFzbrNGQRU4p1UxnD6rphRiwFc/LGUY8V6fc2aTocjmuN1rThbsSBUNFJnOkUD07inEYpKluzLRYtpsNhqS
SRAXeToOnrVUPtfl61IrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bfZq53AgjFWvklLjEmMegp3KTsa4juzGP3qBR371E813E
+18SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qJXPTNTJCTsWO4NddoHh21u9Phu52KdidgOAOQDj
B/KuShja4mjhjGXdgq/U8V6taW62tpDbqSVjQICe+B1rN6GU5W2LCrgADoKeBSAU6pMgoopaAOEFOpgNI80cYyzAfU1QEw
PFc14kTMRNXrrX7S3BG8MR2FcxqtG+yqrhaTY0JDbRtCvIRSbagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHFlrZOarhmOMkY96fHl2wPu+tsWua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSAPA50AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9I2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqrs5woJpTvhLF8bnlUAZPeugj0xIUxCoT0VR1q39iAVo9q5ZeeOa2VDuLm
OI1Z3spbS3jjKmf5mdhztz0HpURi39ua6TxPp5ks7S8CnNvJhvQK2Bn8wo/GsQJhs461Tjy7Fx1KhR14bketPjChuhBHTV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHylOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlsV2PBJrY8IzSvz2D
uWh2B4Iz9w55A9ulZkkZi6V1ngvSXVJtQkBAIAWMEDVHf8f6VVKN3YzqGvaajPbny5T5gBwcjkH+tbdvxc3C5Rvw71h3K5bKB
QXO4+4HA/PPFVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjISRQyMCK55QcdxHxzDbyztjZj7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhWGPzH7dM1ejsG34xVCctPcbBnaOK2UFFCfYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmpZe55quUCCeyiuYZLeQZilXacjpn+tcLdWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHpvLUdHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSltJGMjHuO1QRrXJNaM3TTJolT0qwCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9llbr5Q+4Pr6/y9q0jTIlmU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVxXlyDOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pjVdTuJHH
65pY5TC4ZC0Z79wamITB6k1CyAjgdaUop7iOckijcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRiNQOPQVcV1ArahOIISi4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCR3oerGMktx5YwcD0NUzG4k8uNyMntWreSigPTGOoNyn2I3kKWq5bP
LdhQ0glCggatAqL5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQELiBPKnJ6HFRyaZYXR/fwQQw6EoCarx
XLPcyKhyj/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdfZrYysAvoAOp7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTslY87XF5sRiscfAUUVVUEjvVY4xjHHFPsctI7Z5zUt0mAj
8Ek+tIZJ5KIAcA4FMQnGcYI96sRNLcH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCR85FZt
9epBCZnGccAdyfiinLRAGh6XJK7XlyMSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVhBgG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JVIzJO
AOM0UVQEwNjZiOCasXgymMA0UVlx1p80W7JqO8T2tchJB5zRRTAkifi4PWo5AwOQwx6ZoooEf/2Q=="
}
]
}
```

7.6.3.3 Search ABHA using Biometric (IRIS)

7.6.3.3.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

7.6.3.3.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-iris-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body


```
{
  "scope": [
    "abha-login",
    "search-abha",
    "aadhaar-iris-verify"
  ],
  "loginHint": "index",
  "loginId": "{{Index_Encryption}}",
  "otpSystem": "aadhaar",
  "txnId": "{{txnId}}"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "IRIS authentication request successfully sent. " }</pre>

7.6.3.3.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-iris-verify	Yes	Defines the scope of the current action of the API

authMethods	"iris"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
irisAuthPid	Generated Iris AuthPid Value	Yes	Iris auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-iris-verify"], "authData": { "authMethods": ["iris"], "iris": { "txnId": "{{otpTxnId}}", "irisAuthPid": "{{irisAuthPid}}" } } }</pre>

V3 Response:

Response
200 OK

1VmI9QWnba5+28U2Eip++Xnvnt61sW+oW04QxzI28/Kdw5oQFoLinbfalyAcE07rQA0LRin4pwWgBmKXFPC0uKYeEKMVJto
20Aef3TZc1VqecguahpDAUtFLSAKM460Vh6/qbWkQjijDnuD/n3oSuBX1nXGgIkgkhKbMcpG5Nctc6jd3P8ArZ3fyaqvIXkZjYs
c1GTgHmtVGwD+nJjZThkd+1M5UBsU0SfNkimBp22p3EBUhz8vTNXIdYulX3xSuhGSdrEdaxUbeuOmKcvJ+9zRYDsbHxrqsFx
Gz3jSoTtkv29+lehaL4nTUMJIMEgfMRjB759vf3rxNZACDjmtSx1a4snDRu20NuKkOnED32Mh1BU5GM5qXGK5Twh4pg1mP
7K6mO7ReV5wwHGRn+VdeF4rN6C18e1AqXbmkK47UANC0bakC0u2i4HmMn3jUdPmyJdXTBSGLS0lGaAlrq4S2geWRgqK
MkmvPNW1P7fdM6AilcKD1rd8Xagu1bJHOeGfB/IVx7cn5fxqorqAE/NmlwD3ojjaRtqjn1rQi01m6559Ku41FsoBSTtBOB60w
xsPcV0cGkqpUsefpVoaZGw5QAdqTki1TZy0YkXkA4pxXkHocV1Uelx7vmUY+ITDRosHCcH2p3D2bOVUjB7U4S4PA5rTu9HaB
iyDI9Ky8MmVlwfUyGmtzV0/UpbW5SRZJhbPLISDjvzXsPhrxZYaiCYTOyyq2AJW5Yex714TuKnJzVy3lyC245F51cR9LDDDjmlx

```
XJ/D7Vm1HQfJllLz2zbG3HJ2nkH+Y/CuurMQm2lxSqOaftoA8suhisq9X79Nrk1n0MYti7bVJoprjK4oA821NzPdyuzZYsTms9AX
ciOpOK2NcjSG+dBnb165qnpNv5lxvl4FaLYaVzTtLJYkHc9zWnFEBiokGOMVct4yT0qZHRBFiKIHGRVvyl2AYp11KKBU689qzNBi
QAHmrJiUR8Dmmqpl4F5SmM7a0iSzNnjGTms65ti5hyozWxNGTkvUMRnAnqchc27W+4HkZ4pIFIA4wvrW5qlurxcEYPUVkR
s20lvKA9PWtEc8lZne/DiaWDW1SNvkmRg6no2ASK9fAyK8v8AAMa3t5A8ccUP2RckA5Lkjb9tXqK5xzWUtyBQKWilqQPMt
RYfjWYTV/UM+ZWfjFNjDNLsgJOOKAOE8TwGG/bIO1yWU/WnaVElrmZNgA1seKrdZrHzgw3RdrvYkVl2kfnaXbpaA5z+Zq09C
o7if2hEjHmrdrGXAERwO+aIdDhkOGUc9wa0YtFs0j4mU47bqdl1NfeLtnCLd9FwavrF6DNYsNxFYyBAygHoQa1r08jeXazZX2
qHY0V+pDdPNbnCiz61mnXLpGktCp5xgzro7ualpwAynoKw5760VsMglB5G3NWMiJKQwasZT/AKps+wqOO/YPiRCVJ4IrVs9
S0x4cK6qc4C7lB/LOac6W8xyu049etEmrCSfco3NulxavgckcGuRIMdwQO1d0sWxcDp9a5PUbfy72VOh3ZHHY0oEVEdrM4
3k1x5Qfl+zsSFPgdyj/wCv+FetjpXNeB9Jj03w3aMi/PPGsrN655H866cCpk9TIAKXFKBTtSB5hqqhCSeKwpLyJScsK3dXJLqNc
bOpVyDRJ2KSuXZNSjX7oJNU5r+WTgfkPaqxpuOam7KsMnBmiZWJORikt2jsUCj7o7/WnnpTpEeSJFOXCKuBcUvoA89wVu2
kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2Kcl7mPJ59/qJlLMQTKZ
JO0dhmuq0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jua16mklU8UkiZifBqhb289tJkhWOQsQulKXsforW5NaPbk7QS
BTliWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnyOFH0HatXyG3bQ3FSjTlxktk05SuSoWKQbcOBisUrN
p9TiEY5KBmPpzXRG2VB0pptwXmMdm36c1EXZkyfQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilXsJrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBm0WmcefSkPFTTRlGOahrMsbV61ddi+wqjUkTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDt2ptvjYzUdx+WdYdx9K0aNkyGz2WNo0Uk0cciE4Ynhhmt7R9ak+zhldXslCmmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5GAd1WoJ1IDEDCK5qoltcNEDJEB7ZGRTo0mibpxQ0NSfU00iB5lpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tAplGMnuatAVHbv5tvfJ/eQH9KnAp
HlxoFPAoAp1AjhhUFzbrNGQRU4p1UxnD6rphRiWfC/LGUy8V6fc2aTocjmuN1rThbsSBUNFJnOkUD07inEyPluzLRYtpsNhqS
SRAXeToOnrVUPtfl61lrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bFZq53AgjFWVklJEmMegp3Ktsa4juzGP3qBR371E813E
+I8SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qjXPTNTJCTsWO4NddoHh21u9Phu52KdidgOAOQDj
B/KuShja4mjhjGXdgq/U8V6taW62tpDbqSVjQlCe+B1rN6GU5W2LCrgAdoKeBSAU6pMgoopaAOEFOPgNI80cYyzAfU1QEw
PFc14kTMRNXrrX7S3BG8MR2FcXqutG+yqrhaTY0jDbrTcVIRsbagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHfIrZOarhmOMkY96fHl2wPu+tsWua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUBE7jV43Bz+tZMiaLwp1NHNOqSAPaBS0AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9l2dsKpJ9q0bfS3BfnPyf1NEYt7DuZqRs5wojPtVhLF8bnlUAZPeugj0xlUXcOT0VR1q39iAVo9q5ZeeOa2VDuLm
O1lZ3spbS3jjKmf5mdhtzt0HpURi39ua6TxPp5ks7S8CnNvJhVqK2Bn8wo/GsQJhs461Tjy7Fx1KhR14bketPjChuhBHtV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyLOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlVs2PBJrY8lzSvc2D
uWh2B4lz9w55A9ulZkkZi6V1ngvSXVJtQkBAIAWMEdVHf86fVVKN3YzqGvaajPbny5T5gBwcjK+tbddvcx3C5Rvw71h3K5bKB
QXO4+4HA/PFPVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjJSRQyMCK55QcdxHxzDbyztjjZj7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhwGpZ7H7dM1ejsG34xVCctPcbBnaOK2UFFCftYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quUCCeyiuYZLeQZilXacjpn+tcldWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHPVLUdHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSLtJGMjHuO1QRrXJJNaM3TTJolT0qWCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9lIbr5Q+4Pr6/y9q0jTlImU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAko+Y9
Ao9P8/4VO8gQblgMDq/YVxXlyDOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJVdTuHH
65pY5TC4ZC0Z79wamLTB6k1CyAjdgaUop7iOcKilcnH0zVuxtDlFmZED0yKjtoHvLjp8inGfWtSWYQRINQOPQVCv1ArahOIISI4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCr3oerGMktX5YwcD0NUzG4k8uNyMntWreSigPTGOoNYn2l3kKWq5bP
LdhQ0glCgggtAqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTwtKkccOxdqg9eOaaQEliBPKNj6HFRyaZYXR/fwQOW6EoCarx
XLPcyKhyi/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdZrYysAvoAOp7Clyrs
F2TLtyjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTsIY87XF5sRiscfAUVVuEjvVY4xjHHFPsctI7Z5zUt0mAj
8Ek+tIZJ5KIAC4AMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCr85FZt
9epBCZnGccAdyfSiinLRAGh6XJK7XlYmSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVhbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UHQAmNDuwaKKHsBamUyzpvDECn3JVIzJO
AOM0UVQEwnjZiOCasXgymMA0UVix1p80W7JqO8TztcHJB5zRRTAkifi4PW05AwOQwx6Zoo0Ef/2Q=="
}
]
}
```

8.0 Update Profile

8.1_Update Mobile

Step 1: Generate OTP

This API will generate OTP on provided encrypted mobile number.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile mobile-verify	Yes	Defines the scope of the current action of the API
loginHint	mobile	Yes	Type of login
loginId	Mobile	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "mobile-verify"], "loginHint": "mobile", "loginId": "{{(Mobile_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP sent to mobile number ending with *****2418" }</pre>

Step 2: Verify Mobile OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile mobile-verify	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
timestamp	Actual time, format: "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted otpValue	Yes	Otp system to verify hlu/hip/phr login

V3 Request Body:

Response
Code: 200 OK
<pre>{ "scope": ["abha-profile", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "01bb3a4c-4588-4734-aff4-23d3978e50be", "authResult": "success", "message": "Mobile Number linked successfully", "accounts": [{ "ABHANumber": "91-4173-3253-XXXX" }] }</pre>

8.2 Update Email

V3 URL: {{base_url}} /abha/api/v3/profile/account/request/emailVerificationLink

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-profile email-link-verify	Yes	Defines the scope of the current action of the API
loginHint	email	Yes	Type of login
loginId	Encrypted Email	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "email-link-verify"], "loginHint": "email", "loginId": "pb2Rf4GQ3zq5rlxXWgpn8Td9HMh0sJlb/SbN+6CHpylD422FxcJPHgo9Zyc3SESEtu60JFga4729tdi4BPU0mW053M6d2kC3E W8cd917VNP0hett79+S80JG6VdWYsb3pzF3G7GoGaCEqcmr6pt5ZX2NNkN9YT5f9QXqSUkrNam9/RJVUzUy+KuXo0MbV35 nOU6IO5Bs8Bly+Ggs96kogiTf8iajlxheo002nVU1Ln6Q9rjgLF11ibyEJ5/wvOp8FvSA3Ed8+CodQpkWeiJbRFokZCMHx9ONII08 Zbr0brbCGQsZkfQOjRZswgS8vV3IJded1Vx7qY3bqb/QWZSYLWgXN61TFU4EZ/vq1jix0YasluuxjijWUzTV43qDL/AJPKLnsOhGis 1G+quo7WKzTCAAekjbEEApZNRZL5RYcn3gykXfbNJaSu82tHO4Bke9uXc6ON91QcAhNHeOJFc3zPvftCQu59YYunuiaM3YmX MceVtaOYyaO1mLd+OEDCrWTeEyPZCKRf32W0TXjhoTN7UcC+t94hWWv2dAahbVzpMiS+NXVoAMj66/l/7wbUqsem/aK+3j /tveftXJTyREg7/wjHWBrjUdt8hMFsbinsYs+S7Bpus65Oafqrost5MDdxlu+0g8C3ce0EUDF76sklA1S885gN3KMsqk5cC9hY=", "otpSystem": "abdm" }</pre>

V3 Response:

Response

Code: 200 OK

No response

8.3 Delete/Deactivate ABHA Number

8.3.1 Delete ABHA Via Aadhaar

Step 1: Send OTP

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key

otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	---------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-profile delete	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5",
  "authResult": "success",
  "message": "Your account has been deleted",
  "accounts": [
    {
      "ABHANumber": "91-8434-1243-XXXX"
    }
  ]
}

```

8.3.2 Delete ABHA Via ABHA OTP

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify **V3**

Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile delete	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA profile.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5",
  "authResult": "success",
  "message": "Your account has been deleted",
  "accounts": [
    {
      "ABHANumber": "91-8434-1243-XXXX"
    }
  ]
}

```

8.3.3 Delete ABHA Via Password

Step 1: Verify Password.

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. delete
authData	authmethods	Yes	Type of authentication method password
reasons		yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-profile",
    "delete"
  ],
  "authData": {
    "authMethods": [
      "password"
    ],
    "password": {
      "password": "aEfgH6qnADmglJHbxPvbnJuPsiocA5XHvg4uYWFOF6g/6ga+yQAKzVMQZoY31vdr367g3aXu9nbCiYiTH9kLYuU3JrnYb29jV7aGEa6ek4luXG9jakddYDlhkqOdrqX4taTCWP+bv2smyTbWW0N5d5SulOtO41ZEhvQJltYp6008TE5DE/Hcr25MI4p49mzG9oNUQC7ONwDfyhI9sRjRZ1M4ohp7M4+tZAKiS8qSYGVG2bUuraH9+3VMRWXerumyObl3q9vIcbhF0oXMkseIJaOTDkVGrRbBYL8LaBeJ48p+XYX6wDds83i2O/C4pL4TFE+XCukmjTfrPXuaWi8qs80kFfL6Gmikp+MJjm6HXy9pzfb1pAnGn+qPUmqdiVAhedn2vdPjsLDRM6jn+I34RCri/0ePNNbhMQRVVGXKuDTZUWmAq0SxcUb+Wnc0qMglUrSjVREaag2EclqWfxV77ZkQgTVgQblTdSbdKXFclRq9/3AE6lqwlwFe1/6x6t3bVIWL575VeqyazUfkOCu5R44CBsKE8LNXtaZYac5zxc2w5Ee6UlcG2726RaY6XWNiSJ+CZacMM8/8zlcYEZMTZfRmxbnKgm6BcQ+j7HH9pUpmxK/57glFnVbgGsFG1nbcuz+5Fazd1B96O8ws9qfdwgrmr8RgADY64ROfElZ0M="
    }
  },
  "reasons": [
    "aaaaa",
    "bbbb"
  ]
}
```

V3 Response:

Response	
Code: 200 OK	
<pre>{ "authResult": "success", "message": "Your account has been deleted.", "accounts": [{ "ABHANumber": "91-5555-0357-XXXX" }] }</pre>	

8.4 Deactivate ABHA Number

8.4.1 Deactivate ABHA Via Aadhaar

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA de-activate.
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.

otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
reasons		Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } }, "reasons": ["aaaaa","bbbb"] }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5", "authResult": "success", "message": "Your account has been de-activated", "accounts": [{ "ABHANumber": "91-8434-1243-XXXX" }] }</pre>

8.4.2 Deactivate ABHA Via ABHA OTP

Step 1: Send OTP.

V3 URL: {{base_url}}/v3/profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA deactivation.
Scope	abha-profile, deactivate	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	Abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-profile",
    "de-activate"
  ],
  "loginHint": "abha-number",
  "loginId": "{{AbhaNumber_encryption}}",
  "otpSystem": "abdm"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-profile de-activate	Yes	Defines the scope of the current action of the API

authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm")
reasons		Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } }, "reasons": ["aaaaa", "bbbb"] }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5", "authResult": "success", "message": "Your account has been de-activated", "accounts": [{ "ABHANumber": "91-8434-1243-XXXX" }] }</pre>

8.4.3 Deactivate ABHA Via Password

Verify Password.

V3 URL: {{base_url}}/profile/account/verify

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API. de-activate/delete
authData	authmethods	Yes	Type of authentication method password
reasons		yes	

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-profile",
    "de-activate"
  ],
  "authData": {
    "authMethods": [
      "password"
    ],
    "password": {
      "password": "aEfgH6qnADmgcJHbxPvbnJuPsiocA5XHvg4uYWFOF6g/6ga+yQAKzVMQZoY31vdr367g3aXu9nbCiYiTH9kLYuU3JrnYb29jV7aGEa6ek4luXG9jakddYDIhkqOdrqX4taTCWP+bv2smyTbWW0N5d5SulOtO41ZEhVqJltYp6008TE5DE/Hcr25MI4p49mzG9oNUQC7ONwDfyhI9sRjRZ1M4ohp7M4+tZAKiS8qSYGVG2bUuraH9+3VMRWXerumyObI3q9vIcbhF0oXMkseIJaOTDkVGrRbBYL8LaBeJ48p+XYX6wDds83i2O/C4pL4TFE+XCukmjTfrPXuaWi8qs80kFfL6Gmikp+MJjm6HXy9pzfb1pAnGn+qPUmqdiVAhedn2vdPjsLDRM6jn+I34RCri/0ePNNbhMQRVVGXKuDTZUWmAq0SxcUb+Wnc0qMgIUrsJvREaag2EcIqWfXV77ZkQgTVgQbITdSbdKXfclRq9/3AE6lqwlwFe1/6x6t3bVIWL575VeqyazUfkOCu5R44CBsKE8LNXtaZYac5zxc2w5Ee6UlcG2726RaY6XWNiSJ+CZacMM8/8zlcYEZMTZfRmxbnKgm6BcQ+j7HH9pUpmxK/57glFnVbgGsFG1nbcuz+5Fazd1B96O8ws9qfdwgrmr8RgADY64ROfElZ0M="
    }
  },
  "reasons": [
    "aaaaa",
    "bbbb"
  ]
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "authResult": "success", "message": " Your account has been de-activate" "accounts": [{ "ABHANumber": "91-5555-0357-XXXX" }] } </pre>

8.5 Re-activate ABHA Number

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA reactivation.
Scope	abha-login mobile-verify, re-activate	Yes	Defines the scope of the current action of the API.
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify", "re-activate"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login mobile-verify, re-activate	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA re-activation.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "mobile-verify",
    "re-activate"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

Response

Code: 200 OK

```
"txnId": "27772bb0-cc0b-460b-8c8f-a940bec9b1fb",
"authResult": "success",
"message": "You have successfully reactivated the account",
"token":
"eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVkljP0cnVILCJzdWiiOiI5MS03MzMzQ4LTEyNDMtODQzNCIsImNsaVVudElkijoiYWJoYS1wcm9maWxlLWFwcC1hcGkiLCJzeXNOZW0iOiJBQkhBLU4iLCJtb2JpbGUiOiI5ODE4NTU0NzIzIiwiaWJyoYU51bWJlcil6ljxlTctNDgtMTIOMyO4NDM0IiwicHJlZmVycmVkQWJvJUFkZHJlczMiOm51bGwsInR5cCIllRyYW5zYWNoaW9uIiwiaXhwIjojoxNzEwNDEyMjkyLCJpYXQiOiE3MTA0MTA0OTIsInR4bklkiorPG6AAy6ek37xyRiRAXMRdstFMZxKgU4x5H6PYI9LCADUhS4PvqeCa3bhtOjh_WtiFJqVaJ2GHRNdYJ38qZIDGYBzuhLo1OhNDtow3AnZnIUZs2fpzgXicKDLGdjFlaOcF9nkTjzHYAemNRfhK9B8kYXq_mkl0zaBMpO9nWYAnINFNghXtC72OGx2MEKjt22Qn-Fzh2BPsl6gPv9R7IWHhmU",
"expiresIn": 1800,
"refreshToken":
"eyJhbGciOiJIUzUxMiJ9.eyJzdWiiOiI5MS03MzMzQ4LTEyNDMtODQzNCIsImNsaVVudElkijoiYWJoYS1wcm9maWxlLWFwcC1hcGkiLCJzeXNOZW0iOiJBQkhBLU4iLCJ0ecNAleOPuVYPPhrsUmWTmlCSdISedLwsoJUJ3ZHGHPgi5xW_NWUQvYRVgUaTnZSKsxKd2bsmNqUcv4QbEupzut7uoBcg5i6RmpiOdHayvoQCgDOIWlns1CYpM2lcoYjgpbMVZNsd_isHiuN5hhbg7K3V9UGyl75CI9fk7UCGtrztIlmsq7dcF_sZURwxtoMzz7tgW6hP84F_w7623ucNQlkIh25ii_z6_kYguuXSilStPBq4YVGsvWajbMLCEZ5rhcOWhWicmA8_ZVORNBjm4RHIIgaXOogbP6zj9no9sxIH9RPZdxDnecigVuTioMTFcVbDz1vZWuzBrs7X_P4dTzjVBqN7FHn8",
"refreshExpiresIn": 1296000,
"accounts": [
{
"ABHANumber": "91-8434-2367-XXXX",
"preferredAbhaAddress": "jaiswalxx@sbx",
"name": "Praveen Kumar Jaiswal",
"status": "ACTIVE",
"profilePhoto":
"/9/j/4AAQSkZJRgABAQAAAQABAAD/LAWSH88yfrUGAIvOnTMgpF5by9Mfu5lxz7GJaKKlibLkiyWvmSQX/AjrL5kvIMQdw/eOAPxmi/IVW1KZrSy6dZBl4dGIGAAVmQfrGKKKlajuW4jHa3cdra8zSThyfQGZGb9Js1ryadbWGjxT6IP59zHAHMatjdIkcbZ/76tGP5+ttFFDWo0Psw0d+Jmi8s+ZKmD2Cyxrj9lwfoKvPkKxUYqHCSB13cjg7xz9VU/hRRU7or/9k="
}
]
}
```

8.6 Re-KYC

This API used to provide Re-KYC Facility.

Step 1: Generate OTP

V3 URL: {{base_url}}/v3/profile/account/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile re-kyc	Yes	abha-profile and re-kyc
loginHint	abha-number	Yes	Login Hint for re-kyc
loginId	Encrypted abha number	No	Encrypted abha number for re-kyc
otp-system	aadhaar	Yes	Select option for Otp system

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-profile",
    "re-kyc"
  ],
  "loginHint": "abha-number",
  "loginId":
  "nJ3WR5UmFR+v2sNXBfgxWQHWDgjj5OFVlJWnmf6lzyjdfxcLiHMKzmtBPmzBRL+4PzDXp+TXIXNSE4BBmEL6/OzWiVoEJphCwhHdHH9VxSBguYVZ9dLBbK0ntzgsxmacjABNXLg/H1RKio/au7iPCW67tKDfMUXGorZ29HSaQosu86GqC7/nPFxBD97mEXd6vgl9PmREWolywWesJxvBnXmV4ls+73sgAXGM6KZmRyaSH7T/JeknqyWDYdJLeUvoHLf+nTzYykCZS9Ej/1ue3RJWf7NRAxpy+n9a+Ce38n2P2OwoJCU6MEWK3sRSG6zVSHNXFAFre+wme+17ZNcQChE1btboTaPFllqecD39vHmiZoO7vLhVlZJKoOoJesP05P1RM7N+piO1m3GXgQGp8rupBFb7Vhw+ueei6ajLHf+Gf6YEINK6fKcVUgPQtwMrBi+VzIQxok3pAEBJthTXisOf5YClDymGFIfIISPrmyWWJabhP1+f4O+gkxLcZyGLzCnpFd++WPTjdTP7NPtSKqNq2CbFpqoLK3cP8/xAj4aj5/1wh5jYkjWA6hJn6rYKDCCXVoZO9kt5RDBj52IWOy2KlwWmb9RGVWdrRwD1/Ekdnx3uYEnk/acKTMUYW3UvVPGhxOTKLkwjbWEhrnvMG6x4jzMH+2b8GvdLbQYgk=",
  "otpSystem": "aadhaar"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "99acc695-5b1c-47ee-8ce1-ee55c004978e", "message": "OTP sent to Aadhaar registered mobile number ending with *****5856" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile re-kyc	Yes	abha-profile and re-kyc
authData	otp	Yes	Based on preference authMethods otp.

otp-value	Encrypted otp	Yes	Encrypted otp for verification
-----------	---------------	-----	--------------------------------

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "re-kyc"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "YPuOEwGzsHykA1JAOPK7tjBYliiKFu5e1b7Mye7f5+HQJrhJlall5FnIFv2Le9YxCZBUYBkNV1Q/BABhatn144uU5I/HDqRH2ZcUVR9UuZXm/5AQDHzi+5N+iacngufcRN/qK0CbEgWn1sPCyNj3tdD3t9EISK/dOQq62YBTKE453o3teoGEEN0dcQJnAz23oGBWNRQmcdlqOyrb/+u8jHDqTeEV7/QNm6UHVAufjgkLoPDwbcZ0KErcdl6h6jawKV44mIrfX/WqDsyyv+/tQY/DhnxcTvw9qZ1WdyXglz3NP7OxOzIRkxOEDDrn1d9Ta6JfGTyVGP1TrnUxZxh+UMWKohXMRA9ctfUhOSvFZbz+E6RDKbnkleq1DV4+iy6bmccRo/fcpooTQKSRndSwsT3YFGHzQEnD0eiHixIDWu6C6FVfb/N9GU6QES9ErMCIR5WGI62h5zni+YDStRmf6aP9ET1AijeWg0psPyMYZhMetIOciMdU2SC/9+WOBIFfVoLJSog+XUjgSFh696I+IQXo6kAh6rh9P5hh9RK+BgqbQ2M0d1fhFbzTP044nXIV9ywLwEplc5f5aFkgThEIDsurPx2wSTUXe0oR8zjdFGcdea4mvZs0eqx62qGwaB08glcZENhFD6sd7bJlzp8sJoYzpnNte1UDfNMPZXhpg=" } } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "bb548986-e96d-4b48-be1b-1e36741e867d", "authResult": "success", "message": "Re-kyc done successfully", "accounts": [{ "ABHANumber": "91-4173-3253-XXXX" }] }</pre>

9.0 Get Profile

Get Profile API returns the ABHA profile upon successful validation of the JWT access token.

V3 URL: {{ env_url }}/abha/api/v3/profile/account

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters: NA

V3 Request body: NA

V3 Response:

Response
Code :200 OK
{ "ABHANumber": "91-4173-3253-XXXX", "preferredAbhaAddress": "TEST@abdm", }

[illegible]

rNeXlvZWcYkup22RITjJwScnsAASfYd69m0HQ4dC0qCyQ7ygy8mD87kkk8+5PHbNc54A8MpZ2Sa1dxbr+5X92HGDD Eedo9GYct6cLjg57sQl2+
c4lGcAcfSuinTsjjqu7Hnni3QHfU5tZhtop4o0V57dQBJOy5zz3OFRceglyKxhcnVvCcJECswCV5Y2zngMSMY6kxsB9a9J19o4dGvHSN5jDE0pij5

AFFJm8tyEYYHJGfqRmqv27ysE9PUU7dAb7mvc+WhLjAJ6fSuY1icgEDjNaL3glHzHt8vuKxNRcPjilBakyehmwQyT3Y8v7+3auehJNeoxRrBCkUY

wiKFX2A4FcT4cskvrp5SSQWsq5AHLsAG6+nl/Xp1rtc8V3wT6nm1JJ6leOvWp4cbuaqg1NC2Gqzl6nTpF2KrJkAgggZK45HX3A/+vVq9nSS4VwN
yKB/rMckAjjH4fTmsK2b5cZ4qy7lzk9faotqXcrLTx2qNDxUgqhEM/KG5W56mtYUzU/Sse6Xk0Ayy3p5VZEaNXlWBB9xTcc0/oKoRyEkLWly8Mmc
qevqOx/Kpw2VBByRWWh4gii+yico/mrgBkXlx7noB6e/41gRT89eK5KtPqdtCqnox16lwzgpNtjWvUdBTlLRHuQzR3jy1yVLAfu+OntWgy+cgkAb
qBpVxOvA4/2SRWUzpaHUtNSneaC8SiX7dke8qki5H4EZqvDZy+aeS7IKA87gCK1ho06rlizDuC5NQSQtcCe8Cm6qeiHJ3AtsGGOSvSqMoa5uVvj
BJYgCi5mJ4HwRKh21kVNT3ROF8pSxz/EemB+v5VdOF3dnLWqcqsjpNL0uPTjMYznzWDHAWBjj37YzWnVOxvYr2JmjOSpww/kfxq3XyeenfVC5
56VLD1qlcmrEAORQM04OIWbVeh7TWBUjK4p4qJTWaBityDWXelyTmrV/dx6fEks4lj21QsOi5OAT6Cs7VbmaEgi3ZYD/wAvMn3e3AA/9mK+
ozigmU1FalXIBJWkCq7rZ7jegiU4LFu/GffvWnbQWGP6P5ot4rcbCzTznLx46splHGBnOMEda5mytTf3MUU2oG2tiwDfvApmOdwQA9T1GARg
evSgylVJdTG17V7iaKGzFowMmCqbm3kjAPHAXWlhkK80PJru/tFgfEax2+nxRxlOq73yzBcAEA8k8ZxnPNcw2kzaZdTWE4Jlt5GhLYxu2nG76
HGR7EVjUdtTpwr5rpu5Ug1JoeHGK0bfXAARv+hqjNanJyt29xpjP/qmKk+lZXizsvNaHSza7ICMkjHY1j3GqGTjdWWmk3gbbJlcfWtCDTfLAypz70
WgtdwcpvylsvOe4Xv71v8Ah+3uPseqtbE7o4AzYOPkz836ZqpHZEAZGBXdfDfTPOfV7iVQ1qUSAIrYXAJJ+mGA9/wqozuzKrT9x6IPTtMWHQ5N
SVyZn/eGNTYyWOBjnrypePUUPfIZF8hDKjNtUxncGOOCcHHI6/IWr402WstZWzJHDIhHgbUAWRt9zwO2Fb2rKuBdaRe2erwxbhcISwKja3GGBI6
ZB/ME811J3PIJ01yrpuX5oGtwWcrsBxuz6VNB24qjriT3mmR6jblBQC8YIAG443dSDg8YH+NT6ap/sJ5LSO5aZM5BHzB+oAVSRjt+fPwK3oaK
t7/KbMfAqUNWJot872coupfXA2JYtTlQHoSMdOvJPOM5PONGO9tpZf54jMvPybxu468Ujd5TVwDAMFJGSM8ntWDea3HJdG2lu/sdlkh54
wWIIAOSoGTYRgFQT0Psl/Dpu7zUzMeXbCuHmaMBnm7KpZhlVwCRgAjnnkYzQ09Nfi0trdFWE+UvyAF5M4Jj6k5AXn096tLWxy1K94cyNmW
7g1XTHjiHl2Alaa7ktxuNuGyN5yoBUE5UZK9ABWMH/AOEo1yKlHoiZhUjX5SdCcDgE/wAyB0rpNa/s/TfDYtbfZ85WEOIcZ7sTx3Ct+LVm+G9Pg
dj51dUZ3wN3C7QOvqOSfyqUupNTmnNQ+8m8ULDY28VIBJgSLuZQpUlvQfienspFQ6PYbeJLXT5VVP7ayluugPzFkik59CJGz7Y9RVC1SXVdeEs
r7YE/eHewAWN5MDk45JAPuxqfw1qH2r4hSSNu8u7H2eOTb90BKYE56BvKxzySVHHSi1kKIJ5Qc1tNkaeheGbaC8uHHM9vqbQrErTEaByFJHU5
Vdw7Y1+UUPHmliw122u1X5b2D5Yf/5aR4Xk+6lBj/YNeoG0ikmhupg3yO5Qq5ATLHrg4l+voPqMrxnog1nQnht+1wv51uzNj5wCMfCVP+99KX
nHmR6NBK9Dm9Dx6REdcMKqtDnIGDVyWOSItHJGyOjFXvhgqQcEfmmKpTplc84rjWWh6NroasbRngYNWYyxy2B+PNUQuCCXbjtmriyBI8mmx2Lcd
rNeXlvZWcYkup22RITjJwScnsAASfyd69m0HQ4dCQqCyQ7ygy8mD87kkk8+5PHbNc54A8MpZ2Sa1dxbr+5X92HGDDed09GYct6Lcg57sQl2+
c4IGcAcfSuinTsjjzq7Hnni3QHfU5tZhtop4o0V57dQBjOy5zz3OFRceglYKxhcnVvCcjECSWCV5Y2zngMSMY6kxsB9a9J19o4dGvHSN5JDE0pij5
L7DuKjj72BwOvtXl+jeKmSWZ5N0tXW5uS/I2/BTPHGQd5HfoOBjA4HRG55tbkg9Xa5L4c1HzrK7sJVtYyCQCTuww2tJ0A46dzmsuyvLzSdUlic4T
PlzbeAy9Qw/PP4kdzVuxx4N011J7dHW2aUr5ewBljY4AIBOdVb4J+5V7xn5cscN3BERK7uVm7gn5fyJx/wKq6nKk3TvfWP5FbxJ4fgltotSWYC4
hABZDtU8flnjJ544JpNE0vt7rTxLJKJZ4n2ssz5HqG4IY9cckjitPQ7A6p4ce3lm2PtaFmPJAI4l/Aj8qW9DCWWtJb3bWYR/JIQNJDE4H5N39CaXk
a5fvRnbRnR6E1jpfhqW/mXcSzy7SnJC/KFB99vGf7xqp4Rslr++e7mBmjRGHmFCN0pOCQXrwN2R23Cm3TWPhvUhtLZWlulEHOOQGPuZyge/A
9j71Ut9Y1XU1MUU9yXjYSBLQMPxj/Y+YjjoXNGrCThBxhLp0N7UPD66vfQqskVmiEDbyxfJOTk4xgDHfrSan4b+xi3hs72aGKvWi8pwroAfvEH
AbnJP3uPTXmW+7F7ybUnSW3gik3g7psZOcemTnnvWjdeE9R0+2N5F9kVoWEimB23ZH/AAED9aXzGp3bkqbLdx4ZtdNKPqV4JoyOhliQEczBb
+Y8kd2LDBzVfW9S0a10lhaKrOsZYpaphTjnJl4ycdsmorzW7rl+sl5dKQ5YfPcy5OCTwAMIQD2IA5qrNpy6Q9pJdIZftMYj3xApvIUUEHOfmXrjJGfe
j1HBBy5uWEbLuz0/R5NTt9JP9sFGMAjTlJaRn2qH5A+YbiVXjJ78nNW5Z7aUy2KT01zEBuh3Deqt0JX06/ka4KLxxq+lbLbWYLDVY45AHNRmEmU
qRjKMSGORnJK/SsK813RNB1W71C70uQyySZikeYVSQo2jksCpC45B67undWbOx1YRV77Gn4lk03UtVaSzTEi7lnBGN5z1xnnHr1556DGD/Zqs
MEqRmrJudLivJl4LxYQXqWQrIfQ8E5w3XnoBwc4q1dXNRJcl0Mqss6+YCo4BJx+ByDx2II46VzVqP2ommdXibclJteRkyaVGOgq/onhoavqkVq65
hH7ybjl2DqPx4H457U9xzzj866D+29P8CaLi5j8/VbzDJahtbrR0DHHyqOSSR1JAycVhSg5SO+tUUI3Os1bWrHw7Yxy3RLzN8ltaxY3ytx8qj8sseA
OTiukm8XekV13SpdTSO9N0I50je1X97IX+QNJL0ADENgbeAQc1zllr+q3us/2rqPkz3AGEHdSuht0Uz47HJzyATnFb1z4hsdRxHewyW7lIb+NMfU
YOevavR5WjxQiqr2IY9P3RWsY81404x0x0/WuGu9Ntrf7RJfxQTWftNuV5FDgISCBg5JODJgHJHqCJ2x1qxMO5tUhkYlKvcl0WfqWHJ/ziojY3H
ic3YeG3topY4UeZQXZG5d8BzjgMSePzqdTVyhNaakF/puhaxErWrJwJAJhbBUdhtPQe2B7Yqk+kCygiW/1xpLeTG1HJhzg8DcXJx7DHT2qpqnjhV
NPula3KTGPJlJZnJkPXkjB+hNKnha/urKK5vNRdZCcBJd0xUHn7xbj6dKv5NhdUT9zX8De0uHTol55obtkikCgk3IZSRNB3Nk+vGce1ZuqaQL3V4xZ
XZQtg8fMpPhz6VWPhWW3tJbhbujSHA3qVz+PPrWbp/9p6FePdsrwqeSWUGNuwyemcfjStrowlU9xKpCyL+laCsvl3OoyJrvNd4pMMANp+Z
2PHU9/rmti08U6ZayylskkAxshTuOmCcAjK9DRRTcc37CkCDI1rxTKuoLPZWYRgkFNKS27HqBjHbuaXUPEupX0RjS7SLeuPKijQ56dNwJ/Wiiq5
VY5niKkm9S1deMb+50wwRQQuwE2yM4LHI7r0AORnnNYkdhrPiJty+dMdoI2ZCRsAfwB69h3oopNjBfU6k6IRKUidPDOqWRjt59EsHOzmY6h
Ng9Ru2gJDcdFwvt6aP8AwgTQW7T3F+ZQVvKESbAoyc9S2eSD+feiiotZ6LpwlidNGxbaNoEmkCa4gjhdCQzyXDqFIPfLYqG1i8PXkn2GRrPy7huP
s7KGWtsVx1JxjHU9PYIFMymowUeVLUoazDH4e1JWmQXUOPNgjRPN4JAOei5HJweOxqwuvWi6eZL37RJeXsRk8jKMKrE/KBuyMen48k0U
VMiK1ycTiqKZcvYvafqOhagH55e2kCYK/aosKvXoXGPsq2paTf9LJbxxqpQbJLZ/lx1yoGV/SiirtZig1VprmsMzUfB92IfcE4Qxs+EjkyRBQPUZBOF
pUNnpXiDtlRpIY72GHfnFtNncfXahyfoopczJqYaCd43QsureJbxjELW4kZ24l+yHf9BgY6D0zVe6l8QqiL5WqBVLb54ZAB+Y6UUU7mHvOLbkys
uuaw2yJt08StuZGiA/UAht3zXRWHiuNUcXNIPCSQPKYmfzjH60UVXKmiY16kJXP/2Q==",

```
"stateName": "BIHAR",
"districtName": "ROHTAS",
"subdistrictName": "ROHTAS",
"villageName": null,
"townName": "Dehri",
"wardName": null,
"authMethods": [
  "AADHAAR_BIO",
  "PASSWORD",
  "MOBILE_OTP",
  "DEMOGRAPHICS",
  "AADHAAR_OTP"
],
"tags": {},
"kycVerified": true,
"verificationStatus": "VERIFIED",
"verificationType": "AADHAAR",
"emailVerified": false
```

}

10.0 Generate QR Code

Generate QR API returns the QR code upon successful validation of the JWT access token.

V3 URL: `{{base_url}}/v3/profile/account/qrCode`


V3 Request: GET **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Request body: NA

V3 Response:



11.0 Generate ABHA Card

Get ABHA card API returns ABHA Card upon successful validation of JWT access token.

V3 URL: `{ env_url }}/abha/api/v3/profile/account/abha-card`

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response
Code: 202 Accepted
ABHA Card

12.0 Forgot ABHA number

12.1 Recover via Aadhaar OTP

This API used to recover the ABHA number using Aadhaar OTP.

Step 1: Generate Aadhaar OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-login, aadhaarverify	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify login, following are the values that can be used. AADHAAR("aadhaar")

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-login", "aadhaar-verify"], "loginHint": "aadhaar", "loginId": "{{AADHAAR_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "c6a49f66-c740-4a7d-a93d-8c0431bbb8f3", "message": "OTP is sent to Aadhaar registered mobile number ending with*****8510" }</pre>

Step 2: Verify Aadhaar OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

Response

Code: 200 OK

[illegible]

12.2 Recover via Mobile OTP

This API used to recover the ABHA number using Aadhaar OTP.

Step 1: Generate OTP

API accepts mobile numbers and then generates OTP for the entered mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	mobile	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using public key

otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	------	-----	---

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "loginHint": "mobile", "loginId": "{{Mobile_Encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "OTP sent to mobile number ending with *****9260" }</pre>

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated along with the list of ABHA numbers (ACTIVE and DEACTIVATED) linked with the mobile number.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "mobile-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

```
Code: 200 OK

{
  "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7",
  "authResult": "success",
  "message": "OTP verified successfully",
  "token":
    "eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiI5ODcyNjk5MjYwIiwiaXNpdCI6ImV4ZW50SWQlOiJhYmhhLXBjb2ZpbGUtYXBlWFwaSIsInN5c3RlbSI6IkFCSEEtTilslm1vYmlsZSI6Ijk4Nzl2OTkyNjAiLCJOeXAiOiJucmFuc2ZlcislmV4cCI6MTcwNzEyMzM2MywiaWF0IjojoxNzA3MTItZMDYzFq.Jn9XtOUuiVJ61-9paqnR0KWOy9T6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZ_
",
  "expiresIn": 300,
  "accounts": [
    {
      "ABHANumber": "91-2568-7073-XXXX",
      "preferredAbhaAddress": "nilam12@sbx",
      "name": "Nilam Barve",
      "gender": "F",
      "dob": "07-03-1997",
      "status": "ACTIVE",
      "profilePhoto":
        "/9j/zvr7GGNefc7jIEYzjFLkmwZNaoTkU4A5qveRoootpXGY3lGe4RNu4kgBSM7j2Fen2MC29vHChJCKFYep964rSYkwcXUzKiqQF8xwgB/vc9QCvHHfHvXbWs8dxAs0EkcsbdHjcMDjjgirXo0YcsTgrT5pBMWWyknX7yxtjnHIFvwvlbY5BuUj589iRzjO61dj-YICM5jqNh56O+CcsxBPpk4rUyZFKJ13zQHZE2fkG9QP7e5x09acl6pc04IOSAQMJg4/MnPHTUdrJ5c/lE8HpVuSBJTuk/OMfOOCCmdOaVgRLFrqGRgynyDmpw3FY32Sa3Km3fl3AHHB2//Nzz+Wfnfli/7plbuXkbY2GxfYtyM9QcZyDRRQtQZWno3U70lprt7WLGPKt2lxjsj/EcAdNPttWzpOnzRafJJyhZJ0lvBm anoQAccgBsZx1zRRTaEpNGffCRyXE8SRoojYkBGBG3dgY/Nf++gOatDGOKKK82vFRloe!Sk3HUgcYYnNRR239o38Vpn G/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRsZRAxmJskaHAQTg5BAUdcZDSycVJBruQs+ZqViBJtCm4tC2SA24Bh98KPQFs/3TOoor0kjzeZnU2ModAwmmWbnKSUPmfX+E8d8DH1B6dKbp7Smwg81NknllvTH3WlyR+tFFMorz5Vgw6g1ows70Vs+xoopsMS3Eb5W9qbJFHcgFwcjDDqAAQQf59DRRSgf/9k=",
      "kycVerified": true
    }
  ]
}
```

Step 3: Verify User

This API accepts the ABHA number and transaction id, once both are validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify/user

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API
T-token	Bearer {{token}}	Yes	Token received in login/verify API. Its' valid for 5mins.

V3 Body parameters:

Property Name	Value	Mandatory	Description
ABHANumber	AbhaNumber_encryption	Yes	encrypted 14-digit ABHA number
txnId	9b4ce0f9-3a27-4598a02ab889479f4fb0	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login generated from Verify OTP step.

V3 Request Body:

Request Body
<pre>{ "ABHANumber": "{{AbhaNumber_encryption}}", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code :200 OK

13.0 Benefit API's

13.1 Create ABHA using Aadhaar

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify login, following are the values that can be used. AADHAAR("aadhaar")

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{Aadhaar_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "c6a49f66-c740-4a7d-a93d-8c0431bbb8f3", "message": "OTP is sent to Aadhaar registered mobile number ending with*****8510" }</pre>

Step 2: Enrol ABHA

API Accepts Transaction ID (previous step response) and encrypted OTP along with a primary mobile number for ABHA.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	

Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["otp"], "otp": { "timeStamp": "2023-07-07 16:48:39", "txnId": "{{txnId}}", "otpValue": "L3y7R6WotN21IVDJACL6d7mDh5MVBUAbmXCiyoDMbkP7Cinzn4ZjBmrpsUSOqlvE/U9q9/qWw9I8Yf6GDgS0oM9IMu3z1fDOERaW0bQW gt3+tKxwkioHAKO8G2RvUCIpSPeBo2Cnwj9I6CNleT6VbNSrX0ZISK02eFtlI0tzfo80iW2OXkAUybhv7DdZL2KxKNrExsubJf74knLgaFRj8TtbvaE MO2gi6EsdFOgh3SzvGh9oFYdOi5etlwyqvzZ1evjvfQFiRAQro7c1ksl59y2sn9JThbvZxQlH8eNWN802IysqaCr+tzVU/SaEK5fl3yUWdDIW2qJZ QP1XtutHBqVHLB2SNDzt8Uta/UnrBBASuQz+dHfGikR2L4qxeGib7R5Q9qDutczVlxzLVNTdSeGOUjVpl2YvYa7E5k4rCQyH91rpfX0K3ioa5vtkLr 3XC1pM+Ni57wgRKLfnxcl4XDgAcDv117/9T90JeqIBOWVmvKNBSEfJFSnd7feiE388E11fVblj86HoA7UwgSYYbkSe7/YpqE0u0OE9VrFCWHHbo xgOE/sLio3KJfTsRAQi9QntIO2ycirCC5S7/neQ1B8WYQyPEj533ArBYNfdzkm4x67PtZUTluG4lwlQ6GnfjD5CC0iXZJvnZHUelQYUINuXrns5ze7 pxretKmYCE=", "mobile": "<<Mobile number in plain text>>" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK

WVFN6lVNit5WtXBy95nPcuf8KhM03UNnzXsZPpk1RvtcurKS6t3+ziS3l8vy28ws3UEjtgY74PlxnnBJf3MKQSzxtCJ0Doc5Vgf5V3OFsxyqULgLu
VJDbXSIzBwH7NXN6hb+Xqy8HD84rrdovIQJUBz0rF1+LyZYLjGdhwR61VFrmJqp2O78JaUIkW8n+eZgNoI4UY4FduiEqOMd65PwlqCX2nxzqR

```

82Cj+6R1BrInXaK6zjY0hu4prZxxU+4U0stAgGcUjA471lCKdkYoGyepRMUbivN/EcZWnjpmvVr4L5ZzXm/iZFKSYpDRzugQ/K7Ecs1dMbMXEO
COKwNEkVSV98V2enlGTaQOa8/EtqVz0MMro5v+y3guN8BMR/2aultwJxO0UMky9JGhXd7c4rqEtYs5YfI SPHGURGjM3UDFYKuzpdFGNMLy
W3M10xK9FV2J3H2zTNMhaK4QnLMe/rV69jkX97cDGPur2F5aPabmcSkcdqmc7xY4x95FjV4pHslZwKwoEulvngdIlXk7Tgkeua7TU7UtabcZG
OKwbO2MrthJEsZ4N20alol1lanP39ut/ffa7qzSSbjcx4zj1Axn8aralHc6psjmAEaYC7RjH0Fdo0AX5ZkwfXFRNZ25PA/HFdDxDMVRRztjYpDbhTk
gDqax/Etvu0+QgcoQa7aYJDGVFcXrIV7eRD0biqoTcP3M60bQsVwvhmHaxu4yBtWUEHvkj/wCsP1r0dFIFcp4L0mPTIp5AdzzFQWPoBx/M12G
RivVPKZGQaac1ISKYWFaICKaftOKUSCneYAOopFGZqAPInmvNvErN5cgGc16VqMg8tua848RH5JMn+VIZzGmOY7gAZ5xXb6ex4rhBcKbtGTC5
VcgdioAP54z+Ndbp1z8glNceJdXO7Cys7M7Kzj3qCR2rWtrRGXJUvH2d0PKXp0rTgVwBgMBXINanpPYxPFbhZYOR0PJNL4duli3lZAZe1M8RLHf
FdZGU/Ky9RXXMQ6bcRXRubO5kE/Vt4b/CuiKjKfNoYu8XdHpmozxC1UZHHNC7YXUX9qblLHfx8oyPxrnr7r+1byPy7q48mM8Hyzn8e1a2gWg
sHVmlaViu0buwqXCMU9SuZyex2zW8d1AHcJNZl1bKikbOakjvFK4z+FRXd8rqee1YmiObv1YOAOR3rmtUOSE6jOT9BXRAjcdJx1rN021h1HUmj
uH2RGN/mHUEISv5nA/GvQwkNbnFi5K1kdfogEQIPatvYcd6ztMARB6VqhxvSPKZCUNNKGpy4phcUCHBSKUqcdabIKXzARQUZ98hMzrz7xBG
SsgNei3b5Q5rjNdiVwcd6Q0eYOxiuQ3YGuk0242kDOR2rn95Ttp2WpdMvdy7M/NH/ACqJxujWErO56BBcsishqkS8YY5NZGn3qTRbc84qWffj
5GwfavMdO0rHoxqe7cvXN7FgmVwtFjqrFIdyOwlwWAH9a5u6t4BKXleVgcdXPH5VahsYpEBS4kVccDI/qKv2UUtTsoJlUOgutXs3UKisx69AuP
5021101bhZMP6GsU6Wqrvlumlxwdw/pVNba1klZVWRzn729h/WhUotF1aSgjrGvWJOGPNH2livPpWVBGYNqgnb2yc4qa5uFjThuKy5NdDjc
7LURxS5IbByal0MBpzyeTjFYOo6gsUTNuGTWm+tXdf1J4RGZ4zjtlnP6V6VGHKjza0+ZnqFnGVjGfSre04rO02+iuYVZlFY7eQDyPqKORIPrW5zjS
pppU1IZBTITIKBCBT57COIJR7UvmigLkMykqa5jVoDtY4xXUySZGM1jajh1K0hknvkiKERSF652laO6Dc4wc+4rpPGMyiZIV+prnbCPzLhh/smgth
R2dx8yyRt1610MEpkTncGskthLg58sng+ldFpuqISaZYBrmqQuro6KcrOzN2WxN2uAMN61V/snVYOlrzfPTDY/nWlaXQDbhXS2WqrGN6gkd
sVyOrKQjOyCtFfLpGqyKlJbGNfdv8BV2HTms1+cc+wxXZ61bvDhVUfQVzd5dr15PGKTqyloipXesmUnJAjrHvLglmy3yipr7UUVQFVPTqa56SaS
9kKx/6sfeb1rqpu7as4qk76Lz+7N1d7MnYhwtbOjmVlk2twWxg81zt4PKVJFAPXOau2N88AGyTB64PIP+FdI2OZnmpmXRWMO2cA8EHBFdVY
XXmgKXznoT3rztRtdiuQlZBtfgCuevvXV2N0I4RlRfIBwVPaghnV7SaaUNRQ3IKqC5B6GpjKKBCbfellAHUVTYlJ/Gud1+OVbCR4JTFIrgkjrJOMVv
Kjyq7ZlGpzOx1EssScNMinrywrn9U1axjRxp9VmxcFfNn24rky8zr88rtnk5bOajKvXrJbHZCi+pi6rY/2jfnO7sFPRQOagSztQfXJGepPU1uNEMV
Vliy+cVl7Vvc19mkQ/YUuYdrghisO6s7jTZCVy0ec/SusgG1adLak8ZUgHlq1XFmns1JHP2GusgCs3T1rdh8QRhfmBFYd3oA3lo/lqsmi3o4SQitX
7OWrl/eQOR1D+liPIDH6Csq815mJVW2+w5NVI/D91IQJZjitiwOG3tiHYb2Hdqm9KGwfvJ7mba6fdakd0oMUHv1atN7VIIHEoAA7VqsQ7Rx
UDp8uSKzdRyZfs1FHM3WlUdSZlKvjQKlG0GwLxoy3u5iFY6nn2GK1kizKeK1NLszNqMAA6OGJ9hzXRTqPmUUYTgrNmRj4A1aKR5rKeF405TdNX
+nAl/WtTTZdRtQ1rqNnJE6rhmkHK4PQ5HAPhrXoNoAlzjoW6USRI4w4DrnOGGfpxQoHfnnKs1uZmmXHm20LM3zMnzfXpWwEOBVJrOOP7
mYyTngZp4nYDiXcCeMpOA6isnh5dC/apljyfvVK/sxcRupHEgx9DV/zBg+tRu24YrrtdWZJtO5wE0DxyGNxtZTgiozFXV6rp4ul8yMfv1HTpuFc40
bK5VgQR1B7V4WJoSp58j2cPWjUj5lfyN1RSWvPSr4GKdgdXhD6rlzhDtl4p6x5q0yDBIFRhCvOp3KirEf2cnpzSpDt6rViOpFViehpzG0ivsPYUv
ltjpVwRtjPnlykUrklQ4OT1pHizxVrYT2oEfrTuxWKUdrhulFodkyiSdlxnCof5/wBKio/TzcuGlxCD8zevsK6aFRIQo2qo4GK9XA4eTftJbHnYyvFL
2cSSKHEYx0xQOP8AOPfMwMcKl8816x5hH5XlqLyNp4GOC1Y8zrTS/zGkBG185/H+tMMOCPrRRTQDWh3kcYOAf5/4VUutLjuCfNX5hwGXR
RUyipe7JaDjxd0ZU2jSxcqA6+o6/IVb7Hx0oorw8bQhTI7p6+FrSqL3hGs2B4F9JlIBHFFFeedxlLTGntWY7P2oooESi09qYbRQeRRRQtWbBbGWb
5Yk/wBojVet9CjO6dzK390cD/AOvRRXuYLC0nDnauzycXiaily2RqJabkQQAo4CipxFt4oor0/I8+4eXkU0x4NFFACGPJNiy6KKQH//Z",
"mobile": "*****6654",
  "email": null,
  "phrAddress": [
    "91216855772770@sbx"
  ],
  "address": "DILDARPURA, Achalpur, Achalpur, Amravati, Maharashtra",    "districtCode":
"468",
  "stateCode": "27",
  "pinCode": "444806",
  "abhaType": "STANDARD",
  "stateName": "MAHARASHTRA",
  "districtName": "AMRAVATI",
  "ABHANumber": "91-2168-5577-XXXX",
  "abhaStatus": "ACTIVE"
},
"isNew": false }

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

13.2 Create ABHA via Biometric

13.2.1 Create ABHA via FingerPrint

Note : List of UIDAI-approved biometric devices

- <https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric-devices.html>. (Kindly note that the list is updated by UIDAI periodically.)

This API creates an ABHA account using FingerPrint.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	bio	Yes	Defines the authentication method used for enrolment, following are the values that can be used. BIO("bio"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API
fingerPrintAuthPid	Encrypted fingerPrintAuthPid value	Yes	PID value is base 64 encoded which is generated by fingerprint scanner device.

Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["bio"], "bio": { "aadhaar": "{{Encrypted Aadhaar Number}}", "fingerPrintAuthPid": "<PID>", "mobile": "*****6565" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

Note: Checkpoints to generate fingerprintAuthPid:- Ir = 'Y'; (This Attribute should be passed as 'Y' otherwise it will give K-547 error) ra = deviceType; rc = 'Y'; de = 'N'; pfr = 'N'; text = '2.5' + ra + rc + Ir + de + pfr; wadh = Base64.stringify(sha256(text)) or Convert to SHA-256 and then to base64.

V3 Response :

a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK


```
{
  "message": "Account created successfully",
  "txnid": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVkljOpCnVILCjdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkloiYWJoYS1wcm9maWxlWFwcC1hcGkiLCJzeXN0ZWoiOiBQkhBU4iLCJhY2NdW50VHlwZSI6InNOYW5kYXJkIiwibW9iaWxlpudWxsLChhYmhhTnVtYmVlYjoIEtMTYwMS00NTQ4LTEeODAiLCJwcmVmZXYjZWRYbmhhQWRkcml6IjktMTYwMTQ1NDgxMzgWQHNEicIsInR5cCI6IlRyYW5zYWNoaW9uliWiZXhwIjoxNzE0ODUwNDY2LCJpYXQiOiJleS0tMTU4NDg2NiJ9LnR4bklkIjoieMmVjODI4MzUtOTMxNC00Mjk2LWFjYzAtNWQ1MjYzNzE0THklbn0.NXTXyzRmGVTAeByPW9rLfHYPASOveshK9fvMFY1X00uOLBJNQSZ5SS0lOWBCOU6yW5wDCA9a03W59UUGEOjXs9QXXGOC5eyWVQSMLsuYwxjhMXN0ynNhqFTMIxjZFfGiXEucHznT5f0UHZNINd82dw-bljZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6WzzuA2AVB0w15ylW3LADsxMZqFTESaCx_c_iQSc2HOcGduWQu4L9i5rJLEn8Rn4yx_DDJgtXatP6Gem5jy-82qQausJUyc30kvuExY5BFvpvnxHarJoAtmkCRwncl_mJf4TLjl8ygfAncXm-EIZhhwV3TXfhCg6lgngb-YXN6668oAoGCg8G5tljjim6-5yEKJH4bgArhsYj_OdjLLK_UqFjXRpy6CoJ5_qgNBUVtA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOiqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoexVoBWqhZ_A-oPy-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBCgYxZqdmdmf35Hk3JXbe1_Y3Qs12PG8dBX9vggh3flKxH_swTMR13JJYWNcu9CAFxbcirTEDTWNgdh2JZNDOb0z7_Q68_L8rxGM49kZCqaVWr5jlpGsVj7Ban3Ur8kk",
    "expiresIn": 1800,
    "refreshToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkloiYWJoYS1wcm9maWxlWFwcC1hcGkiLCJzeXN0ZWoiOiBQkhBU4iLCJhY2NdW50VHlwZSI6InNOYW5kYXJkIiwibW9iaWxlpudWxsLChhYmhhTnVtYmVlYjoIEtMTYwMS00NTQ4LTEeODAiLCJwcmVmZXYjZWRYbmhhQWRkcml6IjktMTYwMTQ1NDgxMzgWQHNEicIsInR5cCI6IlRyYW5zYWNoaW9uliWiZXhwIjoxNzE0ODUwNDY2LCJpYXQiOiJleS0tMTU4NDg2NiJ9LnR4bklkIjoieMmVjODI4MzUtOTMxNC00Mjk2LWFjYzAtNWQ1MjYzNzE0THklbn0.NXTXyzRmGVTAeByPW9rLfHYPASOveshK9fvMFY1X00uOLBJNQSZ5SS0lOWBCOU6yW5wDCA9a03W59UUGEOjXs9QXXGOC5eyWVQSMLsuYwxjhMXN0ynNhqFTMIxjZFfGiXEucHznT5f0UHZNINd82dw-bljZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6WzzuA2AVB0w15ylW3LADsxMZqFTESaCx_c_iQSc2HOcGduWQu4L9i5rJLEn8Rn4yx_DDJgtXatP6Gem5jy-82qQausJUyc30kvuExY5BFvpvnxHarJoAtmkCRwncl_mJf4TLjl8ygfAncXm-EIZhhwV3TXfhCg6lgngb-YXN6668oAoGCg8G5tljjim6-5yEKJH4bgArhsYj_OdjLLK_UqFjXRpy6CoJ5_qgNBUVtA1Mw9LOc12Tfj3_P_gKxoBrPz5AA_aYOiqQYsnB5TISI4dzN2HaTrVgeosYDHphVXNPnHoexVoBWqhZ_A-oPy-j9j2qeRRXOdWiRgl47juFDPO_ze_iBBCgYxZqdmdmf35Hk3JXbe1_Y3Qs12PG8dBX9vggh3flKxH_swTMR13JJYWNcu9CAFxbcirTEDTWNgdh2JZNDOb0z7_Q68_L8rxGM49kZCqaVWr5jlpGsVj7Ban3Ur8kk"
```

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

```
{  
  "message": "Account created successfully",  
  "txnId": "2ec82835-9314-4296-acc0-5d526371998d",  
}
```

[illegible]

ppHUJOY8HtUhXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NUmZbXd6UwRgnrxUPztzJXUy21u
B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9IsF0/To4QPmxlj6mtAGmoeKd1rutY4L

```

3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eiFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyuYDFLGWUnn5utLmQ3Bnz5r
Md3qVyl7e3ImmuGyqlYkdunNUPD1jcWtdx3ELxYfbh1wcrjX0SdI0/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybqzdDvT
rVIXDKcNwwrp0jV2sMis290sZLKOK54z6M6pQ6kEOphV2uPqxZdQTOVbFZ5syDgg4pBZdwxp8qBSaNJdV4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJIHKTJQ5kfPU/yrsVcbqtvJEw5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWd5D0OLp7VLzUyW6FB1/Cpo7NGIHvZ186OSxTAp
1aC2MRXnOfrQbBGGVYihTQWZQoQ01hIPukGomt5U6oarmQWN6iiisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvJtZ042WpSxY+Xdlf
oeIYV1pcug/eaM6lflUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRjHTFUUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg1i0nYfckGfpVh+elQw2cl7eRW0f3pGwD6e9VB2ZnUWh6zbDdCG9qtWjrUVsg8nA+ITxLhDXaedYeo+WnKMUKOBsgUDF7UmKXFFAyaiimah
RRRQAJLuUiuS8Uad5sK3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
V9YecYqTyQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8AVr1716Fo1mLPsreHHzbdfU8mt6Mbyv
2OXEstGxp264WpWuFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YldLIBw45+tZOBIQkjBT0DHT9a
6rW7bzbQsOsZ3fhXLOoJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqq3TlrUttSntlzEQstuesUgyPw9KVI0y5gedBPPs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UKcnvWs6lxlSPaPVjk00IoHP50rMq9ylYWDt3kMLfxaA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKOQK66C925w4h3lYmQcVIBTVH
NPFamI7NFIOKWgBDQKKA0aAHUUUUzUKKKKACiiigGQ3EYkKkcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
OrdahgMBmoiCPpRRRQwaOk8MwEWktwR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//Z",
"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

13.2.2 Create ABHA via FaceAuth

This API creates an ABHA account using FaceAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	face	Yes	Defines the authentication method used for enrolment, following are the values that can be used. FACE("face"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
rdPidData	Encrypted rdPidData value	Yes	PID value is base 64 encoded which is generated by the Aadhaar RD service application
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body

```
{
  "authData": {
    "authMethods": [
      "face"
    ],
    "face": {
      "aadhaar": "{{Encrypted Aadhaar Number}}",
      "rdPidData": "<PID>",
      "mobile": "*****6565"
    }
  },
  "consent": {
    "code": "abha-enrollment",
    "version": "1.4"
  }
}
```

V3 Response :

- a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK

[illegible]

```

dnd4eXqDhIWGh4iJpKTlJWWl5iZmqKjpKWmp6ipqrKztLW2t7i5usLDxMXGx8jJytLT1NXW19jZ2uHi4+Tl5ufo6erx8vP09fb3+Pn6/8QAHwEAA
wEBAQEBAQEBAQAAAAAAAAECAwQFBgcICQoL/8QAtREAAgECBAQDBAcFBAQAAQJ3AAECAxEEBSExBhJBUQdhcRMiMoEIFEKRobHBCSMz
UvAVYnLRChYkNOEl8RcYGRomJygpKjU2Nzg5OkNERUZHSElKU1RVVldYWVpjZGVmZ2hpanN0dXZ3eHl6goOEhYaHiImKkpOUlZaXmJmaoQOk
paanqMqsrO0tba3uLm6wsPExcbHyMnK0tPU1dbX2Nna4uPk5ebn6Onq8vP09fb3+Pn6/9oADAMBAAIRAxEAPwD2emk0pIphOa2OcBui0XR
TxxQAtLTlHclMsQBXP614ptNlt5HMi5Udc96QGze6ha6fCZbmVY0HcmuK1H4hWJuhFAGeJfvPkDNebeKPGVxrEmN5EQPAFcXNeu7fkXJ9qL2G
onserfEeKJtlirOCpVGuP1Hx5q0jISKYXgdga4k3MrAfNwPWmm4ztVySOuRSuO1jsY/iFr8LArDsD16Cug0z4vakjBb2KKZc8kfKcfyrlzXuNvT3zUboi
qWSTJoHZH0hofyVS9ZAVbhY5T/yzfg5rrkcMgwQcivkOK7lg2tnaQeoNeofD74gzx3iafqMzPC/Ecjtyp9PpTWpLvj2w0CooplkAYYOehHepsCmlWi
jNAOaAFxzS4ope1ICE03NKxpmeaYEgpHcKkaThaz9SultrGSZ2wFGaQJfE8VeJltMtXZm5ArwvV9dn1m6LEHy88L2q94v15tX1J4klzbo35msXckc
QCqKly6FqNtSpL5nQDC980kFmzMGArStrOS5YccHtXV6boK8M3TvWcQkUaxpyZx40t2GShx9Kil0l1xltivUF02JRwoxUcumRMpyor1jdYc8tbSH
JzyM1TNpLBJ8yMR2xXp7aYgJ+SqN5pisM7BTjWE6DOC3owCYwfenxZhkBU4lrWv9GG8sowR6VlspX5XHI71tGSexhKDR658PvHTSFdOvJMso
whJ+8K9cglEsSupBBGa+SYbg20sc0LbXRsjHY19B+BPey1zSFocTRABlzWiZk1Y7jrSiokLFQfzqQE0xDxS5ptLQBxJ9qakQk0CklVjXnnxL1n+zdFaE
P8AvHyAK79pQp25zXgvxb1TzfEP2ZfuxlMj3qWyoq7OERY7Fm+prSsbZ7ghm5HaseF97npiuu0NNxGRkCsakuWJ0U48zNnS7BY0Ukc10tsGVaz7
al8YfBUeHjyPFbcl7kkGUARIoplzV3ysjpTTCxOAuaNWUzKqHsKqTRjBzg1ty2pZenNUZLyn5cHmgdrnO3NsCDxXL6tZbcyKM+1d9PZOeAM1IXW
nBgQy1tTKYVlpln8km1zjlfEjfbWgtdbNsW4IHqnrXG67pbWlWsb8jHlPfc16bDxBZzZ4EgB+ldcXdnFJaWPrGN9wBFTZ4qhZSeZCjg8FQavDmt
DEdThim0uTSApE00swHFNzzUM8oUgd6BENxJHlrZcgr6HBFfOvjudLjxHeSO5k07AbGOle66pdqIXDLk4PK9a+efe3z67OoJ27icnrUyLgZlhC0k6
jtnpXoGmiKyGdykAVyOixZmL46V1tjYteuGIOEHSuSprLU66W2hqxelbSljn8qux+K7MjluMj0rSokHnbM+hrP1DS9GJ3Rkof9mko02ti25rqdPZ+
+tZOBIQkjBT0Dht9a6rW7bzbQsOsZ3fhXLOoJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqq3TirUttSntlzEQstuesUgyPw9KVI0y5gedBpBs+/GBvB
z0wf8ajlXQ05mviOfmc1VbzG+UKcnvWs6lxlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXK0QK66C925
w4h3lYmQcVIBTVHNPFamI7NFIOKWgBDQKKA0aAHUUUUzUKKKKACiigGQ3EYKjKkcEYNcRcxNBcSRnqpxRRWFFyOofE0V5DkDFMSeeCOWO
KUqko+dcD5qKK572OrdahgMBmoiCPpRRQwaOk8MwEWkwtR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCaO9FFMBvenUUUAf//Z",
  "mobile": "*****1670",
  "email": "*****1670",
  "phrAddress": [
    "91160145481380@sbx"
  ],
  "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
  "districtCode": "494",
  "stateCode": "27",
  "pinCode": "415001",
  "abhaType": "STANDARD",
  "stateName": "MAHARASHTRA",
  "districtName": "SATARA",
  "ABHANumber": "91-1601-4548-XXXX",
  "abhaStatus": "ACTIVE"
},
"isNew": true
}

```

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

[illegible]

"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",

```

"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

13.2.3 Create ABHA via IrisAuth

This API creates an ABHA account using IrisAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	iris	Yes	Defines the authentication method used for enrolment, following are the values that can be used. IRIS("iris"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
pid	Encrypted PID value	Yes	PID value is base 64 encoded which is generated by iris scan device.
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["iris"], "iris": { "aadhaar": "{{Encrypted Aadhaar Number}}", "pid": "<PID>", "mobile": "*****6565" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response :

a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK

```
{
  "message": "Account created successfully",
  "txnId": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJSUzUxMiJ9.eyJpc0t5Y1ZlcmlmaWVkljp0cnVlLCJzdWl0iil5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkljoiYWJ  
oYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkiWibW9iaWxlljpudWxsLCJhYmhhTn  
VtYmVyljoiOTEtMTYwMS00NTQ4LTEzODAiLCJwcmVmZXJyZWRYbW9mhhQWRkcmVzcyI6IjkwMTYwMTQ1NDgxMzgwQHhNlEClSlR5cCl6IlRyYW  
5zYWwN0aW9uliwiZXhwIjoxNzE1ODUwNDY2LCJpYXQiOiE3MTU4NDg2NjYsInR4bklkljoiMmVjODI4MzUtOTMxNC00Mjk2LWFjYzAtNWQ1Mj  
YzNzE5OTklIn0.NXTXYzvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5ZzSS0lIOWBCOU6yW5wDCA9a03W59UUGEOjXs9QXQG  
OC5eyWVQSMlSuYwxjhMXN0yNhQxFTMiXjZFfGiXIEuCsHznT5f0UHZINd82dw-  
bjJZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6WzZuA2AVB0w15yLW3LAdsxMZqFTESaCxC_iQSJc2HOcGduWQu4L9i5rJLEn8Rn4yx_DD  
JgtxAtP6Gem5jy-
```


Response
Code : 200 OK

[illegible]

```

OuMkfNJ8x/GuvDrW5w4l2VjbBz1pwaowaUGuw4iYHNLmohTgaAFppp5ppNlkjbrWbq1jFfWxilXOCCK02qtORtOamSurFJ21PGtWtfs16VUD5
WK8dqvacbCYC57V1OtR2QhIBhjVn4L71xdudshwePauOpT5VqdtKrzM6uK7CjkkdKEvAcSfTWL5heMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
QtNu3AEelYJvLy5IKKeWua2dO0b7Vjdcqvrmt4U+4leexPLOjpxLkemKZFcqOFYEjtV+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgrm2t4WUjOCkEL
vK4ziucsczoD5z7s9MctDdtHXJrFwsQp3ReiBvdRhghIZwD9K9KgQRxqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
puaCaAJM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzj5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvdymSCb+8rcVz1tj
ppHUJOY8HtUhXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NNUmZbXd6UwRgnrxUPtztJXUy21u
B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9lsF0/To4QPmxlj6mtAGmoeKd1rutY4L
3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eIFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyuYDFLGWUnnSutLmQ3Bnz5r
Md3qVyl7e3lmmuGyqlpYkdunNUPD1jcWtbdx3ELxYfbh1wcjRX0SdlQ/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybyqzdDvT
rVIXDKcNwwrp0jV2sMis290sZLKOK54z6M6pQ6kEOphV2uPxdQZTOVbFZ5syDgg4pBZdwxp8qBSaNDV4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJIHKTJQ5kfPU/yrsvCbqtvJEw5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWD5D0OLp7VLzUyW6FB1/Cpo7NGIHv186OSxTap
1aC2MRXnOfrQbBGGVYihTQWZQoq01hIPukGomt5U6oarmQWN6iisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvtJtZ042WpSxY+Xdlf
oeIYV1pcug/eaM6fLUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRjHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg1iOnYfckGfPvH+eIQw2cl7eRW0f3pGwD6e9VB2ZnUWWh6zbDdCG9qtWjrUVsg8nA+ITxLhDXaedYeo+WnKMUKOBSgUDF7UmKXFFAyaiimah
RRRQAJLuUiuS8Uad5Sk3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
V9YecYqTYQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8AVr1716Fo1mLPsreHHzbdfzU8mt6Mbyv
2OXESTGxp264WpwwFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YldLiBw45+tZOBIQkjBTODht9a
6rW7bzbQsOsZ3fhXLOJx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxq3TlrUttSntlEQstuesUgyPw9KVI0y5gedBPPBs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UKcnvWs6lxlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKOQK66C925w4h3lYmQcVIBTVH
NPFamI7NFIOKWgBDQKKA0aAHUUUzUUKKKKACiiigGQ3EYKjKkcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
OrdahgMBmoiCpRRQwaOk8MwEWktwr/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//",
"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

13.3 Link OR Delink ABHA With Benefit Name

13.3.1 Link ABHA With Benefit Name

Step 1: This API is used to Link ABHA account with benefit name.

V3 URL: {{base_url}}/v3/profile/benefit/linkAndDelink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Example Value	Mandatory	Description
Scope	link	Yes	Based on preference link option
loginHint	abha-number / xmlUid	Yes	Based on preference link by abha number or xml uid
loginId	RSA Encrypted abha number / xml uid	Yes	Based on preference link by abha number or xml uid values

a) Link by ABHA number.

V3 Request Body:

Request Body (Link)
<pre>{ "scope": ["link"], "loginHint": "abha-number", "loginId": "DhcsvjORTk4LITxYHyGehwc9bssmiLDUxwAF6quQHtZ0suDJZWfsaEzbdNCOA8wr4NM3woa995KLzCj3p2u1uXnJkZWGIIdYOfW3UnOcfWdZ FMNbtXjfe2ChcZFTZjYPHJVW2H/14BUxl4UvU74FM4LD1rmjotqF5PgryyNnNRFaQMZ7iq6l8PZk7oXa92Qpk1kJTRHU84uv1lsslqsUr3Hngl pLbOHuuPMixG/balCpe0MAXuVyDXIratJATAWAuOI0ucNGaAJcUhjcwXuuDeERDg4rhcyAxTm9rkf6TJzQuF8uw0Nr9A95Brcus141Dy/ORcmF GzLzHCkby0zKnEXn6QQSsz70coLXoTOjpV3Ctj2wt22oZd62zvwrk8TFRnA8Z8ww4uLCo7tg9ASiOxYgLDE/b1Ry1h/gZHVj7mD2V4c1gMtBZcU hoWYzSEp2DvH45bGWmjsb0EHkUQ/r61+E7143VDU018QdlETb80gfK8Rsffb+7JmLEQ4yXcJNe4ODo30jtCANji51P2FQyCJlbzMoV5gw8iNS KrTNHi2qjZ64w/sim093WiBrFvoYjmB0hY8PI5hYh0EWuFDJ0So86emqqdvkCyXeHAeQaSDIQAIAE5+QX4OTBsdzv1+ja9b4uGG5Em/+98i0V /EalBXPwrNcxKZcl1S8OZM=" }</pre>

V3 Response:

Response (Link)

Code: 200 OK

<pre>{ "benefitName": "COVIN", "healthId": "91-5150-4867-XXXX", "status": "Benefit record has been linked successfully" }</pre>

b) Link by XmlUid

V3 Request Body:

Request Body
<pre>{ "scope": ["link"], "loginHint": "xmluid", "loginId": "{{XmlUid_encryption}}" }</pre>

V3 Response Body:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" }</pre>

c) Link By X-Token

V3 Request Body:

Request Body
<pre>{ "scope": ["link"] }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" }</pre>

13.3.2 De-link ABHA With Benefit Name

Step 1: This API is used to De-link ABHA account with benefit name.

V3 URL: {{base_url}}/v3/profile/benefit/linkAndDelink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Example Value	Mandatory	Description
Scope	de-link	Yes	Based on preference delink
loginHint	abha-number / xmlUid	Yes	Based on preference delink by abha number or xml uid
loginId	RSA Encrypted abha number / xml uid	Yes	Based on preference delink by abha number or xml uid values

V3 Request Body:

Request Body

```
{
  "scope": [
    "de-link"
  ],
  "loginHint": "abha-number",
  "loginId":
  "DhcsvJORTk4LITxYHyGehwc9bssmiLDUxwAF6quQHTZ0suDJZWfsaEzbdNCOA8wr4NM3woa995KLzCj3p2u1uXnJkZWGIYOfW3UnOcfWdZ
  FMNbtXjfg2ChcZFTZjYPHJVW2H/14BUxl4UvU74FM4LD1rmjotqF5PgryyNnNRFaQMZ7iq6I8PZk7oXa92Qpk1kJTRHUt84uv1IsslqsUr3Hngl
  pLbOHuuPMixG/balCpe0MAXuVyDXIratJATAWAuOI0ucNGaAjcUhjcwXuuDeERDG4rhcYAxTm9rkf6TJzQuF8uw0Nr9A95Brcus141Dy/ORcmF
  GzLzHCkby0zKnEXn6QQSszZ70coLXoTOjpV3CtJ2wt22oZd62zvwrk8TFRnA8Z8ww4uLCo7tg9ASiOxYgLDE/b1Ry1h/gZHVj7mD2V4c1gMtBZcU
  hoWYzSEp2DvH45bGWmjsb0EHkUQ/r61+E7143VDU018QdlETb80gfk8Rsffb+7JmLEQ4yXcjNe4ODo30jtCANji51iP2FQycJlbzMoV5gw8iNS
  KrTNHi2qjZ64w/sim093WiBrFvoYjmB0hY8PI5hYh0EWuFDJ0So86emqqdvcyXeHAeQaSDIQAIAE5+QX4OTBsdzv1+ja9b4uGG5Em/+98i0V
  /EalBXPwrNcxKZclL1S8OZM="
}
```

V3 Response:

Response (De-Link)
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5150-4867-XXXX", "status": "Benefit record has been De-linked successfully". }</pre>

b) De-link by XmlUid

V3 Request Body:

Request Body
<pre>{ "scope": ["de-link"], "loginHint": "xmluid", "loginId": "{{XmlUid_encryption}}" }</pre>

V3 Response Body:

Response
Code: 200 OK
<pre>{ "benefitName": "healthid api", "healthId": "91-2168-5577-XXXX", "status": "Benefit record has been de-linked successfully" }</pre>

c) De-link by X-Token

Request Body
<pre>{ "scope": ["de-link"] }</pre>

Response:

Response
Code: 200 OK
<pre>{ "benefitName": "healthid api", "healthId": "91-2168-5577-XXXX", "status": "Benefit record has been de-linked successfully" }</pre>

13.4 Update ABHA Profile Details

This API used to update user profile details using Benefit API.

13.4.1 Update Mobile

V3 URL: {{env_url }}/abha/api/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "91-4656-1028-XXXX", "mobile": "*****2406", "accountStatus": "ACTIVE", "profilePhoto": "<<Base 64 user profile photo>>" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" "ABHANumber": "91-5713-4487-XXXX", "preferredAbhaAddress": "91571344873849@abdm", "mobile": "*****2841", "firstName": "Ranjith", "middleName": "", "lastName": "R", "name": "Ranjith R", "yearOfBirth": "1998", "dayOfBirth": "31", "monthOfBirth": "05", "gender": "M", "email": "ranjith.10696235@ltimindtree.com", "profilePhoto": "profile photo", "status": "ACTIVE", "stateCode": "32", "districtCode": "563", "subDistrictCode": null, "villageCode": null, "townCode": null, "wardCode": null, "pincode": "679302", "address": "Pathiripala", "kycPhoto": "AA==", "stateName": "KERALA", "districtName": "PALAKKAD", "subdistrictName": "PALAKKAD", "villageName": null, "townName": null, "wardName": null, "authMethods": ["EMAIL_OTP", "MOBILE_OTP"], "tags": {}, "kycVerified": true, "verificationStatus": "VERIFIED", "verificationType": "DRIVING_LICENCE", "emailVerified": "ranjith.10696235@ltimindtree.com" }</pre>

13.4.2 Update Profile

V3 URL: {{base_url}}/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "{{abhaNumber/x-token}}", "accountStatus": "ACTIVE" }</pre>

V3 Response:

Response
Code: 200 OK

<pre> { "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" "ABHANumber": "91-5713-4487-XXXX", "preferredAbhaAddress": "91571344873849@abdm", "mobile": "*****2841", "firstName": "Ranjith", "middleName": "", "lastName": "R", "name": "Ranjith R", "yearOfBirth": "1998", "dayOfBirth": "31", "monthOfBirth": "05", "gender": "M", "email": "ranjith.10696235@ltimindtree.com", "profilePhoto": "profile photo", "status": "ACTIVE", "stateCode": "32", "districtCode": "563", "subDistrictCode": null, "villageCode": null, "townCode": null, "wardCode": null, "pincode": "679302", "address": "Pathiripala", "kycPhoto": "AA==", "stateName": "KERALA", "districtName": "PALAKKAD", "subdistrictName": "PALAKKAD", "villageName": null, "townName": null, </pre>	
<pre> "wardName": null, "authMethods": ["EMAIL_OTP", "MOBILE_OTP"], "tags": {}, "kycVerified": true, "verificationStatus": "VERIFIED", "verificationType": "DRIVING_LICENCE", "emailVerified": "ranjith.10696235@ltimindtree.com" } </pre>	

13.4.3 Update Profile

V3 URL: {{api_gateway}}/abha/api/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endto-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "91-6160-6504-XXXX", "mobile": "*****3662", "accountStatus": "ACTIVE", "profilePhoto": "<<Base 64 user profile photo>>" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "benefitName": "COVIN",
  "healthId": "91-5713-4487-XXXX",
  "status": "Benefit record has been linked successfully"
"ABHANumber": "91-5713-4487-XXXX",
  "preferredAbhaAddress": "91571344873849@abdm",
  "mobile": "*****2841",
  "firstName": "Ranjith",
  "middleName": "",
  "lastName": "R",
  "name": "Ranjith R",
  "yearOfBirth": "1998",
  "dayOfBirth": "31",
  "monthOfBirth": "05",
  "gender": "M",
  "email": "ranjith.10696235@ltimindtree.com",
  "profilePhoto": "profile photo",
  "status": "ACTIVE",
  "stateCode": "32",
  "districtCode": "563",
  "subDistrictCode": null,
  "villageCode": null,
  "townCode": null,
  "wardCode": null,
  "pincode": "679302",
  "address": "Pathiripala",
  "kycPhoto": "AA==",
  "stateName": "KERALA",
  "districtName": "PALAKKAD",
  "subdistrictName": "PALAKKAD",
  "villageName": null,
  "townName": null,
  "wardName": null,
  "authMethods": [
    "EMAIL_OTP",
    "MOBILE_OTP"
  ],
  "tags": {},
  "kycVerified": true,
  "verificationStatus": "VERIFIED",
  "verificationType": "DRIVING_LICENCE",
  "emailVerified": "ranjith.10696235@ltimindtree.com"
}
```

13.5 Search Benefit Details

This API used to search benefit details linked to ABHA Number.

13.5.1 Search by Aadhaar

V3 URL: {{base_url}}/v3/profile/benefit/search

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search	Yes	Search scope
loginHint	abha-number/xmlUid	Yes	Based on preference of search we can use abha number or xml uid to search details
loginId	Encrypted abha number or xmluid	No	Encrypted abha number or xmluid to search

V3 Request Body:

Request Body
<pre>{ "scope": ["search"], "loginHint": "xmlUid", "loginId": "{{xmlUid_encryption}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>[{ "stateCode": 20, "benefitName": "COVIN", "benefitId": "2229031721737473", "abhaNumber": "91-5150-4867-XXXX", "status": 0 }]</pre>

13.5.2 Search by Health Id Number

V3 URL: {{base_url}}/v3/profile/benefit/search

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search	Yes	Search scope
loginHint	Abha-number/xmlUid	Yes	Based on preference of search we can use abha number or xml uid to search details
loginId	Encrypted abha number or xmluid	No	Encrypted abha number or xmluid to search

V3 Request Body:

Request Body
<pre>{ "scope": ["search"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>[{ "stateCode": 20, "benefitName": "COVIN", "benefitId": "2229031721737473", "abhaNumber": "91-5150-4867-XXXX", "status": 0 }]</pre>

13.5.3 Search

V3 URL: {{base_url}}/profile/benefit/abha/{{healthIdNumber}}

V3 Request: GET **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response
Code: 200 OK
<pre>{ "abhaNumber": "91-7722-7553-XXXX", "programme": [{ "benefitName": "Poshan Abhiyaan" }, { "benefitName": "Test Benefit Program" }, { "benefitName": "Pradhan Mantri National Dialysis Programme" }] }</pre>

13.6 Find ABHA (For Govt Entity)

13.6.1 Search ABHA using Mobile

13.6.1.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

13.6.1.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobileverify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "search-abha",
    "mobile-verify"
  ],
  "loginHint": "index",
  "loginId": "{{Index_Encryption}}",
  "otpSystem": "abdm",
  "txnId": "{{txnId}}"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "OTP sent to mobile number ending with *****6265" }</pre>

13.6.1.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login mobile-verify	Yes	Defines the scope of the current action of the API
authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"),

txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	Otp received on mobile should be encrypted first

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login","mobile-verify"], "authData": {"authMethods": ["otp"], "otp": { "txnId": "{{otpTxnId}}", "otpValue": "{{rsaOtpEncryptionOutput}}" } } }</pre>

V3 Response:

Response
200 OK


```
XJ/D7Vm1HQfJlLz2zbG3HJ2nkH+Y/CuurMQm2lxSqOaftoA8suhiSq9X79Nrk1n0MYtl7bVJoprjK4oA821NzPdyuzZYsTms9AX
clOpOK2NcjSG+dBnb165qnpNv5lxvl4FaLYaVzTtLJYkHc9zWnFEBiokGOMVct4yT0qZHRBFiKIHGVRvyl2AYpl1KKBU689qzNBi
QAHmrJiUR8Dmmqpl4F5SmM7a0iSzNnjGTms65tl5hyozWxNGTKvUMRnAnqchc27W+4HkZ4pIFIA4wvrW5qlurxkEYPUVkR
s20lvKA9PWtEc8lZne/DiaWDW1SNvkmRg6no2ASK9fAyK8v8AAMa3t5A8ccUP2RckA5Lkjb9tXqK5xzWUtyBQKWilqQPMt
RYFjWYTV/UM+ZWfjFNjDNLsgJOOKAOE8TwGG/bIO1yWU/WnaVeiRmZNgA1seKrdZrHzgw3RdvYkVl2kfnaXbpnA5z+Zq09C
o7if2HjHmrdrGXAERwO+aIdDhkOGUC9wa0YtFs0j4mU47bqdl1NfeLtnCLd9FwavrF6DNYsNxFYyBAygHoQa1rO8jeXazZX2
qHY0V+pDdPNbnCizZ61mnXLpGktCp5xgzro7ualpwAynoKw5760VsMglB5G3NWmiJKQwasZT/AKps+wqOO/YPiRCVJ4lrVs9
S0x4cK6qc4C7lB/LOac6W8xyu049etEmrCSfco3NulxavgckcGuRIMdwQO1d0sWxcDp9a5PUbfy72V0h3ZHHY0oEVEdr8M4
3k1x5Qfl+zsSFPgdyj/wCv+FetjpXNeB9Jj03w3aMi/PPGsrN655H866cCpk9TIAKXFKBTtSB5hqqhCSeKwpLyJScsK3dXlQxNc
bOpVyDRJ2KSuXZNSjX7oJNU5r+WTgfkPaqxpuOam7KsMnBmiZWJORikgt2jsUCj7o7/WnnpTpEeSJFOXCKuBcUvoA89wVu2
kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2Kcl7mPJ59/qJlLMQtkZ
JO0dhmuq0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jual6mklkU8UkiZifBqhb289tJkhWOQsQulKXsforW5NaPbk7QS
BTiIWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnyOFH0HatXyG3bQ3FSjTlxktk05SuSoWKQcOBisUrN
p9TiEY5KBmPpzXRG2VB0pptwXmM0dm36c1EXZkyjQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilxSjrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBYCm0WmcefSkPFTTRIGOahrMsbV61ddi+wqjUkTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDt2ptvJkYzUdxc+Wdydx9K0aNkyGz2WNo0Uk0ccie4Ynhhmt7R9ak+zhIDxSlcMmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5GAd1WoJ1IDEDCK5qoltcNEDJEB7ZGRTo0mibpxQ0NSfU00iB5lpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tAplGMnuatAVHbv5tvFJ/eQH9KnAp
HlxoFPAAoAp1AjhhUFzbrNGQRU4p1UxnD6rphRiwFc/LGUy8V6fc2aTocjmuN1rThbsSBUNFJnOkUD07inEyPluzLRYtpsNhqS
SRAXeToOnrVUPtfl61IrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bfZq53AgjFWVklLjEmMegp3KTsa4juzGP3qBR371E813E
+18SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qJXPTNTJCTsWO4NddoHh21u9Phu52kldidgOAOQDj
B/KuShja4mjhjGXdgq/U8V6taW62tpDbqSVjQICe+B1rN6GU5W2LCrgADoKeBSAU6pMgoopaAOEFOpGNI80cYyzAfU1QEw
PFc14kTMRNXrrX7S3BG8MR2FcXqutG+yqrhaTY0jDbrTcVIRsbagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHFlrZOarhmOMky96fHl2wPu+tsWua+jP8A8TizY9
BOn/oQR1leleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSAPA50AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9l2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqRs5wojPtVhL8bnlUAZPeugj0xlUXcOTOVR1q39IAVo9q5ZeeOa2VDuLm
O1lZ3spbS3jjKmf5mdhztzOHpURI39ua6TxPp5ks7S8CnNvJhwK2Bn8wo/GsQJhs461Tjy7Fx1Khr14bketPjChuhBHTV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyLOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlv2PBJrY8lzSvc2D
uWh2B4l29w55A9ulZkkZl6V1ngvSXVjtQkBAIAWMedVHf8f6VVKN3YzqGvaajPbny5T5gBwcjkH+tbdvxc3C5Rvw71h3K5bKB
QXO4+4HA/PPFPVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjJSRQyMCK55QcdxHxzDbyztjJZ7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhwGWPzH7dM1ejsG34xVCctPcbBnaOK2UFFCftYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quCCeyiuYZLeQZilXacjpn+tcLdWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHPVLUDHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSltJGMjHuO1QRrXJNaM3TTJolT0qwCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9llbr5Q+4Pr6/y9q0jTlImU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVklYdOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJVdTuJHH
65pY5TC4ZC0Z79wamITB6k1CyAigdaUop7iOcKiJcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRiNQOPQVcV1ArahOIISi4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCr3oerGMktX5YwcD0NUzG4k8uNyMntWreSlgPTGOoNyn2l3kKWQ5bP
LdhQ0glCgggtAqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQELiBPKNj6HFRyaZYXR/fwQOW6EoCarx
XLPcyKhyj/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdFzrYysAvoAOP7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTslY87XF5sRiscfAUVVuEjvVY4xjHHFPsctI7Z5zUt0mAj
8Ek+tIZJ5KlAcA4FMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCr85FZt
9epBCZnGccAdyfSiinLRAGh6XJK7XlYmSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVhbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JVIzJO
AOM0UVQEwnjZiOCasXgymMA0UVix1p80W7JqO8TztcHJB5zRRTAkifl4PW05AwOQwx6ZooEf/2Q=="
}
]
}
```

13.6.2 Search ABHA using Aadhaar

13.6.2.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```


13.6.2.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "search-abha",
    "aadhaar-verify"
  ],
  "loginHint": "index",
  "loginId": "{{Index_Encryption}}",
  "otpSystem": "aadhaar",
  "txnId": "{{txnId}}"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "OTP sent to Aadhaar registered mobile number ending with *****6265" }</pre>

13.6.2.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-verify	Yes	Defines the scope of the current action of the API

authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	Otp received on mobile should be encrypted first

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": {"authMethods": ["otp"], "otp": { "txnId": "{{otpTxnId}}", "otpValue": "{{rsaOtpEncryptionOutput}}" } } }</pre>

V3 Response:

Response
200 OK

```
{
  "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34",
  "authResult": "success",
  "message": "OTP verified successfully",  "token":
  "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVkljP0cnVlCjZdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiJOiY
WJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkiWibW9iaWxllj
oiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXIiOiI5MS0xMzc2LTcwMDYtNTI1OSIsImByZWZlcnJlZEFiaGFhZGRyZXNzIjoiotExMzc2N
zAwNjUyNTIAC2J4liwidHlwljoiVHJhbnNhY3Rpb24iLCJleHAiOiE3MjEzODkyNDgslmIhdCI6MTcyMTM4NzQ0OCwidHhuSW
QioiI3NzViNmExMS1lYTA1LTQ5ZTI0ODY2MS1mOWFhODU1Y2FkMzQifQ.Bw0NXK2Z1AbCDrehPT8fEcCbNOCJGYBUx2eVf
zMm1RvK85OxoeGaZPKYc2hIke3wtFkv_BHt45Cfhr-
2Cncb73Kto9NFxPV8M9r9C1NnVlVxb7beAjHHCTrNS0XW4bID3EdVWllkRwbRSA4HOKBpNphCbth5IG9f8NFyd0Aovp4fv
AJgOi2sTo5JDJdg5GweeSYZSXqQNKK1oDCq_UcuuDG3-
P4gfl1r6K3KQPbEcHF1mmet7iSjopRDPUPQuSuvZfG7k1QoDitV2RzXTY-
F9_Em9QmIvzbNjXvBz5T42DZBZa4QTcdBw9KqJwBlSL_oCx1QEHdDHh1_VH8YO_KmkqIMWpYto09ix34xiZh8LIQKFLFboF
PtndwL9Y6Ucl35zeTNQI9GSI7x3CKQJmGv_ICRyWZXBDELUPeB2d2fiwQmaPkXTvNnTbGwEi0H8Qv--n-L4-
pERFbmAXqsO4PGf2aRrzz1AOAbJXE1VaVQJP3rOysXL71pTRL8ELF6kmq8tRE_nwBbYI7BQRnHPZ6StGS7cm9C1VYZpyVy22
qX6YsIGAmlosTwOcB-
96dEri31WXZRGtYSV_74iNDCBZ3CDUMbBLjtGIRf7UZhmB8Xlx8nuF7qt0WnNtwqoIAtcdQtRWZA3S8BRDiTsIYfHIVmNSvP
d5n3u_rBD-kml",  "expiresIn": 1800,  "refreshToken":
  "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiJOiYWJoYS1wcm9maWxllWFwcC1hc
GkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAIoiJSZWZyZXNoliwiZXhwIjoxNjgzNDQ4LCJpYXQiOiE3MjEzODkyNDQ5LWkyYqR
LsamNnDCfXU2OqWUHYzeoe_TnI9IL16Y62kdZByuBIhwc9nw8KD6M_xZjEmy8aEnGTmwoQPRq4b1OLiy7m9Dqlbq4fDo_
LsDHikWFqhvnSgNSLD04RQ2TiMOnXkrJOUUpF3TgvUeoVOpFi8Q55fLLRFgN5Tuzay0xVyFMZYL-
KW38_h1OU2KyMjErSjrR2su7XdUc0rxMsoDnRGyvZvJW1iRgUfG00WahT4HpMa1rrYHhOQOEi8RM92zvycjTj4kxwB4HJra
K4XHmFwHAQI_WddrM940c1-
1y3DnTjITOmGmn5ym3DI_IHFe0uqQKAAnaLrMFPJvAFxg19bVGN0ipEKDgmyV5reJo2TDPULjsl8Kis8f9-
PVo03cQxJ7krOXc8bqmqkqilYINdC-JcwDxZE8m5SYVSISnbQK7HGLHWZuuPnyp1-
5iWT1JtJUcdJ0CzGOSOVAltmTSdqqtWV5p8HguO9jNh6znXrrZy0BHzMtY4D5Z169dqCU76ULXtLyATQBSFPF7A-
HRSqcAiJ4jHU-NSYsbJSzgD2ryq78pK14LXA-N_Dcohp80Qsd_2f7H_fs2csRglZL3A-
zqyunUId0ekfv2onySSGYOLib4Iz30Nb8IfM-Ysrm4JT3SkVPu_QgKZ00NNM62ZwduufrICdfeCDJboH67zQQQ",
  "refreshExpiresIn": 1296000,
  "accounts": [
    {
      "ABHANumber": "91-1376-7006-XXXX",
      "preferredAbhaAddress": "narayanxxxx@sbx",
      "name": "Narayanan Madaswamy",
      "status": "ACTIVE",
    }
  ]
}
```

[illegible]

8Ek+tIzJ5KIaC4FMQnGcYI96sRNIccH6VExEc5XC880WAVtxPA69yKhaNgcBFWIBK5zg+1RMhJIOOe9OwjNSOKxtVCR85Fzt
9epBCZnGccAdyfSiinLRAGh6XJK7XlyMSSHIBHQdq3ry5js4cO30oooStG4GEBcapKBhkh6AdzW5YaVHbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JVlzjO
AOM0UVQEWnjJZiOCasXgymMA0UVIx1p80W7JqO8TZtcHJB5zRRTAkifl4PW05AwOQwx6ZoooEf/2Q=="

```
}
]
}
```

13.6.3 Search ABHA using Biometrics

13.6.3.1 Search ABHA using Biometric (Face)

13.6.3.1.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
```

```

"txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",

"ABHA": [

{

  "index": 1,

  "ABHANumber": "91-5259-8743-XXXX",

  "name": "Narayanan Madaswamy",

  "gender": "M"

}

]

}

]

```

13.6.3.1.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-face-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key

otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "aadhaar-face-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "aadhaar", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "FACE authentication request successfully sent. " }</pre>

13.6.3.1.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-face-verify	Yes	Defines the scope of the current action of the API
authMethods	"face"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
faceAuthPid	Generated FaceAuthPid Value	Yes	Face auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-face-verify"], "authData": {"authMethods": ["face"], "face": { "txnId": "{{otpTxnId}}", "faceAuthPid": "{{faceAuthPid}}" } } }</pre>

V3 Response:

Response
200 OK

```
{
  "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34",
  "authResult": "success",
  "message": "FACE verified successfully ",  "token":
  "eyJhbGciOiJSUzUxMij9.eyJpc0t5Y1ZlcmImaWVkljp0cnVILCJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiOiY
WJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkiWibW9iaWxllj
oiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXIiOiI5MS0xMzc2LTcwMDYtNTI1OSIsInByZWZlcnJlZEFiaGFhZGRyZXNzIjoiotExMzc2N
zAwNjUyNTlAc2J4IiwidHlwIjoivHJhbnNhY3Rpb24iLCJleHAiOiJlE3MjEzODkyNDgslmhdCI6MTcyMTM4NzQ0OCwidHhuSW
QiOiI3NzViNmExMS1lYTA1LTQ5ZTIitODY2MS1mOWFhODU1Y2FkMzQifQ.Bw0NXK2Z1AbCDrehPT8fEcCbNOCJGYBUx2eVf
zMmI1RVK85OxoeGaZPKYc2hIke3wtFkv_BHt45Cfhr-
2Cncb73Kto9NFxPV8M9r9C1NnVILvXb7beAjHHCTrNS0XW4bID3EdVWllkRwbRSA4HOKBpNphCbth5IG9f8NFyd0Aovp4fv
AJgOi2sTo5JDJdg5GweeSYZSXqQNKK1oDCq_UcuuDG3-
P4gfl1r6K3QKPbEcHF1mmet7iSjopRDPUQuSuvZfG7k1QoDitV2RzXTY-
F9_Em9QmIvzbNjXvBz5T42DZBZa4QTcdBw9KqJwIBLsL_oCx1QEHdDh1_VH8YO_KmkqIMWpYto09ix34xiZh8LIQKFLFboF
PtndwL9Y6Ucl35zeTNQi9GSI7x3CKQJmGv_ICRyWZXBDELUPeB2d2fiwQmaPkXTvNnTbGwEi0H8Qv--n-L4-
pERFbmAXqsO4PGf2aRrzz1AOAbJXE1VaVQJP3rOysXL71pTRL8ELF6kmq8tRE_nwBbYI7BQRnHPZ6StG57cm9C1VYZpyVy22
qX6YslGAmlosTwOcB-
96dEri31WXZRGtYSV_74iNDCBZ3CDUMbBLjtGIRf7UZhmB8Xlx8nuF7qt0WnNtwqoIAtdcQtRWZA3S8BRDiTslyfHIVmNSvP
d5n3u_rBD-kml",  "expiresIn": 1800,  "refreshToken":
  "eyJhbGciOiJSUzUxMij9.eyJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiOiYWJoYS1wcm9maWxllWFwcC1hc
GkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjozNzlyNjgzNDQ4LCJpYXQiOiJlE3MjEzODc0NDh9.WKYqR
```

[illegible]

JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQewvU4uSx6En9KdhXL7SHFlrZOarhmOMkY96fHI2wPu+tSwua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSApaBS0AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9I2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqRs5woJPtVhLF8bnlUAZPeugj0xlUXcOT0VR1q39iAVo9q5ZeeOa2VDuLm

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

13.6.3.2.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{ accessToken }}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-bio-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "aadhaar-bio-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "aadhaar", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "Fingerprint authentication request successfully sent. " }</pre>

13.6.3.2.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-bio-verify	Yes	Defines the scope of the current action of the API
authMethods	"bio"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
fingerprintAuthPid	Generated Fingerprint AuthPid Value	Yes	Fingerprint auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body

```
{
  "scope": ["abha-login","aadhaar-bio-verify"],
  "authData": {"authMethods": ["bio"],
    "bio": {
      "txnId": "{{otpTxnId}}",
      "fingerPrintAuthPid": "{{fingerPrintAuthPid}}"
    }
  }
}
```

V3 Response:

Response
200 OK

XJ/D7Vm1HQfJllZ2zbG3HJ2nkH+Y/CuurMQm2lxSqOaftoA8suhiSq9X79Nrk1n0MYti7bVJoprjK4oA821NzPdyuzZYsTms9AX
clOpOK2NcjSG+dBnb165qnpNv5lxvl4FaLYaVzTtLJYkHc9zWnFEBiokGOMVct4yT0qZHRBFiKIHGRVvyl2AYpl1KKBU689qzNBi
QAHmrJiUR8Dmmqpl4F5smM7a0iSzNnjGTms65tI5hyozWxNGTKvUMRnAnqchc27W+4HkZ4pIFIA4wvrW5qlurxkEYPUVkR
s20lvKA9PWTEc8lZne/DiaWDW1SNvkmRg6no2ASK9fAyK8v8AAMa3t5A8ccUP2RckA5Lkjb9tXqK5xzWUtyBQKWilqQPMt
RYFjWYTV/UM+ZWfjFNjDNLsgJOOKAOE8TwGG/bIO1yWU/WnaVElrMzNgA1seKrdZrHzgw3RdvYkVl2kfnaXbpnA5z+Zq09C
o7if2HjHmrdrGXAERwO+aIdDhkOGUC9wa0YtFs0j4mU47bqdl1NfeLtnCLd9FwavrF6DNYsNxFYyBAygHoQa1rO8jeXazZX2
qHY0V+pDdPNbnciZz61mnXLpGktCp5xgzro7ualpwAynoKw5760VsMglB5G3NWmiJKQwasZT/AKps+wqOO/YPiRCVJ4lrVs9
S0x4C6qc4C7IB/LOac6W8xyu049etEmrCSfco3NulxavgckcGuRIMdwQO1d0sWxcDp9a5PUbfy72V0h3ZHHY0oEVEdr8M4
3k1x5Qfl+zsSFPgdyj/wCv+FetjpXNeB9Jj03w3aMi/PPGsrN655H866cCpk9TIAKXFKBTtSB5hqqhCSeKwpLyJScsK3dXJLqNc
bOpVyDRJ2KSuXZNSjX7oJNU5r+WTgfkPaqxpuOam7KsMnBmiZWJORikgt2jsUCj7o7/WnnpTpEeSJFOXCKuBcUvoA89wVu2
kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2Kcl7mPJ59/qJllMQtkZ
JO0dhmuq0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jua16mklkU8UkiZifBqhb289tJkhWOQsQulKXsforW5NaPbk7QS
BTiiWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnyOFH0HatXyG3bQ3FSjTlxktk05SuSoWKQcOBisUrN
p9TiEY5KBmPpzXRG2VB0pptwXmMdm36c1EXZkyjQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilxSjrS4oJPO72HfEa4rUoCkrCv6C6bgRiua1mxJBYCm0WmcefSkPFTTRIGOahrMsbV61ddi+wqjUkTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDT2ptvJkYzUdxc+Wdydx9K0aNkyGz2WNo0Uk0ccie4Ynhhmt7R9ak+zhIDxSlcMmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5GAd1WoJ1IDEDCK5qoltcNEDJEB7ZGRTo0mibpxQ0NSfU00iB5lpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tApIGMnuatAVHbv5tvfJ/eQH9KnAp
HlxoFPAAoAp1AjhhUFzbrNGQRU4p1UxnD6rphRiwFc/LGUy8V6fc2aTocjmuN1rThbsSBUNFJnOkUD07inEyPluzLRYtpsNhqS
SRAXeToOnrVUPtfl61IrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bfZq53AgjFWVklLjEmMegp3KTsa4juzGP3qBR371E813E
+18SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qJXPTNTJCTsWO4NddoHh21u9Phu52kdidgOAOQDj
B/KuShja4mjihGXdgq/U8V6taW62tpDbqSVjQICe+B1rN6GU5W2LCrgADoKeBSAU6pMgoopaAOEFOpGNI80cYyzAfU1QEw
PFc14kTMRNXrrX7S3BG8MR2FcXqutG+yqrhaTY0JDbRtCVRsbagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetplVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHFlrZOarhmOMky96fHl2uPu+tsWua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSApaBS0AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9l2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqRs5woJptVhL8bnlUAZPeugj0xIUxcOT0VR1q39iAvo9q5ZeeOa2VDuLm
Ol1Z3spbS3jjKmf5mdhztzOHpURI39ua6TxPp5ks7S8CnNvJhwK2Bn8wo/GsQJhs461Tjy7Fx1Khr14bketPjChuhBHTV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyLOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrlv2PBJrY8lzSvc2D
uWh2B4l29w55A9ulZkkZi6V1ngvSXVjtQkBAIAWMedVHf8f6VVKN3YzqGvaajPbny5T5gBwcjkH+tbdvxc3C5Rvw71h3K5bKB
QXO4+4HA/PPFPVQp3BijCqIQXQxOhFLWVb6kyELOMjswrTjJSRQyMCK55QcdxHxzDbyztjZj7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UhwGWPzH7dM1ejsG34xVCctPcbBnaOK2UFFCftYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quCCeyiuYZLeQZilXacjpn+tcLdWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHPVLUDHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSLtJGMjHuo1QRrXJNaM3TTJolT0qwCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9lIbr5Q+4Pr6/y9q0jTIlmU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVxXlyDOsCEhfvMe5NdkIKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJvdtuJHH
65pY5TC4ZC0Z79wamITB6k1CyAjgdaUop7iOckijcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRIINQOPQVcV1ArahOIISi4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCR3oerGMktx5YwcD0NUzG4k8uNyMntWreSlgPTGOoNyn2l3kKWq5bP
LdhQ0glcggtAqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQEliBPKNj6HFRyaZYXR/fwQOW6EoCarx
XLPcyKhyj/lmrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdzfZrYysAvoAOp7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyP1GensKZHuhtS5PzNzzTslY87XF5sRiscfAUVVuEjvVY4xjHHFPscti7Z5zUt0mAj
8Ek+tIZJ5KlAcA4FMQnGcYI96sRNLccH6VExEc5XC880WAVtxPA69yKhaNgcNBFWIBK5zg+1RMhJIOe9OwJNSOKxtVCr85FZt
9epBCZnGccAdyfSiinLRAGh6XJK7XlYmSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVHBqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UHQAmNDuwaKKHsBamUyzpvDECn3JVIzJO
AOM0UVQEwnjZiOCasXgymMA0UVix1p80W7JqO8TztcHJB5zRRTAkifi4PW05AwOQwx6ZooEf/2Q=="

}
]
}

13.6.3.3 Search ABHA using Biometric (IRIS)

13.6.3.3.1 Search ABHA

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrato

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search-abha	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre>{ "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" }</pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

```
]
}
]
```

13.6.3.3.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-iris-verify search-abha	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	index	Yes	Index of ABHA number given in search API response.
loginId	Index_Encryption	Yes	Actual value index generated in search API. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "search-abha",
    "aadhaar-iris-verify"
  ],
  "loginHint": "index",
  "loginId": "{{Index_Encryption}}",
  "otpSystem": "aadhaar",
  "txnId": "{{txnId}}"
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "IRIS authentication request successfully sent. " }</pre>

13.6.3.3.3 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-login aadhaar-iris-verify	Yes	Defines the scope of the current action of the API

authMethods	"iris"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"), FACE("face") BIO("bio") IRIS("iris")
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
irisAuthPid	Generated Iris AuthPid Value	Yes	Iris auth pid can be generated from the Biometric systems

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-iris-verify"], "authData": { "authMethods": ["iris"], "iris": { "txnId": "{{otpTxnId}}", "irisAuthPid": "{{irisAuthPid}}" } } }</pre>

V3 Response:

Response
200 OK


```
{
  "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34",
  "authResult": "success",
  "message": "IRIS verified successfully ",  "token":
  "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmlmaWVkljp0cnVlCjZdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiJOiY
WJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkiWibW9iaWxllj
oiOTk5OTI2NjI2NSIsImFiaGF0dW1iZXIiOiI5MS0xMzc2LTcwMDYtNTI1OSIsInByZWZlcniJIZEFiaGFhZGRyZXNzIjoiotExMzc2N
zAwNjUyNTIAC2J4IiwidHlwIjoivHJhbnNhY3Rpb24iLCJleHAiOiE3MjEzODkyNDgslmhdCI6MTcyMTM4NzQ0OCwidHhuSW
QioiI3NzViNmExMS1lYTA1LTQ5ZTI0ODY2MS1mOWFhODU1Y2FkMzQifQ.Bw0NXK2Z1AbCDrehPT8fEcCbNOCJGYBUx2eVf
zMm1RvK85OxoeGaZPKYc2hIke3wtFkv_BHt45Cfhr-
2Cncb73Kto9NFxPV8M9r9C1NnVlVxb7beAjHHCTrNS0XW4bID3EdVWllkRwbRSA4HOKBpNphCbth5IG9f8NFyd0Aovp4fv
AJgOi2sTo5JDJdg5GweeSYZSXqQNK1oDCq_UcuuDG3-
P4gfl1r6K3QKPBECfH1mmet7iSjopRDPuQuSuvZfG7k1QoDitV2RzXTY-
F9_Em9QmIvzbNjXvBz5T42DZBZa4QTcdBw9KqJwBlSL_oCx1QEHDHh1_VH8YO_KmkqIMWpYto09ix34xiZh8LIQKFLFboF
PtndwL9Y6Ucl35zeTNQI9GSI7x3CKQJmGv_ICRyWZXBDELUPeB2d2fiwQmaPkXTvNnTbGwEi0H8Qv--n-L4-
pERFbmAXqsO4PGf2aRzz1AOAbJXE1VaVQJP3rOysXL71pTRL8ELF6kmq8tRE_nwBbYI7BQRnHPZ6StGS7cm9C1VYZpyVy22
qX6YsIGAmlosTwOcB-
96dEri31WXZRGtYSV_74iNDCBZ3CDUMbBLjtGIRf7UZhmB8Xlx8nuF7qt0WnNtwqoIAtcdQtRWZA3S8BRDiTslYfHIVmNSvP
d5n3u_rBD-kml",  "expiresIn": 1800,  "refreshToken":
  "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5MS0xMzc2LTcwMDYtNTI1OSIsImNsaWVudElkiJOiYWJoYS1wcm9maWxllWFwcC1hc
GkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAI0iJSZWZyZXNoliwiZXhwIjoixNjZjNDQ4LCJpYXQiOiE3MjEzODkyNDQ5.WKYqR
LsamNnDCfXU2OqWUHYzeoe_TnI9IL16Y62kdZByuBIhwc9nw8KD6M_xZjEmy8aEnGTmwoQPRq4b1OLiy7m9Dqlbq4fDo_
LsDHikWFqhvNSgNSLD04RQ2TiMOnXkrJOUUpF3TgvUeoVOpFi8Q55fLLRFgN5Tuzay0xVyFMZYL-
KW38_h1OU2KyMjErSjrR2su7XdUc0rxMsoDnRGyvZvJW1iRgUfG00WahT4HpMa1rrYHhOQOEi8RM92zvycjTj4kxwB4HJra
K4XHmFwHAQI_WddrM940c1-
1y3DnTjITomgGmn5ym3DI_IHFe0uqQKAAnaLrMFPJvAFxg19bVGN0ipEKDgmyV5reJo2TDPULjsl8Kis8f9-
PVo03cQxJ7krOXc8bqmqkqilYINdC-JcwDxZE8m5SYVSiSnbQK7HGLHWZuuPnyp1-
5iWT1JtJUcdJ0CzGOSoVALtmTSdqqtWV5p8HguO9jNh6znXrrZy0BHzMtY4D5Z169dqCU76ULXtLyATQBSFPF7A-
HRSqcAiJ4jHU-NSYsbJSzgD2ryq78pK14LXA-N_Dcohp80Qsd_2f7H_fs2csRglZL3A-
zqyunUId0ekfv2onySSGYOLib4Iz30Nb8IfM-Ysrm4JT3SkVPu_QgKZ00NNM62ZwduufrICdfeCDJboH67zQQQ",
  "refreshExpiresIn": 1296000,
  "accounts": [
    {
      "ABHANumber": "91-1376-7006-XXXX",
      "preferredAbhaAddress": "narayanxxxx@sbx",
      "name": "Narayanan Madaswamy",
      "status": "ACTIVE",
    }
  ]
}
```

[illegible]

8Ek+tIzJ5KIaC4FMQnGcYI96sRNIccH6VExEc5XC880WAVtxPA69yKhaNgcnBFWIBK5zg+1RMhJIOOe9OwjNSOKxtVCR85Fzt
9epBCZnGccAdyfSiinLRAGh6XJK7XlyMSSHIBHQdq3ry5js4cO30oooStG4GEBcapKBhkh6AdzW5YaVHbqG2nPvRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JVlzjO
AOM0UVQEWnjJZiOCasXgymMA0UVIx1p80W7JqO8TZtcHJB5zRRTAkifl4PW05AwOQwx6ZoooEf/2Q=="

```
}  
]  
}
```

13.7 Child ABHA (These APIs are intended for use only by specific Government integrators, approved by NHA)

13.7.1 Create ABHA

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of Parent user, user can get X-token after login to the system
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	authMethods	Yes	child
dayOfBirth	21	Yes	Child's Day of Birth
gender	M/F/O	Yes	Child's Gender
name	Ms. Moses Miller	Yes	Child's Name
monthOfBirth	12	Yes	Child's Month of birth
parentConsent	true	Yes	Parent consent of Child

consent	code (abha-enrollment) version (1.4)	Yes	
yearOfBirth	2019	Yes	Child's Year of birth

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["child"], "child": { "dayOfBirth": "2", "monthOfBirth": "11", "yearOfBirth": "2019", "gender": "M", "name": "Mohan Mahadev", "parentConsent": "true" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "message": "Account created successfully",
  "tokens": {
    "token":
      "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVkljP0cnVlClJzdWliOiI5MS01NDAXLTlyNzYtNzE0MyIsImNsaWVudElkJoiYWJoYS1wcm9maWxlLWFwcC1hcGkiLCJzeXNOZW0iOiBQkhlBU4iLCJhY2NvdW50VHlwZSI6ImNoaWxkliiwibW9iaWxlljoioTk2MDcwMTY3MCIslmFiaGFoDW1iZXliOiI5MS01NDAXLTlyNzYtNzE0MyIsInByZWZlcmlJZEfiaGFBZGRyZXNZljoiOTE1NDAXMjl3NjcxdNDNac2J4IiwidHlwajoiVHJhbnNhY3Rpb24iLCJleHAiOiE3MTgxdODkyODEslmIhdCI6MTcxODE4NzQzMSwidHhuSWQiOiJIMTnkNWYwNC1INDA5LTQyZTYtOWYONCO0YWM3MTIxMTdiINzkifQ.sHNuXjFqLiPhyVHG_Y6m5XOeQMAzhAbd6SoqlY7PQuZAcR54B3zm8ofXegmfio_wdtKYbR8ySbc4qkuJaWgeql0kWt6GNuvZUoEjAqhmi4fsp3tpcYnhPgIYTvpQsy512y4_DlsYDJeCJaC5g7bhd4VKGP_EvtxIX3pSU_9CqGwy4vPJVdcF4EmHenMhvCdVfHj5lwJPusbskTlgXKk8bwzdeDWgwOo8jXoR9AKEUONTcXUms8VsIXS37twviB6V1LdJMANIEq7vaB0LBj_zSGSCSF5MTnPN9OVTKQ8dljqfgrBUUVARY5QJB9yoAf10Fr9zcnLclOk9JZNklItNtF7P36CHjfrQDFRevRwXwW3T3UCHGFsfS3mpvQbnyebc8AxKZz65ewGV7jbt2gDKXAhiNLQlv3b2inyVWQXx4H6jeNecGuCCwplUjrE9Ojd5ZF6IW6dk_VgGgPBfmxZSeUclmKD3sgPG1bPvjqrK2QJB-wqRcwK7ubqHpCreilC93YjsCbPe1ljYfSCa73_lwipRMqnPJhx5H6ZBGtOBnv_PyiEpE90wDUSWGnaPc9cyg4ch4TCqlq1eucfsWetlQxExYPWKb4_P9I4UDQOZ56hjOdLWzsrOwCVqsinqIjaERBJe45AQp2cyCbhaQ01u_oWgrcr W4MDS_jFEV1xAdZlY",
    "expiresIn": 1800,
    "refreshToken":
      "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5MS01NDAXLTlyNzYtNzE0MyIsImNsaWVudElkJoiYWJoYS1wcm9maWxlLWFwcC1hcGkiLCJzeXNOZW0iOiBQkhlBU4iLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjoxNzE5NDgzNDgxLCJpYXQiOiE3MTgxdODc0ODF9.aUWk66JgkM9FcNfn9MPQSRp6uDnd1URFV9V9wPt19LapWPfp-pwPPNywV0jryubdwBgOtx2C4AONQxm16QdnQB1oeTa78KMShB2wunMeSy0WzgCnAyJo4la-OuWeZrJyp44fjDF_TZHJ7053f_o6609j9ghnt8t0KAD8LDt54AvnjfOXoyvtYloqrN-16DhtuS_BwrflUSQM-EfoudSaAQqlKEAPbULk44pfFG7ZHaOdqeNW7JAHL9W8XX4bWYLDFWXC0Zlxsdvub-GloilEak-DpKuRC9CvibD3v5ji4tiPjsq7_AwGxITsoK9ieSnjwdU_rQ6T_XblDJdaB5oHODgVML2y267_a4IB4N7p6BAivYhX_Q1DODw4m-89LWCuYtPNu1XdXRT2Vre4qk05WyXrlULvnqB6Dnqda6q7evV-U7Uv7M2xpAdZeehYk6YiTJwaFajn4eTd5FOjGwleohY3Gah11gc1fQhXlar-qjtvp1utTWi9HKOUcZEgnZev6ejL2vbYvP6O58Yf6tmQQ-VQVfiP0cgYvrRVmdn5_6vSs9Mv2Nkt-r1xxE_hmPTUByb3n2C06hvNwU3bjXuGuYgPfIad3tYMglJQfJX-n59DI9lbzwfy2cR0PBQZeHG1QylNcVQRldSimX8lvXEOL8_D--7xliVjikgR7Gz6pKgQFSI",
    "refreshExpiresIn": 1296000
  }
},
{
  "ABHAProfile": {
    "firstName": "Nanduri",
    "middleName": "",
    "lastName": "Mohite",
    "dob": "22-3-2022",
    "gender": "F",
    "photo": "",
    "mobile": "*****1670",
    "email": null,
    "phrAddress": null,
    "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
    "districtCode": "494",
    "stateCode": "27",
    "pinCode": "415001",
    "abhaType": "CHILD",
    "stateName": "MAHARASHTRA",
    "districtName": "SATARA",
    "ABHANumber": "91-5401-2276-XXXX",
    "abhaStatus": "ACTIVE"
  },
  "isNew": true
}
```

13.7.2 Get Child ABHA

V3 URL: {{base_url}}/v3/enrollment/profile/children

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of Parent user, user can get X-token after login to the system
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters: NA

V3 Request Body: NA V3

Response:

Response
Code: 200 OK
<pre>{ "parentAbhaNumber": "91-2385-7728-XXXX", "mobileNumber": "*****1670", "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "childrenCount": 1, "children": [{ "dateOfBirth": "22-3-2022", "name": "Nanduri Mohite", "gender": "F", "phrAddress": "91540122767143@sbx", "ABHANumber": "91-5401-2276-XXXX" }] }</pre>

13.7.3 Update Child ABHA

V3 URL: {{base_url}}/api/abha/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber		Yes	
name	Ms. Moses Miller	Yes	Child's Name
dob	Birthdate	Yes	Child DOB in dd-mm-yyyy format
gender	M/F/O	Yes	Child Gender

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "91-5523-6453-XXXX", "name": "Harshal Ram Mahajan ", "dob": "23-02-2019", "gender": "M" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "ABHANumber": "91-5401-2276-XXXX", "preferredAbhaAddress": "91540122767143@sbx", "mobile": "*****1670", "firstName": "Praju", "middleName": "Sanjay", "lastName": "kale", "name": "Praju Sanjay kale", "yearOfBirth": "2022", "dayOfBirth": "16", "monthOfBirth": "05", "gender": "F", "status": "ACTIVE", "stateCode": "27", "districtCode": "494", "pincode": "415001", "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "stateName": "MAHARASHTRA", "districtName": "SATARA", "subdistrictName": "SATARA", "authMethods": ["MOBILE_OTP"], "tags": {}, "kycVerified": false, "verificationStatus": "VERIFIED", "verificationType": "CHILD_ABHA", "createdDate": "12-06-2024" }</pre>

14.0 ABHA Address Verification

14.1 ABHA Address Verification via Mobile OTP

Step 1: Search Auth Methods

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/search> **V3**

Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/search>

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Response Body

```
{
  "healthIdNumber": "91-6167-8028-XXXX",
  "abhaAddress": "singh128@sbx",
  "authMethods": [
    "MOBILE_OTP",
    "AADHAAR_OTP"
  ],
  "blockedAuthMethods": [],
  "status": "ACTIVE",
  "message": null,
  "fullName": "Deepak Kumar Singh",
  "mobile": "*****9340"
}
```

Step 2: Request ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-addresslogin, mobileverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),

loginHint	abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "mobile-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxzo4bR5fbqLUyHaphK9/seSkOWUPj7f2yij2fmkQJX3PjMb8dooMfvP N4pBuA627fs8IVaNB1u8fthvjBmdItWocdi2ULXcf7MMBzQzC0FDCO2gk8XF9tohvK1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhownZbAav LX8gmNR3AcENH1/hvLR6iomM8dDHa8MtwHMvLiHBWGDCW7pfl9xKANpDMaRcXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJ gk7WKsAoJDzqNq4L1rQfVvKc8sQBULKQcTuPKCjqUGUzOSHZAaAefJ4PcOa3Nn1AvjNXajlMqP36iHarJRywccWVNy50p8YSBDhq7iwwZjPJQ ua7d9eSM+26TxBnz0rdmEh2mpEKxKUi5RryJFZDovqrZn6IJXg+KUzxyrftWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPflJjCkZAar1 N2KdaidlUdEaEG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZlM1UBytvCdIk50Ft6MMBOJdY+8kylF9xZ6b4tudey/UtOfvpiL08y0a+7N5bj HgkHJK3QJ08YXiFwjBH8OmXQ=", "otpSystem": "abdm" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "cd135cce-a178-4a7e-86d8-00dc53ae0192", "message": "OTP is sent to Mobile number ending with *****9127" }</pre>

Step 3: Verify ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify>

V3 Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-addresslogin, mobileverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response Body

[illegible]

14.2 ABHA Address Verification via Aadhaar OTP

Step 1: Search Auth Methods

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/search> **V3**

Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/search>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Request Body

```
{
  "healthIdNumber": "91-6167-8028-XXXX",
  "abhaAddress": "singh128@sbx",
  "authMethods": [
    "MOBILE_OTP",
    "AADHAAR_OTP"
  ],
  "blockedAuthMethods": [],
  "status": "ACTIVE",
  "message": null,
  "fullName": "Deepak Kumar Singh",
  "mobile": "*****9340"
}
```

Step 2: Request ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>**V3**

Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

Scope	Abha-addresslogin, aadhaarverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	Abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "aadhaar-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxzo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkQJX3PjMb8dooMfvPN4pBuA627fs8IVaNB1u8fthvjBmdltWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohvK1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhowNzbAavLX8gmNR3AcENH1/hvLR6iomM8dDH8MtwhMvLiHBWGDCW7pfl9xKANpDMaRcXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJgk7WKSaoJDzqNq4L1rQfVyKc8sQBULKQcTuPKCjqUGUzOSHZAaAefJ4PcOa3Nn1AvjNXAjlMqP36iHarJRywccWVNY50p8YSBDhq7iwwZjPJQua7d9eSM+26TxBnz0rdmEh2mpEKxKUi5RryJFZDovqrZn6IJXg+KUzxyrfhtWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPflJjCkxZAar1N2KdaidlUdEaEG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZJm1UBytvCdIk50Ft6MMBOJdY+8kyIF9xZ6b4tudey/UtOfvpiL08y0a+7N5bjHgkHJK3QJ08YXiFwjBH8OmXQ=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP is sent to Aadhaar registered mobile ending xxx001" }</pre>

Step 3: Verify ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify> **V3**

Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-addresslogin, aadhaarverify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

otpValue	Encrypted OTP value	Yes	
----------	---------------------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "aadhaar-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response Body

[illegible]

54cvmaB5Cflc53RSjsMfTPUA4I53Vnafqb2GpwXcsYZ4MAnsVxt/Dj+ddD4x09Fjg1qykX5Cu6RD1H8DZ9umfcdhWE1Z3R14aaknSns/wZw0+q

14.3.1 ABHA Address Verification via Biometric (Face)

Step 1: Search Auth Methods

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/search> **V3**

Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/search>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Request Body
<pre>{ "healthIdNumber": "91-6167-8028-XXXX", "abhaAddress": "singh128@sbx", "authMethods": ["MOBILE_OTP", "AADHAAR_OTP"], "blockedAuthMethods": [], "status": "ACTIVE", "message": null, "fullName": "Deepak Kumar Singh", "mobile": "*****9340" }</pre>

Step 2: Send Face Authentication Request

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>**V3**

Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-face-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA-ADDRESS-LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-face-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkQJX3PjMb8dooMfvPN4 pBuA627fs8IVaNB1u8fthvjBmdItWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohvK1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhownZbAavLX8g mNR3AcENH1/hvLR6iomM8dDHa8MtwHmVLiHBWGDWCW7pfl9xKANpDMaRCXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJgk7WKs AojDzqNq4L1rQfVYKc8sQBULKQcTuPKCjqUGUzOSHvAaAeFj4PcOa3Nn1AvjNXAjlMqP36iHarJRywccWVNy50p8YSBDhq7iwwZjPJQua7d9eSM +26TxBnz0rdmEh2mpEKxKUi5RryJFZDovqrZn6IJXg+KUzyrfhtWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPfljCkxZAar1N2KdaidlUdEa EG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZm1UBytvCdIk50Ft6MMBOjdY+8kylF9xZ6b4tudey/UtOFvpilO8y0a+7N5bjHgkHJK3QJ08YXiF wjbH8OmXQ=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "4faf0ca4-ce24-4804-8dfa-1dd1c9f0edfb ", "message": "Face authentication request successfully sent " }</pre>

Step 3: Verify via Face Authentication

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify> **V3**

Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-face-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA-ADDRESS-LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	face	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
faceAuthPid	Encrypted faceAuthPid value	Yes	Face auth pid can be generated from the Biometric systems.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-face-verify"], "authData": { "authMethods": ["face"], "face": { "txnId": "{{txnId}}", "faceAuthPid": "{{faceAuthPid}}" } } }</pre>

V3 Response:

Response Body

[illegible]

12jJd9Pke6TmdWS3LVpz8fREtkVpXILJ3qs_8eN2SDmaS0WK34KSezAI_6IDAJ3MXyPK6AQD9fEUQoL8n7F2WIIImAkN5Pyq2pLbIKuArfn9gFeywz4v
S7ZgO6v70rC9Nv5qYLwKIWtjYFZZfxa -g4ub9PC0i6QqLuBhGTIQGiSEGGbRvayEfykAdaA0TE2CQ6MijmFK5XM1CdolZa8m8iBq56i70CrzfkP4-

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

abhaAddress	string	Yes	
-------------	--------	-----	--

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Request Body
<pre>{ "healthIdNumber": "91-6167-8028-XXXX", "abhaAddress": "singh128@sbx", "authMethods": ["MOBILE_OTP", "AADHAAR_OTP"], "blockedAuthMethods": [], "status": "ACTIVE", "message": null, "fullName": "Deepak Kumar Singh", "mobile": "*****9340" }</pre>

Step 2: Send Fingerprint Authentication Request

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
---------------	-------	-----------	-------------

Scope	abha-login, aadhaar-bio-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA-ADDRESS-LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-bio-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkOJX3PjMb8dooMfvPN4pBuA627fs8lVaNB1u8fthvjBmdltWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohvK1q944svle/qe4O6tLS494e5Jgm+u+DJ1BN2hhowndZbAavLX8gmNR3AcENH1/hvLR6iomM8dDHa8MtwHMvLiHBWGDWCW7pfl9xKANpDMArcXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJgk7WKsAoJDzqNq4L1rQfVyKc8sQBULKQcTuPKCjqUGUzOSHvVAAeFj4PcOa3Nn1AvjNXAjlMqP36iHarJRywccWVNy50p8YSBDhq7iwwZjPJQua7d9eSM+26TxBnz0rdmEh2mpEKxKUI5RryJFZDovqrZn6lJXg+KUzyrfhtWD6VGic9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPfljCckZAar1N2KdaidlUdEaEG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZJm1UBytvCdIk50Ft6MMBOJdY+8kyIF9xZ6b4tudey/UtOFvpil08y0a+7N5bjHgkHJK3QJ08YXiFwjbH8OmXQ=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "4faf0ca4-ce24-4804-8dfa-1dd1c9f0edfb ", "message": "Fingerprint authentication request successfully sent " }</pre>

Step 3: Verify via Fingerprint Authentication

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify> **V3**

Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-bio-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_ADDRESS_LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	bio	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
fingerprintAuthPid	Encrypted fingerprintAuthPid value	Yes	Fingerprint auth pid can be generated from the Biometric systems.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-bio-verify"], "authData": { "authMethods": ["bio"], "bio": { "txnId": "{{txnId}}", "fingerPrintAuthPid": "{{fingerPrintAuthPid}}" } } }</pre>

V3 Response:

Response Body

[illegible]

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Request Body
<pre>{ "healthIdNumber": "91-6167-8028-XXXX", "abhaAddress": "singh128@sbx", "authMethods": ["MOBILE_OTP", "AADHAAR_OTP"], "blockedAuthMethods": [], "status": "ACTIVE", "message": null, "fullName": "Deepak Kumar Singh", "mobile": "*****9340" }</pre>

Step 2: Send Iris Authentication Request

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-iris-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_ADDRESS_LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "aadhaar-iris-verify"
  ],
  "loginHint": "abha-address",
  "loginId":
  "VTwOF8Fz8KKrO/EsUigVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkOJX3PjMb8dooMfvPN4
pBuA627fs8lVaNB1u8fthvjBmdItWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohv1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhownZbAavLX8g
mNR3AcENH1/hvLR6iomM8dDHa8MtwHMvLiHBWGDWCW7pfl9xKANpDMaRcXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJgk7WKs
AoJDzqNq4L1rQfVYKc8sQBULKQcTuPKCjqUGUzOSHvAAeFj4PcOa3Nn1AvjNXAjlMqP36iHarJRywccWVNy50p8YSBDhq7iwwZjPJQua7d9eSM
+26TxBnz0rdmEh2mpEKxKUI5RryJFZDovqrZn6lJXg+KUzyrfhtWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPfljCckZAar1N2KdaidlUdEa
EG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZjm1UBytvCdIk50Ft6MMBOJdY+8kylF9xZ6b4tudey/UtOFvpil08y0a+7N5bjHgkHJK3QJ08YXIF
wjbH8OmXQ=",
  "otpSystem": "aadhaar"
}
```

V3 Response:

Response Body
<pre>{ "txnId": "4faf0ca4-ce24-4804-8dfa-1dd1c9f0edfb ", "message": "Iris authentication request successfully sent " }</pre>

Step 3: Verify via Iris Authentication

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify> **V3**

Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-iris-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA-ADDRESS-LOGIN("abha-address-login") ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), AADHAAR-BIO-VERIFY("aadhaar-bio-verify") AADHAAR-FACE-VERIFY("aadhaar-face-verify") AADHAAR-IRIS-VERIFY("aadhaar-iris-verify") EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	iris	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
irisAuthPid	Encrypted irisAuthPid value	Yes	Fingerprint auth pid can be generated from the Biometric systems.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-iris-verify"], "authData": { "authMethods": ["iris"], "iris": { "txnId": "{{txnId}}", "irisAuthPid": "{{irisAuthPid}}" } } }</pre>

V3 Response:

Response Body

[illegible]

12jJd9Pke6TmdWS3LVpz8fREtKvpXILJ3qs_8eN2SDmaS0WK34KSezAI_6IDAJ3MXyPK6AQD9fEUQoL8n7F2WIIImAkN5Pyq2pLbIKuArfn9gFeywz4v
S7ZgO6v70rC9Nv5qYLwKIWtjYFZZfxa

```
-g4ub9PC0i6QqLuBhGTlQIGiSEGGbRvayEfykAdaA0TE2CQ6MlJmFK5XM1CdolZa8m8iBq56i70CrzfkP4-
QRBwDgPOj8N9uNxn10BiLT9FqFVfcqkTyDZqZ5wwU2qedFeVlz08BTix7ceOuyWs8zFeMnOIC_FYL5bcfzBBylBv1mqGDjSaFIQaAC5i-ckx9AV4ni0-
-2Eq3EdghY_EKdZvBkwsKBB084ijz6ptp5IrlaEhkXaKuFs",
  "expiresIn": 1800,
  "refreshToken":
    "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJzaW5naDEyOEZyYngiLCJjbGllbnRlZCI6IHRFU1RfQUJlQSIsInN5c3RlbnSI6IkcSEEtQSIsInR5cCI6IiJlZnJlc2giLC
    JleHAiOiE3MjEzNjE1NzMsImhhdCI6MTcyMDA2NTU3M30.Yb4I9jS1OV6h4wovYa24U1KOeiwXrx8nej3c90oVXI4ID4pBh3-
    kdnwalooCjhgNnx7GjTlNoQKICLaoKLJ5kLYCIUVFKCTVqEGATicfRDWruIYyTKzlrOE_MvbVFSaOMpatnsMOzbs8c_8xXEtrqEQeW98K4_TWC4gn8goR
    hpMenUWqDGTZ4GjnkHhKYBpmXPssPGqLNO3lNXve-
    14X4QTdNZyU9PicqkDlFQpL2HDKSmR8jcUk69hY29n_QB9jKBP5vn4f7HO_YtQ1_Btf_bk4okTXSxwwCowRSJhfsf90HMBqf3SdE1Gi3F8tGxMW
    Tg3XQdNyx2vISbftQxEx7VowHqASRGonjVZTjKOERMLTvnaxx8gend0jv3oqwRmzqZsXvC2AtyP5QjBDP_dFJy7DaJ0TWn9iwlExiXU5Cuj--
    l2hUfyJE6VsMLTsgtQufpDFnNYto_Ob9zZY6PEuNvHg-
    c0_9hzoAyy0TZTcW1_rh6yuZqo8pvr_PN40SY6B9FhyxwbbgoDUXqcAxT2J5VtOyrZpAzkzto9sKdJKA1VEEaPh31s-
    GfOKPTLkhWg4_bMieCgdPXEbt3oFbcmPzgTIX9NYDWosgvnJVbUAJoz8Hb9ibqsppUcl68ZReRAaRmKmYwajJ6E5dkU5qCsnTXiTpMJNNWpBBaqd
    HicM",
    "refreshExpiresIn": 1296000
    "switchProfileEnabled": false
  }
}
```

14.4 Profile

14.4.1 Get ABHA address ABHA Profile

V3 SBX URL:

https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/profile/abhaprofile

V3 Prod URL:

https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abhaprofile **V3**

Request: GET **V3 Request Headers:**

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response Body

[illegible]

```

"gender": "M",
"email": "hemant.bodhai@XXXX.com",
"mobile": "*****9995",
"abhaNumber": "91-3837-7464-XXXX",
"address": "house no-620, main road, Nashik, Nashik, Maharashtra",
"stateName": "MAHARASHTRA",
"pinCode": "422003",
"stateCode": "27",
"districtCode": "487",
"authMethods": [
  "AADHAAR_OTP",
  "MOBILE_OTP"
],
"status": "ACTIVE",
"subDistrictCode": "",
"subDistrictName": "",
"emailVerified": "false",
"mobileVerified": "true",
"kycStatus": "VERIFIED"
}

```

14.4.2 Get ABHA address ABHA card

V3 SBX URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/profile/abha/phrcard>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abha/phr-card>

V3 Request: GET V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response Body

ABHA Card

14.4.3 Get QR Code

V3 SBX URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/profile/abha/qrcode>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abha/qrcode>

V3 Request: GET V3

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response Body
QR Code