

SANDBOX DOCUMENTATION

(ABDM_Milestone 3)

Version 2.6

Updated on 13.02.2026

Contents

1	Base URL and X-CM-ID.....	3
1.1	IP Address whitelisting for call-back.....	3
2	Terminology Definition:.....	3
3	Gateway flow	4
3.1	Overview.....	4
3.2	API Information Request & Response.....	4
3.2.1	Auth token API	4
3.2.2	OpenID Configuration API.....	6
3.2.3	OAuth Certificate API.....	7
3.2.4	Update bridge URL API	11
3.2.5	Registration of Facility & Software Linkage.....	12
3.2.6	Find bridge by service id	15
3.2.7	Find services by bridge id	17
4	Consent flow	20
4.1	Overview.....	20
4.2	Sequence Diagram.....	22
4.3	API Information Request & Response.....	23
4.3.1	HIE-CM - Consent request init.....	23
4.3.2	HIE-CM- Consent request init - call back	57
4.3.3	HIE-CM- Callback API to HIU when a consent request is APPROVED/REVOKED/DENIED	59
4.3.4	HIE-CM – API for HIU to respond back to consent HIU callback	61
4.3.5	HIE-CM- Consent request status	64
4.3.6	HIE-CM - Consent request on-status (Callback)	68
4.3.7	HIE-CM - Consent request fetch.....	70
4.3.8	HIE-CM - Consent request on-fetch (callback)	74
5	Data flow	81

5.1	Overview.....	81
5.2	Sequence Diagram.....	82
5.3	API Information Request & Response.....	82
5.3.1	Data flow – Data request invoked by HIU.....	82
5.3.2	Data flow – call back to HIU.....	86
5.3.3	Notify.....	88
6	Subscription flow	91
6.1	Overview.....	91
6.2	Sequence Diagram.....	92
6.3	API Information Request & Response.....	93
6.3.1	Users get subscription requests	93
6.3.2	User subscription request initiate	96
6.3.3	User Subscription request initiate – Call Back	98
6.3.4	Approve Subscription Request.....	100
6.3.5	Approve Subscription – Call back.....	105
6.3.6	Subscription Request Hiu – on notify	108
6.3.7	Deny Subscription Request	109
6.3.8	Deny Subscription – Call Back.....	111
6.3.9	Edit Subscription	113
6.3.10	Edit Subscription – call back	118
6.3.11	Subscription HIU –notify.....	120
6.3.12	Subscription HIU –On-notify	124
7	API listing	125

1 Base URL and X-CM-ID

Environment	Base URL	X-CM-ID
Sandbox	https://dev.abdm.gov.in	sbx
Production	https://apis.abdm.gov.in	abdm

1.1 IP Address whitelisting for call-back.

Environment	NAT IPs:
Sandbox	13.203.243.253 13.203.245.166 65.0.113.207
Production	13.203.243.253 13.203.245.166 65.0.113.207

2 Terminology Definition:

Bridge ID: Is client ID which provided by NHA to HIP (Its alphanumeric eg: SBX_00XXXX)

Service ID: Is Facility ID which is generated from NHPR application (Its alphanumeric eg: IN02100000XX)

3 Gateway flow

3.1 Overview

This is the key ABDM building block that manages ABHA addresses, maintains links to health data for each ABHA address and manages consents provided by the user for sharing of their health data. It also supports exchange of interoperable health data between HIPs and HIUs.

The HIE-CM enables exchange of personal health data with consent as per the Health Data Management Policy issued by NHA.

3.2 API Information Request & Response

3.2.1 Auth token API

This API will be invoked to generate auth token.

URL: /api/hiecm/gateway/v3/sessions

Request: POST

Header Parameters:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	The actual time when the request was initiated, ISO Date time format represents the date and time
X-CM-ID	Sbx	Yes	Suffix of the consent manager to which the request was intended.

Body Parameters:

Property Name	Example Value	Required	Description
---------------	---------------	----------	-------------


```
{
  "jwks_uri": "https://dev.abdm.gov.in/api/hiecm/gateway/v3/certs"
}
```

3.2.3 OAuth Certificate API

This API provide an OAuth certificate that can be used to validate which received gateway session token in Header on the call back.

URL: /api/hiecm/gateway/v3/certs

Request: GET

Header Parameters:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	The actual time when the request was initiated, ISO Date time format represents the date and time
X-CM-ID	Sbx	Yes	Suffix of the consent manager to which the request was intended.

Response:

Response
Code : 202 OK

```
{
  "keys": [
    {
      "e": "AQAB",
      "kid": "AIRb5WCm8Tm9EJ_lfO9z06j9oCv51pKKFknGb_TBvK0",
      "kty": "RSA",
      "n": "mgmW7W5ZGF_G5cJevwYi8HiPcl-6q$ _psnZxa4v3bkWAKyOoOd8-6ketrOI-  
ZA2PbRbGnxFFZHiI94rdFXJ4Q9ampscsz9NocTIPMPmWydJ8A50pZaYWyikYDSJiDltq7i3WspPKSOuQHrC  
5h9dMcCVveX5oeg0tO68Z79gwDlpcxiqDbFaphsqDvx-  
5XkfwivqOBaybK6_BCBPuTqWMUEuUKILYXu2X7ESHdVNFMFajxCcCXUtP7LFdvT3nnFekRmG82QbSQSVe  
4N5tPH8q0MCxSWWn2c15bDnzOF-dvfRCVPRabCzw0M-utHR9diTrWtq6Koi5buxgwM1rbk0p8Q",
      "use": "sig",
      "x5c": [
        "MIICrzCCAZcCBgFy/3WZBJANBgkqhkiG9w0BAQsFADABMRkwFwYDVQQDDDBBjZW50cmFsLXJlZ2lzdHJ5  
MB4XDTIwMDYyOTA5NDEzNloXDTMwMDYyOTA5NDMxNlowGzEZMBcGA1UEAwYQY2VudHJhbnC1yZWdpc  
3RyeTCCASlwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAJoJlu1uWRhfxuXCXr8GlvB4j3CPuqkv6b  
J2cWuL925MAJMjqDnfPupHraziPmQNj20Wxp8RX2R4iPeK3RVyeEPWpqbHLM/TaHEyDzD5IsnSfAOdKWW  
mFsopGA0iYg5bau4t1rKTykjrKB6wuYfXTHAlb3l+aHoNLTuvGe/YMA5aXMYqg2xWqYbKg78fuV5H8lqrzg  
WsmYuvwQgT7k6ljFBLJJ52F7tl+xEh3VTRTBQI8QnAl1LT+yxXb0955xXpEZhvNkG0kElXuDebTx/KtDAsUllp9  
nNeWw58zhfnb30QIT0Wmws8NDPrrR0fXYk61rauiqluW7sYMDNa25NKfECAwEAATANBgkqhkiG9w0BAQs
```


FAAOCAQEACkC3TijrXlgi4vn+l1uL1nfdK6vOIL5UZ6yCjSOq7zYW6b3Qe8j7NrPb9RJC+pbIERyNbB+t9hsa5
g1L7lkjCNIUuxfJprsJ9LJKIM5g7dYEA6XPCJ7C6AVlarj72vIWxQvwnQMO2/CM9/Jp5Hnv2Qwjn7NME2OW
M0iblc/TD+DEZK5L5mlWMyuBSQo2o/AcOmfG4MoE5Gm/CaOJ47rSrf+lq83e5+dyKh7uLVAa+5WK8Im
5nEs6BLSGyo2KlaV0mW9yCkoRLLbipjH8+rJwkUU6iu7QVjz0peGZzYldya5n35gMWH7Bu4HqFneKNRww D6w8rGNC+uWtgWejDZ3yQ=="

],

"x5t": "EaMhYGUIvMkp8tvSM3QoaqaF8xM",

"x5t2": "vGer6Pt8AhZn8RlbHhAFksOCcGf3u1UWU7Qq-Doy7ro",

"alg": "RS256"

},

{

"e": "AQAB",

"kid": "oc-l6O1yJ7wJKYEeyeUafsz3Aecq7YnClqbzbIfk8",

"kty": "RSA", "n":

"jDOehgMzurNQTOwJCTWN6a34639uIKOLO1LnXZes_kTakWh6iRxmExLLCD7MJz9aijTHwluKAtOCSbFO pwbqSff6dMBS2c8cv0AU3pE8kSM
BuUiriwr9BUYSUW8SM68QH_HCaz2mmN_Z8ynTQ4kWw_Idj-
enVpkHYtq00DriG98l6RXF1Ao9Kd16ctoNbthuQYH0RSRIXnt0Qtm4GSAY7abPCNa64mir0auldU72DJHXwDo6g5OGz6EMm86ZAV_pvh_5YzFp
IMxv0yMMKFZjkFGA0QKYMKMTC5ruLaE7cec-njA7dJQnQ",

"use": "sig",

"x5c": [

"MII CrzCCA ZcCBgGHxvQV mDANBgkqhkiG9w0BAQsFADAbMRkwFwYDVQQDDDBBjZW50cmFsLXJlZ2lzdHJ
5MB4XD TIzMDQyODA4MTk1N1oXDTMzMDQyODA4MjEzN1owGzEZMBcGA1UEAwwQY2VudHJhbC1yZWdpc
3RyeTCCASlwdQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAlwznoYDM7qzUE9FiQk1jemt+Ot/biCjztS
512XrP5E2pFoeokZpBMSywg+zCY8/Woo0x8CLigLTgkmxTqcG6knxenTAUtnPHL9AFN6RPJEjKRiSg2fXYg
PgblK4sK/QVGEIFvPkjOvEB/xwms9ppjf2fMp00OJFsPyHY/np1aZB2LatNA64hvfJekVxdQKPSndenLaDW7Y
bkGB9EUkSF57dELZuBkgGO2mzwjWuuJoq9PmrpXVPu9gyR18A6OoOThs+hDJvOmQFf6b4f+WMxaX5FA
PEytixVQJgt1KfiDMb9MjDChWY5BRgNECmDJEwua7i2hO3HnPP4wO3SUJ0CAwEAATANBgkqhkiG9w0B
AQsFAAOCAQEABYAcXOSr+WgOxKVmyglD9WjB4rDuAVDyU3GmjBvckdWhYJuBX8Vs04hNVNngf904gqy
+D5wZlQU985stK3PdogFGN2jVw2kO9G3hG4/7uwYKqciKApT/pSPMeHRIthGp/Mwr6e5poVwgQyrn+Be
H373U1Q6eB1QUYnElP+16y7bbvQhfDAS2X9sqdfurB9YIL5xZMPddZaf7pPX8oW0VIB0XH1JEZfsX125qq0Xn
K8z/Rd8KI8zTfJw6D2Kzrk1WvQSIM5KnTQmcSk3kwDIW5Dg657dT49Y68ml4azq34q17JgBhTx3IbTuf94QT w7QC5wmFtO+hc6zPVODX8JWu7


```

    ],
    "x5t": "-HZ-fkkNBhTsPHWrhATwIzflhdU",
    "x5t2": "tjVDNCTx7Fn0TfM-6uHvbwjWlIxaFtGxiZZ6uJFxr4",
    "alg": "RS512"
  }
]
}

```

3.2.4 Update bridge URL API

This API will be called to update the bridge base URL.

URL: /api/hiecm/gateway/v3/bridge/url **Request:** PATCH **Header Parameters:**

Property Name	Example Value	Required	Description
Authorization	eyJhbGciOiJSUzUxMiJ9. eyJzdWIiOiJ2YXNhbnRoY Wt1bWFyLmtlc2F2YW5Ac 2J4liwiY2xpZW50SWQiOi JzYngiLCJzeXN0ZW0iOiJ BQkhBLUEiLCJyZXF1ZXN0Z XJZCI6IiBUUi1XRUIiLCJwa HJNb2JpbGUiOm51bGws	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret.
REQUEST-ID	18235d89-cb13-479dad71- 7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	2022-10- 06T10:10:00.587Z	Yes	The actual time when the request was initiated, ISO Date time format represents the date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended.

Body Parameters:

Property Name	Example Value	Required	Description
url	https://webhook.site/b799c0b8-4e75-4545-8eb2d8c2d5f0c9f6	Yes	Bridge base URL

Request Body:

Request Body
<pre>{ "url": "https://webhook.site/b799c0b8-4e75-4545-8eb2d8c2d5f0c9f6" }</pre>

Response:

Response
Code : 202 Accepted

3.2.5 Registration of Facility & Software Linkage

Overview: The software being used by the provider must integrate with the digital building blocks of ABDM and comply with the guidelines outlined NHA. NHA maintains the national directory of all healthcare facilities. Any participating facility needs to sign up in the health facility registry at (nhpr.abdm.gov.in) This ensures that they are a valid facility which is authorized to issue health records in the ecosystem. HFR consists of information for each healthcare facility in the country – hospitals, clinics, diagnostic centers, pharmacies etc., across all systems of medicine and covering both public and private health facilities. HFR offers APIs that can be used by various stakeholders in the ecosystem. Healthcare information service provider application or healthcare repository provider application must be upgraded to become ABDM compliant.

Registration of facility:

Through website: <https://hspsbx.abdm.gov.in/home> (sandbox),

<https://nhpr.abdm.gov.in/home> (production) **Step-by-step user**

manual document access:

Goto: <https://hspsbx.abdm.gov.in/home> (sandbox) , <https://nhpr.abdm.gov.in/home> (production)

>>Resource center >> User Manual

>> Select “For Health Facility” >>Download “User Manual” >>Refer Content

“A” (Health Professional ID (HPID) creation), “B” (Facility Registration)

Registration of bridge services (HIP/HIU) on facility:

Option 1: Linking through website: <https://hspsbx.abdm.gov.in/home> (sandbox) ,

<https://nhpr.abdm.gov.in/home> (production) **Step-by-step user manual document access:**

Goto: <https://hspsbx.abdm.gov.in/home> (sandbox) , <https://nhpr.abdm.gov.in/home> (production)

>>Resource center >> User Manual

>> Select “For Health Facility” >>Download “User Manual” >>Refer Content “C” (Software Linkage)

Option 2: Through API

This API (<https://apihspsbx.abdm.gov.in/v4/int/v1/bridges/MutipleHRPAddUpdateServices>)

will be used to link multiple bridges against a facility. It will accept the facility id , facility name and list of HRP i.e. bridges.

Please note:

- You must pass in all the required parameters to create the API.
- The data needs to be passed in the required format as mentioned for each field.

API can refer swagger link :

<https://apihspsbx.abdm.gov.in/v4/int/swagger-ui-ext/index.html#/Multiple%20HRP%20API/facilityAddAndUpdate> >>>Go to Multi

HRP API >>>and Select “/v1/bridges/MutipleHRPAddUpdateServices v1MutipleHRPAddUpdateServices”

Parameters:

Params	Required	Description	Data type	Format if any
facilityId	Yes	Will be validated if present in HFR or not	String	Starting with IN and of 12 characters

facilityName	Yes	Name of the facility to be linked	String	Alphanumeric
bridgedId	Yes	Valid Bridge Id to be linked.	String	Alphanumeric and validity to be checked by HIECM
hipName	Yes	To provide uniqueness against each bridges that is linked . HIP name is the name of the hospital which will reflect	String	HIP name can be the Hospital name added with suffix of bridge name. example

		on ABHA/PHR app when the patient will search for the respective hospital.		Hospital name and name=XYZ bridge name =BRIDGE TEST, the HIP name = XY BRIDGE. • nameHIP can not be more than 15 characters., No is special character allowed (%\$*#@(~&!), an it should be unique for every bridge for a facility
type	Yes	HIP / HIU etc	String	Validated by HIECM
Active	Yes	True/false	boolean	Accept Boolean value

3.2.6 Find bridge by service id

This API will fetch the bridge details for the given service id.

URL: /api/hiecm/gateway/v3/bridge-service/serviceId/{serviceId} **Request:** GET **Header**

Parameters:

Property Name	Example Value	Required	Description
---------------	---------------	----------	-------------

Authorization	eyJhbGciOiJIUzUxMiJ9. eyJzdWIiOiJ2YXNhbnRoY Wt1bWFyLmtlc2F2YW5Ac 2J4liwiY2xpZW50SWQlOi JzYngiLCJzeXN0ZW0iOiJ BQkhBLUEiLCJyZXF1ZXN0Z XJZCI6IIBiUi1XRUIiLCJwa HJNb2JpbGUlOm51bGws ImV4cCI6MTY2Nzl5ODEx NSwiaWF0IjoxNjY3MjkwO TE1LCJwaHJBZGRyZXNzIjo idmFzYW50aGFrdW1hci5 rZXNhdmFuQHNieCIsInR 4bklkljoiYjEwMG4ZDMt NTE1ZC00YWFiLTg1OWQtY zNIMTUwOTE3ZGY1In0	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret.
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	The actual time when the request was initiated, ISO Date time format represents the date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended.

Response:

Response
Code : 200 Ok
<pre>{ "id": 1561, "bridgeld": "SBX_xXXX", "serviceld": "TestClinicHIP",</pre>


```

"name": "TestClinicHIP",

"isHip": true,

"isHiu": true,

"isPhr": false,

"endpoints": {},

"active": true,

"registerTime": "2021-03-01 11:17:35.1735",

"dateCreated": "2021-03-01 11:17:35.1735",

"dateModified": "2024-04-22 11:04:46.446"

}

```

3.2.7 Find services by bridge id

This API will fetch all the service details for the bridge id from authorization token.

URL: /api/hiecm/gateway/v3/bridge-services

Request: GET

Header Parameters:

Property Name	Example Value	Required	Description
Authorization	eyJhbGciOiJSUzUxMiJ9. eyJzdWIiOiJ2YXNhbnRoY Wt1bWFyLmtlc2F2YW5Ac 2J4IiwiaWY2xpZW50SWQ iOiJ JzYngiLCJzeXN0ZW0iOi BQkhBLUEiLCJyZXF1Z XN0Z XJJZCI6IiBUi1XRUIiLC Jwa HjNb2JpbGUiOm	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret.
REQUEST-ID	18235d89-cb13-479dad71- 7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	The actual time when the request was initiated, ISO Date time format represents the date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended.

Response:

Response
Code : 200 Ok
<pre>{ "bridge": { "id": "SBX_XXXX", "name": "Testing", "url": "https://abdcdb.doctor9.com", "active": true, "blocklisted": false }, "services": [{</pre>

```
"id": "@#$$%^&*(",  
  
"name": "hello",  
  
"types": [  
  
  "HIP",  
  
  "HIU"  
  
],  
  
"endpoints": {  
  
  "hipEndpoints": [  
  
    {  
  
      "use": "registration",  
  
      "connectionType": "HTTPS",  
  
      "address": "https://events.hookdeck.com/e/src_3gsnEgl941mh/registration"  
  
    },  
  
    {  
  
      "use": "data-upload",  
  
      "connectionType": "HTTPS",  
  
      "address": "https://events.hookdeck.com/e/src_3gsnEgl941mh/data-upload"  
  
    }  
  
  ],  
  
  "hiuEndpoints": [  
  
    {  
  
      "use": "registration",  
  
      "connectionType": "HTTPS",  
  
      "address": "https://events.hookdeck.com/e/src_3gsnEgl941mh/registration"  
  
    },  
  
  ],  
  
}
```

```
{
  "use": "data-upload",
  "connectionType": "HTTPS",
  "address": "https://events.hookdeck.com/e/src_3gsnEgI941mh/data-upload"
},
"healthLockerEndpoints": [
  {
    "use": "registration",
    "connectionType": "HTTPS",
    "address": "https://events.hookdeck.com/e/src_3gsnEgI941mh/registration"
  },
  {
    "use": "data-upload",
    "connectionType": "HTTPS",
    "address": "https://events.hookdeck.com/e/src_3gsnEgI941mh/data-upload"
  }
],
"active": true
}
```

4 Consent flow

4.1 Overview

The service used to handle consent management before sharing the health data between the entities (HIP, HIU, PHIU)



There are a couple of essential attributes required for consent artefact like Purpose, HI Types, Access mode, Requester, Range, and Validity.

HIE-CM will validate HIU requests for authenticity, replay attack, timestamp, ABHA address, etc. The request will be saved into the database. The consent request id will be returned to the called HIU for future tracking purposes.

The valid requests will be broadcasted to the priority queue and sent to all the ABDM compliance Patient HIU (PHR application). The consent notification status will be saved into the database.

Upon successful acknowledgment, the consent artifact will be generated and saved into the database. HIECM will further share this consent artefact with HIP and HIU.

4.2 Sequence Diagram



4.3 API Information Request & Response

4.3.1 HIE-CM - Consent request init

This is an API that will be invoked by HIU to initiate a consent request to get data about a patient.

While requesting and exchanging health information, there are meta codes that are relevant to you if you are a HIU.

- Purpose of Use - defines what is the purpose of use of the health information that a HIU is requesting for. The following are subset from <http://terminology.hl7.org/ValueSet/v3-PurposeOfUse>

Code	Display
CAREMGT	
BTG	
PUBHLTH	Care Management
	Break the Glass
	Public Health
HPAYMT	Healthcare Payment

DSRCH	Disease Specific Healthcare Research
PATRQT	Self-Requested

URL: /api/hiecm/consent/v3/request/init **Request:** POST

Header Parameters:

Property Name	Example Value	Required	Description
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended

Body Parameters:

Property Name	Example Value	Required	Description
Patient	abc@abdm	Yes	A unique and valid ABHA address suffix with @abdm for live and @sbx for Sandbox
Hip	ABDM_HIP	No	Health information provider ID
purpose – text	Care Management	Yes	Purpose text of consent request
Purpose-code	CAREMG	Yes	Purpose code of consent request

Purpose-refUri	www.test.com	Yes	Purpose refUri of consent request
patientReference	batman@tmh	No	Patient reference Id
careContextReference	Episode11	No	Care context reference
Hiu	Sub_HIU	Yes	Health information user Id
Requester-name	Smith	yes	Name of the requester
Requester-identifiertype	REGN01	yes	Requester identifier type
Requester-identifiervalue	MH1001	yes	Requester identifier value
Requester-identifiersystem	https://www.mciindia.org	yes	Requester identifier system

hiTypes	["Prescription", "DiagnosticReport", "DischargeSummary", "ImmunizationRecord", "HealthDocumentRecord", "WellnessRecord", "OPConsultation"]	yes	Type of document
PermissionaccessMode	VIEW	yes	Access mode of consent
PermissiondateRange	"from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z"	yes	Data range of permission required
PermissiondateEraseAt	2023-05-25T08:58:09.738Z	yes	Date of erase data
Permissionfrequency-value	0	yes	Frequency value for consent
Permissionfrequencyrepeats	0	yes	Frequency repeats for consent
Permissionfrequency-unit	HOURL	yes	Frequency unit for consent
hiTypes	"PRESCRIPTION"	yes	hiTypes of the patient details. It is a list, there can be more than one hitype.

Request Body:

```
{
  "consent": {
    "hip": {
      "id": "HIP_ID"
    },
    "hiu": {
      "id": "HIU_ID"
    },
    "hiTypes": [
      "Prescription",
      "DiagnosticReport",
      "DischargeSummary",
      "ImmunizationRecord",
      "HealthDocumentRecord",
      "WellnessRecord",
      "OPConsultation"
    ],
    "patient": {
      "id": "abhaaddress@sbx"
    },
    "purpose": {
      "code": "CAREMGT",
      "text": "Care Management",
      "refUri": "www.abdm.gov.in"
    },
    "requester": {
      "name": "Dr. Manju",
      "identifier": {
        "type": "REGNO",
        "value": "MH1001",
        "system": "https://www.mciindia.org"
      }
    },
    "permission": {
      "dateRange": {
        "to": "2024-07-17T12:05:57.151Z",
        "from": "1924-07-09T12:05:57.151Z"
      },
      "frequency": {
        "unit": "DAY",
        "value": 0,
        "repeats": 0
      },
      "accessMode": "VIEW",
      "dataEraseAt": "2124-11-09T00:00:00.000Z"
    },
    "careContexts": [
```

```
{
  {
    "patientReference": "xxxx@sbx",
    "careContextReference": "COCa496bc2f-ca6c-4af5-b973-02e915fd9815"
  }
}
```

Response Body:

Response

Code : 202 Accepted

Error scenarios:

Scenarios	Request Body	Response
To verify when Request ID is Blank, null or empty in header	[{ "key": "REQUEST-ID", "value": "", "type": "text" }]	Access Denied Code : 403 Forbidden
To verify when invalid RequestID is pass in header	[{ "key": "REQUEST-ID", "value": "{{ \$guid }}zxzzxs", "type": "text" }]	{ "code": "ABDM-1030: ", "message": "Invalid request ID" } Code: 400Bad Request

When X-CM-ID is Invalid, Blank, null or empty in header.	<pre>[{ "key": "X-CM-ID", "value": "sbxdvdfvdf", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden

Verify message when purpose text is empty or null	<pre>{ "consent": { "purpose": { "text": "", "code": " CAREMG", "refUri": "string" }, "patient": { "id": "xxxxxxxx@abdm" }, "hip": { "id": "HIP_ID" }, "careContexts": [{ "patientReference": "xxxxx@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID" }, "requester": { "name": "Dr. xxxx", "identifier": { "type": "REGNO1", "value": "MH10XX", </pre>	<pre>{ "code": "ABDM-9999", "message": "Consent purpose text cannot be null" }</pre>
---	--	--

	<pre> "system": "https://www.xxxxx.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } } </pre>	
--	--	--

Verify message when purpose text is not any of the following: Care Management, Break the Glass, Public Health, Healthcare Payment,	<pre>{ "consent": { "purpose": { "text": "Care Management123", "code": "CAREMGT", "refUri": "string" }, "patient": { "id": "xxxxxxxxxxxxx@abdm" } } }</pre>	<pre>{ "code": "ABDM-9999: ", "message": "Invalid purpose text, it must be in Care Management, Break the Glass, Public Health, Healthcare Payment, Disease Specific Healthcare Research, Self Requested" }</pre>
---	---	--

Disease Specific Healthcare Research, Self Requested	<pre> }, "hip": { "id": "SBX_HIP1" }, "careContexts": [{ "patientReference": "xxxxx@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID" }, "requester": { "name": "Dr. xxxxx", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.xxxxxx.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" } }, </pre>	
--	--	--

	<pre>"dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } }</pre>	
--	--	--

Verify message when purpose code is empty or null	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": " ", "refUri": "string" }, "patient": { "id": "xxxxxx@abdm" }, "hip": { "id": "HIP_ID" }, "careContexts": [{ "patientReference": "xxxxx@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID" } } }</pre>	<pre>{ "code": "ABDM-9999", "message": "Consent purpose code cannot be null" }</pre>
---	---	--

	<pre> "requester": { "name": "Dr. xxxx", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } </pre>	
--	--	--

Verify message when purpose text is not any of the following: CAREMG, BTG, PUBHLTH, HPAYMT, DSRCH, PATRQT	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": "CARE", "refUri": "www.ref.com" }, "patient": { "id": "xxxxxxx@abdm" }, "hip": { "id": "HIP_ID " }, "careContexts": [{ "patientReference": "xxxxxx@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID " }, "requester": { "name": "Dr. Manjula", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" } }, "hiTypes": ["OPCONSULTATION", </pre>	<pre>{ "code": "ABDM-9999", "message": "Invalid purpose code, it must be in CAREMG, BTG, PUBHLTH, HPAYMT, DSRCH, PATRQT" }</pre>
--	---	--

	<pre> "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } } </pre>	
--	--	--

Verify message when the refUri is null, empty or invalid.	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": "CARE", "refUri": "" }, "patient": { "id": "xxxxxxx@abdm" }, "hip": { "id": "SBX_HIP1" }, "careContexts": [</pre>	<pre>{ "code": "ABDM-9999", "message": "Invalid consent purpose refURI" }</pre>
---	---	---

	<pre> { "patientReference": "batman@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID " }, "requester": { "name": "Dr. Manjula", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } </pre>	
--	--	--

	<pre> } } } } </pre>	
Verify message when the permission access mode is null.	<pre> "permission": { "accessMode": null, "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } </pre>	<pre> { "code": "ABDM-9999", "message": "Invalid accessMode, it must be in VIEW, STORE, QUERY, STREAM" } </pre>
Verify message when the permission date range is null.	<pre> "permission": { "accessMode": "VIEW", "dateRange": null, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } </pre>	<pre> { "code": "ABDM-9999", "message": "DateRange should not be null or empty" } </pre>

Verify message when the permission date range is in future.	<pre> "permission": { "accessMode": "VIEW", "dateRange": { "from": "2026-05-09T08:58:09.738Z", "to": "2028-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05-25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } </pre>	<pre> { "code": "ABDM-9999", "message": "Invalid from/to date. Date must be a present/before date" } </pre>
Verify message when the dataEraseAt is not a future date.	<pre> "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2024-05-10T08:58:09.738Z" }, "dataEraseAt": "2029-05-25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } </pre>	<pre> { "code": "ABDM-9999", "message": "Invalid data erase date. Date must be a future date" } </pre>

Verify message when the permission frequency is null.	<pre> "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2024-05-10T08:58:09.738Z" }, "dataEraseAt": "2029-05- 25T08:58:09.738Z", "frequency": null </pre>	<pre> { "code": "ABDM-9999", "message": "Frequency should not be null or empty" } </pre>
Verify message when the frequency unit is null.	<pre> "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2024-05-10T08:58:09.738Z" }, "dataEraseAt": "2029-05- 25T08:58:09.738Z", "frequency": { "unit": null, "value": 0, "repeats": 0 } } </pre>	<pre> { "code": "ABDM-9999", "message": "Frequency unit should not be null or empty" } </pre>

Verify message when null, empty or invalid abha address.	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": "CARE", "refUri": "" } }, "patient": { "id": "xxxxxxx@abdm" } }</pre>	<pre>{ "code": "ABDM-9999", "message": "Invalid ABHA Address, it must start with Alphanumeric . and _ in the middle and must be ending with @abdm or @sbx" }</pre>
--	---	--

	<pre> "hip": { "id": "HIP_ID" }, "careContexts": [{ "patientReference": "batman@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "HIU_ID" }, "requester": { "name": "Dr. Manjula", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-0525T08:58:09.738Z", </pre>	
--	--	--

	<pre> "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } } </pre>	
--	--	--

Verify message when null, empty or invalid HIP or HIU service id.	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": "CARE", "refUri": "" }, "patient": { "id": "xxxxxxxxxxx@abdm" }, "hip": { "id": "SBX_HIP1" }, "careContexts": [{ "patientReference": "batman@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "Sub_HIU" }, "requester": { "name": "Dr. Manjula", </pre>	<pre>{ "code": "ABDM-9999", "message": "Invalid Service ID, it must be Alpha numeric and _ or - in middle" }</pre>
---	---	--

	<pre> "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" }, "dataEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } </pre>	
--	---	--

Verify message when null, empty or invalid HIP or HIU service id.	<pre>{ "consent": { "purpose": { "text": "Care Management", "code": "CARE", "refUri": "www.ref.com" } } }</pre>	<pre>{ "code": "ABDM-1031", "message": "HIP is mandatory when care contexts are specified" }</pre>
---	---	--

	<pre> }, "patient": { "id": "18443810806440@abdm" }, "hip": null, "careContexts": [{ "patientReference": "batman@tmh", "careContextReference": "Episode11" }], "hiu": { "id": "Sub_HIU" }, "requester": { "name": "Dr. Manjula", "identifier": { "type": "REGNO1", "value": "MH1001", "system": "https://www.mciindia.org" } }, "hiTypes": ["OPCONSULTATION", "WELLNESSRECORD"], "permission": { "accessMode": "VIEW", "dateRange": { "from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z" } }, </pre>	
--	--	--

	<pre> "dateEraseAt": "2023-05- 25T08:58:09.738Z", "frequency": { "unit": "HOUR", "value": 0, "repeats": 0 } } } } </pre>	
--	--	--

4.3.2 HIE-CM- Consent request init - call back

This API initiated by HIE-CM to get the consent request call back to HIU

URL: {callback}/api/v3/hiu/consent/request/on-init **Request:** POST **Header**

Parameters:

Property Name	Example Value	Required	Description
Authorization	Gateway Session Token	Yes	ABDM Gateway Session Token
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended

X-HIU-ID	HIU_ID	Yes	Identifier of the health information user by which the request was initiated
----------	--------	-----	--

Body Paramaters:

Property Name	Example Value	Required	Description
consentRequest – id	f29f0e59-8388-4698-9fe605db67aeac46	No	The consent request id generated for consent init request.
requestId	6f0b4665-a915-4c92-aa36-65afb4a2cd71	Yes	Unique UUID from the consent init request.
Error	<pre>"error": { "code": "ABDM-1001", "message": "unable to connect database" }</pre>	No	The error code and message if any happened.

Request Body:

Request Body
<pre>{ "consentRequest": { "id": "05f14b1d-4465-453a-8249-1382d79d271d" }, "error": null, "response": { "requestId": "4213ebf8-5f8a-45e4-a014-7a2eb875f213" } }</pre>

Response Body:

Response

Code : 202 Accepted

Request Details
[Permalink](#)
[Raw content](#)
[Copy as](#)

POST
<https://webhook.site/2cfcc184-5d29-4e2c-974d-3e56c0baa5cc1/api/v3/hiu/consent/request/on-init>

Host: 14.143.232.148 Whois Shodan Netify Censys VirusTotal
Date: 08/09/2024 3:01:01 PM (7 minutes ago)
Size: 141 bytes
Time: 0.000 sec
ID: 7fa1e742-74cc-4cf7-8ab6-c63e94e18d4e
Note: [Add Note](#)

Headers

content-length	141
content-type	application/json
x-b3-sampled	0
x-b3-parentspanid	57e1deb9bc8fa04d
x-b3-spanid	248964985ec64f21
x-b3-traceid	ec7e45ca53cc348235d8380e06283547
x-hiu-id	MANISH_HIU
authorization	Bearer: eyJhbGciOiJSUzI1NiIsInR5cCI6I...
timestamp	2024-08-09T09:31:01.537Z
request-id	b6d511d1-d34d-475c-9e27-32c1e5c0d8f...
accept	*/*
host	webhook.site
user-agent	ReactorNetty/1.0.24

Query strings
(empty)

Form values
(empty)

Raw Content

```

{
  "consentRequest": {
    "id": "05f14b1d-4465-453a-8249-1382d79d271d"
  },
  "error": null,
  "response": {
    "requestId": "4213ebf8-5f8a-45e4-a014-7a2eb875f213"
  }
}

```

4.3.3 HIE-CM- Callback API to HIU when a consent request is APPROVED/REVOKED/DENIED

Once the patient grants consent to the HIU, the CM notifies the HIU system of the consent grant via the gateway. If the patient grants for multiple HIPs, then multiple consent artefacts are generated - one for each HIP. The HIU now first fetches all the consentartefacts that were generated for his request.

URL: {{callback}} /api/v3/hiu/consent/request/notify **Request:** POST **Header Parameters:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-HIU-ID	eyJhbGciOiJSUzI1NiIsInR5cCI6I... ODQ0Mzg5MDgwNjQ0MEBhYmRt	Yes	Identifier to the health information user.

Body parameters:

Property Name	Example Value	Required	Description
status	GRANTED	Yes	The status of the consent artefact
consentRequestId	3fa85f64-5717-4562b3fc-2c963f66afa6	Yes	The consent request id
reason	Not Authorized	No	Reason for denying the consent request
consentArtefacts	"consentArtefacts": [{ "id": "3fa85f64- 5717-4562-b3fc-2c963f66afa6" }]]	No	List of consent artefact ids that was created

Request Body:

Request Body:
<pre>{ "notification": { "consentRequestId": "e3c74829-3f82-4f94-959e-e10f57bcd57b", "status": "GRANTED", "reason": null, "consentArtefacts": [{ "id": "<consent-artefact-id>" }] } }</pre>

Response Body:

Response
Status: 202 Accepted

POST https://webhook.site/b31034a8-ca14-46e3-9b3e-04b51b77a8d/api/v3/hiu/consent/request/notify

Host 14.143.232.148 Whois Shodan Netfy Censys VirusTotal
 Date 08/14/2024 4:17:17 PM (2 minutes ago)
 Size 162 bytes
 Time 0.000 sec
 ID 8b229fa7-7ca7-4c0f-b3f7-01604605bb08
 Note Add Note

content-length 162
 content-type application/json
 x-b3-sampled 0
 x-b3-parentspanid 418ad3afe23c5862
 x-b3-spanid 524879d3226f3787
 x-b3-traceid 338c4b7d389b4b92fa8a62824801b2eb
 x-hiu-id MANISH_HIU
 authorization Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTk1IiwiaWF0IjoiMTY4OTIwMjI1IiwiaGIC3B6F3JNVuDoThubTIFS...
 timestamp 2024-08-14T18:47:17.332Z
 request-id c81d18bc-c2ba-43b2-9af6-fdca228536e4
 accept */*
 host webhook.site
 user-agent ReactorNetty/1.0.24

Query strings
 (empty)

Form values
 (empty)

Raw Content

Format JSON Word-Wrap Cop

```

{
  "notification": {
    "consentRequestId": "c4735255-d800-4807-9696-0587bda196c7",
    "status": "GRANTED",
    "consentArtefacts": [
      {
        "id": "854df4d3-fd21-46d4-90cd-d80f832aeb31"
      }
    ]
  }
}

```

4.3.4 HIE-CM – API for HIU to respond back to consent HIU callback

This API will be invoked by HIU to respond back to HIE-CM when they received notify call after approve /deny / revoke.

/api/v3/hiu/consent/request/notify.

URL: /api/hiectm/consent/v3/request/hiu/on-notify

Request: POST

Header Parameters:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended

Body parameters:

Property Name	Example Value	Required	Description
status	OK	Yes	The status of the consent notify.
consentId	3fa85f64-5717-4562b3fc-2c963f66afa6	Yes	The consent artefact id
error	"error": { "code": "ABDM-1001", "message": "unable to connect database" }	No	The error code and message if any happened.
requestId	3fa85f64-5717-4562b3fc-2c963f66afa6	Yes	The request id from the /hiu/consent/request/notify

Request Body:

Request Body:
<pre>{ "acknowledgement": [{ "status": "OK", "consentId": "e3c74829-3f82-4f94-959e-e10f57bcd57b" }], "error": { "code": "ABDM-1001", "message": "unable to connect database" }, "response": { "requestId": "6f0b4665-a915-4c92-aa36-65afb4a2cd71" } }</pre>

Response Body:

Response
Status: 202 Accepted

Error Scenarios:

Scenarios	Headers/Body	Message
To verify when Request ID is Blank, null or empty in header	[{ "key": "REQUEST-ID", "value": "", "type": "text" }]	Access Denied Code : 403 Forbidden
To verify when invalid Request-ID is pass in header	[{ "key": "REQUEST-ID", "value": "{{ \$guid }}zxzzxs", "type": "text" }]	{ "code": "ABDM-1030: ", "message": "Invalid request ID" } Code - 400 Bad Request
When Timestamp is Blank, null or empty in header.	[{ "key": "TIMESTAMP", "value": "", "type": "text" }]	Access Denied Code : 403 Forbidden

When invalid Timestamp is pass in header	[{ "key": "TIMESTAMP", "value": "{{ \$isoTimestamp }}jhgftygttyu", "type": "text" }]	{ "code": "ABDM-1016:", "message": "Invalid Time stamp" } Code - 400Bad Request
To verify when X- CM-ID is Blank, null or empty in header	[{ "key": " X-CM-ID", "value": "", "type": "text" }]	Access Denied Code : 403 Forbidden

4.3.5 HIE-CM- Consent request status

This API will be called to get the status of the consent request.

URL: /api/hiecm/consent/v3/request/status **Request:** POST **Header Parameters:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time.
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

X-HIU-ID	HIU_ID	Yes	Identifier of the health information user to which the request was intended
----------	--------	-----	---

Body Paramaters:

Property Name	Example Value	Required	Description
consentRequestId	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for consent request

Request Body:

Request Body:
<pre>{ "consentRequestId": "05f14b1d-4465-453a-8249-1382d79d271d" }</pre>

Response Body:

Response
Code : 200 OK

Error scenarios:

Scenarios	Headers/Body	Message
To verify when Request ID is Blank, null or empty in header	<pre>[{ "key": "REQUEST-ID", "value": "", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden

To verify when invalid RequestID is pass in header	<pre>[{ "key": "REQUEST-ID", "value": "{{ \$guid }}zxzzxs", "type": "text" }]</pre>	<pre>{ "code": "ABDM-1030: ", "message": "Invalid request ID" }</pre> Code - 400Bad Request
--	---	--

When Timestamp is Blank, null or empty in header.	<pre>[{ "key": "TIMESTAMP", "value": "", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden
---	--	--

When invalid Timestamp is pass in header	<pre>[{ "key": "TIMESTAMP", "value": "{{ \$isoTimestamp }}jhgftygtgyu", "type": "text" }]</pre>	<pre>{ "code": "ABDM-1016: ", "message": "Invalid Timestamp" }</pre> Code - 400Bad Request
When X-CM-ID is Invalid, Blank, null or empty in header.	<pre>[{ "key": "X-CM-ID", "value": "sbxdvdfvdf", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden

When X-HIU-ID is Blank, null or empty in header.	<pre>[{ "key": "X-HIU-ID", "value": "", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden
When passing invalid Consent Request Id	<pre>{ "consentRequestId": "002e14ac-13" }</pre>	Callback : { <pre> "error": { "code": "ABDM-1039: ", "message": "Invalid Consent request id" }, "response": { "requestId": "fe717659-f438-4bda-8f7c-0ba13e9c5f61" } }</pre> code - 200 OK
When passing Null Consent Request Id	<pre>{ "consentRequestId": null }</pre>	<pre>[{ "code": "ABDM-9999: ", "message": "Invalid Consent request id" }]</pre> Code - 400Bad Request

When body missing		<pre>{ "code": "ABDM-1064", "message": "Request body was missing" }</pre> Code - 400Bad Request
-------------------	--	--

4.3.6 HIE-CM - Consent request on-status (Callback)

This API is used to send the status of consent request back to HIU through HIE-CM **URL:** {callback_url}/api/v3/hiu/consent/request/on-status **Request:** POST **Header Parameters:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time.
X-HIU-ID	HIU_ID	Yes	Identifier of the health information user to which the request was intended
Authorization	Gateway Session Token	Yes	ABDM Gateway Session Token

Body Parameters:

Property Name	Example Value	Required	Description
consentRequest-id	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for consent request
consentRequeststatus	"REQUESTED"	Yes	Current status of consent request
response-requestId	aa9e2d8e-c4f647048baba8c365f693d5	Yes	Unique UUID for the callback request
resp	null		

Request Body:

Request Body:
<pre>{ "consentRequest": { "id": "7d52fcd0-a52a-4d82-b9f5-a548e5053088", "status": "REQUESTED" }, "error": null, "response": { "requestId": "e1f08798-8949-4a23-a04e-fe0054397cf5" }, "resp": null }</pre>

Response Body: The table below illustrates the response body

Response
Code : 200 OK

POST https://webhook.site/2cfcc184-5d29-4e2c-974d-3e56c8aa5cc1/api/v3/hiu/consent/request/on-status

Host 14.143.232.148 Whois Shodan Netify Censys VirusTotal
 Date 08/09/2024 3:10:02 PM (a few seconds ago)
 Size 174 bytes
 Time 0.000 sec
 ID f38a7a7f-3504-46b3-89fc-8ccb70137e4a
 Note [Add Note](#)

Query strings
(empty)
 Raw Content [Format](#)

```

{
  "consentRequest": {
    "id": "7d52fcd0-a52a-4d82-b9f5-a548e5053088",
    "status": "REQUESTED"
  },
  "error": null,
  "response": {
    "requestId": "e1f08798-8949-4a23-a04e-fe0054397cf5"
  },
  "resp": null
}

```

content-length 174
content-type application/json
x-b3-sampled 0
x-b3-parentspanid 8f634cdbaa3f4b9b
x-b3-spanid b8b04982fae00f12
x-b3-traceid 16040703c414bdf9344d202b52c8ed29
x-hiu-id MANISH_HIU
authorization Bearer: ey3hbGc10175UzT1N1Ii5InR5cCTg01A151dU1wla2lk1
timestamp 2024-08-09T09:46:02.180Z
request-id 01817831-1ce0-4b86-b14a-1e39b688432b
accept */*
host webhook.site
user-agent ReactorNetty/1.0.24
 Form values
(empty)

4.3.7 HIE-CM - Consent request fetch

This API will be called to fetch the consent artifact details.

URL: /api/hiectm/consent/v3/fetch

Request: POST

Header Parameters:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
X-HIU-ID	HIU_ID	Yes	Health information user unique ID
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters:

Property Name	Example Value	Required	Description
consentId	18235d89-cb13-479d-ad717a57d5f669a8	Yes	Unique UUID of the validate the consent to share the data between HIP and HIU

Request Body:

Request Body:
<pre>{ "consentId": "d6a83f24-6c96-421e-b8b8-844e5344ef69" }</pre>

Response Body:

Response Body:
Code : 202 OK

Error Scenarios:

Scenarios	Headers/Body	Message
To verify when Request ID is Blank, null or empty in header	<pre>[{ "key": "REQUEST-ID", "value": "", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden

To verify when invalid Request-ID is pass in header	<pre>[{ "key": "REQUEST-ID", "value": "{{ \$guid }}zxzzxs", "type": "text" }]</pre>	<pre>{ "code": "ABDM-1030: ", "message": "Invalid request ID" }</pre> Code - 400Bad Request
When Timestamp is Blank, null or empty in header.	<pre>[{ "key": "TIMESTAMP", "value": "", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden
When invalid Timestamp is pass in header	<pre>[{ "key": "TIMESTAMP", "value": "{{ \$isoTimestamp }}jhgftygtgyu", "type": "text" }]</pre>	<pre>{ "code": "ABDM-1016: ", "message": "Invalid Timestamp" }</pre> Code - 400Bad Request
When X- CM-ID is Invalid, Blank, null or empty in header.	<pre>[{ "key": "X-CM-ID", "value": "sbxdvdfvdf", "type": "text" }]</pre>	Access Denied Code : 403 Forbidden

	<pre> }] </pre>	
When X- HIU- ID is Blank, null or empty in header.	<pre> [{ "key": "X-HIU-ID", "value": "", "type": "text" }] </pre>	Access Denied Code : 403 Forbidden
When passing invalid Consent artefact Id	<pre> { "consentId": "1769c167-0898-43" } </pre>	Callback : { <pre> "error": { "code": "ABDM-1080: ", "message": "Invalid Consent artefa ct id" }, "response": { "requestId": "7c4c31dadfd04348a907c08ea4016cbe" } } </pre> code - 200 OK

When passing Null Consent artefact Id	{ "consentId": null }	[{ "code": "ABDM-9999: ", "message": "Invalid Consent artefa ct id" }] Code - 400Bad Request
When body missing		{ "code": "ABDM-1064", "message": "Request body was missi ng" } Code - 400Bad Request

4.3.8 HIE-CM - Consent request on-fetch (callback)

This API is used to send the consent artifact details to HIU through HIE-CM **URL:** {callback_url} /api/v3/hiu/consent/on-fetch **Request:** POST **Header Parameters:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-HIU-ID	HIU_ID	Yes	Health information user unique ID

Authorization	Gateway Session Token	Yes	ABDM Gateway Session Token
---------------	-----------------------	-----	----------------------------

Body parameters:

Property Name	Example Value	Required	Description
Status	GRANTED	Yes	Current status consent request
consentId	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Consent artefact id
Hip	ABDM_HIP	No	Health information provider ID

Patient-id	user@abdm	Yes	The abha address
Purpose-text	Care Management	Yes	Purpose text of consent request
Purpose-code	CAREMGT	Yes	Purpose code of consent request
Purpose-refUri	www.test.com	Yes	Purpose refUri of consent request
patientReference	batman@tmh	No	Patient reference Id
careContextReference	Episode11	No	Care context reference
hiu	HIU_ID	Yes	Health information user Id
Requester-name	Smith	Yes	Name of the requester
Requester-identifiertype	REGN01	Yes	Requester identifier type
Requester-identifiervalue	MH1001	Yes	Requester identifier value
Requester-identifiersystem	https://www.mciindia.org	Yes	Requester identifier system

hiTypes	["Prescription", "DiagnosticReport", "DischargeSummary", "ImmunizationRecord", "HealthDocumentRecord", "WellnessRecord", "OPConsultation"]	Yes	Type of document
PermissionaccessMode	VIEW	Yes	Access mode of consent
PermissiondateRange	"from": "2023-05-09T08:58:09.738Z", "to": "2023-05-10T08:58:09.738Z"	Yes	Data range of permission required
PermissiondateEraseAt	2023-05-25T08:58:09.738Z	Yes	Date of erase data
Permissionfrequency-value	0	Yes	Frequency value for consent
Permissionfrequencyrepeats	0	Yes	Frequency repeats for consent
Permissionfrequency-unit	HOUR	Yes	Frequency unit for consent
createdAt	2023-05-25T08:58:09.738Z	Yes	The date consent artefact created
lastUpdated	2023-05-25T08:58:09.738Z	Yes	The date consent artefact last updated.
schemaVersion	v3	Yes	Version

Signature	bAJUnf7nY6Yn6A7JbR1ZFhtBmqCjXDW ZaQte F+XNgEImUchTgA4qp4i5KnUBXYSwuTK Be USf1cLFMUXGpQuD90ZzrMqA1PRnEWyh 0 1V9i1bsEm5VMBkeZa0ghQBc4Fj8g==	Yes	Signature of consent aretefact
response-requestId	36de611a-c3ab-4794-b803- 5eff9c94ddbf	Yes	Unique UUID for call back request

Request Body:

Request Body:
<pre>{ "consent": { "status": "GRANTED", "consentDetail": { "consentId": "d6a83f24-6c96-421e-b8b8-844e5344ef69", "hip": { "id": "HIP_ID" }, "hiu": { "id": "HIU_ID" }, "hiTypes": ["Prescription", "DiagnosticReport", "DischargeSummary", "ImmunizationRecord", "HealthDocumentRecord", "WellnessRecord", "OPConsultation"], "patient": { "id": "xxxxxx@sbx" } } } }</pre>

```

},
"purpose": {
  "text": "Care Management",      "code":
"CAREMGT",
  "refUri": "www.abdm.gov.in"
},
"createdAt": "2024-08-09T05:00:03.265Z",
"requester": {
  "name": "Dr. Manju",
  "identifier": {
    "value": "MH1001",
    "type": "REGNO",
    "system": "https://www.mciindia.org"
  }
},
"permission": {
  "accessMode": "VIEW",
  "dateRange": {
    "from": "1924-07-09T12:05:57.151Z",
    "to": "2024-07-17T12:05:57.151Z"
  },
  "dataEraseAt": "2124-12-09T00:00:00.000Z",
  "frequency": {
    "unit": "DAY",
    "value": 1,
    "repeats": 0
  }
},
"lastUpdated": "2024-08-09T05:00:03.144Z",
"careContexts": [
  {
    "patientReference": "xxxxxxx@sbx",
    "careContextReference": "COCa496bc2f-ca6c-4af5-b973-02e915fd9815"
  }
],
"schemaVersion": "v3",
"consentManager": {
  "id": "sbx"
},
"signature": "pktEFkcXuMBPSCEb7ZbiRAOigEx3i5fvIVNS9CxAfgm7rRF9CoxyhO0OdX9Fe
CzmcobBeiqNdLkiX2eYXdTI1oWvEnSgMYBXVRi4q9rUgXexJr+04QK6vk4IL2iwu6AfKqPTB8u
3LF4v5kmCTXqdmTlfRof+ue9avukW48yliij19okHYhTw2IOZQ=="
},
"error": null,
"response": {

```

```

"requestId": "c0027971-d2d3-4323-8353-881b7c8f7d2f"
},
"resp": null
}

```

Response Body:

Response

Code : 200 OK

Request Details	Permalink	Raw content	Copy as	Headers
POST https://webhook.site/2ofcc184-5d29-4e2c-874d-3e56cbba5cc1/api/v3/hiu/consent/on-fetch				content-length 1435 content-type application/json x-b3-sampled 0 x-b3-parentspanid dbef16884548e7cc x-b3-spanid b26aee6580199fu9 x-b3-traceid 3f3c9878068d5e96a1b5e7d64e5979c6 x-hiu-id MANISH_HIU authorization Bearer: eyJhbGciOiJIUzI1NiIsInR5cCI6ImlzI0I1S1OUT timestamp 2024-08-09T09:55:20.129Z request-id 29f0e362-7680-4079-9ffa-fe48d8aebc66 accept */* host webhook.site user-agent ReactorNetty/1.0.24
Host 14.143.232.148 Whois Shodan Netify Censys VirusTotal				
Date 08/09/2024 3:25:20 PM (7 minutes ago)				
Size 1.4 kB				
Time 0.000 sec				
ID 8893ce61-7a75-46a2-9561-9f27c28040ae				
Note Add Note				
Query strings				Form values
(empty)				(empty)
Raw Content				
<pre> { "consent": { "status": "GRANTED", "consentDetail": { "consentId": "d6a83f24-6c96-421e-b8b8-844e5344ef69", "hip": { "id": "MANISH_HIP" }, "hiu": { "id": "MANISH_HIU" } } }, "resp": null } </pre>				


```

"hip": {
  "id": "MANISH_HIP"
},
"hiu": {
  "id": "MANISH_HIU"
},
"hiTypes": [
  "Prescription",
  "DiagnosticReport",
  "DischargeSummary",
  "ImmunizationRecord",
  "HealthDocumentRecord",
  "WellnessRecord",
  "OPConsultation"
],
"patient": {
  "id": "manishk1991@sbx"
},
"purpose": {
  "text": "Care Management",
  "code": "CAREMG1",
  "refUri": "www.abdm.gov.in"
},
"createdAt": "2024-08-09T05:00:03.265Z",
"requester": {
  "name": "Dr. Manju",
  "identifier": {
    "value": "MH1001",
    "type": "REGNO",
    "system": "https://www.mciindia.org"
  }
},
"permission": {
  "accessMode": "VIEW",
  "dateRange": {
    "dataEraseAt": "2124-12-09T00:00:00.000Z",
    "frequency": {
      "unit": "DAY",
      "value": 1,
      "repeats": 0
    }
  },
  "lastUpdated": "2024-08-09T05:00:03.144Z",
  "careContexts": [
    {
      "patientReference": "manikandanb87@sbx",
      "careContextReference": "C0Ca496bc2f-ca6c-4af5-b973-02e915fd9815"
    }
  ],
  "schemaVersion": "v3",
  "consentManager": {
    "id": "sbx"
  }
},
"signature": "pktEFKcXUMBP5CEb7Zb1RA0IgEx3i5FvIVNS9CxAfgm7rRF9Coxyh000dX9FeCzmcoB8eiqNdLk1X2eYXdTI10kvvEn5gMYBXVR14q9rUgXex3r+04QK6vk41L21wu6AFkqPTB8uv13ZsmL/3yHpB6gM
OZ8hMwABov4Y8LCP3ave0Qf2rx5Bvv13EgoNaR18qV1qUPqUB/Bkr+p9g108VfuZoXGJhrWYbWljN18PM0vCaPOLkejq12vHc9X9FK5x0nY6L14QHFQf8E+GuYNP53LF4v5kmCTXqdm1fRoF+ue9avukw48yIi19okHYhTw2
",
"error": null,
"response": {
  "requestId": "c0027971-d2d3-4323-8353-881b7c8f7d2f"
},
"resp": null
}

```

5 Data flow


5.1 Overview

The process of Data flow starts once the HIECM has generated Consent artefact (Consent artefact is generated only if the status of Consent request is “Granted”) and same is notified to HIP and HIU.

HIU sends pushback URL to HIP via HIECM. HIP now bundles the care context or Health data of the patient as per FHIR standards and share the data via pushback data URL.

HIECM is notified the status of the data shared both by HIU and HIP.

5.2 Sequence Diagram



5.3 API Information Request & Response

5.3.1 Data flow – Data request invoked by HIU

The HIU system initiates data request for a patient's health information to the HIP against the relevant consent-artefact, through the CM.

As part of the data request, the HIU's health repository embeds three key elements within the health information request:

The consent ID corresponding to the consent artefact against which the information request is being made.

A data push URL, which is a callback URL that indicates where the information can be pushed by the HIP's health repository. This URL can be different from the HIU's access URL, provided at the time of registration with the gateway. The HIU can specify a different URL for the data flow, in order to keep its identity secret to the extent possible.

Several parameters such as the date-time range for the requested and a set of encryption parameters for the HIP repository to encrypt the information. The Elliptic-curve Diffie–Hellman based encryption standard is used for encrypting health information.

Upon receipt of the data-request, CM assigns a transaction ID (txn-id) for the entire data flow and communicates this Id to the health repositories of the HIU and the HIP.

The HIU’s health repository relays all this information to the CM through the gateway. From the CM, the information is relayed to the HIP’s health repository (via the HIE-CM).

URL: /api/hiecm/data-flow/v3/health-information/request

Request: POST

Header Parameters: The table below illustrates the header parameters

Property Name	Example Value	Required	Description
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret
REQUEST-ID	b22bc4a6-7894-431e-9d800e289610d0f8	Yes	Unique UUID for track the endtoend request transaction
TIMESTAMP	2024-08-09T05:07:17.151Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
X-HIU-ID	HIU_ID	Yes	Identifier of the health information user by which the request was initiated

Body Parameters:

The table below illustrates the body parameters

Property Name	Example Value	Required	Description
Consent ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Valid consent ID, which HIU must obtain to request patient data from a HIP
DateRange	[{ "from": "1924-07-09T12:05:57.151Z", "to": "2024-07-17T12:05:57.151Z" }]	Yes	Date Range against which the consent granted will be validated.
DataPushUrl	https://webhook.site/2cfcc184-5d29-4e2c974d3e56cbaa5cc1/v3/data/push	Yes	This is the URL provided by HIU to which HIP has to push the requested health information record
cryptoAlg	"ECDH"		ECDH is a key sharing algorithm, most commonly used to send encrypted messages. ECDH works by multiplying your private key by another's public key to get a shared secret, then using that shared secret to perform symmetric encryption
curve	"curve25519"	Yes	Key exchanges authentication
expiry	2124-12-09T00:00:00.000Z	Yes	Actual time by when dataPushUrl is available
parameters	"Ephemeral public key"	Yes	Encryption and decryption key

keyValue	BFN7KTdOT0jIAExG2A8Jg+01w MPWxptiGqwHRVvtiVEsUq2FR7P2 UdqZxJyPJSeR6muai21iQhasNxnhh8I5M+g="	Yes	key agreement protocol that allows two parties, each having an ellipticcurve public-private key pair, to establish a shared secret over an insecure channel
----------	---	-----	---


Request Body: The table below illustrates the request body

Request Body

```
{
  "hiRequest": {
    "consent": {
      "id": "004ff8e6-a9d7-4963-822b-d9762179314e"
    },
    "dateRange": {
      "from": "1924-07-09T12:05:57.151Z",
      "to": "2024-07-17T12:05:57.151Z"
    },
    "dataPushUrl": "https://webhook.site/2cfcc184-5d29-4e2c-974d-3e56cbaa5cc1/v3/data/push",
    "keyMaterial": {
      "cryptoAlg": "ECDH",
      "curve": "Curve25519",
      "dhPublicKey": {
        "expiry": "2124-11-09T00:00:00.000Z",
        "parameters": "Curve25519/32byte random key",
        "keyValue":
"BCpsBW37KgFLyJxJK0zHHG26hDjxzK368DEO4PapzFhQM0cghZziKuvJh5/anTnHitVHKMn0Owr1HvcH1fm0D pA="
      },
      "nonce": "0ka0stPfqmXWhX+ODC/iOFMO0PXFdRjBdcEGbv55qqc="
    }
  }
}
```

Response Body: The table below illustrates the response body

Response
Code : 202 Accepted



POST https://webhook.site/b31034a3-ca14-48e3-9b3e-64b51b77e8d/api/v3/hiu/health-information/on-request

Host: 14.143.232.148 Whois Shodan Netify Censys VirusTotal

Date: 08/20/2024 2:43:35 PM (6 minutes ago)

Size: 175 bytes

Time: 0.000 sec

ID: 7b787c5-05e9-4d9a-a5f6-15501f02172a

Note: Add Note

Query strings
(empty)

Raw Content
(empty)

Form values
(empty)

Headers

content-length	175
content-type	application/json
x-b3-sampled	0
x-b3-parentspanid	12b6c2e6452fadf6
x-b3-spanid	9986522fa8e5764a
x-b3-traceid	8b998f4bb9b4f3cb81f205e23278a2
x-hiu-id	MANISH_HIU
timestamp	2024-08-20T09:13:34.914Z
request-id	25e6cd1b-75dd-49e2-895a-f13a8e34f17a
authorization	Bearer eyJhbGciOiJIUzUuIiwiaW50Iiwia2kiOiJ1IiwiaGIC3BfJ1NWd0bThubTIF5...
accept	*/
host	webhook.site
user-agent	ReactorNetty/1.0.24
accept-encoding	gzip

Form values
(empty)

☒ Format JSON ☒ Word-Wrap

```
{
  "hiRequest": {
    "transactionId": "9644d5c4-7e36-4d12-b024-c2f6581edc28",
    "sessionStatus": "REQUESTED"
  },
  "error": null,
  "response": {
    "requestId": "e6348396-5377-471b-8802-940a683e8bd9"
  }
}
```

5.3.2 Data flow – call back to HIU

This is the callback API for acknowledgment of Health information request of HIU. CM calls this API when it has validated the Health Information request given the consent id. Either the hiRequest or error would need to be specified. If the health info request was valid, then the hiRequest.transactionId specifies the transaction context against which HIP would send over the data.

URL: {callback_url/api/v3/hiu/health-information/on-request

Request: POST

Header Parameters: The table below illustrates the header parameters

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-HIU-ID	HIU_ID	Yes	Identifier of the health information user by which the request was initiated
Authorization	Gateway Session Token	Yes	ABDM Gateway Session Token

Body Parameters: The table below illustrates the body parameters

Property Name	Example Value	Required	Description
transactionId	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
sessionStatus	"REQUESTED"	Yes	Status of data transfer request
requestId	"f29f0e59-8388-4698-9fe6-05db67aeac46"	Yes	Unique UUID received from HIU while initiating the following hiecm/api/v3/dataflow/healthinformation/request

Request Body: The table below illustrates the request body

Request Body:
<pre>{ "hiRequest": { "transactionId": "3332b62a-1cae-454f-a278-aaf80724f2b6", "sessionStatus": "REQUESTED" }, "error": null, "response": { "requestId": "b22bc4a6-7894-431e-9d80-0e289610d0f8" } }</pre>

Response Body: The table below illustrates the request body

Response
Code : 200 OK
<u>Error Scenario:</u>

```
{
  "error": {
    "code": "ABDM-1092",
    "message": "Invalid or already expired consent artefact id"
  },
  "response": {
    "requestId": "b07737a8-1c79-48cc-9fb4-1476c6bb1197"
  }
}
```

POST	https://webhook.site/2cfcc184-5d29-4e2c-874d-3e56c8a50c1/api/v3/hiu/health-information/on-req-est	content-length	175
Host	14.143.232.148 Whois Shodan Netify Censys VirusTotal	content-type	application/json
Date	08/09/2024 10:37:18 AM (2 hours ago)	x-b3-sampled	0
Size	175 bytes	x-b3-parentspanid	fb2296d477b58618
Time	0.000 sec	x-b3-spanid	4a9a7887175f4ab3
ID	510bbf2c-c33b-466b-9897-0abb320d2328	x-b3-traceid	837c36c873e856698aadcb0bf6727807
Note	Add Note	x-hiu-id	MANISH_HIU
		timestamp	2024-08-09T05:07:17.789Z
		request-id	e08c4b13-7f2f-498d-be0d-25d5aa8f5fa
		authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6Ikp0aXAiOiJ1a2I1IA6IC3BbF3lWVU0bThubTlF5...
		accept	*/*
		host	webhook.site
		user-agent	ReactorNetty/1.0.24
		accept-encoding	gzip
		Form values	(empty)
Query strings	(empty)		
Raw Content	☒ Format JSON ☒ Word-Wrap Copy		
	<pre>{ "hiRequest": { "transactionId": "3332b62a-1cae-454f-a278-aaf80724f2b6", "sessionStatus": "REQUESTED" }, "error": null, "response": { "requestId": "b22bc4a6-7894-431e-9d80-0e289e10d0f8" } }</pre>		

Response

Code : 202 Accepted

5.3.3 Notify

This API will be called by HIU and HIP to notify the CM about the status of the data transfer.

HIP on the transfer of data would send sessionStatus - one of [TRANSFERRED, FAILED]. HIP would also send hiStatus for each careContextReference - one of [DELIVERED, ERRORED]

HIU on receipt of data would send sessionStatus - one of [RECEIVED, FAILED]. For example, ERRORED when data was not sent or if invalid data was sent. HIU would also send hiStatus for each careContextReference - one of [OK, ERRORED].

URL: /api/hiectm/data-flow/v3/health-information/notify

Request: POST

Header Parameters: The table below illustrates the header parameters

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters: The table below illustrates the body parameters

Property Name	Example Value	Required	Description
consentId	7497e59e-fa17-4be3b0b3-5afe4f3b5136	Yes	Unique UUID of the validate the consent to share the data between HIP and HIU
transactionId	87624e00-21b5-43b1-8ae7-5adcb743ef7b	Yes	Unique UUID for track the end to end request transaction
doneAt	024-08-09T08:06:07.883Z	Yes	Actual time when notification is sent
Notifier	[{ "type": "HIU", "id": "HIU_ID" }]	Yes	Entity who is notifying HIE-CM

statusNotification	<pre> {"sessionStatus": "TRANSFERRED", "hipId": "HIP_ID", "statusResponses": [{ "careContextRefer ence": "9ec54c2f- 2f3541d6982846a93e83564e", "hiStatus": "OK", "description": "Care Management"]}]} </pre>	Yes	Detail about the status of the transaction will be sent in this section by HIP/HIU.
sessionStatus	"TRANSFERRED"	Yes	HIU on receipt of data would send sessionStatus - one of
			[TRANSFERRED, FAILED]. For example, FAILED when if data was not sent or if invalid data was sent
hiStatus	"OK",	Yes	HIU would also send hiStatus for each careContextReference - one of [OK, ERRORED]

Request Body: The table below illustrates the request body

```
{
  "notification": {
    "consentId": "97312afb-c6a4-483e-8456-5c9c96beb83f",
    "transactionId": "97312afb-c6a4-483e-8456-5c9c96beb83f",
    "doneAt": "2024-08-09T08:45:55.984Z",
    "notifier": {
      "type": " HIU",
      "id": "HIU_ID"
    },
  },
  "statusNotification": {
    "sessionStatus": "TRANSFERRED",
    "hipld": "HIP_ID",
    "statusResponses": [
      {
        "careContextReference": "9ec54c2f-2f35-41d6-9828-46a93e83564e",
        "hiStatus": "OK",
        "description": "Care Management"
      }
    ]
  }
}
```

Response Body: The table below illustrates the response body

Response

```
1 {
2   "status": "Notification is Accepted"
3 }
```

Code : 202 Accepted

6 Subscription flow

6.1 Overview

HIU should initiate subscription requests so that it receives notifications/alerts whenever new information is available for the following categories.

1. LINK - linking of a new Care-context from HIPs against an ABHA address
2. DATA - availability of data against an existing care-context from HIP.


Note: Subscription flow is restricted to the health locker and PHR. Other than health locker and PHR, subscription flow is not authorized.


While seeking subscription HIU needs to use the Gateway Subscription APIs identifying itself as a HIU.

Once user grants subscription to HIU, the HIU will be notified against the subscribed categories.


- If the subscription category is LINK - HIU should initiate a consent request for the notified care context. Once the user grants the consent against the request, HIU can initiate the data-request.
- In case subscription category is DATA - then the HIU should check if any existing consent request is available (hiType and duration etc.) and use the same to initiate the data-request.

6.2 Sequence Diagram





ABDM HIE-CM Subscription Request Approve



ABDM HIE-CM Subscription Request Deny

6.3 API Information Request & Response

6.3.1 Users get subscription requests

This is an API will be invoked by the patient/user from the PHR application to fetch his/her subscribed HIU details.

URL: /api/hiecm/subscription-requests/v3/requests

Method:

GET **Request Headers:**

Property Name	Example Value	Required	Description
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-AUTHTOKEN	Login Token	Yes	JWT Authentication token which was issued by ABDM after successful validation of username and password
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Limit	5	Yes	How many items to return at one time
Offset	5	Yes	How many items out of line
Filters	"GRANTED"	Yes	Query string parameter restricts the data returned from your request

Body Parameters: Not Applicable **Request Body:**

Not Applicable **Response:**

Response:

Code: 202 OK

```
{
  "limit": 5,
  "size": 0,
  "offset": 5,
  "requests": [
    {
      "requestId": "f29f0e59-8388-4698-9fe6-05db67aeac46",
      "subscriptionId": "f29f0e59-8388-4698-9fe6-05db67aeac46",
      "requestType": "HEALTH_LOCKER",
      "status": "GRANTED",
      "details": {
        "patient": {
          "id": "xxxx@sbx"
        },
        "purpose": {
          "text": "abc@abdm",
          "code": "string",
          "refUri": "string"
        },
        "hiu": {
          "id": "HIU"
        },
        "hips": [
          {
            "id": "HIP"
          }
        ],
        "categories": [
          "LINK"
        ],
        "period": {
          "from": "2023-01-18 05:19:33.429",
          "to": "2023-01-18 05:19:33.429"
        }
      }
    }
  ]
}
```

}}

6.3.2 User subscription request initiate

This is the API which will be invoked by the HIU to initiate subscription request to the patient/user from PHR application

URL: /api/hiecm/subscription-requests/v3/init **Method:**

Post Request Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad717a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters

Property Name	Example Value	Required	Description
subscription	"purpose": { "text": "Care Management", "code": "CAREMGT", "refUri": "www.abc.com2" }	Yes	Purpose of Use - defines what is the purpose of use of the health information that a HIU is requesting for. The following are subset from http://terminology.hl7.org/ValueSet/v3-PurposeOfUse
Patient	"id": "xxxxxxxx@abdm"	Yes	Patient ABHA address against which the health records are linked
Hiu	"id": "HIU"	Yes	

Hips	[{ "id": "HIP_ID", "name": "HIP_NAME", "type": "HIP" }]	NO	
categories	["LINK", "DATA"]	Yes	Locker should initiate subscription request so that it receives notifications/alerts whenever new
			information is available for following categories. 1. LINK - linking of a new Carecontext from HIPs 2. DATA - availability against an existing care-context from HIP
Period	{ "from": "2023-04-04T09:52:39.235Z", "to": "2023-0420T09:52:39.235Z" }	Yes	Period for which the subscription is valid.

Request Body

Request Body:

```
{
  "subscription": {
    "purpose": {
      "text": "Care Management",
      "code": "CAREMG",
      "refUri": "www.abdm.gov.in"
    },
    "patient": {
      "id": "xxxxx@sbx"
    },
    "hiu": {
      "id": "HIU_ID"
    },
    "hips": [
      {
        "id": "HIP_ID",
        "name": "HIP_NAME",
        "type": "HIP"
      }
    ],
    "categories": [
      "LINK",
      "DATA"
    ],
    "period": {
      "from": "2024-06-01T09:00:00.000Z",
      "to": "2124-12-31T09:00:00.000Z"
    }
  }
}
```

Response

Response:

Code: 202 Accepted.

6.3.3 User Subscription request initiate – Call Back

This is the API which will be invoked by the HIU to initiate subscription request.

URL: {{call back}}/api/v3/hiu/hiemcm/subscription-requests/on-init **Method:** Post

Request Headers:

Property Name	Example Value	Required	Description

REQUEST-ID	18235d89-cb13-479d-ad717a57d5f669a8	Yes	Unique UUID for track the end-to-end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	
Authorization	Gateway Session Token	Yes	ABDM JWT Token

Body parameters

Property Name	Example Value	Required	Description
subscription Request	{ "id": "34c9b142-8a2c-4f4a-8d98c305dbdbbcbb" }		
response	{ "requestId": "c8bd00d4-58d14d888b88a5f0c5817f06" }		

Response TO HIU in call back url

Response:

```
{
  "subscriptionRequest": {
    "id": "34c9b142-8a2c-4f4a-8d98-c305dbdbbcbb"
  },
  "response": {
    "requestId": "c8bd00d4-58d1-4d88-8b88-a5f0c5817f06"
  }
}
```

Code : 202 Accepted

Request Details
[Permalink](#)
[Raw content](#)
[Copy as ▾](#)

POST
<https://webhook.site/2cfcc184-5d29-4e2c-974d-3e56c8ae5cc1/api/v3/hicm/subscription-request/son-init>

Host: 14.143.232.148 [Whois](#) [Shodan](#) [Netify](#) [Censys](#) [VirusTotal](#)
Date: 08/08/2024 5:24:39 PM (a few seconds ago)
Size: 133 bytes
Time: 0.000 sec
ID: 8f432d8b-89f5-4d41-84ae-1f2e82245d20
Note: [Add Note](#)

Headers

content-length	133
content-type	application/json
x-b3-sampled	0
x-b3-parentspanid	41985f64d9428823
x-b3-spanid	5bb5546ffe297e68
x-b3-traceid	a8bb6eed855ffc538bc126aa60ca1be
x-hiu-id	TPT_HIP
authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6ImlzIiwia2lkIjA6TC9
timestamp	2024-08-08T11:54:39.307Z
request-id	c1dc2eb5-d3bf-4cf8-b7ab-963f414bc616
accept	*/*
host	webhook.site
user-agent	ReactorNetty/1.0.24
accept-encoding	gzip

Query strings
(empty)

Form values
(empty)

Raw Content
[Format JSON](#)

```

{
  "subscriptionRequest": {
    "id": "5f3ed8ae-7d1f-48cb-bbb8-b87313798526"
  },
  "response": {
    "requestId": "ac43fcf8-a92c-48d9-9d24-7fb8bd48342c"
  }
}

```

6.3.4 Approve Subscription Request

This Api will be invoked by the patient/user from PHR application to approve the subscription request raised by the HIU

URL: /api/hicm/subscription-requests/v3/{{subscription_requestid}}/approve

Method: Post

Request Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time

X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
X-AUTHOKEN	Login JWT Token		JWT Authentication token which was issued by ABDM after successful validation of username and password
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters

Property Name	Example Value	Required	Description
isApplicableForAllHIPS	false	Yes	This value can be false or true. In case of false this will be notified to all the HIPS available in the system and in case of true this will be notified to the specific HIP only
includedSources	[{ "hiTypes": ["Prescription", "DiagnosticReport", "OPConsultation", "DischargeSummary", "ImmunizationRecord", "HealthDocumentRecord", "WellnessRecord"] }]	Yes	Included sources will have the list of hi types

Purpose	{	Yes	Purpose for rising the consent
---------	---	-----	--------------------------------

	<pre> "text": "Care Management", "code": "CAREMGT", "refUri": "www.abc.com7" } </pre>		
Hip	<pre> [{ "id": "HIP_ID", "name": "SAI KRISHNA" }] </pre>	Optional	For which HIP consent has been raised
Categories	<pre> ["LINK", "DATA"], </pre>		Categories available
Period	<pre> { "from": "2023-04- 04T09:52:39.235Z", "to": "2023- 0420T09:52:39.235Z" } </pre>		Period time for approving the subscription

Excluded sources	<pre> "excludedSources": [{ "hiTypes": ["PRESCRIPTION"], "purpose": { "text": "Self Requested", "code": "PATRQT", "refUri": "www.test.com" }, "hip": { "id": "", "name": "string" }, "categories": ["LINK"], "period": { "from": "2023-06- 20T05:19:33.429Z", "to": "2023-06- 30T05:19:33.429Z" } }] </pre>	Optional	Depending upon the flag selected as False or True, values need to be added
------------------	---	----------	--

Request Body

```
{
  "isApplicableForAllHIPs": false,
  "includedSources": [
    {
      "hiTypes": [
        "Prescription",
        "DiagnosticReport",
        "OPConsultation",
        "DischargeSummary",
        "ImmunizationRecord",
        "HealthDocumentRecord",
        "WellnessRecord"
      ],
      "purpose": {
        "text": "Care Management",
        "code": "CAREMGT",
        "refUri": "www.abc.com7"
      },
      "hip": {
        "id": "HIP_ID",
        "name": "HIP_NAME "
      },
      "categories": [
        "DATA",
        "LINK"
      ],
      "period": {
        "from": "2023-04-27T04:03:40.079Z",
        "to": "2023-04-27T04:03:40.079Z"
      }
    }
  ]
  "LINK",
  "DATA"
},
"period": {
  "from": "2023-04-04T09:52:39.235Z",
  "to": "2023-04-20T09:52:39.235Z"
}
} ],
"excludedSources": [
  {
    "hiTypes": [
      "PRESCRIPTION"
    ],
  },

```

```
  "purpose": {
    "text": "Self Requested",
    "code": "PATRQT",
    "refUri": "www.test.com"
  },

```



```
"hip": {
  "id": "",
  "name": "string"
},
"categories": [
  "LINK"
],
"period": {
  "from": "2023-06-20T05:19:33.429Z",
  "to": "2023-06-30T05:19:33.429Z"
}
}
}] }
```

Response

Response:

```
{
  "subscriptionId": "b6c88154-995b-45b0-b720-838e357c8192",
  "message": "Successfully approved Subscription request"
}
```

Code: 202 Accepted

6.3.5 Approve Subscription – Call back

URL: {{callback}} /api/v3/hiu/subscription-requests/hiu/notify **Method:** Post **Request**

Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8		Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z		Actual time when request was initiated, ISO Date
			time format represents date and time

X-CM-ID	sbx		Suffix of the consent manager to which the request was intended
Authorization	Gateway Session Token		ABDM Gateway Session Token

Body parameters

Property Name	Example Value	Required	Description
SubscriptionRequestId	"57ab7ec0-ce1a-4d408cc3-66172ac3f6ee",		
Status	GRANTED		
Subscription	{ "id": "b6c88154-995b-45b0b720-838e357c8192", "patient": { "id": "xxxxxxx@sbx" }, }		
Hiu	{ "id": "HIP_ID", "name": "HIP_NAME", "type": "HIU" }		
Sources	[{ "hip": {}, "categories": ["DATA", "LINK"] }]		

Period	{ "from": "2023-04-04T09:52:39.235Z", "to": "2023-0420T09:52:39.235Z" }		
--------	--	--	--

Response

```
{
  "notification": {
    "subscriptionRequestId": "57ab7ec0-ce1a-4d40-8cc3-66172ac3f6ee",
    "status": "GRANTED",
    "subscription": {
      "id": "b6c88154-995b-45b0-b720-838e357c8192",
      "patient": {
        "id": "xxxxxx@sbx"
      },
      "hiu": {
        "id": "HIU_ID",
        "name": "HIU-NAME",
        "type": "HIU"
      },
      "sources": [
        {
          "hip": {},
          "categories": [
            "DATA",
            "LINK"
          ],
          "period": {
            "from": "2024-01-09T09:00:00.000Z",
            "to": "2124-12-31T09:00:00.000Z"
          }
        }
      ]
    }
  }
}
```

```
{
  "notification": {
    "subscriptionRequestId": "57ab7ec0-ce1a-4d40-8cc3-66172ac3f6ee",
    "status": "GRANTED",
    "subscription": {
      "id": "b6c88154-995b-45b0-b720-838e357c8192",
      "patient": {
        "id": "manishk1991@sbx"
      },
      "hiu": {
        "id": "TPT_HIP",
        "name": "TPT-HIP",
        "type": "HIU"
      },
      "sources": [
        {
          "hip": {},
          "categories": [
            "DATA",
            "LINK"
          ],
          "period": {
            "from": "2024-01-09T09:00:00.000Z",
            "to": "2124-12-31T09:00:00.000Z"
          }
        }
      ]
    }
  }
}
```

6.3.6 Subscription Request Hiu – on notify

This is the API that will be invoked by the HIU to notify HIECM that HIU has raised the subscription request.

URL: /api/hiecm/subscription-requests/v3/hiu/on-notify **Method:** Post **Request Headers:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end-to-end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended

Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret
---------------	-----------------------	-----	---

Body parameters

Property Name	Example Value	Required	Description
acknowledgement	{ "status": "OK", "subscriptionRequestId": "2b8ddd74-5e5e-475b8778- 21603e05a8b4" }	Yes	1. This is the acknowledgement from the HIU
response	{ "requestId": "a4b51f47f70f- 4291-9599- 8e39b7893cfc" }	Yes	This is the response ID is used from the initiate request ID

Request Body

Request Body:

```
{
  "acknowledgement": {
    "status": "OK",
    "subscriptionRequestId": "2b8ddd74-5e5e-475b-8778-21603e05a8b4"
  },
  "response": {
    "requestId": "a4b51f47-f70f-4291-9599-8e39b7893cfc"
  }
}
```

Response

Response:

Code: 202 Accepted

6.3.7 Deny Subscription Request

This API will be invoke by the patient to deny the subscription request raised by the HIU

URL: /api/hiecm/subscriptionrequests/v3/{{subscription_id}}/deny

Method: Post

Request Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
X-AUTHTOKEN	Login JWT Token	Yes	JWT Authentication token which was issued by ABDM after successful validation of username and password
Authorization	Gateway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters

Property Name	Example Value	Required	Description
Reason	False	Yes	

Request Body

Request Body:

```
{
  "reason": "Not authorized"
}
```

Response

Response:

```
{
  "message": "Successfully denied the subscription request"
}
```

202 Accepted

6.3.8 Deny Subscription – Call Back

This is the API that will be invoked by the patient to deny the subscription request raised by the HIU

URL: {{ call back }}/api/v3/hiu/subscription-requests/hiu/notify **Method:** Post **Request Headers:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Authorization	Gateway Session Token		ABDM Gateway Session Token

Body parameters

Property Name	Example Value	Required	Description
notification	<pre>{ "subscriptionRequestId": "5f3ed8a6-7d1f- 48cbbbb0b87313798526", "reason": "Not required", "status": "DENIED" }</pre>		

Response

Response:
<pre>{ "notification": { "subscriptionRequestId": " 5f3ed8a6-7d1f-48cb-bbb0-b87313798526", "reason": "Not authorized1", "status": "DENIED" } }</pre>
202 Accepted

[illegible]

6.3.9 Edit Subscription

This is the API that will be invoked by the patient/user from PHR application to edit the subscription.

URL: /api/hiecm/subscription-

requests/v3/patients/{{approved_subscription_id}} **Method:** PUT **Request Headers:**

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO 8601 represents date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds and milliseconds
X-AUTH-TOKEN	Login Token	Yes	JWT Authentication token which was issued by ABDM after successful validation of username and password
Authorization	Gateway Session Token	yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
---------	-----	-----	---

Body Parameters:

Property Name	Example Value	Required	Description
hiuld	MOHAN-HIU	Yes	HIU who raised the request.

subscriptionEditAndApprovalRequest	<pre>"includedSources": [{ "hiTypes": ["PRESCRIPTIONs"], "purpose": { "text": "Care Management", "code": "", "refUri": "www.amazon.com" } }],</pre>	Yes	Hi types, purpose should be mentioned while editing the subscription
------------------------------------	---	-----	--

Hip	{ "id": "HIP_ID", "name": "HIP-NAME" },	Yes	For which HIP requested was initiated
"categories"	LINK	Yes	Categories can be DATA and LINK
Period	{ "from": "2023-06- 24T04:03:40.079Z", "to": "2023- 06-27T04:03:40.079Z" }	Yes	From when the subscription should be available
excludedSources	[{ "hiTypes": ["PRESCRIPTION"], "purpose": { "text": "Self Requested", "code": "PATRQT", "refUri": " www.amazon.com " }	optional	

	<pre> }, "hip": { "id": "HIP-ID", "name": "HIP-NAME" }, "categories": ["LINK"], "period": { "from": "2023-06- 23T05:19:33.429Z", "to": "2023- 06-30T05:19:33.429Z" } }] } } </pre>		
--	---	--	--

Request Body:



```

"hiuid": "HIU_ID",
"subscriptionEditAndApprovalRequest": {
  "isApplicableForAllHIPs": true,
  "includedSources": [
    {
      "hiTypes": [
        "DiagnosticReport",
        "Prescription",
        "ImmunizationRecord",
        "DischargeSummary",
        "OPConsultation",
        "HealthDocumentRecord",
        "WellnessRecord"
      ],
      "purpose": {
        "text": "Care Management",
        "code":
"CAREMGT",
        "refUri": "www.abdm.gov.in"
      },
      "categories": [
        "DATA",
        "LINK"
      ],
      "period": {
        "from": "2024-01-09T09:00:00.000Z",
        "to": "2123-12-31T09:00:00.000Z"
      }
    }
  ]
}

```

```

    }
  ],
  "excludedSources": []
}
{

```

"

}

Response

Response:

```
Code: 202 Accepted
{
  "subscriptionId": "f9ca6ad7-ba8f-4257-b7ad-935a82a94480",
  "message": "Successful creation of Subscriptions"
}
```

6.3.10 Edit Subscription – call back

This is the API that will be invoked by the patient to deny the subscription request raise by the HIU

URL: {{ call back }}/api/v3/hiu/subscription-requests/hiu/notify **Method:** Post **Request**

Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time

X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Authorization	Gateway Session Token		ABDM Gateway Session Token

Body parameters

Property Name	Example Value	Required	Description
notification	<pre>{ "subscriptionRequestId": "5f3ed8a6-7d1f-48cbbbb0b87313798526", "reason": "Not required", "status": "DENIED" }</pre>		

Response

Response:

```
{
  "notification": {
    "subscriptionRequestId": " 5f3ed8a6-7d1f-48cb-bbb0-b87313798526",    "reason":
    "Not authorized1",
    "status": "DENIED"
  } }

```

202 Accepted

Request Details
[Permalink](#)
[Raw content](#)
[Copy as](#)

POST
<https://webhook.site/2cfcc184-5d29-4e2c-974d-3e56c0baa5cc1/api/v3/hiu/subscription-requests/hiu/notify>

Host: 14.143.232.148 Whois Shodan Netify Censys VirusTotal
Date: 08/08/2024 5:25:01 PM (2 minutes ago)
Size: 123 bytes
Time: 0.000 sec
ID: 4018f0fa-3e2e-46b2-ad46-ae367c9650a2
Note: [Add Note](#)

Headers

content-length	123
content-type	application/json
x-b3-sampled	0
x-b3-parentspanid	6ecc06ebe2a0f28e
x-b3-spanid	849316b28b408384
x-b3-traceid	10b84a1dce6f1587ad2ab36e45f789e8
x-hiu-id	TPT_HIP
authorization	Bearer: ey2hbGc10175UzI1N1IsInR5cCIgO1A1S1dU1
timestamp	2024-08-08T11:55:01.153Z
request-id	1ec30d95-eeb7-4a90-9b1c-42c8a41c80d6
accept	*/*
host	webhook.site
user-agent	ReactorNetty/1.0.24
accept-encoding	gzip

Query strings
(empty)

Form values
(empty)

Raw Content

```
{
  "notification": {
    "subscriptionRequestId": "5f3ed8a6-7d1f-48cb-bbb0-b87313798526",
    "reason": "Not required",
    "status": "DENIED"
  }
}
```

6.3.11 Subscription HIU –notify

This is the API that will be invoked by the HIU to notify by HIECM about the for link new record.

URL: {{ call back }} /api/v3/hiu/subscription/notify **Method:**
POST

Request Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479dad71-7a57d5f669a8	Yes	Unique UUID for track the end to end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO 8601 represents date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds and milliseconds
Authorization	Gatteway Session Token	Yes	ABDM Gateway Session Token
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended

Body Parameters:

Property Name	Example Value	Required	Description
---------------	---------------	----------	-------------

Event - SubscriptionRequestId	"57ab7ec0-ce1a-4d408cc3-66172ac3f6ee",		
Event-id	17fb377f-8675-402f-9c1b-3e8857ef1fc8		
Event- published	"2024-08-09 09:03:07.059"		
Event- category	"LINK"		
Content- patient	{ "id": "abha@sbx" }		
Content- hip	{ "id": "HIP_ID" }		
Content- careContexts	[{ "patientReference": "xxxxxx@sbx", "careContextReference": "db4423d5-62f7-44f887d2-5fcb25c5a814" }]		
Content- hiTypes	"Prescription"		

Request Body:

Request Body:

```
{
  "event": {
    "id": "17fb377f-8675-402f-9c1b-3e8857ef1fc8",
    "published": "2024-08-09 09:03:07.059",
    "subscriptionId": "b6c88154-995b-45b0-b720-838e357c8192",
    "category": "LINK",
    "content": {
      "patient": {
        "id": "abha@sbx"
      },
      "hip": {
        "id": "HIP_ID"
      },
      "contexts": [
        {
          "careContexts": [
            {

```

```
"patientReference": "abah@sbx",  
"careContextReference": "db4423d5-62f7-44f8-87d2-5fcb25c5a814"  
}  
],  
"hiType": "Prescription"  
}  
]  
}  
}
```

Host:	38.143.232.148	Whois	Shodan	Notify	Censys	VirusTotal
Date:	14/12/2024 3:10:20 PM (a few seconds ago)					
Size:	397 bytes					
Time:	0.000 sec					
ID:	6e7cd35-df50-4e70-9f56-cdd55a5c135					
Note:	 Add Note					

content-length	397
content-type	application/json
x-03-sampled	0
x-03-parentspanid	681ed656156d8f3f
x-03-spanid	57cc861944989014
x-03-traceid	526c800193f0836aabeb3e15a25780ae3
x-hulu-id	MANTSH_HITU
timestamp	2024-08-14T09:46:19.772Z
request-id	b3f1843d-199d-41da-957b-859c5e9872d6
authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTQwIiwiaWF0IjoiYzI1K1A6TGCBFjJWduDbThUNTFISl92ZXk...
accept	/*/*
host	webhook.site
user-agent	ReactorNetty/1.0.24
accept-encoding	gzip

Query strings

(empty)

Raw Content

☒ Format JSON ☒ Word-Wrap [Copy](#)

```
{
  "event": {
    "id": "021188b0-5036-401b-a80b-797d8f8ee292",
    "published": "2024-08-14 09:46:18.449",
    "subscriptionId": "3853f2e9-68c1-4584-8edf-c48231e319bb",
    "category": "LINK",
    "content": {
      "patient": {
        "id": "manishk1991@sbx"
      },
      "hip": {
        "id": "MANISH_HIP"
      },
      "hip": {
        "id": "MANISH_HIP"
      },
      "contexts": [
        {
          "careContexts": [
            {
              "patientReference": "manishk1991@sbx",
              "careContextReference": "080823429-b1f8-48cd-9aaf-116a52d9c7d6"
            },
            {
              "hiType": "Prescription"
            }
          ]
        }
      ]
    }
  }
}
```

6.3.12 Subscription HIU –On-notify

This is the API that will be invoked to HIU to notify HIECM about the link new record notification received.

URL: /api/hiecm/subscription-requests/v3/hIU/care-context/on-notify **Method:** Post

Request Headers:

Property Name	Example Value	Required	Description
REQUEST-ID	18235d89-cb13-479d-ad717a57d5f669a8	Yes	Unique UUID for track the end-to-end request transaction
TIMESTAMP	2022-10-06T10:10:00.587Z	Yes	Actual time when request was initiated, ISO Date time format represents date and time
X-CM-ID	sbx	Yes	Suffix of the consent manager to which the request was intended
Authorization	Gatteway Session Token	Yes	JWT Access token which was issued by ABDM session API after successful validation of client id and secret

Body parameters

Property Name	Example Value	Required	Description
acknowledgement	{ "status": "OK", "eventId": "2b8ddd74-5e5e-475b-877821603e05a8b4" }	Yes	This is the acknowledgement from the HIU
Response	{ "requestId": "a4b51f47f70f-4291-9599- 8e39b7893cfc" }	Yes	This is the response ID is used from the initiate request ID

Request Body

Request Body:

```
{
  "acknowledgement": {
    "status": "OK",
    "eventId": "2b8ddd74-5e5e-475b-8778-21603e05a8b4"
  },
  "response": {
    "requestId": "a4b51f47-f70f-4291-9599-8e39b7893cfc"
  }
}
```

Response

Response:

Code: 202 Accepted

7 API listing

No.	Flow	Serial	v3 API	Description
	Subscription	4.1	/api/hiecm/subscriptionrequests/v3/requests?status=ALL&limit=10&offset=0	API will be invoked by the patient/user from the PHR application to fetch his/her subscribed HIU details
		4.2	/api/hiecm/subscriptionrequests/v3/init	API which will be invoked by the HIU to initiate subscription request to the patient/user from PHR application

		4.3	{{call back}}/api/v3/hiu/hiecm/s ubscriptionrequests/oninit	API which will be invoked by the HIU to initiate subscription request to the patient/user from PHR application. In these two calls back will be received one by the HIU that request has been raised with the subscription request id and other will be received by the patient if patient is registered in the PHR app/health locker
		4.4	/api/hiecm/subscriptionrequests/v3/hiu/on-notify	API that will be invoked by the HIU to notify HIECM that HIU has raised the subscription request
		4.5	/api/hiecm/subscriptionrequests/v3/{subscription_r equestid}/approve	Api will be invoked by the patient/user from PHR application to approve the subscription request raised by the HIU
		4.6	{{callback}} /api/v3/hiu/subscriptionrequests/hiu/notify	HIECM will notify to the HIU about subscription request raised by the HIU is approved
		4.7	/api/hiecm/subscriptionrequests/v3/hiu/carecontext/onnotify	api will be invoke by the HIU to notify HIECM about the subscription request has been approved or denied
		4.8	/api/hiecm/subscriptionrequests/v3/{subscription_i d}/deny	api will be invoke by the HIU to notify HIECM about the subscription request has been approved or denied
		4.9	{{ call back}}/api/v3/hiu/subscript ion-requests/hiu/notify	api will be invoke by the patient to deny the subscription request raise by the HIU
		4..10	/api/hiecm/subscriptionrequests/v3/patients/{subs cription_id}	API will be invoked by the patient/user from PHR application to edit the subscription.
	Consent Flow	4.11	/api/hiecm/consent/v3/req uest/init	API used to raise consent request

		4.12	{callback}/api/v3/hiu/consent/request/on-init	Callback API used to notify hiu
		4.13	/api/hiem/consent/v3/request/status	API used to fetch the status of consent request
		4.14	{callback_url}/api/v3/hiu/consent/request/on-status	Callback api is used to give the response of status
		4.15	/api/hiem/consent/v3/fetch	API used to fetch the consent details
		4.16	{callback_url} /api/v3/hiu/consent/onfetch	Callback api used to give a response of fetch api
	Data flow	4.17	/api/hiem/dataflow/v3/healthinformation/request	This api indicates the exchange of health data request from HIU to HIP
		4.18	{callback_url}/api/v3/hiu/health-information/onrequest	callback API for acknowledgment of Health information request of HIU. CM calls this API when it has validated the Health Information request given the consent id. • Either the hiRequest or error would need to be specified. If the health info request was valid, then the hiRequest.transactionId specifies the transaction context against which HIP would send over the data

				API will be called by HIU and HIP to notify the CM about the status of the data transfer. HIP on the transfer of data would send sessionStatus - one of [TRANSFERRED, FAILED]. HIP would also send hiStatus for each careContextReference - one of [DELIVERED, ERRORED] • HIU on receipt of data would send sessionStatus - one of [RECEIVED, FAILED]. For example, ERRORED when data was not sent or if invalid data was sent. HIU would also send hiStatus for each careContextReference - one of [OK, ERRORED].
		4.19	/api/hiecm/dataflow/v3/healthinformation/notify	

7 Error codes listing

Code	Error
ABDM-1000	Unable to connect the database
ABDM-1001	No data found
ABDM-1002	Integrity violation
ABDM-1003	Email Gateway is unavailable
ABDM-1004	SMS Gateway is unavailable
ABDM-1005	Invalid receiver
ABDM-1006	Bad Request, invalid request Body
ABDM-1007	Connection failed due to timeout
ABDM-1008	SMS service currently disabled

ABDM-1009	Email service currently disabled
ABDM-1010	Validation failed
ABDM-1011	Gateway database unavailable
ABDM-1012	No records found against the ABHA Address
ABDM-1013	Invalid ABHA Number
ABDM-1014	Invalid Mobile Email
ABDM-1015	Invalid Response
ABDM-1016	Invalid TimeStamp
ABDM-1017	Invalid TransactionId
ABDM-1018	Share Profile database unavailable
ABDM-1019	Dependent Service Unavailable
ABDM-1020	Unknown database
ABDM-1021	Lack of required privileges
ABDM-1022	Too many requests
ABDM-1023	Invalid User
ABDM-1024	Dependent service unavailable
ABDM-1025	Invalid ServiceId
ABDM-1026	Invalid Link Token
ABDM-1027	You are blocked. Please try again after 24 hours.
ABDM-1028	HIP is unavailable
ABDM-1029	Redis server is unavailable
ABDM-1030	Invalid request ID
ABDM-1031	Invalid request
ABDM-1032	Invalid header
ABDM-1033	HIU is unavailable
ABDM-1034	Notification service unavailable

ABDM-1035	Invalid HIP ID
-----------	----------------

ABDM-1035	OTP does not matched
ABDM-1036	Data does not matched
ABDM-1037	Counter and Care context count mismatch
ABDM-1038	ABHA address and Link token mismatch
ABDM-1039	Invalid Consent request id
ABDM-1040	Invalid HIU ID
ABDM-1041	Invalid Acknowledgement
ABDM-1042	Provider Mandatory
ABDM-1043	ABHA Address does not match with KYC details.
ABDM-1044	Broadcast Failed
ABDM-1045	Database Access is restricted
ABDM-1046	Invalid Purpose
ABDM-1047	Purpose does not exist
ABDM-1048	Timeout
ABDM-1049	Invalid Profile Share Intent Keys
ABDM-1050	Invalid Profile Share Metadata Keys
ABDM-1051	Invalid ABHA Number or ABHA Address
ABDM-1052	Invalid TransactionId or response's requestId
ABDM-1053	Data already exists
ABDM-1054	Invalid Subscription Request Id
ABDM-1401	HIP is not available
ABDM-1402	Acknowledgement is not received from HIP
ABDM-9999	Unknown exception
ABDM-1061	Consent artefact expired
ABDM-1062	Consent Not granted

ABDM-1063	Date Range given is invalid
ABDM-1064	request with this request id already exists
ABDM-1017	Invalid TransactionId
ABDM-1109	ABHA DB service unavailable
ABDM-1108	Notification DB service unavailable
ABDM-1205	Document DB Gateway is unavailable
ABDM-1034	Notification service unavailable
ABDM-1029	Redis server is unavailable
ABDM-1202	Document Gateway is unavailable
ABDM-1200	LGD Gateway is unavailable
ABDM-1201	IDP Gateway is unavailable
ABDM-9999	Unknown exception
ABDM-1101	This ABHA Address already exists. Please create with unique ABHA Address
ABDM-1006	Invalid combinations of scopes
ABDM-1100	You have requested multiple OTPs Or Exceeded maximum number of attempts for OTP match in this transaction. Please try again in 30 minutes.
ABDM-1006	Bad Request, invalid request Body
ABDM-1110	ABHA User not found.
ABDM-1111	Mobile number not found.
ABDM-1112	Aadhaar details not found.
ABDM-1113	Login via Password is not allowed
ABDM-1114	Login via ABHA Number OTP is not allowed
ABDM-1115	Login via Aadhaar OTP is not allowed
ABDM-1102	Mobile number verification is pending.
ABDM-1203	{errors coming from DL gateway(Nepix)}
ABDM-1204	{errors coming from Aadhaar gateway(UIDAI)}