

GOOGLE TAG MANAGER + GA4 IMPLEMENTATION REPORT

UrbanCart Fashion — Website Tracking Setup

Prepared for: Urban Cart Fashion

Prepared by: Pranay Gavaskar

Date: September 8, 2026

Website: urbancart.com (test URL: pranaygavaskar.github.io/urban-cart/)

Disclaimer: This is a demo/practice report created for learning purposes only. “UrbanCart Fashion” is a sample website, and all account, traffic, and event data shown are test data — not from a real client or business.

Table of Contents

1. Executive Summary.....	3
2. Step-by-Step Implementation.....	4
Step 1: Create a New GTM Account and Container.....	4
Step 2: Install the GTM Container Code.....	4
Step 3: Verify Website Connection.....	5
Step 4: Configure the GA4 Event Tag.....	5
Step 5: Publish the Container Version.....	6
3. Verification in Google Analytics 4.....	7
Step 6: Reports Snapshot.....	7
Step 7: Realtime Overview.....	8
Step 8: Realtime Breakdown — Source, Audience & Page.....	8
Step 9: Realtime Events.....	9
Step 10: Realtime Pages Report.....	9
4. Conclusion.....	10

1. Executive Summary

Note: This is a demo/practice report, not a real client deliverable. UrbanCart Fashion is a sample website used for learning purposes, and all figures (users, events, sessions) are test data generated during setup and testing.

This report documents the end-to-end implementation of Google Tag Manager (GTM) and Google Analytics 4 (GA4) event tracking for the UrbanCart Fashion website. It covers account and container creation, installation of the GTM snippet, tag configuration, publishing, and post-implementation verification using GA4's Reports Snapshot and Realtime reports. Each step below is supported by a corresponding screenshot captured during the setup process.

Account: urban cart fashion
Container: urbancart.com (Web)
GTM Container ID: GTM-KD2XDN73
GA4 Measurement ID: G-2R694D0FG3
Test Website: <https://pranaygavaskar.github.io/urban-cart/>

2. Step-by-Step Implementation

Step 1: Create a New GTM Account and Container

A new Google Tag Manager account was created under the name “urban cart fashion” with the country set to India. A corresponding container named “urbancart.com” was set up with the target platform selected as Web, since the tracking is intended for desktop and mobile web pages.


The screenshot shows the 'Add a New Account' interface in Google Tag Manager. It is divided into two main sections: 'Account Setup' and 'Container Setup'. In the 'Account Setup' section, the 'Account Name' field contains 'urban cart fashion' and the 'Country' dropdown is set to 'India'. There is an unchecked checkbox for 'Share data anonymously with Google and others'. The 'Container Setup' section has a 'Container name' field with 'urbancart.com'. Under 'Target platform', there are three options: 'Web' (selected with a blue checkmark), 'iOS', and 'Android'. The 'Web' option is described as 'For use on desktop and mobile web pages'.

Figure 1: Account and container setup screen in Google Tag Manager

Step 2: Install the GTM Container Code

After the container was created, GTM generated two code snippets. The first script was placed as high as possible in the <head> section of every page, and the second (a <noscript> fallback) was placed immediately after the opening <body> tag. This ensures the container (GTM-KD2XDN73) loads correctly across the site.

Install Google Tag Manager

×

Copy the code below and paste it onto every page of your website.

1. Paste this code as high in the **<head>** of the page as possible:

```

<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
  new Date().getTime(),event:'gtm.js'});var f=d.getElementsByTagName(s)[0],
  j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
  'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
  })(window,document,'script','dataLayer','GTM-KD2XDN73');</script>
<!-- End Google Tag Manager -->

```

2. Paste this code immediately after the opening **<body>** tag:

```

<!-- Google Tag Manager (noscript) -->
<noscript><iframe src="https://www.googletagmanager.com/ns.html?id=GTM-KD2XDN73"
  height="0" width="0" style="display:none;visibility:hidden"></iframe></noscript>
<!-- End Google Tag Manager (noscript) -->

```

Figure 2: GTM installation snippet for <head> and <body>

Step 3: Verify Website Connection

The test website URL (<https://pranaygavaskar.github.io/urban-cart/>) was entered in GTM's site-connection check and validated successfully, confirming that the container snippet was correctly installed and reachable.

3. Test your website (optional):

<https://pranaygavaskar.github.io/urban-cart/>

×

Test

Figure 3: Successful website connection test in GTM

Step 4: Configure the GA4 Event Tag

A new tag named “event view” was created using the “Google Analytics: GA4 Event” tag type. It was linked to the existing Google tag configuration (urban cart client 1) using Measurement ID G-2R694D0FG3, and set to fire on the “All Pages” trigger so the event is tracked on every page view.

event view

Save

Tag Configuration

Tag Type

Google Analytics: GA4 Event
Google Analytics

Measurement ID
G-2R694D0FG3

Google tag found in this container
This tag will use the configuration of Google tag urban cart client 1.

Triggering

Firing Triggers

All Pages
Page View

Figure 4: GA4 Event tag configuration with All Pages trigger

Step 5: Publish the Container Version

The container changes were published as Version 2, adding two tags (“event view” and “Google Tag G-2R694D0FG3”) with zero new triggers and five variables. The version was published by gavaskarpranay33@gmail.com on 09/08/2026 at 11:50 AM, making the GA4 tracking live on the website.

Version 2 - page view

Published

09/08/2026, 11:50 AM by gavaskarpranay33@gmail.com

Created

09/08/2026, 11:50 AM by gavaskarpranay33@gmail.com

Description

No description

Version Items

2

Tags

0

Triggers

5

Variables

Version Changes

Name ↑	Type	Change
event view	Tag	Added
Google Tag G-2R694D0FG3	Tag	Added

Activity History

>

Tags

🔍

Name ↑	Type	Firing Triggers	Last Edited
event view	Google Analytics: GA4 Event	👁️ All Pages	09/08/2026, 11:46 AM

Figure 5: Published Version 2 summary showing tag changes

3. Verification in Google Analytics 4

Once the container was published, the implementation was verified directly inside the GA4 property (“urban cart”) using the Reports Snapshot and Realtime reports.

Step 6: Reports Snapshot

The Reports Snapshot for the last 28 days (Aug 11 – Sep 7, 2026) confirmed data was flowing into GA4: 8 active users, 8 new users, an average engagement time of 23 seconds, and a total event count of 127. The top page recorded was “UrbanCart — GTM & GA4 Practice” with 32 views and a 33.3% bounce rate.




Figure 6: GA4 Reports Snapshot showing active users and event count

Step 7: Realtime Overview

The Realtime Overview report showed 1 active user in the last 30 minutes and 1 active user in the last 5 minutes, with the location map confirming activity from the Mumbai/Karjat region in Maharashtra, India — matching the test session.




Figure 7: GA4 Realtime overview map and active-user chart

Step 8: Realtime Breakdown — Source, Audience & Page

Supplementary Realtime cards confirmed the traffic source as tagassistant.google.com (used for GTM preview/testing), the audience as “All Users,” and 2 views on the “UrbanCart — GTM & GA4 Practice” page, verifying the tag fired correctly during the test session.




Figure 8: Realtime breakdown by first user source, audience, and page

Step 9: Realtime Events

The Event count by Event name card showed the standard GA4 events firing as expected: page_view (2), scroll (2), session_start (1), user_engagement (1), and the custom “new event” (2) generated by the “event view” tag configured in Step 4.




Figure 9: Realtime event counts by event name

Step 10: Realtime Pages Report

Finally, the Realtime Pages report confirmed 1 active user and 2 views in the last 30 minutes, broken down across the two tested paths: /urban-cart/ and /urban-cart/index.html — verifying that both the root URL and the index page correctly trigger GA4 events via GTM.




Figure 10: Realtime pages report by path and screen class

4. Conclusion

The GTM container (GTM-KD2XDN73) and GA4 property (Measurement ID G-2R694D0FG3) were successfully configured, installed, and published for the UrbanCart Fashion website. Post-implementation checks in GA4's Reports Snapshot and Realtime reports confirm that page views, scroll, session_start, user_engagement, and the custom “new event” are all being captured correctly, validating that the tracking setup is fully functional.

Key outcomes:

- GTM account, container, and publishing workflow set up correctly.
- GA4 Event tag configured and firing on All Pages.
- Live data verified via Realtime reports (active users, sources, pages, and events).
- Historical data confirmed via the 28-day Reports Snapshot.