

CPQ -2020 Exam

Question1: The Production 19D site, you initiate the rollback for the previous migration and rollback in progress. We try to complete to upload the new package at the same time. What happen in this situation. (image 1526,1530)

- a) The Package upload completed successfully
- b) The Package upload does not happen because the migration centre allow only one migration task run to run at any point in time (answer)
- c) The rollback and the package Upload will run parallel
- d) The rollback and the package Upload will terminate

Question2: What will be used input variable to the machine learning when defining a win probability or price optimization analytic? (image -1527,1528,1529, 1531)

- a) Primary Driver attribute
- b) Additional driver attribute
- c) status attribute
- e) Group by
- f) Filter

Question3: The 2 singles select attribute in the array set. The First Single select attribute shows a list of countries and second attribute contain the list of states. What is most efficient way to show the relevant states based on chosen country? (image -1532,1533)

- a) Hiding rule which is the only possible option, because array set do not support constraint rules
- b) Constraint Rule for each country in the drop down list by using the simple conditions and select valid states for the action attribute of the rule in this case and the number rules will be equal to number of countries in the list
- c) Constraint Rule for each country with the simple conditions, and select valid state action attribute. In this case, the number of rules will be equal to no of countries
- d) Country and state combination in data table and write a constraint rule to lookup the data table

Question4: Group has been created in the development environment? (image 1534)

What should you do to the migrate this new user group in production environment?

- a) Manually create the new user in production environment
- b) Manually create the new user group in the production environment
- c) Migrate the new user to production environment
- d) Migrate the commerce Process

Question5: What are the four key change in email approval behaviour once HTML Approval email are enabled under commerce options? (image 1535)

- a) Mail to link for approve & reject actions are available for use custom approval templates
- b) Approval notification and transition rule notification tokens are relocated from subject lines to message body
- c) Transition rule email notification send in HTML format
- d) Mail to link for approve & reject actions are available for use custom advance notification
- e) Email notification keyword can no longer be used to approval quotes
- f) Multi line approval comment supported in approval response
- g) Default approval notification emails with Multi to links for approve and reject action are sent in HTML format

Question6: Which 2 items are necessary to migrate between environments? (image 1536)

- a) Attributes to be migrates must be deployed with in 24 hour of migration
- b) Environments must be on the same minor release (for example 2016 R2 update 2)
- c) Administrator must have Full access logins for both environments
- d) Environments must have similar urls (for example test customer, dev customer)
- e) Environments must be on same major release (for example 2016 R2)

Question7: Using this query that runs without an error:

BMQL(modify table1 set column1 = new values1, cloumn2 = new value2 where column1 =old value1");

What is correct 'results' in the record set for this query? (image 1537)

- a) one integer entry that indicates the no of rows added
- b) one integer entry showing the of rows modified and one string entry shows record_error
- c) one integer entry showing the no of rows modified
- d) two integer entries, one with the no of rows modified and one with the number of rows added

Question8: (image 1538)

Which three valid setup choices for commerce hiding rules involving transaction array attributes?

- a. when rule condition is any of the following always true, advanced condition, simple condition without array attributes, the action attribute can have any attributes from multiple array set.
- b. when using advanced component to hide , the array attributes expected to be returned from the bml need to be declared explicitly in the hiding rule.
- c. when the rule condition has the array attribute, the simple components to hide attributes cannot have array attributes from another array set.

Question9: Which statement is false about live data table?

- a) The Data table can be modified using UI, Web Services, BMQL and Bulk Uploads.
- b) **Web Services are recommended to update Live data Tables over BMQL Functions.**
- c) The Data Tables doesn't need to be deployed after the modification.
- d) Insert, Modify, Delete and Update are supported BMQL functions for Live Data Tables.

Question10: Identify two reasons why some or all transaction in a particular step are hidden for a user in Transaction Manager.

A. All participant profiles of this step have group access defined and the "Performer Step" set, and the user did not perform an action on the hidden transactions in other steps.

(Pradeep)

B. The user has the RestrictedAccess user type.

C. There is no valid participant profile for this user with hidden transactions (2017 ans).

D. The participant profile that is valid for this user has the Document Views tab, the Document Views

panel, and the "Entire Document" = "hide" setting.

E. The step has an auto-forwarding rule, which did not return the user or one of his groups and all participant profiles do not have other permission methods selected. (ans)

Question11: Line-level Price Guidance Analytic, which four steps are required?

- a) **Select the action on which the Analytic will be recalculated.**
- b) Use historical percentages or offsets from optimal discounts.
- c) **Define the Price guage that will use the Price Guidance Values.**
- d) Select transactions from the scatterplot analytic to use as sample transactions.
- e) **Filter the input data by Part Number.**
- f) Input the win Probability percentage based on the optimal discount value.
- g) **Set up Data Columns for attributes used as filter attribute.**

Question12: Following BML code in config encountered an HTTP 404 error from someurl.com.

(<http://someurl.com>, "a1=v1&a2=v2", "call failed")

Which statements are true?

- a) Exception will be displayed in red text at the top of the configuration screen.
- b) **The call will return "call failed."**
- c) An HTTP error will be displayed in red text with the message "HTTP 404 NOT FOUND" at the top of the configuration screen.
- d) **The HTTP error will be captured in the CPQ Cloud Error Logs: bm.log.**

- e) The call will return "HTTP 404 NOT Found."

Question13: Correct method to add new parts data to the CPQ Cloud database?

- a) Perform bulk-download at least one part to capture the part file format that the CPQ Cloud site uses, populate the new part data into the downloaded part file (.csv file), enter "add" in the update column for each new part, save the spreadsheet as a .csv, put the .csv file in a compressed zip file, and use bulk Upload to upload the part data to the CPQ Cloud site.
- b) "Import From source" Function in the Migration Center to Connect to the remote part system and upload the part data into a .csv file, set that .csv file in a compressed ZIP file, and use bulk Upload to upload the part data to the CPQ Cloud site.
- c) Use Bulk upload to upload the data from the remote part system into a .csv file and import the file into the CPQ Cloud site.
- d) Use the "Import from Source" function in the Migration Center to connect to the remote part system and upload the part data directly to the CPQ Cloud database.
- e) Import the part data from your current part system into a .csv file, put the .csv file into a compressed zip file, and use Bulk Upload to upload the part data to the CPQ Cloud site.

Question14: Implementation of CPQ, there is a System Configuration with a root model and several child models that have a complex configuration. Sales user enter a value for an attribute named "Color" in the parent model and that value must be retrieved/available in the child model

Which step do you perform to retrieve the value of an attribute from the parents model?

- a) Use the BOM instance JSON directly in a BML function to read the stored Config attribute value from the parent model.
- b) Use the Update Configuration RET API and parse the JSON response in a BML function to obtain the attribute value from the parent model.
- c) Model rule with advanced BML and make use of system_config_model_path system attribute to access the attribute value in the parent model.
- d) Create an action with an advanced BML function to read the value from the parent model and copy it to the child model.

Question15: Which statement are correct about configuring several child models within system configuration?

- a) Configuration can have different statuses such as Error, Warning, Completed or Invalid.
- b) System configuration to favorites from the root model.
- c) Configure a single child model without the root model.
- d) Configuration is allowed for the status icons for the child model configuration.
- e) Child model from one root model to another.

Question16: which three deal Management features required data Columns for the CPQ attributes to be used as inputs?

- a) Price Score
- b) Price Optimization
- c) Win Probability
- d) Deal Comparison scatterplots
- e) Last Price Paid

Question17: Create the following requirements for integration with Salesforce: (1548 repeat)

- Information needs to be pushed back to sales and synchronized.
- You must be able to synchronize a transaction with up to 1,000 lines back to the Opportunity Product object in salesforce.

On the basis or these requirement, which three XSL sets should you use to provide the integration?

- a) SFDC Opportunity – Import
- b) SFDC Quotes – Process Updates
- c) SFDC Products – Upsert All (200, 400, 600, 800, 1000)
- d) SFDC Opportunity – Upload
- e) SFDC Quote – Upsert

Question17: <Blank>What is default price definition? (1549 not visible properly)

- a) Price definition
- b) Price definition
- c) Customer pricing based

Question18: Quote number as Active or Primary for first time, opportunity products are created from quote line item. (image 1550)

Default values in configuration can be provided on the quote line to successfully created opportunity Products?

- a) Salesforce Price Book Entry ID and currency
- b) Salesforce Product Id only
- c) Salesforce Product Id and Price book Id and currency
- d) CRM Part Display Number only
- e) CPQ Part Number only
- f) CPQ Seibel Number only

- g) Salesforce Product Id and Salesforce Price Book ID
- h) Salesforce Price Book Entry ID only

Question 19: what would you do if partner org is no longer need and access of all the users need to be removed? (image 1551)

- a)
- b) proxy login as superuser, go to the list of partner org and select denied in the access drop down list
- c) proxy login as superuser, go to the list of partner org and select the partner org and delete it
- d) Open the list of partner org and set the values of maximum user to 0

Question 20: populated in which 3 ways? (image 1552)

- a) Will input pricing integration in from an external pricing application
- b) Price or discount
- c) Sactter plot analytics
- d) Win Probability Analytics
- e) Price Guidance Analytics

Question 21: which three administrator group can be used to do? (image 1553)

- ~~restrict access to actions and attribute.~~
- **Restrict access to migration centre.**
- ~~restrict access to certain transactions.~~
- **Restrict access to document designer.**
- **restrict access to individual data tables folders.**
- ~~Proxy login one more options.~~

Question 22: application like custom e portal or Oracle CX commerce needs to send the configuration attributes information through the model Punch in url and inside Rest API

How to set up the signing Punch in attributes in CPQ? (image 1554, 1555)

- a) Custom BML function to validate the external source when the model Punch in or REST API are executed
- b) Generate access token
- c) Customer access token data

- d) Execute the public key in CPQ integration center page
- e) Assigning password to the external sites and pass those to CPQ via the Model Punch in and/or REST API

Question 23: download information about parts, Serial numbers and data table and save it to his or her workstation? (image 1556)

Answer C

Question 24: administrator take on specific order) to show a subset of transaction array row and cloumns on an output ... (image 1557)

- a) Add loop filter to show the array rows that meet the flier condition
- b) Add loop filter to bridge the array rows that meet the flier condition
- c) Attribute to text element in table column
- d) Add the quote level loop on transaction array set and select the desired set
- e) Add the quote line level loop on transaction line array set and select the desired set

Question 25: ... connection for CPQ SOAP Endpoint in ICS, which format is expected? (image 1558,1559)

- a. https://xxx.oracle.com/v2_0/receiver/commerce/oraclecpqo?WSDL

QUESTION26 :- Values that you can find in the Usage Metrics Report for the last month.

- a) The number of transactions for different Commerce processes created by internal users and partner organization users.
- b) The number of logins by internal users in the last 30 days and the percentage of active users logged in.
- c) The total number of partner organization and the number of active partner organization.
- d) The number of configurations completed for different product families by internal users and partner organization users.
- e) A lot of active partner organization user with the most recent login date and time and the number of logins.
- f) The total data size of the CPQ site occupied on the server.

QUESTION27:- Implementing system configuration, Which statement is FALSE?

- a) Model cannot exist more than once.
- b) Implementing system configuration the recommended first step is to convert Recommended Item Rules to BOM Mapping rules.
- c) System configuration is fully compatible with Subscription Ordering.
- d) One of the recommended use cases for system configuration is bundled product offerings.

QUESTION 28:- Supported delete behaviour for foreign key columns?

- a) On Delete Set Null (not correct)
- b) On Delete No Action
- c) Email
- d) Error
- e) On Delete Set Cascade

QUESTION 29:- What does the function getConfigAttribute() return?

- a) Value of configuration attributes in Config
- b) The values of configuration attributes in commerce.
- c) All Menu Attribute values only.
- d) All Text Area attribute values only.

QUESTION 30:- Which statement is a proper definition of a Punch-In?

- a) Punch-ins are links that hook into specific pages in the system. They can be used to navigate directly from one page to another within your application. They can also be used to jump into a specific page from an external web site.
- b) That relate into specific parts in the system. They can be used to search directly for a given part in your application. They can also be used to search for a specific part from an external website.
- c) That take you to specific pages in the system. They can be used to navigate directly from one page to another.
- d) That look into a specific commerce process in the system. They can be used to navigate directly to a given commerce in your application. They can also be used to jump into a specific commerce process from an external website.
- e) That look into specific product families in the system. They can be used to navigate directly from a product in your application. They can also be used to jump into a specific product family from an external website.

QUESTION 31:- "SFDC Quote Upsert" on a commerce action. Where would the user define this within CPQ?

- a) The user will select the "SFDC Quote Upsert" from the Modify tab in the commerce action.
- b) The user will select the "SFDC Quote Upsert" from the Integration list in the integration tab on the commerce action.
- c) The user will define the action to run in the SOAP Generator XSL.

- d) The user will define the relation in the Integration Center under the Integration Platform within the admin Home page.

QUESTION 32:- Customer wants to create a user that has complete access to the site and has the ability to add and edit new users.

Should you follow to accomplish this?

- a) Click the add button on the user Administration list page; enter values for the required fields(Login, Email and First Name); click the add button to add the user to the system; click the new user's name on the user administration List page to edit the user; select the Create/Modify user; and click the update button to save the changes.
- b) Click the add button on the user Administration list page; enter value for the required fields (Login, Email, and First Name); set the type field the full access; select the Create/Modify user check box, and click the Add button to add the user to the system.
- c) Click the add button on the user Administration List page; enter values for the required fields (Login, Password, Email, First Name, Last Name and Phone number); set the Type fields to admin; Click the Add button to add the user to the system; click the new user's name on the user Administration list page to edit the user; select the Add New Users check box; and click the Add button to save the changes.
- d) Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); set the Type field to fullAccess; click the Add button to add the user to the system; click the new user's name on the user Administration List page to the user; Select the Create/Modify User check box; and click the update button to save the changes.

QUESTION 33:- Which two fields are required when adding a new user to the CPQ Cloud site?

- a) Firewall
- b) Login
- c) Email
- d) First Name
- e)

QUESTION 34:- CPQ there is an existing setup for System Configuration with the Initialization feature enabled using

Which three circumstances Would the Initialization cause partial configuration of models in the System Configuration?

- a) Model has multi-layout configuration flow.
- b) Models setting is higher than the number of models in the system.
- c) Models setting is lower than the number of descendant levels in the system.
- d) Models setting is lower than the number of models in the system.

- e) Models setting is higher than the number of descendant levels in the system.

QUESTION 35:- See Administrator Groups but cannot create or make changes to them.

- a) Add/Modify Users permission.
- b) Number of an administrator Group that has access to the Users admin pages.
- c) Number of an administrator Group that has access to the Groups admin pages.
- d) Access User.
- e) **User does not have the Access Administrator permission.**

Question 36: Given the following code:-

```
xmlPayload <xml version="1.0" encoding="UTF-8"?><library><book lang="en">spring in  
Action</book><book lang="fr"> </book></ library>;
```

Not proper visible in image. IMG_1570

Option A is correct – :- (key) = (/library/book/@lang)
(value) = (en)
(value) = (fr)

Question 37: Starting and floor prices used? IMG_1571

Options:-

- a. user on the desirability of of a configuration
- b. .. the historical pattern of pricing on similar quotes
- c. desire whether a price or discount will be approved by management
- d. **provide guidance on where to start and stop when negotiating pricing** (answer)
- e. .. whether a price is profitable

Question 38: The present part data table exist in the QA environment and in the production environment. The table has 3000 records..... in the production environment.

How many exactly will be present in the data table in production environment if this table is migrated from the QA environment? IMG_1572

Ans. **3000**

Question : 39 Which attribute type are available for mapping to price attributes in the CPQ pricing/rating engine? IMG_1573

Ans. **Part attribute, commerce attribute**

Question: 40 :You have a scenario where the pricing engine is enabled and there are multiple pricing profiles defined containing (IMG_1574)

Options:-

- a. It derives the prices from the first rule and an average price from all the linked profiles
- b. It calculate the average by aggregating the prices points of all the rules and the first profile within each rule
- c. It aggregate the price points from each rule and calculate the average
- d. it derives the price from the first rule and the first profile within the rule

Question: 41 How to create a Price Guage to guide users in setting the optimal discount for a quote. What is the correct procedure in the relevant commerce process? IMG_1575

Options:-

- a. View the sub document attributes, create a new integer attribute, select the Guage input attribute
- b. view the analytics, create a scatterplot analytics, associate the analytics to a price guage attribute.
- c. View the main document attributes, create a new html attribute, associate a price guage visualization, select the Guage input attribute.
- d. View the analytics, create a price guidance analytics , associate the analytics to an html attribute
- e. View the main document attributes, create a new price guage attribute type, select the Guage input attribute

Question 42: Which four step must you perform to create Price guidance analytics that will identify the last price actually paid by the user? IMG_1576

Ans. a. Identify the output commerce attribute to populate with the WON/LOST status value.

b. select the trained price optimization for the data source.

c. create a filter that will match against only quote lines for the same customer as that being quoted.

d. identify the output commerce attribute to populate with the last price value.

e. select the output aggregate type as "Latest"

f. select "use list price" for the data source

g. define a filter that return only quote lines for the quote lines part

Question 43: Which are the four management feature are supported in CPQ lighting transaction UI?
IMG_1577

- a) Price optimization
- b) Price score
- c) Last price paid
- d) Scatter plot

Question:44 Non-production CPQ site is in 19B release. Recently the non-production development site refreshed and upgraded to you need to migrate different entities between these sites.
IMG_1578

Ans.

Option:

- a. Export in the package from 19B production site and import it into 19D non-production site.
- b. source mode to migrate items from the 19D non-production site to the 19B production site.
- c. connect both production and non production site to run the whole site migration
- d. Export in the package from 19Dnon- production site and import it into 19B production site.

Question 45: Which type value can grant a user account complete access to the CPQ Cloud site?
IMG_1579

Ans. Full access with create/modify users selected

Question 46: ...True about Test script found in function debugger?(Image 1580)

- a) Test scripts describes the various functions used in BML
- b) Test scripts provide a way to test a BML library function when array type attributes areinput parameter
- c) Test script is template of how the BML function should be written
- d) Test scripts can be used to compute multiple iteration of the library functions and print each

Question 49: organisation in two countries make sure that user from one country have access only to quote from that country. How can we achieve this? (image 1581)

- a) Create 2 groups group A and group B for each step, define 2 participant profiles: Profile A and Profile B. For each profile select the matching group
- b) Define 2 group Country A and Country B. Define 2 Participant profile sales, for each step. Define auto forwarding rule return in following format (answer)~
- c) Define 2 steps (for example pending A and Pending B) for each country. The participant profile for each steps allow access through.....
- d) In transaction manager in CPQ and make sure that all access to quote is performed from the CRM system where you can easily define....visible to different user

Question 50: have the type predefined page template (image 1582)

- a) Page
- b) Administrator list page
- c) Current page
- d) Test page
- e) Loop list page

Predefined page templates list –

Part search result page

Model search page

Product line List Page

Reference Oracle support -

https://support.oracle.com/epmos/faces/SearchDocDisplay?_af.ctrl-state=y9czftdql_4&_afLoop=119729465983855#aref_section24

Question 51: type of email notifications can sent to mobile approval form CPQ Clouds? (image 1583)

- a) ...notification
- b) ... notification
- c) ... notification
- d) Default Approval template notification
- e) ... approval template notification

Oracle CPQ can generate the following email notifications:

1. Default Approval Notification
2. Custom Approval Notification
3. Advanced Approval Notification
4. Email Approval Response

Question 52: ... type of quote available as a standard feature of salesforce connector? (Image 1584)

- a) Contact quote
- b) Open quote

- c) Opportunity quote
- d) Standalone/Loose quotes
- e) Account quote

Question 53: ... applies to foreign keys in the data table. (1585)

- a)... key can only be created for integer column
- b)Foreign key can be created using any table
- c)... can only be created in new table
- d) ... 2 keys can be created
- e) Foreign key can only be created between 2 data tables (Answer)

Question 54: option display as checkboxes. Depending on conditions the (1586)

- a) by writing a recommendation rule
- b) by writing a hiding rule
- c) by writing a constraint rule (answer)
- d) by writing a pricing rule

Question 55: for foreign key definition?(image 1587)

- a) Define natural key column within parent data table (answer)
- b) Integer column to parent data table
- c) CPQ part table
- d) Define natural key column within child data table

Question 56: ... additional set of records when performing a rest call, which of the following sampleurl would insert ... record in data table (image 1588)

- a) <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactionsset?=&1000>
- b) <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactionslimit?=&1000>
- c) <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactiontotalresults?=&1000>
- d) <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactionoffset?=&1000> (answer)

question:- if bom price is defined as <<Blank>> What is default price definition?

- a. Item list definition
- b. List price definition

- c. net pricing definition
- d. parts DB price definition
- e. discount price definition

Que: Where are the bulk table relationship defined?

- a) data table admin
- b) rule condition
- c) rule action
- d) new rule type

Que: which three discount types are available in pricing?

- a) Percentage
- b) Amount discount
- c) Absolute price

Ques: Transaction array can be used in document designer template in what manner?

- a) Add array attribute in text elements with the transaction array loop context.

Ques: Which two option will allow a user to embed an external document within a document designer ?

- a) Reference the file attachment attribute
- b) document source urls stored in commerce text or menu referenced in document designer

que: which type of attribute is not display in LIG?

- a) HTML attribute

Ques: What are the four steps to setup scatterplot analytics for sales user ID?

- a) Create scatterplot and html attribute
- b) Add attribute in layout
- c) Deploy commerce process
- d) Check in transaction