Status	Finished
Started	Saturday, 10 October 2026, 10:56 PM
Completed	Saturday, 10 October 2026, 11:02 PM
Duration	5 mins 37 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**
Correct
Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search backtracks to find duplicate elements
b. The search stops immediately ✓
c. The search continues until the end of the list
d. The search starts over from the beginning

Question **2**
Correct
Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Mining
b. Discovering
c. Finding
d. Searching ✓

Question **3**
Correct
Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By dividing the list length by two ✓
b. By starting from the first element
c. By comparing each element sequentially
d. By using a hash function

Question **4**
Correct
Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Binary search
b. Dynamic search
c. Hashing
d. Linear search ✓

Question **5**
Correct
Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

- a. O👎 ✓
- b. O(n log n)
- c. O(1)
- d. O(log n)

Question **6**
Correct
Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the list contains duplicate elements
- b. When the search algorithm finishes
- c. When the list is sorted
- d. When the element is found in the list ✓

Question **7**
Correct
Mark 1.00 out of 1.00

In linear search, how is the element searched?

- a. By comparing each element in the list sequentially ✓
- b. By sorting the list first
- c. By dividing the list into halves
- d. By using a hash function

Question **8**
Correct
Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

- a. There must be a mechanism to access middle element directly
- b. Binary search algorithm is not efficient when the data elements more than 1500 ✓
- c. Must use a sorted array
- d. Requirement of sorted array is expensive when a lot of insertion and deletions are needed

Question **9**
Correct
Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Insertion

b. Complexity

c. Bubble ✓

d. Selection

Question **10**
Correct
Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. n ✓
b. n/2
c. 1
d. log n

Question **11**
Correct
Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It is slower than linear search for small lists
b. It requires the list to be sorted ✓
c. It can only be applied to large lists
d. It does not work with negative numbers

Question **12**
Correct
Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the entire list
b. In the right sublist
c. At the beginning of the list
d. In the left sublist ✓

Question **13**
Correct
Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the middle of the list
- b. In the left sublist
- c. At the beginning of the list
- d. In the right sublist ✓

Question **14**
Correct
Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Sorting elements in a list
- b. Inserting elements into a list
- c. Determining whether an element is present in a list ✓
- d. Deleting elements from a list

Question **15**
Correct
Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

- a. Linear search can be applied to both sorted and unsorted lists. ✓
- b. Linear search is more efficient than binary search on large lists.
- c. Linear search divides the list into halves.
- d. Linear search requires the list to be sorted.