www.gayathrinicadpower.com

GAYATHRI NICAD POWER PRIVATE LIMITED



Engine Starting Application

Generator / Heavy Duty Vehicle

Terms & Conditions

- 1. Batteries are warranted against all defects in material and workmanship.
- 2. The warranty is applicable only if, that the battery is returned unopened and complete with electrolyte.
- 3. The right of option, to determine whether a battery needs repair or total replacement lies with the Gayathri NiCad Power Private Limited (GNPL) Company.
- 4. All liabilities under this warranty shall cease if the battery is
 - a. Transferred to any other party other than the original purchaser.
 - b. Used in any application other than that for ENGINE STARTING.
 - c. Found to have used along with Lead Acid batteries including usages of accessories like mug, funnel, and other mixing equipments meant for Lead Acid batteries.
 - d. Operating the battery beyond the specified voltage or current range specified in the instruction card.
 - e. Adding additives, dopes or anything other than that of Pure Demineralized Water or Distilled water added to electrolyte.
 - f. Out of warranty period.
- 5. This warranty does not cover the following conditions:
 - a. Defects or Damages to the battery caused by accidents, fire, faulty electric system, short-circuiting of battery, negligent maintenance, incorrect charging filling or improper handling or service of the battery by unauthorized dealer or electricians, willful abuse, tampering ,destruction by fire, collision, theft or recharging.
 - b. Breakage of container and cover or breakage or deformation of terminal due to mechanical shock like hammering, dropping of battery due to poor handling.
 - c. Damage to the battery due to contamination of electrolyte. The electrolyte used must be Potassium Hydroxide (KOH) solution as per

GNPL Manufacturing standard. For topping up purpose, pure distilled water or De-mineralized water.

- d. Recharging which shall be billed extra.
- e. Failure of battery due improper selection of battery for given engine rating, improper topping up and operating the battery with electrolyte with less than min level marking.
- f. Battery operated in discharged condition for long period.
- 6. This warranty card must accompany all claims arising within the warranty period. The charging system including condition of starting motor, and condition of Engine system shall be checked by the Company authorized personnel or Dealer before finalizing settlement of any warranty claim.
- 7. The warranty period is subjected to the following terms and conditions:
 - a. For electrolyte preparation acid used must confirm generally to GNPL manufacturing standard.
 - b. Battery grade distilled water or De-mineralized water to be used.
 - c. All batteries should have label sticker as given underneath. Warranty will be void if the label sticker is removed or tampered with.
 - d. In case of any deviation in the above, the warranty shall be null and void.
 - e. Any tampering or over-writing of serial No. or Mfg Code or Label Sticker on the warranty card or the battery will invalidate the warranty claim.

Battery Type	Warranty Period	Warranty Terms
GNP Range (UP TO 1040)	Between 0 till 36 months	Free Repair / Replacement subject to conditions mentioned in Warranty Card.
	More than 36 months, but less or equal 72 months	Repair / Replacement with new battery as per condition, which will be made available at prorate basis

The above are Indicative & Standard only for information. Company reserves the right to change the above & standard terms at any point of time. Please check with Warranty Terms & Conditions at the time of purchase for the warranty period of the battery.

