

[Pranesh S A 251801234-2025-AIDS](#) ▾**P2****Started on** Friday, 4 September 2026, 7:53 PM**State** Finished**Completed on** Friday, 4 September 2026, 7:57 PM**Time taken** 3 mins 20 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:

Input: `nums = [3,2,3]`

Output: 3

Example 2:

Input: `nums = [2,2,1,1,1,2,2]`

Output: 2

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 104`
- `-231 <= nums[i] <= 231 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```

1 | #include <stdio.h>
2 |
3 | int main() {
4 |     int n;
5 |     if (scanf("%d", &n) != 1) return 0;
6 |     int candidate = 0, count = 0, val;
7 |     for (int i = 0; i < n; i++) {
8 |         scanf("%d", &val);
9 |         if (count == 0) {
10 |             candidate = val;
11 |             count = 1;
12 |         } else if (val == candidate) {
13 |             count++;
14 |         } else {
15 |             count--;
16 |         }
17 |     }
18 |     printf("%d", candidate);
19 |     return 0;
20 | }
```

	Input	Expected	Got	
✓	3	3	3	✓
	3 2 3			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)