

[Pranesh S A 251801234-2025-AIDS](#) ▾**P2****Started on** Monday, 5 October 2026, 9:53 PM**State** Finished**Completed on** Monday, 5 October 2026, 9:54 PM**Time taken** 1 min 10 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1	10 57
3 10 17 57	
6	
2 7 10 15 57 246	

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int a, b, c;
5      if (scanf("%d", &a) != 1) return 0;
6      while (a--) {
7          scanf("%d", &b);
8          int arr[b];
9          for (int i = 0; i < b; i++) {
10             scanf("%d", &arr[i]);
11         }
12
13         scanf("%d", &c);
14         int arr2[c];

```

```
15 | for (int i = 0; i < c; i++) {
16 |     scanf("%d", &arr2[i]);
17 | }
18 |
19 | int i = 0, j = 0, f = 0;
20 | while (i < b && j < c) {
21 |     if (arr[i] < arr2[j]) {
22 |         i++;
23 |     } else if (arr2[j] < arr[i]) {
24 |         j++;
25 |     } else {
26 |         if (f) printf(" ");
27 |         printf("%d", arr[i]);
28 |         f = 1;
29 |         i++;
30 |         j++;
31 |     }
32 | }
33 | printf("\n");
34 | }
35 | return 0;
36 | }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)