

HTML

- HTML (Hypertext Markup Language) was created by Tim Berners-Lee in 1991
- HTML is a markup language and not a programming language.
- It can be integrated with other languages like CSS, JavaScript, etc. to show interactive (or dynamic) web pages

HTML Page Structure

```
<!DOCTYPE html>          ← Tells version of HTML
<html>                   ← HTML Root Element

<head>                   ← Used to contain  page HTML metadata
  <title>Page Title</title>   ← Title of HTML page
</head>

<body>                   ← Hold content of HTML
  <h2>Heading Content</h2>    ← HTML headling tag
  <p>Paragraph Content</p>    ← HTML paragraph tag
</body>

</html>
```





Fig: HTML Webpage Layout Scientech Easy



- **head contains** the meta data of the html file and we link all the css and js file on it.
- **title contains** the title of the webpage which is being display on the browser tab
- **body contains** all the visible data of the webpage.

Metadata Tags

1. `<title>`: Sets the title of the web page.
2. `<meta>`: Provides metadata such as character set, author, and viewport settings.
3. `<link>`: Links external resources like stylesheets.

Text Formatting Tags

1. `<p>`: Paragraph.
2. `<h1>`, `<h2>`, `<h3>`, `<h4>`, `<h5>`, `<h6>`: Headings.
3. `<strong>`: Strong emphasis (typically bold).
4. `<em>`: Emphasis (typically italic).
5. `<br>`: Line break.
6. `<hr>`: Horizontal rule.

List Tags

1. `<ul>`: Unordered list.
2. `<ol>`: Ordered list.
3. `<li>`: List item.

Hyperlink and Media Tags

1. `<a>`: Anchor (used for links).
2. `<img>`: Image.
3. `<audio>`: Audio content.
4. `<video>`: Video content.

Form Tags

1. `<form>`: Form.
2. `<input>`: Input field.
3. `<textarea>`: Text area.
4. `<button>`: Button.
5. `<select>`: Dropdown list.
6. `<option>`: Options within a `<select>` or `<datalist>`.

Table Tags

1. `<table>`: Table.
2. `<tr>`: Table row.
3. `<td>`: Table data cell.
4. `<th>`: Table header cell.
5. `<thead>`: Table header group.
6. `<tbody>`: Table body group.
7. `<tfoot>`: Table footer group.

Semantic Tags

1. `<header>`: Header section.
2. `<footer>`: Footer section.
3. `<article>`: Article.
4. `<section>`: Section.
5. `<nav>`: Navigation.
6. `<aside>`: Sidebar content.

Paired and Unpaired HTML Tags

1. Paired Tags (Container Tags)

2. Unpaired Tags (Self-Closing Tags or Stand-Alone Tags)


Some Important information

Documentation

MDN Web Docs

The MDN Web Docs site provides information about Open Web technologies including HTML, CSS, and APIs for both Web sites and progressive web apps.

https://developer.mozilla.org/en-US/



W3Schools.com

W3Schools offers free online tutorials, references and exercises in all the major languages of the web. Covering popular subjects like HTML, CSS, JavaScript, Python, SQL,

https://www.w3schools.com/

Emmet Abbreviation

Topic 3B: Emmet: HTML Abbreviations | Free Emmet Tutorial

Dive into this comprehensive tutorial on utilizing HTML abbreviations with Emmet, featuring examples of various useful abbreviations and the HTML code they expand into.

https://www.nobledesktop.com/learn/html-css/topic-3b-emmet-html-abbreviations

Cheat Sheet


Support: info@emmet.ioCreated with DocPad and Gulp.jsMinimal theme by orderedlist


https://docs.emmet.io/cheat-sheet/

Abbreviations Syntax

Emmet uses syntax similar to CSS selectors for describing elements' positions inside generated tree and elements' attributes.

https://docs.emmet.io/abbreviations/syntax/






Basic Tags


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <!-- Heading Tags -->
    <h1>Heading 1</h1>
    <h2>Heading 2</h2>
    <h3>Heading 3</h3>
```

```
    <h4>Heading 4</h4>
    <h5>Heading 5</h5>
    <h6>Heading 6</h6>
    <!-- We Have Only h1 to h6 heading tags in html -->
    <blockquote>This is blockquote tag</blockquote>
    <p>This is paragraph tag.</p>
    <article>This is article tag</article>
    <nav>This is nav Tag</nav>
    <head> head tag </head>
    <header>header tag</header>
    <p>x<sup>3</sup></p>
    <!-- Nested Tag {Ek tag ek andr dusra tag } -->
    <!-- Super and Subscript tag -->
    <p>x<sup>2</sup>+ y<sup>2</sup> = z<sup>2</sup></p>
    <p>a<sub>1</sub>+ b<sub>2</sub> = c<sub>3</sub></p>
    <!-- Bold tag -->
    <b>This is bold text</b><br>
    <strong>This is Strong tag</strong><br>
    <i>This is Italic tag</i><br>
    <mark>This is Mark tag</mark><br>
    <strike>This is Strike tag Which got depriciated now become s</strike><br
>
    <s>S tag of strike tag</s><br>
    <img src="https://img.freepik.com/free-vector/cute-shiba-inu-dog-astrona
ut-sitting-cartoon-vector-icon-illustration-animal-science-icon-isolated_13867
6-5799.jpg?semt=ais_hybrid&w=740" alt="dog image"><br>
    <a href="https://www.youtube.com/ " target="_blank">This is a tag which i
s for hyperlink Which Open youtube</a><br>

</body>
</html>
```

Basic Tag Day 2


Element
Block
↳ पूरा लाइन का space लेगा
Inline
↳ जितना content उतना space



Div & Span
Division
Block Element
Inline Element {Mainly for making tag}
logo
Home About us
Div Tag को हम Parent Tag बनाते है और उसके अंदर बाकी को चीज रखते है

<img>
Home
About US

Parent


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <a href="www.google.com">Google hai bhiya</a><br>
    <a href="tel:+123456">call me</a><br>
    <a href="mailto:vivekaushik9758@gmail.com">Mail me</a>
    <p style="border: 1px solid black;">This is p tag</p>
    <b style="border: 1px solid rgb(185, 97, 97);">This is b tag</b>
    <div style="border: 1px solid black;">This is Block element</div><br>
    <span style="border: 1px solid rgb(185, 97, 97);">This is inline element</sp
an><br>
    <div style="border: 1px solid black; display: inline;">This is Block element w
ith display inline</div><br>
    <span style="border: 1px solid rgb(185, 97, 97); display: block;">This is inlin
e element with display block </span>
    <iframe src="" frameborder="0"></iframe>
    <iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d
3500.5285190327495!2d77.27956927628776!3d28.673832682202654!2m3!1
f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x390cfd306057ebfb%3A0x11
6dbedffbd75ada!2sIGNOU%20STUDY%20CENTER!5e0!3m2!1sen!2sin!4v174
9205956063!5m2!1sen!2sin" width="300" height="225"></iframe>
    <video src="" controls muted>this is video tag</video>
    <audio src="" controls muted > this is audio tag</audio>
</body>
</html>
```

List in html




```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Document</title>
</head>
<body>
   <ul type="square">
      <li>banana</li>
      <li>grapes</li>
      <li>mango</li>
      <li>papaya</li>
   </ul>
   <ol type="a">
      <li>Car</li>
      <li>Plane</li>
      <li>Bike</li>
      <li>Boat</li>
   </ol>
</body>
</html>
```


Table Tag




```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Table</title>
    <style>
        table,td{
            border: 1px solid black;
            border-collapse: collapse;
            color: gold;
            background-color: darkcyan;
```

```
        align-content: center;
        column-span: 13;
      }
    </style>
</head>
<body>
    <div class="wrapper">
      <h1>Table</h1>
      <table>
        <caption style="color: black;">Hello world</caption>
        <tr>
        <td>1 header</td>
        <td>1 header</td>
        <td>1 header</td></tr>
        <tr><td>1 data</td>
        <td>1 data</td>
        <td>1 data</td></tr>
        <tr><td>2 data</td>
        <td>2 data</td>
        <td>2 data</td></tr>
        <tr><td>3 data</td>
        <td>3 data</td>
        <td>3 data</td></tr>
      </table>
    </div>
</body>
</html>
```

html form




```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <div class="wrapper">
        <h1>Form</h1>
        <form action="https://www.google.com/" target="_blank">
            <label for="fname">First Name:</label>
            <input type="text" id="fname" placeholder="Enter First Name">
            <br><br>
            <label for="lname">Last Name:</label>
            <input type="text" id="lname" placeholder="Enter Second Name">
            <br><br>
            <label for="phone">Phone no:</label>
            <input type="number" name="" id="phone" placeholder="Enter Phone
Number">
            <br><br>
            <label for="gender">Gender : </label>
            <label for="male">Male</label>
            <input type="radio" name="gender" id="male">
            <label for="female">Female</label>
            <input type="radio" name="gender" id="female">
            <br><br>
            <input type="submit">
        </form>
    </div>
</body>
</html>
```