

Review Test [Servlet & JSP] - 24-12-2022

Max: Marks-30

Time: 15 min

pranitt1398@gmail.com [Switch account](#)



Draft saved

* Required

Email *

pranitt1398@gmail.com

Name *

Pranit Tondvalkar

PRN *

220960920085

Which of these protocols are supported by HttpServlet? *

1 point

- ☐ ftp
- ☒ http , https
- ☐ smtp
- ☐ All of the Above

What is the maximum size of cookie? *

1 point

- ☒ 4 KB
- ☐ 4 MB
- ☐ 4 bytes
- ☐ 40 KB



Difference Between *

1 point

request.getSession() and
request.getSession(true)

- ☐ Retrieves the current session, and if one doesn't exist yet, returns null.
- ☒ Retrieve the current session, and if one doesn't exist yet, create it.
- ☐ Both are True
- ☐ None of Above

Select the correct statement About cookies *

1 point

- ☐ They are temporary internet files that are used to store client's data on client's machine.
- ☐ Cookies are created and maintained by web browser. After expiration time , cookies are deleted from user's machine.
- ☐ Cookies can be created by using client side and server side scripting both.
- ☐ Only First two options are correct
- ☒ All options are correct

Match the following *

4 points

	It accepts i/p from view and decides which model needs to be invoked , then it accepts result from the model and decides which view needs to be displayed to the user.	It represents the user interface of the application	It represents real world entities and business logic of the application	Divide and Simplify. It promotes the idea of parallel development of application components.
MVC Architecture (Model View Controller)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Model	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
View	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Controller	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Match the following with Object and Class/interface *

9 points

javax.servlet.http.HttpServletRequest javax.servlet.http.HttpServletResponse

request	<input checked="" type="radio"/>	<input type="radio"/>
response	<input type="radio"/>	<input checked="" type="radio"/>
out	<input type="radio"/>	<input type="radio"/>
session	<input type="radio"/>	<input type="radio"/>
config	<input type="radio"/>	<input type="radio"/>
application	<input type="radio"/>	<input type="radio"/>
pageContext	<input type="radio"/>	<input type="radio"/>
exception	<input type="radio"/>	<input type="radio"/>
page	<input type="radio"/>	<input type="radio"/>

Which object stores references to the request and response objects? *

2 points

- ☐ sessionContext
- ☒ pageContext
- ☐ HttpSession
- ☐ sessionAttribute

Which one of the following is correct for directive in JSP? *

1 point

- ☐ <%!directive%>
- ☐ c<%directive%>
- ☐ <%=directive%>
- ☒ <%@directive%>



Match the following *

6 points

	It is used to set contentType header for the generated response.	It is used to import required packages and classes in the current jsp page.	This boolean attribute is used to decide whether or not the current jsp page will participate in session tracking. (default : true)	This attribute is used to specify error page that will be displayed to the user in case any unchecked and unhandled exception occurs in the current jsp page.	This boolean attribute is used to indicate that the current jsp page is working as an error page for some other jsp page. (default : false)	This boolean attribute is used to decide whether EL expressions are ignored in the current jsp page. (default : true)
contentType	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
import	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
session	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
errorPage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
isErrorPage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
isELIgnored	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

Java code is embedded under which tag in JSP? *

1 point

- ☐ Declaration
- ☒ Scriptlet
- ☐ Expression
- ☐ Comment

Which of the following is not a directive in JSP? *

2 points

- ☐ page directive
- ☐ Include directive
- ☐ Taglib directive
- ☒ Command directive



Can `<!--comment-->` and `<%--comment--%>` be used alternatively in JSP? ^{*} 1 point

- ☐ True
- ☒ False

Page 1 of 1

Submit

Clear form

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#).

Google Forms



