

Course 4 – Identity Management – Integration with HRMS

Module 1 – Introduction to User Import

What is User Import?

Definition

User Import is the process of bringing user (identity) information from an external source, such as an HRMS, Active Directory, CSV file, or API, into the Saviynt Identity Cloud.

During the import process, Saviynt reads user information, validates it, transforms it if required, and stores it in the **Identity Repository**.

Once users are imported, Saviynt can manage their complete identity lifecycle, including provisioning, access requests, certifications, and deprovisioning.

Simple Definition

User Import is the process of importing employee or user information from an external system into Saviynt so that Saviynt can manage their identities and access.

Why is User Import Required?

Saviynt cannot manage a user unless that user exists in its Identity Repository.

Before Saviynt can:

- Create accounts
- Assign roles
- Grant application access

- Start approval workflows
- Perform certifications
- Disable accounts

the user must first be imported.

Without User Import:

- The user does not exist in Saviynt.
 - Access cannot be requested.
 - Provisioning cannot begin.
 - Identity governance cannot be performed.
-

Example

Suppose a new employee, **Rahul**, joins your company.

HR creates Rahul's record in **Workday**.

At this point, Saviynt still does not know Rahul exists.

When the **User Import Job** runs:

- Rahul's details are imported.
 - An identity is created in Saviynt.
 - Rahul is now available for provisioning and access management.
-

Identity Lifecycle and User Import

User Import is the **first step** of the Identity Lifecycle.


Without it, the remaining lifecycle processes cannot begin.

Identity Lifecycle

Employee Joins Company



HR Creates Employee Record



Relationship Between User Import and Identity Lifecycle

Identity Lifecycle Stage	Role of User Import
Joiner	Imports the new employee into Saviynt
Mover	Updates user attributes such as department, manager, or location
Leaver	Updates the user's status so Saviynt can deactivate access

Benefits of User Import

User Import provides many advantages to an organization.

1. Centralized Identity Management

All identities from different systems are stored in one place.

Instead of checking:

- Workday
- SAP
- Active Directory
- Oracle
- CSV files

administrators use Saviynt as the **single source for identity governance**.

2. Automatic Provisioning

Once a user is imported, Saviynt can automatically:

- Create Active Directory accounts
- Create email accounts
- Create SAP accounts
- Assign Business Roles
- Grant application access

This reduces onboarding time.

3. Accurate Identity Information

Data comes directly from the HR system.

Manual errors are reduced.

Examples:

- Employee Name

- Department
- Manager
- Employee ID
- Job Title

remain consistent.

4. Faster User Onboarding

Employees receive required accounts on their first working day.

This improves productivity.

5. Better Security

Only users present in the HR system are imported.

When employees leave, HR updates their status, and Saviynt can automatically disable their identities and remove access.

6. Easier Compliance

Since identities are imported from an authoritative source:

- Access Reviews become accurate.
 - Certifications become meaningful.
 - Audit reports become reliable.
-

Centralized Identity Governance

Definition

Centralized Identity Governance means managing all identities from a single platform instead of multiple disconnected systems.

Saviynt becomes the **central identity repository** for the organization.

Why is Centralization Important?

Large organizations use many applications:

- Workday
- SAP
- Salesforce
- ServiceNow
- Active Directory
- Oracle
- Azure AD

If every application manages users independently:

- Duplicate identities are created.
- Data becomes inconsistent.
- Auditing becomes difficult.

Saviynt solves this by storing and governing identities centrally.

Real Example

Without Saviynt:

HR says Rahul belongs to Finance.

SAP shows Rahul belongs to HR.

Active Directory shows Rahul belongs to IT.

This creates confusion.

With Saviynt:

All systems synchronize with the HR source, and Saviynt maintains a consistent identity.

Compliance and Audit Readiness

Why is it Important?

Organizations must comply with regulations such as:

- SOX
- HIPAA
- GDPR
- ISO 27001
- PCI DSS

Auditors often ask:

- Who has access?
- Why do they have access?
- When was access granted?
- Who approved the access?

If user data is inaccurate, audit failures occur.

How User Import Helps

Because identities are imported automatically:


- Employee records remain current.
 - Manager relationships are correct.
 - Access reviews are accurate.
 - Certification campaigns use valid data.
 - Audit reports are easier to generate.
-

Seamless Onboarding

Definition

Seamless Onboarding means a new employee receives all required accounts and access automatically without manual intervention.

Workflow



Benefits

- Employee is productive on Day 1.
 - IT effort is reduced.
 - No manual account creation.
 - Fewer delays.
-

Reduced Manual Effort

Before automation:

IT administrators manually:

- Created users.
- Assigned permissions.
- Updated departments.
- Removed terminated users.

This was slow and error-prone.

With User Import:

Saviynt performs these tasks automatically.

Benefits include:

- Reduced administrative effort.
 - Fewer data entry errors.
 - Faster onboarding.
 - Improved consistency.
 - Better scalability.
-

Import User vs Create User

Although both methods create identities in Saviynt, they are used in different situations.

Import User	Create User
Imports users from external systems	Creates users directly in Saviynt
Used for bulk onboarding	Used for individual users
Automated	Manual or API-driven
Source is HRMS, CSV, or connector	Source is Saviynt UI or API
Best for employees	Best for testing, vendors, contractors, or special cases

Import User

Definition

Import User means bringing identities from an external system into Saviynt.

Examples:

- Workday
 - SAP SuccessFactors
 - Oracle HCM
 - Azure AD
 - CSV files
 - REST APIs
-

Advantages

- Bulk onboarding.
 - Accurate data.
 - Automated synchronization.
 - Supports Joiner-Mover-Leaver processes.
-

Create User

Definition

Create User means manually creating an identity inside Saviynt without importing it from an external system.

This can be done:

- Through the Saviynt UI.
 - Through REST APIs.
 - Through registration workflows.
-

When is Create User Used?

- Temporary contractors.
 - Vendors.
 - Third-party users.
 - Testing.
 - Demo environments.
 - Emergency identity creation.
-

Real-World Examples

Example 1 – Connected HRMS

ABC Company uses Workday.

Rahul joins the company.

HR enters Rahul's details into Workday.

Saviynt's Workday Connector imports Rahul automatically.

Rahul's identity is created.

Provisioning begins.

No manual effort is required.

Example 2 – Disconnected HRMS

XYZ Company uses a legacy HR system that cannot connect directly to Saviynt.

Every night:

- HR exports employee data to a CSV file.
 - The CSV file is uploaded to Saviynt.
 - Saviynt imports all users from the file.
 - New identities are created, and existing identities are updated.
-

Example 3 – Manual User Creation

A consultant joins for one week.

The consultant does not exist in the HR system.

An administrator creates the consultant manually through the Saviynt UI.

Temporary access is assigned.

After the engagement ends, the identity is removed.

Common Mistakes During User Import

- Importing duplicate usernames.
 - Missing mandatory attributes such as Employee ID or Username.
 - Incorrect manager mapping.
 - Wrong department values.
 - Invalid date formats.
 - Importing inactive users unintentionally.
 - Using non-unique usernames.
-

Best Practices

- Use the HRMS as the authoritative source for employee identities.
 - Keep employee records synchronized with Saviynt.
 - Validate data before importing.
 - Ensure usernames are unique.
 - Import only required user attributes.
 - Use automated imports whenever possible instead of manual creation.
 - Regularly review imported identities for accuracy.
 - Keep manager relationships up to date.
 - Remove or deactivate identities for terminated employees promptly.
-

Interview Questions

Q1. What is User Import?

User Import is the process of importing user identities from an external source, such as an HRMS, CSV file, or API, into Saviynt so they can be managed throughout their identity lifecycle.

Q2. Why is User Import important?

Because Saviynt cannot provision accounts, assign roles, or govern access until the user exists in the Identity Repository.

Q3. How does User Import relate to the Identity Lifecycle?

User Import is the first step in the Joiner-Mover-Leaver lifecycle. It creates or updates identities so that provisioning, access reviews, and deprovisioning can occur.

Q4. What is the difference between Import User and Create User?

Import User brings identities from external systems and is mainly used for bulk onboarding. Create User creates an identity directly inside Saviynt and is typically used for one-off or special cases.

Q5. What are the benefits of Centralized Identity Governance?

It provides a single source of truth for identities, improves consistency, simplifies audits, reduces duplicate records, and enables automated identity governance.

Q6. Why is User Import important for compliance?

Accurate user data ensures reliable access reviews, certification campaigns, and audit reports, helping organizations meet regulatory requirements.

Quick Revision

- User Import brings identities from external systems into Saviynt.
- It is the starting point of the Identity Lifecycle.
- Imported users are stored in the Identity Repository.
- User Import enables provisioning, role assignment, and governance.
- Centralized Identity Governance provides one trusted location for all identities.
- Automated imports improve security, compliance, and operational efficiency.
- Import User is used for bulk onboarding; Create User is used for manual or special-case identity creation.
- Accurate user imports are essential for successful provisioning, certifications, and audits.

Course 4 – Identity Management with HRMS

Module 2 – User Import

What is User Import?

Definition

User Import is the process of **bringing user (identity) information from an external system into Saviynt Identity Cloud**.

The imported information is stored in Saviynt's **Identity Repository**, where it becomes the foundation for Identity Governance.

After importing users, Saviynt can:

- Create application accounts
- Assign roles
- Grant entitlements
- Start provisioning
- Trigger workflows
- Perform certifications
- Deprovision users

Without User Import, Saviynt cannot manage a user because the identity does not exist in its database.

Why is User Import Needed?


User Import is required because Saviynt must know who the users are before it can govern their access.

It helps organizations to:

- Maintain a central identity repository.
 - Automate onboarding.
 - Eliminate manual user creation.
 - Synchronize HR data with IT systems.
 - Improve compliance.
 - Enable provisioning.
 - Reduce administrative effort.
-

How User Import Works Internally

Whenever a User Import Job runs, the following process occurs:



Step 1 – Read Source Data

Saviynt reads user information from the source.

The source may be:

- Workday
 - SAP SuccessFactors
 - Oracle HCM
 - Active Directory
 - Azure AD
 - CSV File
 - REST API
-

Step 2 – Validate Data

Saviynt validates:

- Username
- Employee ID
- Manager
- Department
- Email
- Required fields

Invalid records are rejected.

Step 3 – Data Transformation

If required, Saviynt transforms data.

Examples:

- Convert names to uppercase.
 - Remove special characters.
 - Generate usernames.
 - Calculate manager names.
 - Populate default values.
-

Step 4 – Identity Creation

Validated users are stored inside the Identity Repository.

If the user already exists:

Saviynt updates the existing record.

If the user is new:

Saviynt creates a new identity.

Step 5 – Provisioning

Provisioning starts automatically.

Example:

- Active Directory account
 - SAP account
 - Email account
 - VPN account
-

Source of User Data

A source system provides employee information.

Common sources include:

HR Systems

- Workday
- SAP SuccessFactors
- Oracle HCM

These are usually the Authoritative Sources.

Directory Services

- Active Directory
 - Azure AD
 - LDAP
-

Files

- CSV
 - Excel
 - Flat Files
-

APIs

REST API

SOAP API

Identity Repository

Definition

The Identity Repository is Saviynt's central database where all imported identities are stored.

It acts as the **single source of identity information inside Saviynt**.

The repository stores:

- Employee Name
 - Username
 - Employee ID
 - Email
 - Manager
 - Department
 - Location
 - Status
 - Roles
-

Why Identity Repository is Important

Everything in Saviynt depends on it.

Without identities in the repository:

- Access Requests cannot be created.
 - Provisioning cannot occur.
 - Certifications cannot run.
 - Reports cannot be generated.
-

Authoritative Source

Definition

An Authoritative Source is the trusted system from which user identity information originates.

Usually, the HRMS acts as the Authoritative Source.

Examples:

- Workday
 - SAP SuccessFactors
 - Oracle HCM
-

Why HRMS is the Authoritative Source

HR always knows:

- Who joined.
- Who transferred.
- Who resigned.
- Manager changes.
- Department changes.

Saviynt trusts HR information.

Real Example

HR creates Rahul in Workday.

↓

Saviynt imports Rahul.

↓

Identity is created.

↓

Accounts are provisioned.

↓

HR changes Rahul's department.

↓

Saviynt updates Rahul automatically.

↓

HR terminates Rahul.

↓

Saviynt disables Rahul's identity and deprovisions access.

Methods to Create Users

Saviynt supports four methods.

1. Connected
 2. Disconnected
 3. API
 4. Manual
-

1. Connected User Import

Definition

Connected User Import uses a connector to directly connect to an external application.

The connector automatically imports user data into Saviynt.

When is it Used?

When the application supports direct integration.

Examples:

- Workday
 - Azure AD
 - SAP
 - Oracle HCM
 - LDAP
-

Advantages


- Fully automated.
 - Real-time or scheduled synchronization.
 - Fewer manual errors.
 - Supports reconciliation.
 - Supports provisioning.
-

Disadvantages

- Connector configuration required.
 - Network dependency.
 - Source application must be accessible.
-

Workflow

Workday



Real Project Example

Company uses Workday.

Every morning:

- User Import Job runs.
 - Connector fetches new employees.
 - Saviynt creates identities.
 - AD accounts are created automatically.
-

What is a Connected Application?

A Connected Application is an application that Saviynt can communicate with directly using a connector.

Examples:

- Workday
- SAP
- Salesforce
- Azure AD
- LDAP
- Oracle

Connected applications support:

- Automatic Import
 - Automatic Provisioning
 - Automatic Reconciliation
-

How Connectors Work

A connector is software that establishes communication between Saviynt and the target application.

The connector:

- Authenticates.
 - Calls APIs.
 - Reads user information.
 - Maps attributes.
 - Imports identities.
-

Workday Connector

Purpose

Import employees from Workday.

Used because Workday is usually the Authoritative Source.

Automatically imports:

- Employee
 - Manager
 - Department
 - Job Title
 - Status
-

Azure AD Connector

Imports:

- Users
- Groups
- Managers
- Status

Can also provision users.

SAP Connector

Imports:

- SAP Users
- Roles
- Profiles
- User Status

Supports provisioning and reconciliation.

LDAP Connector

Imports users from LDAP Directory.

Commonly used for:

- Enterprise Directories
 - Active Directory via LDAP
 - OpenLDAP
-

HRMS Integration

HRMS Integration keeps Saviynt synchronized with HR.

Whenever HR updates employee information:

Saviynt imports those changes automatically.

Automated Reconciliation

Definition

Reconciliation imports the latest data from the target application into Saviynt.

Direction:

Target System

↓

Saviynt

Purpose:

Keep identities synchronized.

Automated Provisioning

Definition

Provisioning creates or updates accounts in target applications.

Direction:

Saviynt

↓

Target System

User Import Job

A User Import Job performs the actual import.

Responsibilities:

- Read source data.
 - Validate records.
 - Transform data.
 - Create identities.
 - Update existing users.
 - Generate logs.
-

Attribute Mapping

Attribute Mapping connects source attributes to Saviynt attributes.

Example


Workday	Saviynt
Worker_ID	Employee ID
First_Name	First Name
Last_Name	Last Name
Manager_ID	Manager
Active	Status

Without correct mapping, imported identities will be incomplete or incorrect.

Connected User Import Workflow

HRMS





2. Disconnected User Import

Definition

A Disconnected Application cannot communicate directly with Saviynt.

User data must be imported manually.

What is a Disconnected Application?

Applications without connectors.

Examples:

- Legacy HR Systems
 - Old ERP Systems
 - Homegrown Applications
-

CSV Import

CSV

Comma Separated Values

Most common import format.

Contains:

- Username
 - Employee ID
 - Email
 - Department
 - Manager
-

Flat File Import

Instead of APIs, the source exports:

CSV

TXT

Delimited Files

Saviynt imports them.

Manual Upload

Administrator uploads the file.

Location:

Admin → Identity Repository → Upload User

Preview Data

Before importing:

Saviynt displays a preview.

Administrator checks:

- Missing values
 - Duplicate users
 - Invalid columns
-

Import Now

If preview is correct:

Click

Import Now

Saviynt imports every record.

File Validation

Saviynt validates:

- Mandatory fields
 - Username uniqueness
 - Email format
 - Employee ID
 - Status
-

Advantages

- No connector required.
 - Works with legacy systems.
 - Simple implementation.
-

Limitations

- Manual process.
 - Slower.
 - Human errors.
 - File dependency.
-

Real Example

Legacy HR exports CSV nightly.

Administrator uploads CSV.

Saviynt imports users.

3. API User Import

Definition

External applications create users directly through Saviynt REST APIs.

REST API

REST API allows external systems to send user information in real time.

External Trigger

Example

ServiceNow creates an employee.

Immediately calls:

POST /createUser

Saviynt creates the identity.

Real-Time Onboarding

Unlike scheduled jobs,

API creates users instantly.

Payload

Example JSON

```
{  
  "username":"rahul",  
  "firstname":"Rahul",  
  "lastname":"Sharma",  
  "email":"rahul@company.com",  
  "department":"Finance"  
}
```

Advantages

- Real-time.
- Automated.

- Fast.
 - No manual upload.
-

Use Cases

- ServiceNow Integration
 - Custom HR Portal
 - Employee Self Registration
 - Vendor Management
-

4. Manual User Creation

Definition

Administrator creates a user directly from the Saviynt UI.

Navigation:

Admin

↓

Identity Repository

↓

Users

↓

Create User

When is it Used?

- Testing

- Contractors
 - Vendors
 - Emergency onboarding
 - Temporary employees
-

Limitations

- Manual effort.
 - Not scalable.
 - Human errors.
 - No automatic synchronization.
-

Real Example

A consultant joins for one week.

The consultant is not available in Workday.

Administrator creates the identity manually.

Temporary access is granted.

After the project ends, the identity is disabled.

Comparison of User Creation Methods

Method	Automation	Speed	Best Use Case
Connected	High	Fast	HRMS integrations
Disconnected	Medium	Moderate	Legacy systems
API	High	Instant	Real-time integrations

Manual

Low

Slow

One-off users, testing

Interview Questions

Q1. What is User Import?

User Import is the process of importing user identities from external systems into Saviynt for identity governance.

Q2. What is an Authoritative Source?

The trusted system (usually an HRMS like Workday) that provides accurate user identity information.

Q3. What is the difference between Connected and Disconnected User Import?

Connected imports use connectors and are automated, while disconnected imports rely on manual file uploads such as CSV files.

Q4. What is the purpose of Attribute Mapping?

Attribute Mapping links fields from the source system to corresponding fields in Saviynt so identity data is imported correctly.

Q5. What is the role of the User Import Job?

The User Import Job reads source data, validates it, applies transformations if needed, and creates or updates identities in the Identity Repository.

Q6. When would you use Manual User Creation?

For temporary users, contractors, vendors, testing, or emergency onboarding when the user is not available in the authoritative source.

Quick Revision

- User Import brings identities into Saviynt.
- HRMS is usually the Authoritative Source.
- Imported users are stored in the Identity Repository.
- Connected User Import uses connectors for automated synchronization.
- Disconnected User Import uses CSV or flat files for manual imports.
- API User Import provides real-time identity creation through REST APIs.
- Manual User Creation is used only for special or one-off scenarios.
- User Import Jobs handle validation, transformation, and identity creation.
- Attribute Mapping ensures source fields are correctly mapped to Saviynt fields.
- Automated reconciliation imports updates from source systems, while provisioning pushes accounts and access to target systems.

Module 3 – Data Transformation

What is Data Transformation?

Definition

Data Transformation is the process of **modifying, cleaning, validating, formatting, or converting user data before it is stored in the Saviynt Identity Repository.**

The imported data from HR systems or external applications is often not in the exact format required by Saviynt.

Data Transformation converts that raw data into a standardized format that Saviynt can understand and process correctly.

Simple Definition

Data Transformation means converting imported user data into a clean, consistent, and usable format before Saviynt stores it.

Why is Data Transformation Required?

Different systems store data differently.

Example:

Workday stores

Department = Finance Department

But Saviynt expects

Department = FINANCE

Without transformation,

Saviynt may:

- Fail provisioning
- Assign wrong roles
- Fail manager mapping
- Create duplicate identities
- Generate incorrect reports

Data Transformation solves these problems.

Why Can't We Import Raw Data Directly?

Raw data may contain:

- Extra spaces
- Invalid characters
- Different date formats
- Duplicate values
- Missing values
- Lowercase instead of uppercase
- Different naming standards

Saviynt expects standardized data.

What Happens During Data Transformation?

When a User Import Job runs:

Source System

↓

Read User Data

↓

Validate Data



Transform Data



Normalize Data



Store in Identity Repository



Provision Accounts

Transformation happens **before** the data is saved.

Data Normalization

Definition

Data Normalization is the process of converting data into a consistent and standard format.

Every application stores information differently.

Normalization makes the data uniform.

Example 1 – Uppercase

HR System

finance

Normalize to

FINANCE

Example 2 – Remove Extra Spaces

HR System

Rahul Sharma

Normalize to

Rahul Sharma

(Remove leading/trailing spaces)

Example 3 – Email

HR

RAHUL.SHARMA@COMPANY.COM

Normalize

rahul.sharma@company.com

Why Normalize Data?

Without normalization:

Finance

FINANCE

finance

may be treated as three different departments.

Normalization ensures consistency.

User Preprocessor Config JSON

Definition

The **User Preprocessor Config JSON** is a configuration used during User Import to transform identity data before it is stored in Saviynt.

It allows administrators to define custom transformation rules.

Instead of modifying data manually, Saviynt automatically applies the configured rules during import.

Why is it Used?

To perform operations such as:

- Generate usernames
- Convert values
- Remove unwanted characters
- Populate default values
- Format dates
- Calculate attributes
- Execute business rules

before identities are created.

When Does It Execute?

During User Import.

Import Starts

↓

Read Source Data

↓

Execute User Preprocessor Config JSON

↓

Transform Data

↓

Identity Created

Example

Incoming Data

First Name = Rahul

Last Name = Sharma

User Preprocessor

Creates

Username = rsharma

Automatically.

Inline Processing

Definition

Inline Processing is the execution of custom transformation logic during the User Import process.

Instead of importing data exactly as it appears in the source system, Saviynt processes the data first.

Why Inline Processing?

Sometimes imported data is incomplete.

Example

Department is blank.

Instead of rejecting the user,

Inline Processing assigns

Department = UNKNOWN

Automatically.

What Can Inline Processing Do?

- Modify values
 - Create usernames
 - Generate email addresses
 - Remove invalid characters
 - Calculate managers
 - Assign default departments
 - Convert date formats
 - Execute business rules
-

Business Logic

Definition

Business Logic refers to organization-specific rules that determine how user data should be processed.

Every company has different requirements.

Saviynt allows these rules to be applied during Data Transformation.

Example 1

If

Country = India

Assign

Time Zone = Asia/Kolkata

Automatically.

Example 2

If

Department = Finance

Assign

Business Role = Finance Employee

Example 3

If

Employee Type = Contractor

Set

Account Expiry = Contract End Date

Handling Special Characters

Many source systems contain unwanted characters.

Example

O'Brien

Some target systems cannot process apostrophes.

Transformation converts

O'Brien

to

OBrien

Another Example

José

becomes

Jose

Why?

Some applications:

- Cannot process Unicode.
- Do not allow special symbols.
- Reject invalid usernames.

Transformation ensures compatibility.

Data Cleaning

Definition

Data Cleaning removes incorrect or unnecessary information before storing it.

Examples

Remove:

- Extra spaces
 - Null values
 - Duplicate records
 - Invalid email addresses
 - Incorrect phone numbers
 - Empty departments
-

Example

Source

Email = rahul@@company.com

Correct

rahul@company.com

Benefits

- Better reporting
 - Accurate provisioning
 - Fewer import failures
 - Improved compliance
-

Database Locks

What is a Database Lock?

A Database Lock occurs when multiple processes attempt to update the same record simultaneously.

Example

User Import Job

tries to update Rahul.

At the same time,

Provisioning Job

also updates Rahul.

Database locks the record until one process finishes.

Why is this Important?

Without locking,

Both jobs may overwrite each other's changes.

Data corruption may occur.

How Does Saviynt Help?

Data Transformation and inline processing reduce unnecessary database updates.

This minimizes locking issues.

Attribute Calculation

Definition

Sometimes required attributes do not exist in the source system.

Saviynt calculates them automatically.

Example 1

Username

Not available.

Generate automatically.

Rahul Sharma

↓

rsharma

Example 2

Email

Firstname = Rahul

Lastname = Sharma

↓

rahul.sharma@company.com

Example 3

Display Name

Rahul

Sharma

↓

Rahul Sharma

Example 4

Manager Name

Manager ID

↓

Manager Lookup

↓

Manager Name

Example 5

Location

Country = India

↓

Location = Hyderabad Office

Real-Time Project Example

ABC Bank uses Workday.

Workday sends:

First Name = Rahul

Last Name = Sharma

Department = finance

Country = india

Username = NULL

During Data Transformation:

Department

↓

FINANCE

Country

↓

INDIA

Username

↓

rsharma

Display Name



Rahul Sharma

Saviynt stores only the transformed data.

Complete Data Transformation Workflow

HRMS



Connector



User Import Job



Validation



User Preprocessor Config JSON



Inline Processing



Business Logic



Data Cleaning



Attribute Calculation



Identity Repository



Provisioning

Why Data Transformation is Important in Projects

Without Data Transformation:

- Duplicate identities may be created.
- Provisioning may fail.
- Business Roles may be assigned incorrectly.
- Reports become inaccurate.
- Certification campaigns may fail.
- Audit findings increase.

With Data Transformation:

- Clean identities
 - Standardized data
 - Better automation
 - Fewer manual corrections
 - Higher provisioning success rate
-

Best Practices

- Always normalize imported data.

- Remove invalid characters before import.
 - Use User Preprocessor Config JSON for reusable transformation logic.
 - Keep business rules simple and well documented.
 - Validate data before writing to the Identity Repository.
 - Calculate missing attributes automatically where possible.
 - Test transformation logic in a lower environment before production.
 - Minimize unnecessary updates to reduce database locking.
-

Interview Questions

Q1. What is Data Transformation?

Data Transformation is the process of cleaning, modifying, validating, and converting imported identity data into a standardized format before storing it in the Saviynt Identity Repository.

Q2. Why is Data Transformation required?

Because different source systems store data in different formats. Transformation ensures the data is consistent, accurate, and compatible with Saviynt.

Q3. What is Data Normalization?

Data Normalization converts imported values into a consistent format, such as converting department names to uppercase or removing extra spaces.

Q4. What is the User Preprocessor Config JSON?

It is a configuration used during User Import to execute custom transformation logic before identities are stored in Saviynt.

Q5. What is Inline Processing?

Inline Processing executes transformation and business logic during User Import, allowing data to be modified before it reaches the Identity Repository.

Q6. What is Business Logic in Data Transformation?

Business Logic consists of organization-specific rules that automatically calculate or modify attributes, such as assigning default departments, generating usernames, or mapping roles.

Q7. What is Attribute Calculation?

Attribute Calculation automatically generates or derives values (such as usernames, email addresses, or display names) when they are not directly available in the source system.

Q8. Why is Data Cleaning important?

It removes invalid, incomplete, or inconsistent data, reducing import failures and improving provisioning accuracy.

Quick Revision

- Data Transformation prepares imported user data for use in Saviynt.
- Data Normalization standardizes values into a consistent format.
- User Preprocessor Config JSON applies custom transformation rules during import.
- Inline Processing executes transformation logic before identities are stored.
- Business Logic applies organization-specific rules to imported data.
- Handling Special Characters ensures compatibility with target applications.
- Data Cleaning removes invalid or unnecessary information.
- Database Locks prevent simultaneous updates to the same record.
- Attribute Calculation generates missing values such as usernames and email addresses.
- Proper Data Transformation improves provisioning accuracy, reporting, compliance, and overall identity governance.

Module 4 – Connected HRMS Integration (Workday Integration)

What is HRMS Integration?

Definition

HRMS (Human Resource Management System) Integration is the process of connecting Saviynt with an HR system so that employee information is automatically synchronized.

Saviynt imports employee information from the HRMS and uses it to manage the employee's complete identity lifecycle.

Examples of HRMS:

- Workday
 - SAP SuccessFactors
 - Oracle HCM
 - BambooHR
 - PeopleSoft
-

Why Do We Integrate HRMS with Saviynt?

The HR system always contains the latest employee information.

Whenever HR performs actions like:

- Hiring an employee
- Department change
- Promotion
- Manager change
- Employee resignation

Saviynt automatically receives those updates.

This allows Saviynt to automatically:

- Create identities
- Update identities
- Provision accounts
- Remove access

without manual effort.

What is Workday?

Definition

Workday is a cloud-based Human Resource Management System (HRMS) that stores employee information.

It contains:

- Employee Details
- Department
- Manager
- Designation
- Location
- Employment Status
- Hire Date
- Termination Date

Workday becomes the primary source of employee identity information.

Why is Workday Considered the Authoritative Source?

Definition

An **Authoritative Source** is the most trusted system for user identity information.

Saviynt always trusts the Authoritative Source.

Why Workday?

Because HR updates employee information first.

Examples:

Employee joins

↓

HR creates employee in Workday

↓

Saviynt imports employee

Employee transfers department

↓

HR updates Workday

↓

Saviynt automatically updates identity

Employee resigns

↓

HR updates termination status

↓

Saviynt automatically disables user

Since HR always maintains the latest employee information, Workday becomes the most reliable source.

Advantages of Using Workday as the Authoritative Source

- Accurate employee information
 - Automatic Joiner-Mover-Leaver process
 - No duplicate identities
 - Better compliance
 - Reduced manual effort
 - Automated provisioning
 - Automated deprovisioning
-

Workday Connector

Definition

A Workday Connector is a pre-built connector provided by Saviynt that establishes communication between Workday and Saviynt.


The connector securely retrieves employee information from Workday.

Why is a Connector Needed?

Saviynt and Workday are two different applications.

They cannot communicate directly.

The connector acts as a bridge.



Functions of the Workday Connector

The connector performs the following tasks:

- Connects to Workday.
 - Authenticates securely.
 - Retrieves employee records.
 - Imports user information.
 - Imports manager relationships.
 - Updates existing identities.
 - Detects terminated employees.
-

Connection Creation

Definition

Before importing users, Saviynt must establish a secure connection with Workday.

This is called **Connection Creation**.

Connection Information Required


Typical connection parameters include:

- Workday URL
- Tenant Name
- Username
- Password
- API Credentials
- Authentication Method
- SSL Certificate
- Timeout Settings

Once the connection is saved, Saviynt tests connectivity.

If successful, the connector can communicate with Workday.

Connection Workflow



Attribute Mapping

Definition

Attribute Mapping is the process of matching Workday fields with Saviynt identity attributes.

Without mapping, Saviynt would not know where to store incoming data.

Example Mapping

Workday Field	Saviynt Field
Worker_ID	employeeid
First_Name	firstname
Last_Name	lastname

Email	email
Manager_ID	manager
Department	departmentname
Job_Title	jobtitle
Worker_Status	status
Hire_Date	hiredate

Why is Attribute Mapping Important?

Proper mapping ensures:

- Correct identity creation.
 - Correct manager hierarchy.
 - Accurate provisioning.
 - Accurate reporting.
 - Proper certification campaigns.
-

What Happens if Mapping is Wrong?

Example

Department mapped incorrectly.

Employee belongs to Finance.

Saviynt imports HR.

Incorrect Business Role assigned.

Wrong application access granted.

User Import Job

Definition

The User Import Job is a scheduled Saviynt job that imports employee information from Workday.

It performs the actual synchronization.

Responsibilities

The User Import Job:

- Connects to Workday.
 - Retrieves employee data.
 - Validates records.
 - Maps attributes.
 - Creates new identities.
 - Updates existing identities.
 - Logs failures.
 - Generates reports.
-

Frequency

Organizations configure the User Import Job based on business needs.

Examples:

- Every hour
- Every 4 hours
- Daily
- Weekly

Most companies run it daily or multiple times a day.

Automated Reconciliation

Definition

Reconciliation is the process of importing the latest user information from Workday into Saviynt.

Direction:

Workday



Saviynt

Purpose

Keep Saviynt synchronized with Workday.

Examples

New employee



Imported

Department change



Updated

Termination



Identity disabled

Why Reconciliation is Important?

Without reconciliation:

Saviynt identity information becomes outdated.

This may cause:

- Incorrect provisioning

- Incorrect access
 - Audit failures
-

Automated Provisioning

Definition

Provisioning is the process of creating accounts and assigning access in target applications.

Direction:

Saviynt



Applications

Examples:

- Active Directory
 - Azure AD
 - SAP
 - Salesforce
 - Office 365
-

Example

Rahul joins Finance.

After import:

Saviynt automatically creates:

- Active Directory account
- Outlook mailbox
- SAP account
- VPN account

Finance Role is assigned.

Applications receive provisioning requests automatically.

Deprovisioning

Definition

Deprovisioning is the automatic removal or disabling of accounts when access is no longer required.

When Does It Happen?

Examples

Employee resigns.

↓

HR updates Workday.

↓

Termination Status changes.

↓

User Import Job detects the change.

↓

Saviynt disables the identity.

↓

Accounts are disabled.

↓

Application access removed.

Why is Deprovisioning Important?

Without deprovisioning:


Former employees may continue to access company systems.


This creates:

- Security risks
 - Insider threats
 - Compliance violations
-


Complete End-to-End Workflow

Joiner Process






Mover Process



Leaver Process



Termination Status Imported



Identity Disabled



Accounts Disabled



Access Removed



Audit Logs Updated

Real Project Example

ABC Bank uses:

- Workday (HRMS)
- Saviynt (IGA)
- Active Directory
- SAP
- Microsoft 365

Joiner

A new employee, **Priya**, joins the Finance department.

HR creates Priya in Workday.

The User Import Job runs every hour.

The Workday Connector retrieves Priya's information.

Saviynt creates Priya's identity.

Based on her department, Saviynt:

- Assigns the Finance Business Role.
- Creates an Active Directory account.
- Creates a Microsoft 365 mailbox.
- Provisions SAP Finance access.

Priya starts work on Day 1 with all required access.

Mover

Six months later, Priya transfers to the HR department.

HR updates her department in Workday.

The next User Import Job detects the change.

Saviynt:

- Removes Finance Role.
 - Revokes SAP Finance access.
 - Assigns HR Business Role.
 - Grants HR application access.
-

Leaver

Priya resigns.

HR updates her termination status.

The User Import Job imports the update.

Saviynt automatically:

- Disables Priya's identity.
- Deprovisions Active Directory.
- Removes SAP access.
- Disables Microsoft 365.
- Records all actions in the audit logs.

No manual intervention is required.

Interview Questions

Q1. Why is Workday called the Authoritative Source?

Because it is the trusted HR system that maintains the latest employee information, and Saviynt relies on it for identity creation, updates, and deactivation.

Q2. What is the purpose of the Workday Connector?

It establishes secure communication between Workday and Saviynt, retrieves employee information, and supports automated identity synchronization.

Q3. What is Attribute Mapping?

Attribute Mapping links fields from Workday to the corresponding identity attributes in Saviynt, ensuring imported data is stored correctly.

Q4. What is the User Import Job?

A scheduled Saviynt job that imports employee data from Workday, validates it, maps attributes, and creates or updates identities.

Q5. What is the difference between Reconciliation and Provisioning?

Reconciliation imports identity data from Workday into Saviynt (inbound).

Provisioning creates or updates user accounts in target applications based on that identity data (outbound).

Q6. What happens when an employee leaves the organization?

HR updates the termination status in Workday. The User Import Job imports the update, Saviynt disables the identity, deprovisions accounts, and removes application access automatically.

Quick Revision

- Workday is typically the **Authoritative Source** for employee identities.

- The **Workday Connector** enables secure communication between Workday and Saviynt.
- **Connection Creation** establishes connectivity using Workday credentials and connection parameters.
- **Attribute Mapping** ensures Workday fields are correctly mapped to Saviynt identity attributes.
- The **User Import Job** performs scheduled identity synchronization.
- **Automated Reconciliation** keeps Saviynt identities synchronized with Workday.
- **Provisioning** creates and updates accounts in target applications.
- **Deprovisioning** removes or disables access when an employee leaves.
- Together, these processes automate the complete **Joiner-Mover-Leaver (JML)** lifecycle from HR to IT.

Module 5 – Disconnected HRMS Integration

What is Disconnected HRMS Integration?

Definition

Disconnected HRMS Integration is the process of importing employee information into Saviynt from an HR system that **does not have a direct connector**.

Instead of using APIs or connectors, the HR system exports employee data into a file (usually CSV or Flat File), and Saviynt imports the file manually or through a scheduled file transfer.

Simple Definition

Disconnected HRMS Integration means importing users into Saviynt using files instead of a direct connection.

Why is Disconnected HRMS Integration Needed?

Many organizations still use:


- Legacy HR Systems
- Custom HR Applications
- Homegrown HR Software
- Third-party HR databases

These systems may not support:

- REST APIs
- SOAP APIs
- Connectors

To integrate with Saviynt, employee information is exported into a file and imported into Saviynt.

How Disconnected HRMS Integration Works



CSV Structure

What is a CSV File?

CSV stands for **Comma Separated Values**.

Each row represents one employee.

Each column represents one attribute.

Example:

EmployeeID,Username,FirstName,LastName,Email,Department,Manager,Status

1001,rahul,Rahul,Sharma,rahul@company.com,Finance,2001,Active
1002,priya,Priya,Reddy,priya@company.com,HR,2002,Active

Why CSV is Used?

CSV files are:

- Simple
 - Easy to generate
 - Supported by almost every HR system
 - Easy to upload
 - Lightweight
 - Easy to validate
-

Flat File Structure

Some organizations use flat files instead of CSV.

Examples:

- TXT
- Pipe Delimited (|)
- Tab Delimited
- Fixed Width Files

Example:

1001|rahul|Rahul|Sharma|Finance

Saviynt can import these files after proper configuration.

Required Attributes

Every imported user must contain mandatory identity information.

Common required attributes include:

Attribute	Purpose
Employee ID	Unique employee identifier
Username	Login name
First Name	User's first name
Last Name	User's last name
Email	Official email address
Department	Used for role assignment
Manager	Reporting hierarchy
Status	Active / Inactive
Job Title	Used in business rules
Location	Office location

Why are Required Attributes Important?

Without mandatory attributes:

- Identity creation fails.
 - Provisioning cannot start.
 - Manager hierarchy becomes incorrect.
 - Business Roles cannot be assigned.
 - Reports become inaccurate.
-

Upload Process

Step 1 – Generate File

HR exports employee information.

Example:

employees.csv

Step 2 – Login to Saviynt

Administrator logs into Saviynt.

Step 3 – Navigate to User Import

Typical navigation:

Admin



Identity Repository



User Import



Upload File

Step 4 – Select CSV File

Choose the employee file.

Example:

employees.csv

Step 5 – Upload

Saviynt uploads the file.

The file is not imported immediately.

It first moves to the Preview stage.

Preview Process

What is Preview?

Preview allows administrators to verify the uploaded data before importing it into Saviynt.

This prevents incorrect data from entering the Identity Repository.

What Can Be Verified?

Administrators check:

- Correct column names
 - Missing values
 - Duplicate users
 - Invalid departments
 - Invalid manager IDs
 - Incorrect email format
 - Empty mandatory fields
-

Why is Preview Important?

Preview prevents:

- Wrong identity creation
 - Incorrect role assignment
 - Provisioning failures
 - Duplicate identities
-

Example

Uploaded CSV

Username,Department
rahul,

Preview immediately shows:

Department Missing

Administrator corrects the file before importing.

Import Process

After successful preview:

Administrator clicks:

Import Now

Saviynt starts the import.

Internal Import Workflow

Read File

↓

Validate Records

↓

Map Attributes

↓

Transform Data

↓

Create / Update Identity

↓

Store in Identity Repository

↓

Generate Import Report

What Happens During Import?

Saviynt:

- Reads each record.
 - Validates required fields.
 - Applies attribute mapping.
 - Executes transformation rules.
 - Creates new identities.
 - Updates existing identities.
 - Records failed imports.
 - Generates logs.
-

Validation

Definition

Validation checks whether uploaded data satisfies Saviynt requirements before creating identities.

Common Validation Checks

Mandatory Fields

Checks:

- Username
 - Employee ID
 - Email
 - Status
-

Duplicate Usernames

Ensures usernames are unique.

Duplicate usernames may cause identity conflicts.

Email Format

Correct:

rahul@company.com

Incorrect:

rahul@@company

Department Validation

Checks whether the department exists.

Manager Validation

Ensures manager information is valid.

Manager must already exist or be imported.

Status Validation

Typical values:

- Active
- Inactive
- Terminated

Unknown values are rejected.

Date Validation

Example

Correct:

2026-06-25

Incorrect:

25/06/26

Common Errors

Missing Mandatory Fields

Example

Username missing.

Identity cannot be created.

Duplicate Username

Example

Two employees:

rahul

Import fails because usernames must be unique.

Invalid Email

Example

rahul@@company.com

Validation error.

Incorrect File Format

Uploading:

Excel (.xlsx)

instead of

CSV

may fail if the import job is configured only for CSV.

Wrong Delimiter

Expected:

Comma

Rahul,Finance

Uploaded:

Pipe

Rahul|Finance

Import cannot parse the file correctly.

Missing Headers

CSV

Rahul,Finance

Correct CSV

Username,Department
Rahul,Finance

Invalid Manager

Manager ID does not exist.

Manager relationship cannot be created.

Duplicate Employee ID

Multiple employees have the same Employee ID.

Identity creation fails.

Encoding Problems

CSV saved in an unsupported encoding may display unreadable characters.

Example:

JosÃ©

instead of

José

Empty Department

Department required for Business Role assignment.

Provisioning may fail.

Invalid Status

Example

Status = Running

Expected:

- Active
 - Inactive
 - Terminated
-

Error Resolution

Error	Resolution
Missing Username	Populate Username
Duplicate Username	Use unique usernames
Invalid Email	Correct email format
Wrong Delimiter	Export with correct delimiter

Missing Headers	Add required column headers
Invalid Manager	Correct Manager ID
Duplicate Employee ID	Ensure unique Employee IDs
Invalid Status	Use supported status values

Real Project Example

ABC Manufacturing uses a legacy HR application.

The HR application cannot connect directly to Saviynt.

Every evening:

1. HR exports employee data to **employees.csv**.
2. The file is uploaded to Saviynt.
3. Saviynt displays a preview.
4. The administrator verifies:
 - Username
 - Department
 - Manager
 - Status
5. Validation passes.
6. Administrator clicks **Import Now**.
7. Saviynt imports users into the Identity Repository.
8. Provisioning creates Active Directory and Microsoft 365 accounts for new employees.

This entire process is completed without a direct HRMS connector.

Advantages of Disconnected HRMS Integration

- Works with legacy HR systems.
- No API development required.
- Easy to implement.

- Low infrastructure requirements.
 - Supports bulk user imports.
 - Cost-effective for small organizations.
-

Limitations

- Manual effort or scheduled file transfer required.
 - Data is not real-time.
 - Human errors during file preparation.
 - Delays between HR updates and identity synchronization.
 - Higher operational overhead compared to connected integrations.
-

Best Practices

- Use UTF-8 encoded CSV files.
 - Keep column headers consistent.
 - Validate files before importing.
 - Ensure Employee IDs and Usernames are unique.
 - Include all mandatory attributes.
 - Preview every upload before import.
 - Archive imported files for audit purposes.
 - Protect CSV files because they contain sensitive employee information.
 - Schedule imports regularly to keep identities synchronized.
-

Interview Questions

Q1. What is Disconnected HRMS Integration?

It is the process of importing employee identities into Saviynt using files (such as CSV or flat files) instead of a direct connector.

Q2. Why is CSV commonly used?

CSV is simple, lightweight, supported by most HR systems, and easy to generate, upload, and validate.

Q3. What is the purpose of the Preview Process?

The Preview Process allows administrators to verify uploaded data before import, helping detect missing values, duplicate records, and formatting issues.

Q4. What happens during the Import Process?

Saviynt reads the file, validates records, maps attributes, applies transformations, creates or updates identities, stores them in the Identity Repository, and generates import logs.

Q5. What are some common validation checks?

Mandatory fields, duplicate usernames, email format, manager mapping, department values, status values, and date formats.

Q6. What are common CSV import errors?

Missing mandatory fields, duplicate usernames, invalid email addresses, wrong delimiters, missing headers, invalid manager IDs, duplicate employee IDs, and unsupported file encodings.

Quick Revision

- Disconnected HRMS Integration uses CSV or flat files instead of connectors.
- Each CSV row represents a user; each column represents an attribute.
- Required attributes include Employee ID, Username, Email, Department, Manager, and Status.
- The Upload Process imports the file into Saviynt for review.

- The Preview Process helps detect issues before data is committed.
- Validation checks data quality and mandatory fields.
- Common import errors include duplicate usernames, invalid emails, wrong delimiters, and missing headers.
- Disconnected integration is useful for legacy HR systems but lacks real-time synchronization.

Module 7 – Best Practices & Troubleshooting

Best Practices for User Import and HRMS Integration

Best Practices are recommended methods for configuring User Import, HRMS Integration, and Identity Management securely and efficiently.

Following these practices helps organizations:

- Improve performance.
 - Reduce import failures.
 - Improve data quality.
 - Maintain compliance.
 - Simplify troubleshooting.
 - Reduce manual work.
 - Improve scalability.
-

1. Why Use Out-of-the-Box (OOTB) Connectors?

What are OOTB Connectors?

Out-of-the-Box (OOTB) Connectors are pre-built connectors provided by Saviynt for integrating with common enterprise applications.

Examples:

- Workday
 - SAP SuccessFactors
 - Azure AD
 - Active Directory
 - Oracle HCM
 - LDAP
 - Salesforce
-

Why Should We Use OOTB Connectors?

Saviynt has already tested these connectors.

They support:

- User Import
- Account Import
- Entitlement Import
- Provisioning
- Deprovisioning
- Reconciliation

Most configuration is already available.

Advantages

Faster Implementation

No custom coding.

Configuration only.

Lower Maintenance

Saviynt supports connector updates.

Future upgrades become easier.

Better Reliability

OOTB connectors are tested by Saviynt.

Less chance of production issues.

Built-in Features

Supports:

- Import Jobs
- Provisioning
- Reconciliation
- Password Management

without customization.

Better Vendor Support

If problems occur,

Saviynt Support can easily troubleshoot OOTB connectors.

Why are OOTB Connectors Preferred over Generic REST Connectors?

Generic REST Connectors are used only when no OOTB connector exists.

Although flexible,

they require:

- API knowledge
 - JSON payload creation
 - Authentication configuration
 - Custom attribute mapping
 - More testing
-

Comparison

OOTB Connector	Generic REST Connector
Pre-built	Custom built
Easy configuration	Requires API development
Fully supported	Limited support

Faster implementation More implementation time

Easier upgrades Higher maintenance

Less coding More coding

Best Practice

Always use an OOTB connector when one is available.

Use Generic REST only when no supported connector exists.

2. Why Configure Batch Size?

What is Batch Size?

Batch Size determines how many records Saviynt processes in a single import cycle.

Instead of processing every record individually,

Saviynt processes records in groups.

Example

10000 users

Batch Size = 500

Saviynt processes:

Batch 1

500 users

↓

Batch 2

500 users

↓

Batch 3

500 users

Until all users are processed.

Why is Batch Size Important?

Better Performance

Large imports complete faster.

Better Memory Management

Processing all records at once consumes excessive memory.

Batch processing reduces memory usage.

Better Database Performance

Smaller transactions reduce database locking.

Better Error Recovery

If one batch fails,

only that batch needs to be reprocessed.

Supports Large Organizations

Organizations with:

100,000+

employees

cannot import everything at once.

Batch processing is essential.

What Happens if Batch Size is Too Large?

Possible issues:

- High memory consumption.
 - Database timeouts.
 - Long-running jobs.
 - Server performance issues.
-

What Happens if Batch Size is Too Small?

Possible issues:

- Too many database transactions.
 - Longer overall import time.
 - Increased processing overhead.
-

Best Practice

Choose an appropriate batch size based on:

- Number of users.
 - Server memory.
 - Database performance.
 - Import frequency.
-

3. Why Map HR Unique ID to Username?

What is HR Unique ID?

Every employee receives a unique identifier.

Examples:

Employee Number

Worker ID

Personnel Number

Associate ID

This value never changes.

Why Map It?

Saviynt uses this value to uniquely identify employees.

Benefits

Identity Correlation

Saviynt knows:

This employee already exists.

Update the identity.

Do not create another one.

Prevent Duplicate Users

Without unique mapping,

duplicate identities may be created.

Manager Relationship

Managers are usually identified using Employee IDs.

Proper mapping automatically builds the reporting hierarchy.

Real Example

Workday

Worker ID

10001

↓

Saviynt

Username

10001

↓

Manager Mapping

Works correctly.

What Happens if We Don't?

Problems include:

- Duplicate identities.
 - Incorrect provisioning.
 - Manager mapping failures.
 - Wrong certification owners.
 - Approval workflow failures.
-

4. Why Map Termination Flag to Status?

What is the Termination Flag?

The HR system marks employees as:

Active

Terminated

Resigned

Retired

The flag indicates employment status.

Why Map It?

Saviynt converts the HR Termination Flag into the identity Status.

Example

Workday

Terminated

↓

Saviynt

Status = Inactive

Benefits

Automatic Identity Deactivation

No manual action required.

Automatic Deprovisioning

Accounts are disabled automatically.

Supports Joiner-Mover-Leaver

Employee joins

↓

Provisioning

Employee transfers

↓

Identity updated

Employee leaves

↓

Access removed automatically

Improves Security

Former employees cannot continue accessing company systems.

What Happens if We Don't Map It?

Example

Rahul resigns.

HR updates Workday.

Termination Flag exists.

Saviynt ignores it.

Result:

- Identity remains Active.
- AD account remains enabled.
- SAP access remains active.
- VPN still works.

Major security risk.

5. Why Use Inline Processing?

What is Inline Processing?

Inline Processing executes transformation logic during User Import before identities are stored.

Why Use It?

Because imported data is often incomplete or inconsistent.

Business Rules

Example

If

Department = Finance

Automatically assign:

Finance Business Role

Data Cleaning

Remove:

- Extra spaces
 - Invalid characters
 - Duplicate values
-

Default Values

If Department is blank,

Assign

UNKNOWN

instead of failing the import.

Calculated Attributes

Automatically create:

- Username
 - Email
 - Display Name
-

Transformations

Convert:

finance

↓

FINANCE

Automatically.

Benefits

- Cleaner identities.
 - Better provisioning.
 - Less manual correction.
 - Improved reporting.
 - Better compliance.
-

Troubleshooting User Import

Whenever User Import fails,

always troubleshoot systematically.

Never change configurations randomly.

User Import Failures

Possible causes include:

- Connector Failure
 - Authentication Failure
 - Invalid Credentials
 - CSV Errors
 - Duplicate Usernames
 - Missing Mandatory Attributes
 - Invalid Manager
 - Invalid Department
 - Attribute Mapping Errors
-

1. Connector Failure

Symptoms

Import Job fails immediately.

No users imported.

Causes

- Connector stopped.
 - API unavailable.
 - Configuration issue.
 - Server unavailable.
-

Resolution

- Verify connector configuration.
 - Test the connection.
 - Review connector logs.
-

2. Authentication Failure

Symptoms

Unable to connect to HRMS.

Causes

- Wrong username.
 - Wrong password.
 - Expired credentials.
 - MFA requirement.
 - Account locked.
-

Resolution

- Verify credentials.
 - Test login directly.
 - Update passwords if changed.
-

3. Invalid Credentials

Authentication succeeds only with valid service account credentials.

Expired passwords are a common cause of failures.

4. CSV Errors

Common CSV issues include:

- Wrong delimiter.
 - Missing headers.
 - Duplicate usernames.
 - Missing Employee ID.
 - Invalid encoding.
 - Empty values.
-

Common CSV Errors

Wrong Delimiter

Expected

Comma

Uploaded

Pipe

Import fails.

Missing Headers

Required columns absent.

Saviynt cannot map attributes.

Encoding Issues

UTF-8 recommended.

Wrong encoding produces unreadable characters.

Empty Values

Mandatory fields missing.

Import rejected.

Invalid Username

Contains unsupported characters.

Identity creation fails.

Common Connector Errors

API Timeout

Target application takes too long to respond.

Authentication Failure

Invalid credentials.

SSL Certificate Issue

Expired or untrusted certificate.

Connection rejected.

Network Failure

Firewall

DNS

VPN

Network outage

Permission Issue

Service account lacks permission to read users.

Common Mapping Errors

Username Mismatch

Source

rahul

Saviynt

rahul.sharma

Duplicate identity created.

Manager Mismatch

Manager ID incorrect.

Approval workflows fail.

Department Mismatch

Finance imported as FIN.

Business Role assignment fails.

Invalid Status

Expected

Active

Received

Enabled

Transformation required.

Duplicate Identities

Poor identity correlation.

Improper username mapping.

Troubleshooting Steps

Always troubleshoot in the following order.

Step 1 – Check Connector Logs

Connector logs show:

- Connection failures
 - Authentication failures
 - Timeout errors
 - API errors
-

Step 2 – Check Job Control

Verify:

- Job Status
 - Start Time
 - End Time
 - Failed Records
 - Success Count
-

Step 3 – Review Import Logs

Import logs show:

- Validation failures
 - Duplicate identities
 - Mapping failures
 - Transformation errors
-

Step 4 – Verify Preview Data

Before importing,

check:

- Missing values
- Invalid departments
- Manager IDs

- Duplicate usernames
-

Step 5 – Verify Identity Repository

Confirm:

- Identity created.
 - Username correct.
 - Status correct.
 - Manager correct.
-

Step 6 – Verify Connection Parameters

Check:

- URL
 - Credentials
 - Authentication
 - Certificates
 - Timeout
 - API endpoint
-

Step 7 – Test Again

After fixing the issue,

rerun only the failed job.

Do not rerun all jobs unless required.

Real Project Example

ABC Company integrates Workday with Saviynt.

One morning, the User Import Job fails.

Investigation

1. Job Control shows **Failed**.
 2. Connector Logs report **Authentication Failure**.
 3. Connection Parameters reveal the Workday service account password expired.
 4. The password is updated.
 5. The connection test succeeds.
 6. The User Import Job is rerun.
 7. All employee identities are imported successfully.
-

Best Practices Summary

- Prefer OOTB connectors over custom REST connectors.
 - Configure an appropriate batch size for your environment.
 - Map the HR Unique ID to ensure accurate identity correlation.
 - Map the HR Termination Flag to the identity Status to automate deprovisioning.
 - Use Inline Processing for business rules, data cleaning, and attribute calculations.
 - Validate CSV files before importing.
 - Review connector and import logs before changing configurations.
 - Test integrations in lower environments before production.
 - Keep service account credentials and SSL certificates up to date.
 - Monitor scheduled User Import Jobs and resolve failures promptly.
-

Interview Questions

Q1. Why are OOTB connectors preferred over Generic REST connectors?

OOTB connectors are pre-built, tested, supported by Saviynt, easier to configure, require less maintenance, and simplify upgrades compared to Generic REST connectors.

Q2. Why is Batch Size important?

Batch Size improves performance, reduces memory usage, minimizes database locking, and enables efficient processing of large numbers of users.

Q3. Why should the HR Unique ID be mapped?

It provides reliable identity correlation, prevents duplicate identities, and supports accurate manager relationships and provisioning.

Q4. Why should the Termination Flag be mapped to the Status field?

It enables automatic identity deactivation and deprovisioning, ensuring the Joiner-Mover-Leaver lifecycle is enforced and reducing security risks.

Q5. Why is Inline Processing useful?

Inline Processing applies business rules, cleans data, assigns default values, calculates missing attributes, and transforms data before identities are stored.

Q6. How do you troubleshoot a failed User Import?

Check the connector logs, Job Control, import logs, Preview Data, Identity Repository, and connection parameters in a structured order to identify and resolve the root cause.

Quick Revision

- Use **OOTB connectors** whenever possible.
- Configure **Batch Size** based on system capacity and import volume.
- Map the **HR Unique ID** to maintain a single identity for each employee.
- Map the **Termination Flag** to automate identity deactivation and deprovisioning.
- Use **Inline Processing** for business logic, data cleaning, and transformations.
- Common failures include connector issues, authentication problems, CSV errors, mapping errors, and invalid data.
- Troubleshoot by checking logs, jobs, preview data, the Identity Repository, and connection settings in a logical sequence.

Module 7 – Best Practices & Troubleshooting

Best Practices for User Import and HRMS Integration

Best Practices are recommended methods for configuring User Import, HRMS Integration, and Identity Management securely and efficiently.

Following these practices helps organizations:

- Improve performance.
 - Reduce import failures.
 - Improve data quality.
 - Maintain compliance.
 - Simplify troubleshooting.
 - Reduce manual work.
 - Improve scalability.
-

1. Why Use Out-of-the-Box (OOTB) Connectors?

What are OOTB Connectors?

Out-of-the-Box (OOTB) Connectors are pre-built connectors provided by Saviynt for integrating with common enterprise applications.

Examples:

- Workday
 - SAP SuccessFactors
 - Azure AD
 - Active Directory
 - Oracle HCM
 - LDAP
 - Salesforce
-

Why Should We Use OOTB Connectors?

Saviynt has already tested these connectors.

They support:

- User Import

- Account Import
- Entitlement Import
- Provisioning
- Deprovisioning
- Reconciliation

Most configuration is already available.

Advantages

Faster Implementation

No custom coding.

Configuration only.

Lower Maintenance

Saviynt supports connector updates.

Future upgrades become easier.

Better Reliability

OOTB connectors are tested by Saviynt.

Less chance of production issues.

Built-in Features

Supports:

- Import Jobs
- Provisioning
- Reconciliation
- Password Management

without customization.

Better Vendor Support

If problems occur,

Saviynt Support can easily troubleshoot OOTB connectors.

Why are OOTB Connectors Preferred over Generic REST Connectors?

Generic REST Connectors are used only when no OOTB connector exists.

Although flexible,

they require:

- API knowledge
 - JSON payload creation
 - Authentication configuration
 - Custom attribute mapping
 - More testing
-

Comparison

OOTB Connector	Generic REST Connector
Pre-built	Custom built
Easy configuration	Requires API development
Fully supported	Limited support
Faster implementation	More implementation time
Easier upgrades	Higher maintenance
Less coding	More coding

Best Practice

Always use an OOTB connector when one is available.

Use Generic REST only when no supported connector exists.

2. Why Configure Batch Size?

What is Batch Size?

Batch Size determines how many records Saviynt processes in a single import cycle.

Instead of processing every record individually,

Saviynt processes records in groups.

Example

10000 users

Batch Size = 500

Saviynt processes:

Batch 1

500 users

↓

Batch 2

500 users

↓

Batch 3

500 users

Until all users are processed.

Why is Batch Size Important?

Better Performance

Large imports complete faster.

Better Memory Management

Processing all records at once consumes excessive memory.

Batch processing reduces memory usage.

Better Database Performance

Smaller transactions reduce database locking.

Better Error Recovery

If one batch fails,

only that batch needs to be reprocessed.

Supports Large Organizations

Organizations with:

100,000+

employees

cannot import everything at once.

Batch processing is essential.

What Happens if Batch Size is Too Large?

Possible issues:

- High memory consumption.
 - Database timeouts.
 - Long-running jobs.
 - Server performance issues.
-

What Happens if Batch Size is Too Small?

Possible issues:

- Too many database transactions.
 - Longer overall import time.
 - Increased processing overhead.
-

Best Practice

Choose an appropriate batch size based on:

- Number of users.
 - Server memory.
 - Database performance.
 - Import frequency.
-

3. Why Map HR Unique ID to Username?

What is HR Unique ID?

Every employee receives a unique identifier.

Examples:

Employee Number

Worker ID

Personnel Number

Associate ID

This value never changes.

Why Map It?

Saviynt uses this value to uniquely identify employees.

Benefits

Identity Correlation

Saviynt knows:

This employee already exists.

Update the identity.

Do not create another one.

Prevent Duplicate Users

Without unique mapping,

duplicate identities may be created.

Manager Relationship

Managers are usually identified using Employee IDs.

Proper mapping automatically builds the reporting hierarchy.

Real Example

Workday

Worker ID

10001

↓

Saviynt

Username

10001

↓

Manager Mapping

Works correctly.

What Happens if We Don't?

Problems include:

- Duplicate identities.
 - Incorrect provisioning.
 - Manager mapping failures.
 - Wrong certification owners.
 - Approval workflow failures.
-

4. Why Map Termination Flag to Status?

What is the Termination Flag?

The HR system marks employees as:

Active

Terminated

Resigned

Retired

The flag indicates employment status.

Why Map It?

Saviynt converts the HR Termination Flag into the identity Status.

Example

Workday

Terminated

↓

Saviynt

Status = Inactive

Benefits

Automatic Identity Deactivation

No manual action required.

Automatic Deprovisioning

Accounts are disabled automatically.

Supports Joiner-Mover-Leaver

Employee joins

↓

Provisioning

Employee transfers

↓

Identity updated

Employee leaves

↓

Access removed automatically

Improves Security

Former employees cannot continue accessing company systems.

What Happens if We Don't Map It?

Example

Rahul resigns.

HR updates Workday.

Termination Flag exists.

Saviynt ignores it.

Result:

- Identity remains Active.
- AD account remains enabled.
- SAP access remains active.
- VPN still works.

Major security risk.

5. Why Use Inline Processing?

What is Inline Processing?

Inline Processing executes transformation logic during User Import before identities are stored.

Why Use It?

Because imported data is often incomplete or inconsistent.

Business Rules

Example

If

Department = Finance

Automatically assign:

Finance Business Role

Data Cleaning

Remove:

- Extra spaces
 - Invalid characters
 - Duplicate values
-

Default Values

If Department is blank,

Assign

UNKNOWN

instead of failing the import.

Calculated Attributes

Automatically create:

- Username
 - Email
 - Display Name
-

Transformations

Convert:

finance

↓

FINANCE

Automatically.

Benefits

- Cleaner identities.
- Better provisioning.
- Less manual correction.
- Improved reporting.
- Better compliance.

Troubleshooting User Import

Whenever User Import fails,

always troubleshoot systematically.

Never change configurations randomly.

User Import Failures

Possible causes include:

- Connector Failure
 - Authentication Failure
 - Invalid Credentials
 - CSV Errors
 - Duplicate Usernames
 - Missing Mandatory Attributes
 - Invalid Manager
 - Invalid Department
 - Attribute Mapping Errors
-

1. Connector Failure

Symptoms

Import Job fails immediately.

No users imported.

Causes

- Connector stopped.
 - API unavailable.
 - Configuration issue.
 - Server unavailable.
-

Resolution

- Verify connector configuration.
 - Test the connection.
 - Review connector logs.
-

2. Authentication Failure

Symptoms

Unable to connect to HRMS.

Causes

- Wrong username.
 - Wrong password.
 - Expired credentials.
 - MFA requirement.
 - Account locked.
-

Resolution

- Verify credentials.
 - Test login directly.
 - Update passwords if changed.
-

3. Invalid Credentials

Authentication succeeds only with valid service account credentials.

Expired passwords are a common cause of failures.

4. CSV Errors

Common CSV issues include:

- Wrong delimiter.
 - Missing headers.
 - Duplicate usernames.
 - Missing Employee ID.
 - Invalid encoding.
 - Empty values.
-

Common CSV Errors

Wrong Delimiter

Expected

Comma

Uploaded

Pipe

Import fails.

Missing Headers

Required columns absent.

Saviynt cannot map attributes.

Encoding Issues

UTF-8 recommended.

Wrong encoding produces unreadable characters.

Empty Values

Mandatory fields missing.

Import rejected.

Invalid Username

Contains unsupported characters.

Identity creation fails.

Common Connector Errors

API Timeout

Target application takes too long to respond.

Authentication Failure

Invalid credentials.

SSL Certificate Issue

Expired or untrusted certificate.

Connection rejected.

Network Failure

Firewall

DNS

VPN

Network outage

Permission Issue

Service account lacks permission to read users.

Common Mapping Errors

Username Mismatch

Source

rahul

Saviynt

rahul.sharma

Duplicate identity created.

Manager Mismatch

Manager ID incorrect.

Approval workflows fail.

Department Mismatch

Finance imported as FIN.

Business Role assignment fails.

Invalid Status

Expected

Active

Received

Enabled

Transformation required.

Duplicate Identities

Poor identity correlation.

Improper username mapping.

Troubleshooting Steps

Always troubleshoot in the following order.

Step 1 – Check Connector Logs

Connector logs show:

- Connection failures
- Authentication failures
- Timeout errors
- API errors

Step 2 – Check Job Control

Verify:

- Job Status
- Start Time
- End Time
- Failed Records
- Success Count

Step 3 – Review Import Logs

Import logs show:

- Validation failures
- Duplicate identities
- Mapping failures
- Transformation errors

Step 4 – Verify Preview Data

Before importing,

check:

- Missing values
- Invalid departments
- Manager IDs
- Duplicate usernames

Step 5 – Verify Identity Repository

Confirm:

- Identity created.

- Username correct.
 - Status correct.
 - Manager correct.
-

Step 6 – Verify Connection Parameters

Check:

- URL
 - Credentials
 - Authentication
 - Certificates
 - Timeout
 - API endpoint
-

Step 7 – Test Again

After fixing the issue,

rerun only the failed job.

Do not rerun all jobs unless required.

Real Project Example

ABC Company integrates Workday with Saviynt.

One morning, the User Import Job fails.

Investigation

1. Job Control shows **Failed**.
2. Connector Logs report **Authentication Failure**.
3. Connection Parameters reveal the Workday service account password expired.
4. The password is updated.
5. The connection test succeeds.
6. The User Import Job is rerun.

7. All employee identities are imported successfully.
-

Best Practices Summary

- Prefer OOTB connectors over custom REST connectors.
 - Configure an appropriate batch size for your environment.
 - Map the HR Unique ID to ensure accurate identity correlation.
 - Map the HR Termination Flag to the identity Status to automate deprovisioning.
 - Use Inline Processing for business rules, data cleaning, and attribute calculations.
 - Validate CSV files before importing.
 - Review connector and import logs before changing configurations.
 - Test integrations in lower environments before production.
 - Keep service account credentials and SSL certificates up to date.
 - Monitor scheduled User Import Jobs and resolve failures promptly.
-

Interview Questions

Q1. Why are OOTB connectors preferred over Generic REST connectors?

OOTB connectors are pre-built, tested, supported by Saviynt, easier to configure, require less maintenance, and simplify upgrades compared to Generic REST connectors.

Q2. Why is Batch Size important?

Batch Size improves performance, reduces memory usage, minimizes database locking, and enables efficient processing of large numbers of users.

Q3. Why should the HR Unique ID be mapped?

It provides reliable identity correlation, prevents duplicate identities, and supports accurate manager relationships and provisioning.

Q4. Why should the Termination Flag be mapped to the Status field?

It enables automatic identity deactivation and deprovisioning, ensuring the Joiner-Mover-Leaver lifecycle is enforced and reducing security risks.

Q5. Why is Inline Processing useful?

Inline Processing applies business rules, cleans data, assigns default values, calculates missing attributes, and transforms data before identities are stored.

Q6. How do you troubleshoot a failed User Import?

Check the connector logs, Job Control, import logs, Preview Data, Identity Repository, and connection parameters in a structured order to identify and resolve the root cause.

Quick Revision

- Use **OOTB connectors** whenever possible.
- Configure **Batch Size** based on system capacity and import volume.
- Map the **HR Unique ID** to maintain a single identity for each employee.
- Map the **Termination Flag** to automate identity deactivation and deprovisioning.
- Use **Inline Processing** for business logic, data cleaning, and transformations.
- Common failures include connector issues, authentication problems, CSV errors, mapping errors, and invalid data.
- Troubleshoot by checking logs, jobs, preview data, the Identity Repository, and connection settings in a logical sequence.

Real Project Workflow

I'll explain an end-to-end scenario:

Employee joins ABC Company

1. HR creates employee in Workday.
2. Workday becomes the Authoritative Source.
3. Saviynt User Import Job runs.
4. Connector fetches employee data.
5. Data Transformation normalizes attributes.
6. User Preprocessor executes business rules.
7. Identity is created in the Identity Repository.
8. Manager relationship is established.
9. Provisioning starts.
10. AD account is created.
11. Email account is created.
12. SAP account is created.
13. Business Roles are assigned.
14. Entitlements are granted.
15. Employee logs in on Day 1.

Course 4 – Identity Management with HRMS

Interview Questions and Answers

Q1. What is User Import?

Answer:

User Import is the process of importing user identity information from an external source (such as Workday, SAP SuccessFactors, Oracle HCM, Active Directory, CSV files, or APIs) into the Saviynt Identity Repository.

It is the first step in Identity Governance because users must exist in Saviynt before accounts can be provisioned or access can be managed.

Q2. Why is User Import Required?

Answer:

User Import is required because Saviynt cannot manage identities that do not exist in its Identity Repository.

It enables:

- Identity creation
- Role assignment
- Provisioning
- Access requests
- Certifications
- Deprovisioning

Q3. What is an Authoritative Source?

Answer:

An Authoritative Source is the most trusted system that provides identity information.

Saviynt always trusts this source for employee details such as:

- Employee ID
- Name
- Department
- Manager
- Employment Status

Usually, the HRMS is the Authoritative Source.

Q4. Why is Workday Considered an Authoritative Source?

Answer:

Workday is considered the Authoritative Source because HR maintains the latest employee information in Workday.

Whenever an employee joins, changes departments, or leaves the organization, HR updates Workday first.

Saviynt imports these changes and updates identities automatically.

Q5. What is the Identity Repository?

Answer:

The Identity Repository is Saviynt's central database where all user identities are stored.

It contains identity attributes such as:

- Username
- Employee ID
- Email
- Department
- Manager
- Status

All identity governance activities depend on this repository.

Q6. Difference Between Import User and Create User?

Import User	Create User
Imports users from external systems	Creates users manually in Saviynt
Used for bulk onboarding	Used for individual users

Automated

Manual

Best for employees

Best for vendors, contractors,
testing

Q7. Difference Between Connected and Disconnected User Import?

Connected User Import

- Uses connectors.
- Automatic.
- Real-time or scheduled.
- Supports provisioning and reconciliation.

Disconnected User Import

- Uses CSV or flat files.
 - Manual upload.
 - No direct connection.
 - Suitable for legacy systems.
-

Q8. What is a Connected Application?

Answer:

A Connected Application is an application that integrates directly with Saviynt using a connector.

Examples:

- Workday
- Azure AD
- SAP
- Salesforce

These applications support automated provisioning and reconciliation.

Q9. What is a Disconnected Application?

Answer:

A Disconnected Application cannot communicate directly with Saviynt.

Data is imported manually using:

- CSV
- Excel
- Flat Files

Examples include legacy or homegrown applications.

Q10. What is a User Import Job?

Answer:

A User Import Job is a scheduled Saviynt job that:

- Connects to the source system.
 - Retrieves user data.
 - Validates records.
 - Applies transformations.
 - Creates or updates identities.
 - Stores them in the Identity Repository.
-

Q11. What is Data Transformation?

Answer:

Data Transformation is the process of converting imported user data into the format required by Saviynt before storing it.

Examples:

- Convert department names to uppercase.
- Remove extra spaces.

- Generate usernames.
 - Clean invalid data.
-

Q12. Why is Data Transformation Required?

Answer:

Different source systems store data in different formats.

Transformation ensures:

- Standardized data
 - Better provisioning
 - Correct role assignment
 - Fewer duplicate identities
 - Better reporting
-

Q13. What is Data Normalization?

Answer:

Data Normalization converts data into a standard format.

Example:

finance

↓

FINANCE

This ensures consistency across the Identity Repository.

Q14. What is Inline Processing?

Answer:

Inline Processing executes custom logic during User Import before identities are stored.

It can:

- Assign default values.
 - Clean data.
 - Generate usernames.
 - Apply business rules.
 - Calculate attributes.
-

Q15. What is User Preprocessor Config JSON?

Answer:

User Preprocessor Config JSON is a configuration used during User Import to execute custom transformation logic before identity creation.

It helps automate:

- Username generation
 - Data cleaning
 - Default value assignment
 - Business rules
 - Attribute calculations
-

Q16. What is Attribute Mapping?

Answer:

Attribute Mapping links fields from the source system to the corresponding fields in Saviynt.

Example:

Worker_ID → employeeid

Email → email

Department → departmentname

Correct mapping ensures accurate identity creation.

Q17. Why is Username Mapping Important?

Answer:

Username Mapping helps Saviynt determine whether a user already exists.

It prevents:

- Duplicate identities
 - Incorrect provisioning
 - Identity correlation failures
-

Q18. Why is Manager Mapping Important?

Answer:

Manager Mapping creates the reporting hierarchy.

It is used for:

- Approval workflows
- Access certifications
- Escalations
- Reporting

Incorrect mapping may send approvals to the wrong manager.

Q19. Why Should the HR Unique ID Be Mapped?

Answer:

The HR Unique ID uniquely identifies each employee.

Mapping it ensures:

- Identity correlation
 - Duplicate prevention
 - Correct manager relationships
 - Reliable updates
-

Q20. Why Should the Termination Flag Map to the Status Field?

Answer:

The Termination Flag indicates that an employee has left the organization.

Mapping it to the Status field allows Saviynt to:

- Disable the identity.
 - Remove roles.
 - Start deprovisioning.
 - Remove application access automatically.
-

Q21. What Happens if the Termination Flag Is Not Mapped?

Answer:

If it is not mapped:

- The identity remains active.
 - User accounts stay enabled.
 - Former employees retain access.
 - Security risks increase.
 - Compliance violations may occur.
-

Q22. What is Reconciliation?

Answer:

Reconciliation is the process of importing the latest user, account, or entitlement information from a target system into Saviynt.

Direction:

Target System → Saviynt

Purpose:

Keep identity data synchronized.

Q23. What is Provisioning?

Answer:

Provisioning is the process of creating or updating user accounts and access in target applications.

Direction:

Saviynt → Target Application

Examples:

- Active Directory
 - SAP
 - Microsoft 365
-

Q24. What is Deprovisioning?

Answer:

Deprovisioning removes or disables user accounts and access when they are no longer required.

It usually occurs when an employee leaves the organization.

Q25. What Happens After a Successful User Import?

Answer:

After a successful User Import:

1. Identity is stored in the Identity Repository.
2. Roles are assigned.
3. Provisioning begins.
4. Accounts are created.

5. Access is granted.
 6. Certifications and reporting become available.
-

Q26. What are the Benefits of Using OOTB Connectors?

Answer:

OOTB connectors:

- Are pre-built.
 - Require minimal configuration.
 - Are supported by Saviynt.
 - Reduce implementation time.
 - Simplify upgrades.
 - Improve reliability.
-

Q27. Why is Batch Size Important?

Answer:

Batch Size determines how many records are processed at once.

Proper configuration:

- Improves performance.
 - Reduces memory usage.
 - Prevents database locking.
 - Optimizes imports for large organizations.
-

Q28. What are Common User Import Failures?

Answer:

Common causes include:

- Connector failure
- Authentication failure
- Invalid credentials

- CSV errors
 - Duplicate usernames
 - Missing mandatory attributes
 - Invalid manager
 - Invalid department
 - Mapping errors
 - Network issues
-

Q29. How Do You Troubleshoot a Failed User Import?

Answer:

Follow a structured approach:

1. Check Connector Logs.
 2. Review Job Control.
 3. Examine Import Logs.
 4. Verify Preview Data.
 5. Check the Identity Repository.
 6. Validate Connection Parameters.
 7. Fix the issue.
 8. Rerun the failed import job.
-

Q30. Explain the Complete User Import Workflow.

Answer:

The complete workflow is:

1. HR creates or updates employee information in Workday.
2. The User Import Job runs.
3. The connector retrieves employee data.
4. Saviynt validates the data.
5. Data Transformation and Inline Processing are applied.
6. Attributes are mapped.
7. The identity is created or updated in the Identity Repository.
8. Business Roles are assigned.
9. Provisioning creates application accounts.
10. Access is granted.
11. Future changes are synchronized through reconciliation.

12. When the employee leaves, deprovisioning removes all access automatically.

Final Interview Tip

If you're asked to explain **the complete HRMS integration process**, answer in this sequence:

HRMS (Workday) → User Import Job → Data Validation → Data Transformation → Attribute Mapping → Identity Repository → Business Role Assignment → Provisioning → Access Granted → Reconciliation → Identity Update → Deprovisioning (when the employee leaves).

This end-to-end explanation demonstrates a clear understanding of how Saviynt manages the full identity lifecycle.

