MINI-PROJECT (2020-2021)

RESTAURANT MANAGEMENT SYSTEM

(Web Development)

PROJECT REPORT

Department of Computer Engineering & Applications

Institute of Engineering & Technology



Submitted To:

Mr. Sharad Gupta

(Assistant Professor)

Submitted By:

Vaibhav Pratap Singh (181500775)

Neelanshu Singh (181500419)

Pranjal Singh (181500479)

Khalid Ansari (181500322)

Sanjesh Kumar (181500620)

CONTENTS

Ce	rtific	cate	3 - 5
Sy	nops	sis	6 - 7
Αc	knov	wledgments	8
At	ostra	et	9
1.	Intı	oduction	10
	1.1	Motivation and Overview	
	1.3	Objective	
2.	Software Requirement Analysis		
	2.1	Define the problem	
	2.2	Define the modules and their functionalities (SRS)	
3.	Software Design		
	3.1	Data flow diagram	
	3.2	User case diagram	
	3.2	ER diagram	
4.	Implementation and User Interface		
	4.1	Admin Section	
5.	Ref	erences/Bibliography	26
		pendices	27

CERTIFICATE











This is to certify that Pranjal Singh, Khalid Ansari, Sanjesh Kumar, Neelanshu Singh, Vaibhav Pratap Singh students of B.Tech (CSE) 3rd year has successfully

Completed the MINI PROJECT named RESTAURANT MANAGEMENT SYSTEM on Web Development under the Guidance of Ms. Priya Agarwal.

During 2020-21.

Signature:

Ms. Priya Agarwal

(Mentor) Year: III

SYNOPSIS

PROJECT TOPIC: RESTAURANT MANAGEMENT SYSTEM

Group No.:

Project Group Members:

- 1) Pranjal Singh (K 40 / 181500479) 2
 - 2) Khalid Ansari (181500322)
- 3) Sanjesh Kumar (K 53/ 181500620)
- 4) Neelanshu Singh (181500419)
- 5) Vaibhav Pratap Singh (I 58 / 181500775)

Supervised By: Priya Agarwal Mam (Technical Trainer)

About the Project:

4.1 Customers Online Ordering and Reservation Module:

The users should log in restaurant .after successful login and order the food in that particular restaurant. Then order option after this he should enter the payment option.

4.2 Admin module:

Admin should log in and he can upload the menu items like breakfast lunch dinner. .

4.3 Menu adding Module

Customer registration module contains customer's information such as customer personal information and other information related to that customer.

4.4 gallery section

Based on food or everything about the restaurant, customer can send any suggestion or comment to the restaurant with feedback form.


Motivation:

This project to facilitate customer for make online ordering and reservation on a single finger tap. The online restaurant system can handles management of finances, management of employee scheduling, and the customer orders and their preferences. This website having a frontend with eye attractive designs and easy to operate by any layman.

Project Planning:

- In first phase we will complete our frontend by 15 October.
- In second phase we will complete our frontend by 12 November.
- In final phase project will complete to execute.

Gantt Chart



Tools required:

Hardware Requirements:

4GB RAM, 10GB ROM, i3 (or above) processor.

> Software Requirements:

Visual Studio Code, Sublime Text Editor, Git.

Signature of Project	Guide:	

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to my training instructor for providing their valuable guidance and suggestions throughout the web development training. Also want to thank the Udemy Online Courses which helped me to learn this new technology.

I work passionately towards the Mini project to polish my skills till it shines well. Lastly, I just want to thank my mentor Ms. Ms. Priya Agarwal who keep motivated me on supporting throughout my project and help our team at very moment.

ABSTRACT

Restaurant Management System is a web application to restaurant management in an ease way. This system wake to provide a better service facility to restaurant and also to the customer. The Online system provide facility like food ordering to the Customer through online system, information management, menu Management, admin login and view all orders. Admin Here can add food items to the restaurant List and view all food orders by customers.

With this online web application Food ordering and table reservation management it become easier To replace the traditional system even difficult to store the records for long period of time. We are Using the method of Prototyping model during the development of Restaurant Management System.

1. INTRODUCTION

In Restaurant Management online system, we'll learn the systematic process of Running a Restaurant—by ease into ordering food. This web application; Managing Food item list; food Safety and hygiene; customer relations; marketing; Using a Point-of-sale system; scheduling Reservation of table efficiently; and Dealing with great customers enthusiasm.

Restaurant Management will prepare you for a steady business career, whether you Plan to arrange a fast food franchise, operate a casual sit-down restaurant, or Oversee a fine-dining establishment.

Objective:

The purpose of this project is to learn the basic concepts and practical techniques in web development, to know how to implement the knowledge in its practical manner. The restaurant business and help customer for online ordering and reserve table. To manage the Restaurant more effectively and efficiently by computerizing meal ordering, billing and table Reservation.

2. Software Requirement Analysis:

Define the problem:

There are many restaurant now also manage their business by manual especially take customer ordering. Today, restaurant counter takes the customer ordering manually with using paper. This is problem for restaurant owner to calculate and reckon the total profit on one click.

Define the modules and their functionalities (SRS):

- 1) Menu module In this segment any customer who wants to order food of their liking can pick any food items.
- 2) Order module In this module registered customers can order food of their liking by checkout button.
- 3) Gallery module In this module customers can look of the selective photo session of cuisine.
- 4) Cart module In this module customers can add booked order food and move forward to pay for it.
- 5) Admin module In this segment any ADMIN has to first login and then can upload the food items or could alter the orders of the customers.
- 6) Food Deletion module In this segment Admin with login in can delete order he wishes to delete from database.

Technologies used:

- **HTML:** Hypertext Markup Language is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets and scripting languages such as JavaScript.
- Cascading Style Sheets is a style sheet language used for describing the presentation of a document written in a markup language such as HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.
- **BOOTSTRAP:** Bootstrap is a free and open-source CSS framework directed at responsive, mobile-first front-end web development. It contains CSS- and JavaScript-based design templates for typography, forms, buttons, navigation, and other interface components.
- PHP: PHP code is usually processed on a web server by a PHP interpreter implemented as a module, a daemon or as a Common Gateway Interface (CGI) executable. On a web server, the result of the interpreted and executed PHP code which may be any type of data, such as generated HTML or binary image data would form the whole or part of a HTTP response.
- MySQL: MySQL is an open-source relational database management system (RDBMS). A relational database organizes data into one or more data tables in which data types may be related to each other; these relations help structure the data. SQL is a language programmers use to create, modify and extract data from the relational database, as well as control user access to the database.
- JOUERY: JQuery is a JavaScript library designed to simplify HTML DOM tree traversal and manipulation, as well as event handling, CSS animation, and Ajax. It is free, open-source software using the permissive MIT License.

Hardware Requirements:


- Memory [4GB RAM (or higher)]
- Intel core i3 8th Gen 64-bit Processor (or higher)

Software requirements:


- Xampp server
- Visual Studio Code
- MySQL Databases

Software Design:


Data flow diagram:



USER CASE DIAGRAM:



ER DIAGRAM




Implementation and User Interface:

Part 1: To build the Restaurant Management System.

With the use of Visual studio code, we created a web application. Now with the help of Xampp server open web application in your browser now we have to create an a customer

- **Part 2:** Welcome to home page of Foodires.
- **Part 3:** Then select food whichever you like by simply clicking on the icon of the food item.
- **Part 4:** After that move ahead towards the cart and select quantity and pay book your order.
- **Part 5:** Finally order will be booked successfully.


1. Home page



It shows the welcome message and menu to start with our delicious food.


It having list of food items on the very first page of the website that our foodie client wants to eat.

2. Menu Page




It shows the welcome message and menu to start with our delicious food.

It having list of food items on the basis of four category: - breakfast, lunch, dinner, special category.



3. Table Reservation page




This table reservation page use to reserve the table for family or friends.

Specify your details in the given details box and one give their suggestion in the Suggestion box.





4. GALLERY PAGE



This gallery page contains exciting pictures and views from restaurant to give thrill to our customers.

5. BASKET PAGE






This page contains the complete order done by our foodie client. In this They could cancel or increase the quantity of the food items.


After that 'complete your order' form will appear to fill where has to be Delivered and kindly place order on it.

Admin Section:


1. Login section




2. Admin food list




3. Food add module:




4. Order



5. Table reservation



Tables



References

- https://codepen.io/
- https://www.w3schools.com/
- https://www.udemy.com/courses/
- https://online.visual-paradigm.com/

Appendices

CODE

<u>Index.php</u> – It use to show the login and registration box.

```
<?php
   session_start();
   require "admin/includes/functions.php";
   require "admin/includes/db.php";
   $get_recent = $db->query("SELECT * FROM food LIMIT 9");
   $result = "";
   if($get_recent->num_rows) {
       while($row = $get_recent->fetch_assoc()) {
           $result .= "<div class='parallax_item'>
                         <a href='detail.php?fid=".$row['id']."'><img src='ima</pre>
ge/FoodPics/".$row['id'].".jpg' width='80px' height='80px' />
                         <div class='detail'>
                             <h4>".$row['food_name']."</h4>
                             ".substr($row['food_description']
 0, 33)."...
                             #".$row['food_price']."
                         </div>
                         </a>
                      </div>";
```

```
}else{
    }
;>
<!Doctype html>
<html lang="en">
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<meta name="description" content="" />
<meta name="keywords" content="" />
<head>
<title>MFORS</title>
<link rel="stylesheet" href="css/main.css" />
<script src="js/jquery.min.js" ></script>
<script src="js/myscript.js"></script>
</head>
<body>
<?php require "includes/header.php"; ?>
<div class="parallax" onclick="remove_class()">
    <div class="parallax_head">
        <h2>Welcome</h2>
        <h3>We are Excited to Cook for You</h3>
    </div>
</div>
```

```
<div class="content" onclick="remove_class()">
   <a href="reservation.php" class="submit">BOOK A TABLE</a>
</div>
<div class="content remove_pad" onclick="remove_class()">
   <div class="inner_content on_parallax">
       <h2><span class="fresh">Discover Fresh Menu</span></h2>
       <div class="parallax_content">
           <?php echo $result; ?>
           </div>
   </div>
</div>
<div class="content" onclick="remove_class()">
   <div class="inner_content">
       <div class="contact">
           <div class="left">
             <h3>LOCATION</h3>
                       Balmund New City, New Delhi
                       INDIA
                 </div>
                 <div class="left">
                       <h3>CONTACT</h3>
                       6473833432, 9876598709
                       Website@gmail.com
```

```
</div>
           <div class="icon_holder">
               <a href="#"><img src="image/icons/Facebook.png" alt="image/icons/</pre>
Facebook.png" /></a>
               <a href="#"><img src="image/icons/Google+.png" alt="image/icons/G</pre>
oogle+.png" /></a>
               <a href="#"><img src="image/icons/Twitter.png" alt="image/icons/T</pre>
witter.png" /></a>
           </div>
       </div>
   </div>
</div>
<div class="footer_parallax" onclick="remove_class()">
   <div class="on_footer_parallax">
        © <?php echo strftime("%Y", time()); ?> <span>MyRestaurant</span>
 All Rights Reserved
   </div>
</div>
</body>
```

<u>HEADER.php</u> – it is used for navigation display.

```
<div onclick="remove_class()">
   <div class="main_nav">
      <h2>Unique Restaurant</h2>
      <a href="index.php">Home</a>
         <a href="menu.php">Menu</a>
         <a href="reservation.php">Reservation</a>
         <a href="gallery.php">Gallery</a>
         <a href="basket.php">Order</a>
      </div>
   </div>
   </header>
   <div class="responive_nav">
   <div class="nav_section_img">
      <div class="nav_section_div">
         <h3>Foodires</h3>
      </div>
   </div>
   <div class="nav_section">
      <l
         <a href="index.php"><span class="home">Home</span></a>
         <a href="menu.php"><span class="menu">Menu</span></a>
         <a href="reservation.php"><span class="reserve">Book Table</span>
</a>
```

<u>Functions.php</u> – it uses to set the quantity of the food items.

```
<?php
function render_options($qty, $id) {
    $option = "";
    for($x = 1; $x <= 50; $x++) {
       if(x == xqty) {
            $option .= "<option value='".$x."_".$id."' selected>$x</option>";
       }else{
            $option .= "<option value='".$x."_".$id."'>$x</option>";
    return $option;
function escape($string) {
    return htmlentities(trim($string), ENT_QUOTES, 'UTF-8');
function excape($string) {
```

```
echo isset($_POST[$string]) ? htmlentities($_POST[$string], ENT_QUOTES, 'UTF
-8') : "";

} function generate_option($lower_limit, $upper_limit) {
    $option = "";
    for($i = (int)$lower_limit; $i <= (int)$upper_limit; $i++) {
        $option .= "<option value='".$i."'>$i</option>";
    }
    return $option;
}
```

<u>Basket.</u>php – it is used to add order of food items and their quantity.

```
    session_start();
    require "admin/includes/functions.php";
    require "admin/includes/db.php";

?>

<?php

    if (isset($_GET['fid']) && isset($_GET['qty'])) {
        $fid = $_GET['fid'];
        $qty = isset($_GET['qty']) ? (int)$_GET['qty'] : 1;
        $wasFound = false;
        $i = 0;
        if (!isset($_SESSION["cart_array"]) || count($_SESSION["cart_array"]) < 1
) {

        $_SESSION["cart_array"] = array(0 => array("item_id" => $fid, "quantity" => $qty));
        }
}
```

```
else {
            $qty = isset($_GET['qty']) ? (int)$_GET['qty'] : 1;
            foreach ($ SESSION["cart array"] as $each item) {
                $i++;
                while (list($key, $value) = each($each_item)) {
                    if ($key == "item id" && $value == $fid) {
                        // That item is in cart already so let's adjust its quant
ity using array splice()
                        array_splice($_SESSION["cart_array"], $i-
1, 1, array(array("item_id" => $fid, "quantity" => $each_item['quantity'] + $qty)
));
                        $wasFound = true;
                    }
                }
    if ($wasFound == false) {
        array_push($_SESSION["cart_array"], array("item_id" => $fid, "quantity" =
 $qty));
    header("location: basket.php");
        exit();
<?php
if (isset($_GET['cmd']) && $_GET['cmd'] == "emptycart") {
     unset($_SESSION["cart_array"]); //empty the foody cart
 }
<?php
    if (isset($_POST['index_to_remove']) && $_POST['index_to_remove'] != "") {
        $key_to_remove = $_POST['index_to_remove'];
        if (count($_SESSION["cart_array"]) <= 1) {</pre>
            unset($_SESSION["cart_array"]);
        } else {
            unset($_SESSION["cart_array"]["$key_to_remove"]);
            sort($ SESSION["cart array"]);
```

```
<?php
$cartOutput = "";
$cartTotal = "";
$chkbtn = "";
$empty_cart = "";
$chkprice = "";
$product_id_array = "";
if (!isset($_SESSION["cart_array"]) || count($_SESSION["cart_array"]) < 1) {</pre>
    $cartOutput = "<h3 style=' text-align: center; font-</pre>
weight: lighter; padding: 10px 0px; background: #ffeeee; color: #333;'>Your shopp
ing basket is empty</h3>";
} else{
    $cartOutput = "<div class='single_order_head'>
                        <h3>Food</h3>
                        <h3>Price(N)</h3>
                        <h3>Qty</h3>
                        <h3>Total</h3>
                        <h3>Remove</h3>
                    </div>";
    $i = 0;
    foreach ($ SESSION["cart array"] as $each item) {
        $item_id = $each_item['item_id'];
        $$q1 = $db->query("SELECT * FROM food WHERE id='$item_id' LIMIT 1");
        while ($row = $sql->fetch_assoc()) {
            $foodName = $row['food_name'];
            $price = $row['food_price'];
        $pricetotal = $price * $each_item['quantity'];
        while ($row = $sql->fetch_assoc()) {
```

```
$foodName = $row['food name'];
           $price = $row['food price'];
       $pricetotal = $price * $each_item['quantity'];
       $cartTotal = $pricetotal + $cartTotal;
       x = i + 1;
       $empty cart = '<div class="empty cart">
       <a href="basket.php?cmd=emptycart">Empty Basket</a>
                           </div>';
       $chkbtn = '<div class="checkout">
               <a href="#" onclick="show_overlay(); return false">Checkout</a>
       </div>';
       $product_id_array .= "$foodName-
 .$each_item['quantity'].", ";
       $cartOutput .= '<form style="display: inline; padding: 0; margin: 0;" act</pre>
ion="basket.php" method="post">
       <div class="single order">
                   ' . $foodName . '
                   ' . $price . '
                   <select name="quantity" id="'.$item_id.'" onChange="update"</p>
_qty(\''.$item_id.'\')<u>"</u>>
                       '.render_options($each_item['quantity'], $item_id).'
                   </select>
                   '.$pricetotal.'
                   <input name="deleteBtn' . $item_id . '" class="remove" onc
lick="return verify choice();" type="submit" value="x" /><input name="index to re
move" type="hidden" value="' . $i . '" />
               </div>
           </form>';
           $chkprice .= '<input type="hidden" id="chkprice" name="chkprice" valu</pre>
e="'.$cartTotal.'" />';
           $chkfood = '<input type="hidden" id="chkfood" name="chkfood" value="'</pre>
.$product_id_array.'" />';
           $i++;
```

```
$cartTotal = '<span>Basket Total</span> : #'.$cartTotal.'<</pre>
/p>';
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>foodires</title>
<body>
<?php require "includes/header.php"; ?>
<div class="parallax_basket" onclick="remove_class()">
    <div class="parallax_head_basket">
       <h2>Your</h2>
       <h3>Basket</h3>
   </div>
</div>
<div class="content remove_pad" onclick="remove_class()">
    <div class="inner_content on_parallax">
        <h2><span class="cart">Food Basket</span></h2>
       <div class="order_holder">
            <?php echo $cartOutput; ?>
       </div>
        <?php echo $cartTotal; ?>
        <div class="checkout_section">
            <?php echo $empty_cart; ?>
            <?php echo $chkbtn; ?>
       </div>
```

```
</div>
</div>
<div class="content" onclick="remove_class()">
    <div class="inner_content">
    <div class="contact">
           <div class="left">
           <h3>LOCATION</h3>
                        Balmund New City, New Delhi
                        INDIA
                  </div>
                  <div class="left">
                        <h3>CONTACT</h3>
                        6473833432, 9876598709
                        Website@gmail.com
                  </div>
                                   <div class="icon holder">
               <a href="#"><img src="image/icons/Facebook.png" alt="image/icons/</pre>
Facebook.png" /></a>
               <a href="#"><img src="image/icons/Google+.png" alt="image/icons/G</pre>
oogle+.png" /></a>
               <a href="#"><img src="image/icons/Twitter.png" alt="image/icons/T</pre>
witter.png" /></a>
           </div>
       </div>
    </div>
</div>
<div class="footer_parallax" onclick="remove_class()">
    <div class="on_footer_parallax">
```

```
<?php echo strftime("%Y", time()); ?> <span>MyRestaurant</span>. All R
ights Reserved
   </div>
</div>
<!----->
<div class="overlay" id="overlay" onclick="hide_overlay()"></div>
<div class="info holder">
       <span class="close_sp" onclick="hide_overlay()"></span</pre>
>
       <h2><span class="tag">Complete Your Order</span></h2>
        <form method="post" action="" onSubmit="validate_input(); return false">
        <div class="form_group">
                    <div class="form group">
                        <label>Name</label>
                        <input type="text" id="name" name="name" placeholder="En</pre>
ter your full name" required>
                    </div>
                    <div class="form group">
                   <label>Address</label>
                   <input type="text" id="addr" name="addr" placeholder="Enter</pre>
your address" required>
                   </div>
                   <div class="form group">
                   <label>Email</label>
                   <input type="Email" id="email" name="email" placeholder="Ente</pre>
r your email" required>
               </div>
               <div class="form_group">
```

Menu.php – it is use to display the food items.

```
<?php

session_start();
require "admin/includes/functions.php";
require "admin/includes/db.php";

$bfast = "";
$lunch = "";
$dinner = "";
$special = "";

$get_recent = $db->query("SELECT * FROM food");

if($get_recent->num_rows) {
    while ($row = $get_recent->fetch_assoc()) {

    if ($row['food_category'] == "breakfast") {
        $bfast .= "<div class='parallax_item'>
```

```
<a href='detail.php?fid=".$row['id']."'><img src='ima</pre>
ge/FoodPics/".$row['id'].".jpg' width='80px' height='80px' />
                        <div class='detail'>
                        <h4>".$row['food_name']."</h4>
                            ".substr($row['food_description']
, 0, 40)."...
                           #".$row['food_price']."
                           </div>
                        </a>
                     </div>";
          } elseif ($row['food_category'] == "lunch") {
              $lunch .= "<div class='parallax_item'>
                        <a href='detail.php?fid=".$row['id']."'><img src='ima</pre>
ge/FoodPics/".$row['id'].".jpg' width='80px' height='80px' />
                        <div class='detail'>
                            <h4>".$row['food_name']."</h4>
                           ".substr($row['food_description']
, 0, 40)."...
                           #".$row['food_price']."
                        </div>
                        </a>
                     </div>";
          } elseif($row['food_category'] == "dinner") {
             $dinner .= "<div class='parallax item'>
                        <a href='detail.php?fid=".$row['id']."'><img src='ima</pre>
ge/FoodPics/".$row['id'].".jpg' width='80px' height='80px' />
                        <div class='detail'>
                            <h4>".$row['food_name']."</h4>
                            ".substr($row['food_description']
 0, 40)."...
                           #".$row['food_price']."
```

```
</div>
                         </a>
                     </div>";
           } elseif($row['food_category'] == "special") {
              $special .= "<div class='parallax_item'>
                         <a href='detail.php?fid=".$row['id']."'><img src='ima</pre>
ge/FoodPics/".$row['id'].".jpg' width='80px' height='80px' />
                         <div class='detail'>
                             <h4>".$row['food name']."</h4>
                             ".substr($row['food_description']
, 0, 40)."...
                             #".$row['food_price']."
                         </div>
                         </a>
                     </div>";
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>foodires</title>
   <link rel="stylesheet" href="css/main.css" />
<script src="js/jquery.min.js" ></script>
<script src="js/myscript.js"></script>
</head>
```

```
<body>
   <?php require "includes/header.php"; ?>
   <div class="parallax" onclick="remove_class()">
   <div class="parallax head">
       <h2>Discover</h2>
       <h3>FOOD MENU</h3>
   </div>
</div>
<div class="content" onclick="remove_class()">
   <div class="inner_content on_parallax">
       <h2><span class="fresh">BreakFast Menu</span></h2>
       <div class="parallax_content">
       <?php echo ($bfast == "") ? "<h3 style=' text-align: center; font-</pre>
weight: lighter; padding: 10px 0px; background: #ffeeee; color: #333;'>Your shopp
ing basket is empty</h3>" : $bfast; ?>
           </div>
   </div>
</div>
<div class="content" onclick="remove_class()">
   <div class="inner_content on_parallax">
       <h2><span class="fresh">Lunch Menu</span></h2>
       <div class="parallax_content">
           <?php echo ($lunch == "") ? "<h3 style=' text-align: center; font-</pre>
weight: lighter; padding: 10px 0px; background: #ffeeee; color: #333;'>Your shopp
ing basket is empty</h3>" : $lunch; ?>
```

```
</div>
    </div>
</div>
<div class="content" onclick="remove_class()">
    <div class="inner content on parallax">
       <h2><span class="fresh">Dinner Menu</span></h2>
       <div class="parallax_content">
           <?php echo ($dinner == "") ? "<h3 style=' text-align: center; font-</pre>
weight: lighter; padding: 10px 0px; background: #ffeeee; color: #333;'>Your shopp
ing basket is empty</h3>" : $dinner; ?>
           </div>
    </div>
</div>
<div class="content" onclick="remove_class()">
    <div class="inner_content on_parallax">
        <h2><span class="fresh">Special Menu</span></h2>
       <div class="parallax_content">
           <?php echo ($special == "") ? "<h3 style=' text-align: center; font-</pre>
weight: lighter; padding: 10px 0px; background: #ffeeee; color: #333;'>Your shopp
ing basket is empty</h3>" : $special; ?>
           </div>
    </div>
</div>
<div class="footer_parallax" onclick="remove class()">
```

CSS STYLE - main.css

```
/*Main Css Styles*/
   margin: 0;
   padding: 0;
   box-sizing: border-box;
body {
    font-family: Arial, Helvetica, san-serif, tahoma;
.clear {
    clear: both;
    line-height: 0;
header {
   display: block;
   background: #D54114;
   position: fixed;
   width: 100%;
   right: 0;
   top: 0;
   margin-bottom: 60px;
```

```
z-index: 100;
div.nav_toggle {
    padding: 20px;
   width: 40px;
   height: 40px;
    position: absolute;
   top: 0px;
   left: 0px;
    z-index: 200;
   display: none;
div.nav_toggle:before {
    content: '\f039';
    font-family: FontAwesome;
    text-align: center;
   font-weight: bold;
   height: 40px;
   color: #fff;
    cursor: pointer;
div.main_nav {
    padding: 15px 15px;
   display: block;
    background: #FF5722;
   height: auto;
   min-height: 60px;
div.main_nav h2 {
   float: left;
   margin-left: 35px;
   font-family: 1em "helvetica" sans-serif;
    color: #fff;
    font-weight: 200;
div.main_nav ul {
    padding: 0;
    margin: 0;
    list-style-type: none;
   float: right;
```

```
margin-right: 20px;
div.main nav ul li {
   float: left;
   margin-left: 20px;
   margin-top: 5px;
   height: 20px;
   width: auto;
div.main nav ul li a {
   text-decoration: none;
    color: #fff;
div.responive_nav {
   max-width: 250px;
   width: 100%;
   position: fixed;
    left: 0px;
   top: 0px;
   margin-left: -250px;
   height: 100%;
   z-index: 100;
    background: #fff;
    transition: margin 200ms ease-in;
div.nav section img {
   background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    background-position: center;
    height: 120px;
    background-repeat: no-repeat;
    background-size: cover;
div.nav_section_div {
    background: #000;
    height: 120px;
   opacity: 0.8;
```

```
div.nav_section_div h3 {
    color: #fff;
    font-family: lucida handwriting;
    text-align: center;
    line-height: 110px;
div.nav_section {
   height: auto;
   display: block;
    padding: 20px;
    background: #fff;
div.nav_section ul {
    list-style-type: none;
div.nav_section ul li {
   display: block;
   height: 40px;
    border-bottom: 1px solid #efefef;
    line-height: 40px;
div.nav_section ul li a {
   text-decoration: none;
    color: #111;
span.home:before {
   content: '\f015';
   font-family: FontAwesome;
   margin-right: 13px;
    font-size: 21px;
span.menu:before {
   content: '\f009';
    font-family: FontAwesome;
   margin-right: 13px;
    font-size: 21px;
span.reserve:before {
```

```
content: '\f0ce';
    font-family: FontAwesome;
    margin-right: 13px;
    font-size: 21px;
span.gallery:before {
    content: '\f030';
   font-family: FontAwesome;
   margin-right: 13px;
    font-size: 21px;
span.order:before {
    content: '\f0d6';
   font-family: FontAwesome;
    margin-right: 13px;
    font-size: 21px;
div.responive nav.nav open {
    margin-left: 0;
    box-shadow: 1px 1px 1px #444;
div.parallax {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    height: 370px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.parallax two {
    background-image: url("../image/dish.jpg");
    background-attachment: fixed;
    height: 370px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
div.parallax head {
```

```
background: #000;
    opacity: 0.8;
    color: #fff;
    text-align: center;
    height: 370px;
    padding: 10px;
div.parallax basket {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    height: 210px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.parallax head basket {
    background: #000;
   opacity: 0.8;
    color: #fff;
    text-align: center;
    height: 210px;
    padding: 10px;
div.on_parallax {
   background: #fff;
   opacity: 0.9;
    color: #505050;
    text-align: center;
    height: 370px;
    padding: 10px;
div.on_parallax h2 {
    color: #333;
   margin: 15px auto;
    font-weight: 200;
    font-family: lucida handwriting;
span.fresh:before {
   content: '\f009';
```

```
font-family: FontAwesome;
    color: #FF5722;
    font-size: 25px;
    margin-right: 4px;
span.cart:before {
    content: "\f01c";
   font-family: FontAwesome;
    color: #FF5722;
    font-size: 25px;
   margin-right: 4px;
div.parallax_content {
   max-width: 1100px;
   height: auto;
    padding: 1px;
   margin: 0 auto;
div.parallax_item {
   float: left;
   margin-left: 1%;
   width: 32%;
   background: #fff;
   height: auto;
    box-shadow: 1px 1px 2px #000;
   margin-bottom: 7px;
div.parallax_item a {
   text-decoration: none;
    color: #505050;
div.parallax_item img {
   float: left;
   margin-right: 5px;
div.detail {
    padding: 5px;
   text-align: left;
    float:left;
```

```
div.detail p.desc {
    font-size: 14px;
div.detail p.price {
    text-align: right;
    line-height: 30px;
    color: #FF5722;
    font-weight: bold;
div.parallax head h2 {
   margin-top: 150px;
   font-family: lucida handwriting;
    text-transform: capitalize;
    font-size: 35px;
div.parallax head h3 {
    font-size: 40px;
    font-family: sans-serif;
    font-weight: 200;
div.parallax_head_basket h2 {
    margin-top: 70px;
   font-family: lucida handwriting;
    text-transform: capitalize;
    font-size: 35px;
div.parallax head basket h3 {
    font-size: 40px;
    font-family: sans-serif;
    font-weight: 200;
div.content {
    background: #fff;
    color: #000;
    padding: 20px 15px;
   height: auto;
    display: block;
```

```
div.content.remove_pad {
    background: #fff;
    color: #000;
    padding: 2px 15px;
   height: auto;
    display: block;
div.inner_content {
   max-width: 1200px;
   height: auto;
   padding: 20px;
   margin: 0 auto;
form.hr_book_form {
   max-width: 1100px;
   height: auto;
   margin: 0 auto;
h2.form head {
   text-align: center;
    color: #505050;
   font-size: 30px;
span.book_icon:before {
    content: '\f0ce';
   font-family: FontAwesome;
   margin-right: 13px;
   font-size: 30px;
   color: #FF5722;
p.form_slg {
   text-align: center;
    color: #FF5722;
   font-weight: bold;
   text-transform: uppercase;
   font-size: 14px;
```

```
div.left {
    float: left;
   width: 50%;
   height: auto;
    padding: 20px;
label {
   display: block;
   margin-top: 10px;
   margin-bottom: 5px;
    color: #505050;
   font-size: 18px;
input[type=text], input[type=email], input[type=number], input[type=date], input[
type=time] {
   width: 100%;
   border: 1px solid #CCCCCC;
    padding: 7px;
   height: 40px;
    background: #efefef;
   border-radius: 4px;
textarea {
   width: 100%;
    background: #efefef;
    border: 1px solid #ccc;
   padding: 7px;
    border-radius: 4px;
    height: 280px;
input[type=submit].submit {
   width: 100%;
    background: #FF5722;
    color: #fff;
    padding: 7px;
    height: 40px;
    border: 1px solid #FF5722;
    font-family: verdana;
    font-size: 19px;
    margin-top: 27px;
    border-radius: 4px;
```

```
a.submit {
   width: 100%;
    display: block;
    text-align: center;
    max-width: 400px;
    background: #333;
    color: #fff;
    padding: 7px;
    height: 40px;
    margin: 0 auto;
    border: 1px solid #333;
    letter-spacing: 1px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
    font-family: verdana;
    font-size: 19px;
    margin-top: 10px;
    border-radius: 4px;
    text-decoration: none;
a.submit:hover {
    letter-spacing: 3px;
div.contact {
   max-width: 600px;
   margin: 0 auto;
    height: auto;
    color: #333;
div.contact div.left h3 {
   color: #FF5722;
   font-weight: 200;
   margin-bottom: 4px;
div.contact div.left p {
    font-size: 14px;
    font-weight: bold;
```

```
div.icon holder {
    text-align: center;
    margin-top: 10px;
div.footer parallax {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    height: 60px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.on_footer_parallax {
    background: #000;
    opacity: 0.7;
    color: #fff;
    text-align: center;
   height: 60px;
    padding: 10px;
   text-align: center;
div.on_footer_parallax p{
    line-height: 40px;
div.on_footer_parallax p span{
    color: #FF5722;
div.image_display {
    box-shadow: 1px 1px 1px 1px #888;
    margin-bottom: 5px;
div.multicol {
   display: block;
    column-count: 4;
    -moz-column-count: 4;
    -webkit-column-count: 4;
    column-rule: 1px solid #efefef;
```

```
-moz-column-rule: 1px solid #efefef;
    -webkit-column-rule: 1px solid #efefef;
/* Styling for food detail page*/
div.detail holder {
    display: block;
    height: auto;
div.detail img {
   width: 25%;
   height: auto;
    float: left;
div.detail_img img {
    height: 305px;
div.detail_desc {
   width: 75%;
   padding: 10px 40px;
    float: left;
    text-align: left;
    line-height: 30px;
p.label_center {
    text-align: center;
h3.desc header {
    text-align: center;
    text-transform:uppercase;
    letter-spacing: 2px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
h3.desc_header:hover {
    letter-spacing: 4px;
```

```
p.desc_detail {
    text-align: justify;
div.detail_desc label {
    padding: 0px 15px 6px 15px;
    display: inline-block;
   margin-top: 1px;
    font-size: 20px;
    border-radius: 4px;
    cursor: pointer;
div.detail_desc label.add {
    background: #6666FF;
    color: #fff;
div.detail_desc label.subtract {
    background: red;
    color: #fff;
span.bold_desc {
   display: inline-block;
   font-weight: bold;
    letter-spacing: 2px;
    margin-right: 20px;
span.bold_desc.price {
   display: inline-block;
    font-weight: bold;
    letter-spacing: 2px;
   margin-right: 60px;
div.detail_desc input[type=text] {
    padding: 10px 20px;
   display: inline;
   width: 18%;
   margin: 0% 1%;
    text-align: center;
```

```
input[type=submit].submit.add_order {
    background: #333;
    border: 1px solid #333;
    letter-spacing: 1px;
    font-size: 18px;
    cursor: pointer;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
input[type=submit].submit.add_order:hover {
    letter-spacing: 3px;
/*basket styling*/
div.order holder {
    padding: 10px;
div.single_order_head, div.single_order {
    border-bottom: 1px solid #ccc;
div.single_order_head h3 {
    display: inline-block;
    width: 18%;
    font-size: 18px;
    font-weight: 100;
    text-align: center;
    padding: 5px 0px;
div.single order p {
    display: inline-block;
    width: 18%;
    text-align: center;
    padding: 5px 0px;
div.single_order p input[type=number] {
    text-align: center;
    border: none;
```

```
border-radius: 0px;
    background: #fff;
input.remove {
    border: 1px solid #FF002A;
    background: #FF002A;
    color: #fff;
    padding: 0px 5px 1px 5px;
   font-weight: bold;
   border-radius: 2px;
    cursor: pointer;
div.checkout_section {
    padding: 10px;
    height: auto;
p.p_total {
    text-align: right;
    padding-right: 30px;
p.p_total span {
   color: #333;
   text-transform: uppercase;
    letter-spacing: 2px;
   font-weight: bold;
div.empty_cart {
   width: 48%;
   float: left;
   height: auto;
   padding: 10px 0px;
   background: red;
   text-align: center;
div.checkout {
   width: 48%;
    float: right;
   height: auto;
    padding: 10px 0px;
```

```
background: green;
div.checkout a, div.empty_cart a {
    text-decoration: none;
    display: block;
    color: #fff;
    letter-spacing: 1px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
div.empty cart a:hover, div.checkout a:hover {
    letter-spacing: 2px;
div.overlay {
    position: fixed;
    left: 0px;
   top: 0px;
    z-index: 2000;
   width: 100%;
   height: 100%;
    background: #000;
    opacity: 0.95;
    display: none;
div.info_holder {
    position: absolute;
   width: 70%;
   top: 20px;
    left: 15%;
    z-index: 3000;
   margin: 80px auto;
    background: #fff;
    padding: 25px;
    display: none;
div.info_holder input[type=submit] {
    letter-spacing: 1px;
    cursor: pointer;
    transition: letter-spacing 200ms ease-in;
```

```
-moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
div.info_holder input[type=submit]:hover {
    letter-spacing: 3px;
span.tag:before {
    content: "\f02c";
    font-family: FontAwesome;
    color: #FF5722;
    font-size: 25px;
    margin-right: 4px;
div.info_holder h2 {
    color: #333;
   margin: 5px auto;
    font-weight: 200;
    text-align: center;
    font-family: lucida handwriting;
    border-bottom: 1px solid #ccc;
    padding-bottom: 5px;
p.close_p {
    text-align: right;
p.summary_p {
    line-height: 25px;
    color: #222;
    text-align: justify;
span.s_summary:before {
    content: "\f02e";
    font-family: FontAwesome;
    color: #FF5722;
   font-size: 25px;
    margin-right: 4px;
```

```
p.summary_p span {
    font-weight: bold;
span.close_sp:before {
   content: "\f00d";
   font-family: FontAwesome;
   color: #FF5722;
   font-size: 25px;
   margin-right: 4px;
    cursor: pointer;
@media only screen and (max-width: 850px) {
   div.main_nav {
        width: 100%;
    div.nav_toggle {
        display: block;
   div.main_nav ul {
        display: none;
    div.main_nav h2 {
       font-size: 20px;
    form.hr_book_form div.left{
        float: none;
       width: 100%;
    div.on_parallax {
    div.parallax_item {
        float: none;
       width: 100%;
```

```
}
    div.multicol {
        column-count: 2;
        -moz-column-count: 2;
        -webkit-column-count: 2;
        column-rule: 1px solid #efefef;
        -moz-column-rule: 1px solid #efefef;
        -webkit-column-rule: 1px solid #efefef;
   div.detail_img img {
        height: 200px;
@media screen and (max-width: 700px) {
   div.detail_img {
        float: none;
        width: 100%;
    div.detail_img img {
        height: 305px;
    div.detail_desc {
        float: none;
        width: 100%;
    }
@media only screen and (max-width: 500px) {
    div.parallax {
        max-height: 270px;
    div.parallax_head {
        max-height: 270px;
   div.parallax_head h2 {
```

```
font-size: 30px;
div.parallax_head h2 {
    margin-top: 100px;
div.parallax_head h3 {
    font-size: 35px;
    font-family: Verdana;
    font-weight: bold;
div.parallax_head_basket h2 {
    font-size: 30px;
div.parallax_head_basket h3 {
    font-size: 35px;
    font-family: Verdana;
    font-weight: bold;
div.main nav h2 {
    font-size: 17px;
div.detail_desc input[type=text] {
    padding: 3px;
div.detail_desc label {
    padding: 0px 15px 4px 15px;
    border-radius: 0px;
div.single_order_head h3 {
    font-size: 14px;
    font-weight: bold;
div.single_order {
    font-size: 14px;
```

```
p.p_total span {
        font-size: 15px;
    }
    div.empty_cart {
        padding: 7px 0px;
   div.checkout {
        padding: 7px 0px;
    div.checkout a, div.empty_cart a {
        font-size: 15px;
    }
   div.info_holder {
        width: 80%;
        top: 10px;
        left: 10%;
    }
@media only screen and (max-width: 384px) {
   div.parallax_item img {
        margin-right: 2px;
        width: 70px;
   div.main_nav h2 {
        font-weight: bold;
        margin-top: 3px;
    }
   div.detail {
        padding: 5px;
        text-align: left;
        float:left;
       width: 73%;
    div.detail p.desc {
       font-size: 13px;
```

```
div.content {
    background: #fff;
    color: #000;
    padding: 3px 10px;
    height: auto;
    display: block;
}

div.inner_content {
    padding: 20px 10px;
}

div.info_holder {
    width: 90%;
    position: absolute;
    top: 5px;
    left: 5%;
}
```

CSS code:

Main.css

```
div.nav_section ul {
    list-style-type: none;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: Arial, times 'Times New Roman', Times, serif;
}
.clear {
    clear: both;
    line-height: 0;
}
header {
    display: block;
    background: hsl(332, 83%, 46%);
```

```
position: fixed;
    width: 100%;
    right: 0;
    top: 0;
    margin-bottom: 60px;
    z-index: 1;
div.nav_toggle {
    padding: 20px;
    width: 40px;
    height: 40px;
    position: absolute;
    top: 0px;
    left: 0px;
    z-index: 200;
    display: none;
div.nav_toggle:before {
    content: '\f039';
    font-family: FontAwesome;
    text-align: center;
    font-weight: bold;
    height: 40px;
    color: #fff;
    cursor: pointer;
div.main_nav {
    padding: 15px 15px;
    display: block;
    background: hs1(332, 83%, 46%);
    height: auto;
    min-height: 60px;
div.main nav h2 {
    float: left;
    margin-left: 35px;
    font-family: 1em "helvetica" sans-serif;
    color: #fff;
    font-weight: 200;
div.main_nav ul {
    padding: 0;
    margin: 0;
    list-style-type: none;
    float: right;
```

```
margin-right: 20px;
div.main_nav ul li {
   float: left;
    margin-left: 20px;
   margin-top: 5px;
    height: 20px;
    width: auto;
div.main_nav ul li a {
   text-decoration: none;
    color: #fff;
div.responive_nav {
   max-width: 250px;
   width: 100%;
    position: fixed;
    left: 0px;
    top: 0px;
   margin-left: -250px;
   height: 100%;
    z-index: 100;
    background: #fff;
    transition: margin 200ms ease-in;
div.nav_section_img {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    background-position: center;
    height: 120px;
    background-repeat: no-repeat;
    background-size: cover;
div.nav_section_div {
    background: #000;
    height: 120px;
    opacity: 0.8;
div.nav_section_div h3 {
    color: #fff;
    font-family: lucida handwriting;
    text-align: center;
    line-height: 110px;
```

```
div.nav_section {
    height: auto;
    display: block;
    padding: 20px;
    background: #fff;
div.nav section ul {
    list-style-type: none;
div.nav_section ul li {
    display: block;
   height: 40px;
    border-bottom: 1px solid #efefef;
    line-height: 40px;
div.nav_section ul li a {
   text-decoration: none;
    color: #111;
span.home:before {
   content: '\f015';
    font-family: FontAwesome;
   margin-right: 13px;
   font-size: 21px;
span.menu:before {
    content: '\f009';
   font-family: FontAwesome;
   margin-right: 13px;
    font-size: 21px;
span.reserve:before {
   content: '\f0ce';
    font-family: FontAwesome;
   margin-right: 13px;
   font-size: 21px;
span.gallery:before {
    content: '\f030';
    font-family: FontAwesome;
   margin-right: 13px;
    font-size: 21px;
```

```
span.order:before {
    content: '\f0d6';
    font-family: FontAwesome;
    margin-right: 13px;
    font-size: 20px;
div.parallax {
    background-image: url("../image/dish 2.jpg");
    background-attachment: fixed;
    height: 370px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.parallax two {
    background-image: url("../image/dish.jpg");
    background-attachment: fixed;
    height: 370px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
div.parallax head {
    background: #000;
    opacity: 0.8;
    color: #fff;
    text-align: center;
    height: 370px;
    padding: 10px;
div.parallax basket {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    height: 210px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.parallax head basket {
    background: #000;
    opacity: 0.8;
```

```
color: #fff;
    text-align: center;
    height: 210px;
    padding: 10px;
div.on_parallax {
   background: #fff;
    opacity: 0.9;
    color: #505050;
    text-align: center;
   height: 370px;
    padding: 10px;
div.on_parallax h2 {
   color: #333;
    margin: 15px auto;
    font-weight: 200;
    font-family: lucida handwriting;
span.fresh:before {
    content: '\f009';
    font-family: FontAwesome;
    color: hsl(332, 83%, 46%);
    font-size: 25px;
   margin-right: 4px;
span.cart:before {
   content: "\f01c";
    font-family: FontAwesome;
    color: #22ffff;
    font-size: 25px;
    margin-right: 4px;
div.parallax content {
   max-width: 1100px;
   height: auto;
    padding: 1px;
    margin: 0 auto;
div.parallax_item {
   float: left;
   margin-left: 1%;
```

```
width: 32%;
    background: #fff;
    height: auto;
    box-shadow: 1px 1px 2px #000;
    margin-bottom: 7px;
div.parallax item a {
    text-decoration: none;
    color: #505050;
div.parallax item img {
    float: left;
    margin-right: 5px;
div.detail {
   padding: 5px;
    text-align: left;
    float:left;
div.detail p.desc {
    font-size: 14px;
div.detail p.price {
   text-align: right;
    line-height: 30px;
    color: hsl(332, 83%, 46%);
    font-weight: bold;
div.parallax_head h2 {
   margin-top: 150px;
    font-family: lucida handwriting;
    text-transform: capitalize;
    font-size: 35px;
div.parallax_head h3 {
    font-size: 40px;
    font-family: sans-serif;
    font-weight: 200;
div.parallax_head_basket h2 {
   margin-top: 70px;
```

```
font-family: lucida handwriting;
    text-transform: capitalize;
    font-size: 35px;
div.parallax_head_basket h3 {
    font-size: 40px;
    font-family: sans-serif;
    font-weight: 200;
div.content {
    background: #fff;
    color: #000;
    padding: 20px 15px;
    height: auto;
    display: block;
div.content.remove pad {
   background: #fff;
    color: #000;
    padding: 2px 15px;
    height: auto;
    display: block;
div.inner_content {
   max-width: 1200px;
   height: auto;
    padding: 20px;
    margin: 0 auto;
form.hr_book_form {
   max-width: 1100px;
   height: auto;
    margin: 0 auto;
h2.form_head {
   text-align: center;
    color: #505050;
    font-size: 30px;
span.book_icon:before {
    content: '\f0ce';
    font-family: FontAwesome;
```

```
margin-right: 13px;
    font-size: 30px;
    color: #FF5722;
p.form_slg {
   text-align: center;
    color: #FF5722;
   font-weight: bold;
    text-transform: uppercase;
    font-size: 14px;
div.left {
   float: left;
   width: 50%;
   height: auto;
    padding: 20px;
label {
   display: block;
   margin-top: 10px;
   margin-bottom: 5px;
   color: #505050;
   font-size: 18px;
input[type=text], input[type=email], input[type=number], input[type=date], input[
type=time] {
    width: 100%;
    border: 1px solid #CCCCCC;
    padding: 7px;
    height: 40px;
    background: #efefef;
    border-radius: 4px;
textarea {
   width: 100%;
    background: #efefef;
    border: 1px solid #ccc;
    padding: 7px;
    border-radius: 4px;
   height: 280px;
```

```
input[type=submit].submit {
    width: 100%;
    background: #FF5722;
    color: #fff;
    padding: 7px;
    height: 40px;
    border: 1px solid #FF5722;
    font-family: verdana;
    font-size: 19px;
    margin-top: 27px;
    border-radius: 4px;
a.submit {
   width: 100%;
    display: block;
    text-align: center;
    max-width: 400px;
    background: #333;
    color: #fff;
    padding: 7px;
    height: 40px;
    margin: 0 auto;
    border: 1px solid #333;
    letter-spacing: 1px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
    font-family: verdana;
    font-size: 19px;
    margin-top: 10px;
    border-radius: 4px;
    text-decoration: none;
a.submit:hover {
    letter-spacing: 3px;
div.contact {
   max-width: 600px;
   margin: 0 auto;
   height: auto;
   color: #333;
div.contact div.left h3 {
   color: #FF5722;
```

```
font-weight: 200;
    margin-bottom: 4px;
div.contact div.left p {
   font-size: 14px;
    font-weight: bold;
div.icon_holder {
    text-align: center;
    margin-top: 10px;
div.footer_parallax {
    background-image: url("../image/dish_2.jpg");
    background-attachment: fixed;
    height: 60px;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    width: 100%;
div.on footer parallax {
    background: #000;
   opacity: 0.7;
   color: #fff;
    text-align: center;
   height: 60px;
    padding: 10px;
    text-align: center;
div.on footer parallax p{
    line-height: 40px;
div.on_footer_parallax p span{
    color: #FF5722;
div.image_display {
    box-shadow: 1px 1px 1px 1px #888;
    margin-bottom: 5px;
```

```
div.multicol {
    display: block;
    column-count: 4;
    -moz-column-count: 4;
    -webkit-column-count: 4;
    column-rule: 1px solid #efefef;
    -moz-column-rule: 1px solid #efefef;
    -webkit-column-rule: 1px solid #efefef;
div.detail holder {
    display: block;
    height: auto;
div.detail_img {
   width: 25%;
    height: auto;
   float: left;
div.detail_img img {
    height: 305px;
div.detail desc {
   width: 75%;
    padding: 10px 40px;
   float: left;
    text-align: left;
    line-height: 30px;
p.label_center {
    text-align: center;
h3.desc_header {
    text-align: center;
    text-transform:uppercase;
    letter-spacing: 2px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
```

```
h3.desc header:hover {
    letter-spacing: 4px;
p.desc_detail {
    text-align: justify;
div.detail desc label {
    padding: 0px 15px 6px 15px;
    display: inline-block;
    margin-top: 1px;
   font-size: 20px;
   border-radius: 4px;
    cursor: pointer;
div.detail_desc label.add {
    background: #6666FF;
    color: #fff;
div.detail_desc label.subtract {
    background: red;
    color: #fff;
span.bold_desc {
    display: inline-block;
    font-weight: bold;
    letter-spacing: 2px;
    margin-right: 20px;
span.bold desc.price {
    display: inline-block;
   font-weight: bold;
    letter-spacing: 2px;
    margin-right: 60px;
div.detail_desc input[type=text] {
    padding: 10px 20px;
    display: inline;
   width: 18%;
   margin: 0% 1%;
```

```
text-align: center;
input[type=submit].submit.add_order {
    background: #333;
    border: 1px solid #333;
    letter-spacing: 1px;
    font-size: 18px;
    cursor: pointer;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
input[type=submit].submit.add_order:hover {
    letter-spacing: 3px;
/*basket styling*/
div.order_holder {
    padding: 10px;
div.single order head, div.single order {
    border-bottom: 1px solid #ccc;
div.single_order_head h3 {
    display: inline-block;
    width: 18%;
    font-size: 18px;
    font-weight: 100;
    text-align: center;
    padding: 5px 0px;
div.single_order p {
    display: inline-block;
    width: 18%;
    text-align: center;
    padding: 5px 0px;
div.single_order p input[type=number] {
   text-align: center;
```

```
border: none;
    border-radius: 0px;
    background: #fff;
input.remove {
    border: 1px solid #FF002A;
    background: #FF002A;
    color: #fff;
    padding: 0px 5px 1px 5px;
    font-weight: bold;
    border-radius: 2px;
    cursor: pointer;
div.checkout_section {
    padding: 10px;
    height: auto;
p.p_total {
    text-align: right;
    padding-right: 30px;
p.p_total span {
    color: #333;
    text-transform: uppercase;
    letter-spacing: 2px;
    font-weight: bold;
div.empty_cart {
    width: 48%;
    float: left;
    height: auto;
    padding: 10px 0px;
    background: red;
    text-align: center;
div.checkout {
    width: 48%;
    float: right;
    height: auto;
    padding: 10px 0px;
    background: green;
```

```
div.checkout a, div.empty_cart a {
    text-decoration: none;
    display: block;
    color: #fff;
    letter-spacing: 1px;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
div.empty_cart a:hover, div.checkout a:hover {
    letter-spacing: 2px;
div.overlay {
    position: fixed;
    left: 0px;
    top: 0px;
    z-index: 2000;
    width: 100%;
    height: 100%;
    background: #000;
    opacity: 0.95;
    display: none;
div.info_holder {
    position: absolute;
   width: 70%;
    top: 20px;
    left: 15%;
    z-index: 3000;
    margin: 80px auto;
    background: #fff;
    padding: 25px;
    display: none;
div.info_holder input[type=submit] {
    letter-spacing: 1px;
    cursor: pointer;
    transition: letter-spacing 200ms ease-in;
    -moz-transition: letter-spacing 200ms ease-in;
    -webkit-transition: letter-spacing 200ms ease-in;
```

```
div.info_holder input[type=submit]:hover {
    letter-spacing: 3px;
span.tag:before {
    content: "\f02c";
    font-family: FontAwesome;
    color: #FF5722;
   font-size: 25px;
   margin-right: 4px;
div.info_holder h2 {
    color: #333;
    margin: 5px auto;
   font-weight: 200;
   text-align: center;
    font-family: lucida handwriting;
    border-bottom: 1px solid #ccc;
    padding-bottom: 5px;
p.close_p {
   text-align: right;
p.summary_p {
   line-height: 25px;
    color: #222;
    text-align: justify;
span.s_summary:before {
    content: "\f02e";
   font-family: FontAwesome;
    color: #FF5722;
   font-size: 25px;
    margin-right: 4px;
p.summary_p span {
    font-weight: bold;
```

```
span.close_sp:before {
    content: "\f00d";
    font-family: FontAwesome;
    color: #FF5722;
    font-size: 25px;
    margin-right: 4px;
    cursor: pointer;
@media only screen and (max-width: 850px) {
    div.main nav {
        width: 100%;
    div.nav_toggle {
        display: block;
    div.main_nav ul {
        display: none;
    div.main nav h2 {
        font-size: 20px;
    form.hr_book_form div.left{
        float: none;
        width: 100%;
    div.parallax_item {
       float: none;
        width: 100%;
    }
    div.multicol {
        column-count: 2;
        -moz-column-count: 2;
        -webkit-column-count: 2;
        column-rule: 1px solid #efefef;
        -moz-column-rule: 1px solid #efefef;
        -webkit-column-rule: 1px solid #efefef;
```

```
div.detail_img img {
        height: 200px;
@media screen and (max-width: 700px) {
   div.detail_img {
        float: none;
        width: 100%;
   div.detail_img img {
        height: 305px;
    div.detail_desc {
        float: none;
       width: 100%;
@media only screen and (max-width: 500px) {
   div.parallax {
        max-height: 270px;
    div.parallax_head {
        max-height: 270px;
    }
    div.parallax_head h2 {
        font-size: 30px;
    div.parallax_head h2 {
        margin-top: 100px;
    div.parallax_head h3 {
        font-size: 35px;
        font-family: Verdana;
        font-weight: bold;
   div.parallax_head_basket h2 {
```

```
font-size: 30px;
div.parallax_head_basket h3 {
    font-size: 35px;
    font-family: Verdana;
    font-weight: bold;
div.main_nav h2 {
    font-size: 17px;
div.detail_desc input[type=text] {
    padding: 3px;
div.detail_desc label {
    padding: 0px 15px 4px 15px;
    border-radius: 0px;
div.single_order_head h3 {
    font-size: 14px;
    font-weight: bold;
div.single_order {
   font-size: 14px;
p.p_total span {
   font-size: 15px;
div.empty_cart {
    padding: 7px 0px;
div.checkout {
   padding: 7px 0px;
div.checkout a, div.empty_cart a {
    font-size: 15px;
```

```
div.info holder {
        width: 80%;
        top: 10px;
        left: 10%;
@media only screen and (max-width: 384px) {
    div.parallax_item img {
        margin-right: 2px;
        width: 70px;
    div.main_nav h2 {
        font-weight: bold;
        margin-top: 3px;
    div.detail {
        padding: 5px;
        text-align: left;
        float:left;
        width: 73%;
    div.detail p.desc {
        font-size: 13px;
    div.content {
        background: #fff;
        color: #000;
        padding: 3px 10px;
        height: auto;
        display: block;
    div.inner_content {
        padding: 20px 10px;
    div.info_holder {
       width: 90%;
```

```
position: absolute;
  top: 5px;
  left: 5%;
}
```