

Hotel Reception App

- DB tables:

```
[mysql> desc guests;
```

Field	Type	Null	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
full_name	varchar(200)	NO		NULL	
email	varchar(150)	NO		NULL	
phone	varchar(20)	NO		NULL	
address	text	YES		NULL	
id_proof	varchar(500)	YES		NULL	
created_at	timestamp	YES		NULL	
updated_at	timestamp	YES		NULL	

```
8 rows in set (0.046 sec)
```

```
[mysql> desc room_categories;
```

Field	Type	Null	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
description	text	YES		NULL	
price_per_night	decimal(10,2)	NO		NULL	
created_at	timestamp	YES		NULL	
updated_at	timestamp	YES		NULL	

```
6 rows in set (0.052 sec)
```

```
[mysql> desc rooms;
```

Field	Type	Null	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
room_number	varchar(20)	NO		NULL	
floor	int	NO		NULL	
category_id	bigint	NO	MUL	NULL	
is_available	tinyint(1)	NO		1	
created_at	timestamp	YES		NULL	
updated_at	timestamp	YES		NULL	

```
7 rows in set (0.057 sec)
```


```
[mysql> desc bookings;
```

Field	Type	Null	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
guest_id	bigint	NO	MUL	NULL	
room_id	bigint	NO	MUL	NULL	
check_in	timestamp	NO		NULL	
check_out	timestamp	NO		NULL	
status	enum('CHECKED_IN','CHECKED_OUT')	YES		CHECKED_IN	
created_at	timestamp	YES		NULL	
updated_at	timestamp	YES		NULL	

```
8 rows in set (0.068 sec)
```

```
mysql> █
```

- Auth Controller



- Room Category Controller

The screenshot displays the Postman interface for a REST client. The workspace is named "Pranjal Srivastava's Workspace". The selected collection is "Hotel Reception App", and the environment is set to "No environment". The active request is a GET request to the endpoint `{{baseURL}}/api/room-categories`. The response status is **200 OK** with a response time of 118 ms and a body size of 654 B. The response body is a JSON array of three room category objects.

Query Params

Key	Value	Description
Key	Value	Description

Body

```
1 [
2   {
3     "id": 1,
4     "name": "Deluxe",
5     "description": "Cozy room with essential amenities",
6     "pricePerNight": 2500,
7     "createdAt": "2025-11-18 13:44:21.0",
8     "updatedAt": "2025-11-18 13:44:21.0"
9   },
10  {
11    "id": 2,
12    "name": "Luxury",
13    "description": "Spacious room with premium features",
14    "pricePerNight": 4800,
15    "createdAt": "2025-11-18 13:44:21.0",
16    "updatedAt": "2025-11-18 13:44:21.0"
17  },
18  {
19    "id": 3,
20    "name": "Luxury Suite",
21    "description": "Large suite with living area and luxury facilities",
22    "pricePerNight": 6500,
23    "createdAt": "2025-11-18 13:44:21.0",
24    "updatedAt": "2025-11-18 13:44:21.0"
25  }
26 ]
```

- Room Controller

The screenshot displays the Postman API client interface. The top navigation bar includes 'Home', 'Workspaces', and 'API Network'. The left sidebar shows a collection named 'Hotel Reception App' with a sub-collection 'Rooms' containing endpoints like 'Get rooms list', 'Rooms Category', 'Guests', 'Bookings', 'Kafka', 'Login', and 'Visitor Management'. The main workspace shows a GET request to 'Hotel Reception App / Rooms / Get rooms list' with the URL '((baseUrl)) /api/rooms'. The 'Authorization' tab is active, showing 'Inherit auth from parent' and a 'Bearer Token' with the value 'qJJQlOAxCUZIFaXoskAdEKcyTww4clnKg'. The 'Body' tab shows a successful response with status '200 OK', time '2.44 s', and size '4.37 KB'. The response body is a JSON array of three room objects.

```
{
  "id": 1,
  "roomNumber": "101",
  "floor": 1,
  "categoryId": 1,
  "isAvailable": false,
  "createdAt": "2025-11-18 13:44:28.0",
  "updatedAt": "2025-11-18 13:44:28.0"
},
{
  "id": 2,
  "roomNumber": "102",
  "floor": 1,
  "categoryId": 2,
  "isAvailable": true,
  "createdAt": "2025-11-18 13:44:28.0",
  "updatedAt": "2025-11-18 13:44:28.0"
},
{
  "id": 3,
  "roomNumber": "103",
  "floor": 1,
  "categoryId": 3,
  "isAvailable": true,
  "createdAt": "2025-11-18 13:44:28.0",
  "updatedAt": "2025-11-18 13:44:28.0"
}
```

- Guest Controller

The screenshot shows the Postman interface with a workspace named "Pranjal Srivastava's Workspace". The left sidebar shows a collection "Hotel Reception App" with a sub-collection "Guests". The "POST Create Guest" endpoint is selected. The request is a POST to "((baseURL))/api/guests" with a raw JSON body. The response is a 201 Created status with a JSON body containing guest details.

Request:

```
POST ((baseURL))/api/guests
```

Body (raw):

```
1 {
2   "name": "Pranjal Srivastav",
3   "email": "pranjal.s@payoda.com",
4   "phone": "9999955555",
5   "idProof": "AADHAR-XXXX-XXX"
6 }
```

Response: 201 Created · 214 ms · 320 B

Body (JSON):

```
1 {
2   "message": "Guest created",
3   "data": {
4     "id": 4,
5     "fullName": "Pranjal Srivastav",
6     "email": "pranjal.s@payoda.com",
7     "phone": "9999955555",
8     "idProof": "AADHAR-XXXX-XXX",
9     "createdAt": "2023-11-23 23:55:58.642"
10  }
11 }
```

The screenshot shows the Postman interface with the same workspace. The "GET Get by id" endpoint is selected. The request is a GET to "((baseURL))/api/guests/2". The response is a 200 OK status with a JSON body containing guest details for ID 2.

Request:

```
GET ((baseURL))/api/guests/2
```

Response: 200 OK · 200 ms · 280 B

Body (JSON):

```
1 {
2   "id": 2,
3   "fullName": "Ritik",
4   "email": "pranjal.srivastav.tech@gmail.com",
5   "phone": "9639983718",
6   "idProof": "download/test_img",
7   "createdAt": "2023-11-19 16:38:41.8"
8 }
```

← → Home Workspaces ▾ API Network

🔍 Search Postman

Invite Upgrade ▾

Pranjal Srivastava's Workspace New Import

Collections

Hotel Reception App

Rooms

Rooms Category

Guests

Get all guests

Get by id

Create Guest

Bookings

Kafka

Login

Visitor Management

Environments

History

Flows

Files

BETA

GET Get all guests

Hotel Reception App / Guests / Get all guests

GET ▾ ((baseURL)) /api/guests

Send ▾

Docs Params Authorization Headers (8) Body Scripts Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (4) Test Results ⓘ

200 OK · 942 ms · 579 B · Save Response ⋮

JSON ▾ ▸ Preview Visualize ▾

```
1 [
2   {
3     "id": 1,
4     "fullName": "Pranjal",
5     "email": "pranjal.s@payoda.com",
6     "phone": "8291939173",
7     "idProof": "download/abc.jpg",
8     "createdAt": "2025-11-19 13:02:07.0"
9   },
10  {
11    "id": 2,
12    "fullName": "Ritik",
13    "email": "pranjal.srivastav.tech@gmail.com",
14    "phone": "7637903710",
15    "idProof": "download/test.jpg",
16    "createdAt": "2025-11-19 16:38:41.0"
17  },
18  {
19    "id": 3,
20    "fullName": "Ritik",
21    "email": "ritikhol1999@gmail.com",
22    "phone": "7637903710",
23    "idProof": "download/ritik.jpg",
24    "createdAt": "2025-11-21 11:23:12.0"
25  }
26 ]
```

Cloud View Find and replace Console Terminal

Runner Start Proxy Cookies vault Trash ⓘ

- Booking Controller

The screenshot displays the Postman interface for a REST client. The workspace is named "Pranjal Srivastava's Workspace". The left sidebar shows a collection named "Hotel Reception App" with several endpoints. The selected endpoint is "POST Create booking" with the URL "((baseUrl)) /api/bookings". The request is a POST method with a raw JSON body. The response is a 201 status code, indicating a successful creation, with a response time of 266 ms and a body size of 320 B. The response body is a JSON object containing booking details.

Request:

```
POST ((baseUrl)) /api/bookings
{
  "guestId": 4,
  "roomId": 23,
  "checkIn": "2025-11-24 11:00:00",
  "checkOut": "2025-11-25 11:00:00"
}
```

Response:

```
201 Created
{
  "message": "Booking created",
  "data": {
    "id": 4,
    "guestId": 4,
    "roomId": 23,
    "checkIn": "2025-11-24 11:00:00",
    "checkOut": "2025-11-25 11:00:00",
    "status": "CHECKED_IN",
    "createdAt": "2025-11-24 06:04:13.665"
  }
}
```

- Kafka Controller Check-in

The screenshot displays the Postman interface for a workspace named "Pranjal Srivastava's Workspace". The left sidebar shows a collection of API endpoints under the "Hotel Reception App" environment, including "POST Check In", "POST Check Out", "POST Login", and "Visitor Management". The "POST Check In" endpoint is selected, and its details are shown in the main panel. The request is a POST to the URL "((baseURL)) /api/kafka/checkin". The request body is a JSON object with a "bookingId" of 4. The response is a 200 OK status with a response time of 489 ms and a body size of 343 B. The response body is a JSON object containing a success message, a Kafka payload, and room details.

Request:

```
POST ((baseURL)) /api/kafka/checkin
```

Request Body (JSON):

```
{  "bookingId": 4}
```

Response (200 OK):

```
{  "message": "Kafka message sent successfully",  "kafkaPayload": {    "event": "CHECK_IN",    "guest": {      "id": "4",      "email": "pranjal.srivastava@gmail.com",      "fullName": "Pranjal Srivastava"    },    "room": {      "roomNumber": "802",      "floor": 8,      "category": "Luxury"    }  }}
```


- Check-in logs

```
✖ Starting daily menu scheduler (first run in 29369 seconds, interval = 24 hours)

📧 Kafka Message Received:
{"event": "CHECK_IN", "guest": {"id": "4", "email": "pranjal.s@payoda.com", "fullName": "Pranjal Srivastav"}, "room": {"roomNumber": "802", "floor": 8, "category": "Luxury"}}

[Coordinator] Raw event received: {
  "event": "CHECK_IN",
  "guest": {
    "email": "pranjal.s@payoda.com",
    "fullName": "Pranjal Srivastav",
    "id": "4"
  },
  "room": {
    "category": "Luxury",
    "floor": 8,
    "roomNumber": "802"
  }
}
[Coordinator] Parsed JSON
[Coordinator] Event type: CHECK_IN
[Coordinator] Guest JSON: {
  "email": "pranjal.s@payoda.com",
  "fullName": "Pranjal Srivastav",
  "id": "4"
}
[Coordinator] Room JSON: {
  "category": "Luxury",
  "floor": 8,
  "roomNumber": "802"
}
[Coordinator] guestId=4, guestName=Pranjal Srivastav, email=pranjal.s@payoda.com, roomNo=802
[Coordinator] Received CHECK_IN for Pranjal Srivastav(4)
[Coordinator] Forwarding to RoomServiceActor...
[Coordinator] Forwarding to WifiServiceActor...
[RoomService] Sending welcome email to pranjal.s@payoda.com
[Coordinator] Forwarding to GuestRegistryActor (will trigger immediate menu)...
[WifiService] Sending WiFi credentials to pranjal.s@payoda.com
[Registry] CHECK_IN RECEIVED for Pranjal Srivastav(4)
[Registry] Storing guest: id=4, name=Pranjal Srivastav, email=pranjal.s@payoda.com, room=802
[Registry] Current active guests: 4
[Registry] Sending immediate menu for Pranjal Srivastav(4) (pranjal.s@payoda.com) after check-in
[Restaurant] Received SendMenu command for pranjal.s@payoda.com, room = 802
📧 Email sent successfully to pranjal.s@payoda.com
📧 Email sent successfully to pranjal.s@payoda.com
```

- Email to Guest for Room Service, Wifi Service, Restaurant Service

Welcome to Our Hotel - Room 802

External

Inbox x

Print

Share

Summarize this email

5683pranjal@gmail.com

to me

12:05 AM (2 minutes ago)

☆

↶

⋮

Dear Pranjal Srivastav,

Welcome to our hotel! We are delighted to have you stay with us.

Your room details are as follows:

- Room Number: 802
- Category: Luxury

Useful Numbers:

- Emergency: 999
- Room Service: 202

If you need anything at all, feel free to reach out.

We wish you a pleasant and comfortable stay!

Warm regards,
Hotel Guest Services

↶ Reply

↷ Forward

Your WiFi Login Details

External

Inbox x

Print

Share

Summarize this email

5683pranjal@gmail.com

to me

12:05 AM (3 minutes ago)

☆

↶

⋮

Hello,

Here are your WiFi login details:

- Username: user_802
- Password: password123

You may connect your devices anytime.

If you face any issues, please contact the front desk.

Regards,
Hotel IT Support

↶ Reply

↷ Forward

Today's Restaurant Menu

External

Inbox x



Summarize this email



5683pranjal@gmail.com
to me

12:05 AM (3 minutes ago) ☆ ↶ ⋮

Dear Pranjal Srivastav,

Good morning! ☀

Here is today's delicious restaurant menu:

- 🍲 Soup of the Day
- 🍲 Paneer Masala
- 🍲 Steamed Basmati Rice
- 🍲 Tandoori Roti
- 🍰 Dessert of the Day


Your Room: 802

We hope you enjoy your meals and have a wonderful day ahead!


Warm regards,
Hotel Restaurant Team

↶ Reply ↷ Forward

- Kafka Controller Check-out :



- Check-out log:



- DB table data:

```
[mysql> select * from room_categories;
```

id	name	description	price_per_night	created_at	updated_at
1	Deluxe	Cozy room with essential amenities	2500.00	2025-11-18 13:44:21	2025-11-18 13:44:21
2	Luxury	Spacious room with premium features	4000.00	2025-11-18 13:44:21	2025-11-18 13:44:21
3	Luxury Suite	Large suite with living area and luxury facilities	6500.00	2025-11-18 13:44:21	2025-11-18 13:44:21

3 rows in set (0.049 sec)

```
[mysql> select * from rooms;
```

id	room_number	floor	category_id	is_available	created_at	updated_at
1	101	1	1	0	2025-11-18 13:44:28	2025-11-18 13:44:28
2	102	1	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
3	103	1	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
4	201	2	1	0	2025-11-18 13:44:28	2025-11-18 13:44:28
5	202	2	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
6	203	2	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
7	301	3	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
8	302	3	2	1	2025-11-18 13:44:28	2025-11-21 11:34:02
9	303	3	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
10	401	4	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
11	402	4	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
12	403	4	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
13	501	5	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
14	502	5	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
15	503	5	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
16	601	6	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
17	602	6	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
18	603	6	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
19	701	7	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
20	702	7	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
21	703	7	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
22	801	8	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
23	802	8	2	1	2025-11-18 13:44:28	2025-11-24 00:09:58
24	803	8	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
25	901	9	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
26	902	9	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
27	903	9	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28
28	1001	10	1	1	2025-11-18 13:44:28	2025-11-18 13:44:28
29	1002	10	2	1	2025-11-18 13:44:28	2025-11-18 13:44:28
30	1003	10	3	1	2025-11-18 13:44:28	2025-11-18 13:44:28

30 rows in set (0.043 sec)

```
30 rows in set (0.043 sec)
```

```
[mysql> select * from guests;
```

id	full_name	email	phone	address	id_proof	created_at	updated_at
1	Pranjal	pranjal.s@payoda.com	8291939173	NULL	download/abc.jpg	2025-11-19 13:02:07	NULL
2	Ritik	pranjal.srivastav.tech@gmail.com	7637903710	NULL	download/test.jpg	2025-11-19 16:38:41	NULL
3	Ritik	ritikkoli9996@gmail.com	7637903710	NULL	download/ritik.jpg	2025-11-21 11:23:12	NULL
4	Pranjal Srivastav	pranjal.s@payoda.com	9999955555	NULL	AADHAR-XXXX-XXX	2025-11-23 23:55:59	NULL

4 rows in set (0.039 sec)

```
4 rows in set (0.039 sec)
```

```
[mysql> select * from bookings;
```

id	guest_id	room_id	check_in	check_out	status	created_at	updated_at
1	1	8	2025-11-20 11:00:00	2025-11-21 11:00:00	CHECKED_OUT	2025-11-19 15:49:27	2025-11-21 11:34:02
2	2	4	2025-11-21 11:00:00	2025-11-22 11:00:00	CHECKED_IN	2025-11-20 17:24:24	NULL
3	3	1	2025-11-21 11:00:00	2025-11-22 11:00:00	CHECKED_IN	2025-11-21 11:23:53	NULL
4	4	23	2025-11-24 11:00:00	2025-11-25 11:00:00	CHECKED_OUT	2025-11-24 00:04:14	2025-11-24 00:09:58

4 rows in set (0.041 sec)

```
4 rows in set (0.041 sec)
```

