



SET UP FOR A GOOGLE SHEET TO GOOGLE SHEET CONNECTIONS

1. Visit the official website for airbyte : <https://airbyte.com/>. Now click on the login and setup you account.
2. To begin, set up the source by creating a new one and selecting the desired connection type. Additionally, you have the option to build a custom source using the available option in the left navigation panel.



3. To begin using Google Sheets as your data source, you'll first need to authenticate with your existing Gmail account. Once authenticated, create a new Google Sheet in your Google Drive. Next, click on the share URL option and paste the generated URL into the spreadsheet link section. Ensure you provide editor access while sharing, and then generate the link to proceed further. For additional guidance, you can find detailed instructions on the right side of the screen.



4. Create a destination in a similar manner. If you cannot locate Google Sheets, ensure that you have enabled the alpha checkbox directly on the page.

The top screenshot shows the Airbyte web interface at the URL `cloud.airbyte.com/workspaces/0497fbbd-0e73-43db-b49c-a5d877264b37/destination/new-destination`. The page title is "Select the type of destination you want to connect". A search bar contains the text "sheet". Below the search bar, there are checkboxes for "Generally Available", "Beta", and "Alpha". The "Alpha" checkbox is checked. A list of connectors is shown, including "Google Sheets" (marked ALPHA) and a button to "Request a new connector".

The bottom screenshot shows the Airbyte web interface at the URL `cloud.airbyte.com/workspaces/0497fbbd-0e73-43db-b49c-a5d877264b37/destination/new-destination/a4cbd2d1-8dbe-4818-b8bc-b90ad782d12a`. The page title is "Google Sheets". The page content includes a "Create a destination" section with a "Re-authenticate" button, a "Spreadsheet Link" field with the URL `https://docs.google.com/spreadsheets/d/1zCIR3ZeO_J-WF17J0UFvJQ9Q10jYn_7\`, and a "Test the destination" button. A sidebar on the left contains navigation links for "Connections", "Sources", "Destinations", "Builder", "Billing", "Resources", and "Support".

- Now set up the connection by navigating on it from left side panel. Click on the connection and set up a new connection. Define the source that you've created i.e Google sheets.

Me

Qui

Niti

Inb

Cop

Dat

Qui

Qui

cte

Airt

Airt

Tes

Tes

cloud.airbyte.com/workspaces/0497fddb-0e73-43db-b49c-a5d877264b37/connections

pranjal.yada...

Connections

Sources

Destinations

Builder

Billing

Resources

Support

You are using a trial of Airbyte. Your trial ends in 14 days. [Purchase now](#)

Connections

+ New connection

NAME	SOURCE NAME	DESTINATION NAME	FREQUENCY	LAST SYNC	ENABLED
<div>Connector-Randomuser → Goog...</div>	<div>Connector-Randomuser - Conne...</div>	<div>Google Sheets - Google Sheets</div>	1 hour	14 minutes ago	<div></div>
<div>Google Sheets → Google Sheets</div>	<div>Google Sheets - Google Sheets</div>	<div>Google Sheets - Google Sheets</div>	1 hour	1 day ago	<div></div>

Me

Qui

Niti

Inb

Cop

Dat

Qui

Qui

cte

Airt

Airt

Tes

Tes

cloud.airbyte.com/workspaces/0497fddb-0e73-43db-b49c-a5d877264b37/connections/new-connection

pranjal.yada...

Connections

Sources

Destinations

Builder

Billing

Resources

Support

Connections / New connection

1 Define source

2 Define destination

3 Configure connection

Define source

Select an existing source

Use a data source that you've already set up in Airbyte

Set up a new source

Configure a new source from Airbyte's catalog of available connectors

Connector-Randomuser	<div>Connector-Randomuser</div> CUSTOM	1 connection	>
Google Sheets	<div>Google Sheets</div>	1 connection	>
Google Sheets	<div>Google Sheets</div>		>
Google Sheets	<div>Google Sheets</div>		>

Need help from a teammate to set up the source? [Invite users](#)

6. Now select the destination from the existing and click setup.

The image displays two screenshots of the Airbyte web interface, showing the process of setting up a new connection.

Top Screenshot: Define destination step

- The browser address bar shows the URL: `cloud.airbyte.com/workspaces/0497fadb-0e73-43db-b49c-a5d877264b37/connections/new-connection?sourceId=2e6c1bf4-3787-4918-a521-81c693fd4474`.
- A purple banner at the top states: "You are using a trial of Airbyte. Your trial ends in 14 days. [Purchase now](#)".
- The left sidebar contains navigation icons for Connections, Sources, Destinations, Builder, Billing, Resources, and Support.
- The main content area shows the "Define destination" step in a sequence of three steps: 1. Define source, 2. Define destination (active), and 3. Configure connection.
- Under "Define destination", there are two options:
 - Select an existing destination** (radio button selected): "Use a data destination that you've already set up in Airbyte".
 - Set up a new destination** (radio button unselected): "Configure a new destination from Airbyte's catalog of available connectors".
- Below these options, a table lists existing destinations:

Destination Name	Connector	Version	Connections	Action
Google Sheets	Google Sheets	ALPHA	1 connection	>
Google Sheets	Google Sheets	ALPHA	1 connection	>
Google Sheets	Google Sheets	ALPHA		>
- At the bottom, there is a link: "Need help from a teammate to set up the destination? [Invite users](#)".

Bottom Screenshot: Loading schema step

- The browser address bar shows the URL: `cloud.airbyte.com/workspaces/0497fadb-0e73-43db-b49c-a5d877264b37/connections/new-connection/configure?sourceId=2e6c1bf4-3787-4918-a521-81c6...`.
- The purple banner and sidebar are identical to the top screenshot.
- The main content area shows the "Configure connection" step (step 3 of 3).
- A progress bar is shown at the top of the main content area.
- The main content area displays a message: "We are fetching the schema of your data source. This should take less than a minute, but may take a few minutes on slow internet connections or data sources with a large amount of tables."

7. Now configure connection.

The first screenshot shows the 'Configure connection' step in the Airbyte interface. The breadcrumb trail is 'Connections / New connection'. The steps are '1 Define source', '2 Define destination', and '3 Configure connection'. The 'Destination Stream Prefix' is optional and set to 'Mirror source name'. 'Detect and propagate schema changes' is set to 'Ignore'. Under 'Activate the streams you want to sync', there is a search bar and a 'Refresh source schema' button. A table lists streams with columns for 'Sync', 'Data destination', 'Stream', 'Sync mode', and 'Fields'. The first row shows 'Sync' as a toggle, 'Data destination' as a gear icon, 'Stream' as 'Agent_Login_Report_Miscellaneous_report...', 'Sync mode' as 'Full refresh', and 'Fields' as 'All'. A 'Set up connection' button is at the bottom right.

The second screenshot shows the 'Status' page for the 'Google Sheets → Google Sheets' connection. The breadcrumb trail is 'Connections / Google Sheets → Google Sheets'. The connection is 'Enabled'. The 'Status' tab is active, showing 'On time' with 'Next sync in a day' and a 'Cancel Sync' button. Below, the 'Enabled streams' section has a search bar and a table with columns 'Status', 'Stream name', and 'Last record committed'. The table shows one stream: 'Agent_Login_Report_Miscellaneous_report_2023_07_18' with a status of 'On time'.

8. Go to Status→ open details →and then you can select append or overwrite.

9.

The screenshot shows the 'Google Sheets → Google Sheets' connection page. The status is 'On time' with a 'Next sync in a day' and a 'Cancel Sync' button. Below, the 'Enabled streams' section shows a table with one stream: 'Agent_Login_Report_Miscellaneous_report_2023_07_18'. A context menu is open over this stream, showing options: 'Reset this stream', 'Show in replication table', and 'Open details'.


Status	Stream name	Last record committed
On time	Agent_Login_Report_Miscellaneous_report_2023_07_18	

The screenshot shows the configuration page for the 'Agent_Login_Report_Miscellaneous_report_2023_07_18' stream. It includes a 'Sync stream' toggle, a 'Stream name' field, and buttons for 'Full refresh' and 'Overwrite'. A dropdown menu is open, showing options: 'Full refresh | Overwrite' and 'Full refresh | Append'. Below, the 'Source' section contains a table of fields to be synced.


Field Name	Data Type	Cursor Field	Primary Key	Field Name
Agent Mode	String			Agent Mode
Agent Name	String			Agent Name
End Time	String			End Time
Event	String			Event
Event Details	String			Event Details
Start Time	String			Start Time

SETUP FOR CUSTOM CONNECTION


1. Go to the builder from the left navigation panel and create new custom connector.




2. Select start from scratch option.




3. After completing this fill out the title and enter the API from where you'll be fetching the data. In this case I've used random API: <https://randomuser.me/api>




4. Now we have to create streams for this connector. Enter the url as random api.




5. You can click on the test on right hand side just to check if you are able to get the data from the api.



6. You can scroll down and go to transformation if you wish to remove certain attributes. Here we will remove the info field. Finally publish to workspace. [Check this for more info :](#)



7. You can view this connector on custom connector section.



8. Now go to the source section and search for setup new source. Search for the custom connector that you've just created.

Me | Air | Questio | Nitin | Inbox | Copy c | Data D | Questio | Questio | G | cte in s | Airi x | Tutoria | randon | Demo | Airbyte | + | - | X

cloud.airbyte.com/workspaces/0497fddb-0e73-43db-b49c-a5d877264b37/source

Sources

+ New source

NAME	CONNECTOR	DESTINATION	LAST SYNC	STATUS
Connector-Randomuser	Connector-Randomuser	Google Sheets	52 minutes ago	✓ 1
Google Sheets	Google Sheets	Google Sheets	1 day ago	11
Google Sheets	Google Sheets	Google Sheets	35 minutes ago	
Google Sheets	Google Sheets			0

pranjayada...

Connections

Sources

Destinations

Builder

Billing

Resources

Support

Settings

Type here to search


11:52 02-08-2023


Me | Air | Questio | Nitin | Inbox | Copy c | Data D | Questio | Questio | G | cte in s | Airi x | Tutoria | randon | Demo | Airbyte | + | - | X


cloud.airbyte.com/workspaces/0497fddb-0e73-43db-b49c-a5d877264b37/source/new-source


Search


☒ Generally Available ☒ Beta ☐ Alpha ☒ Custom 76 connectors


 Chargebee


 Chartmogul BETA


 Close.com BETA


 Confluence BETA


 Connector-Randomuser CUSTOM


 Delighted BETA


 Demo_Airbyte CUSTOM


 Facebook Marketing


 Facebook Pages BETA


 File (CSV, JSON, Excel, Feather, Parquet)


 Freshdesk


 Freshsales BETA


 GitHub

 Gitlab

 Google Ads

 Google Analytics (Universal Analytics)

 Google Analytics 4 (GA4)

 Google Search Console

pranjayada...

Connections

Sources

Destinations

Builder

Billing

Resources


Support

Settings


Type here to search

11:53 02-08-2023


9. Now set up the source.



10. Now add a connection to this source and define your destination. Select set up a new destination and check the alpha box. Select google sheets.



11. Now sign in with google and enter the URL link of google spreadsheet and you can create on your drive. (Make sure you have given the editor access)



12. Finally set up connection.

The screenshot shows the 'Configure connection' step in the Airbyte interface. At the top, it displays 'Demo_Airbyte' (CUSTOM) and 'Google Sheets' (ALPHA). Below this are three numbered steps: 1. Define source, 2. Define destination, and 3. Configure connection. The main area contains a progress bar and a message: 'We are fetching the schema of your data source. This should take less than a minute, but may take a few minutes on slow internet connections or data sources with a large amount of tables.' Below the progress bar, there are settings for 'Destination Stream Prefix' (optional), 'Mirror source name' (with an 'Edit' button), and 'Detect and propagate schema changes' (set to 'Ignore'). A section titled 'Activate the streams you want to sync' includes a search bar, a 'Refresh source schema' button, and a table of streams. The table has columns for 'Sync', 'Data destination', 'Stream', 'Sync mode', and 'Fields'. One stream, 'Demo123', is selected. At the bottom right, there is a 'Set up connection' button.

Demo_Airbyte CUSTOM → Google Sheets ALPHA

1 Define source > 2 Define destination > 3 Configure connection

Destination Stream Prefix (optional) Mirror source name Edit

Detect and propagate schema changes Ignore

Activate the streams you want to sync Refresh source schema

Search stream name

Hide disabled streams

Sync Data destination Stream Sync mode Fields

<destination schema> Demo123 Full refresh Overwrite All

Set up connection

13. New connection is created.

The screenshot shows the 'Status' page for the 'Demo_Airbyte → Google Sheets' connection. The connection is marked as 'Enabled'. Below the header, there are tabs for Status, Job History, Replication, Transformation, and Settings. The 'Status' tab is active, showing a green checkmark and the text 'On time Next sync in a day'. There are buttons for 'Reset your data' and 'Sync now'. Below this, there is a section titled 'Enabled streams' with a search bar. A table lists the enabled streams, with one entry: 'Demo123' with a status of 'On time' and a last record committed '4 minutes ago'.

Demo_Airbyte → Google Sheets Enabled

Demo_Airbyte CUSTOM → Google Sheets ALPHA

Status Job History Replication Transformation Settings

On time Next sync in a day Reset your data Sync now

Enabled streams Search

Status	Stream name	Last record committed
On time	Demo123	4 minutes ago