



***** Model Condition -model.10.5400000.0.00000037/ Replicate -1/ *****
 quintet ['1', '3', '5', '7', '8']



U = [955, 23, 22, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 9


***** Model Condition -model.10.5400000.0.00000037/ Replicate -2/ *****
 quintet ['1', '3', '5', '7', '8']



U = [409, 304, 287, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 8


***** Model Condition -model.10.5400000.0.00000037/ Replicate -3/ *****
 quintet ['1', '3', '5', '7', '8']



U = [799, 83, 92, 14, 0, 2, 0, 0, 2, 0, 0, 2, 6, 0, 0]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 6


***** Model Condition -model.10.1800000.0.000000111/ Replicate -1/ *****
 quintet ['1', '3', '5', '7', '8']



U = [681, 155, 153, 2, 3, 1, 0, 0, 1, 0, 0, 0, 4, 0, 0]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 3


***** Model Condition -model.10.1800000.0.000000111/ Replicate -2/ *****
 quintet ['1', '3', '5', '7', '8']



U = [302, 93, 92, 131, 55, 63, 1, 3, 59, 2, 4, 45, 136, 7, 7]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 4


***** Model Condition -model.10.1800000.0.000000111/ Replicate -3/ *****
 quintet ['1', '3', '5', '7', '8']



U = [711, 39, 27, 102, 10, 8, 0, 0, 3, 0, 0, 4, 96, 0, 0]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 3


***** Model Condition -model.10.600000.0.00000333/ Replicate -1/ *****
 quintet ['1', '3', '5', '7', '8']



U = [362, 203, 202, 28, 24, 32, 10, 12, 28, 6, 10, 29, 38, 7, 9]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 2


***** Model Condition -model.10.600000.0.00000333/ Replicate -2/ *****
 quintet ['1', '3', '5', '7', '8']



U = [470, 70, 85, 129, 28, 31, 0, 4, 26, 5, 1, 32, 111, 3, 5]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 5


***** Model Condition -model.10.600000.0.00000333/ Replicate -3/ *****
 quintet ['1', '3', '5', '7', '8']



U = [94, 86, 145, 51, 47, 80, 51, 41, 71, 64, 39, 60, 54, 41, 76]

Analysis:-
 1) best score on the dataset - 6
 2) # edges that have the best score - 5


***** Model Condition -model.10.200000.0.00001000/ Replicate -1/ *****
 quintet ['1', '3', '5', '7', '8']



U = [182, 167, 161, 57, 43, 43, 30, 24, 43, 39, 48, 40, 48, 31, 44]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 5

***** Model Condition -model.10.200000.0.00001000/ Replicate -2/ *****
 quintet ['1', '3', '5', '7', '8']




U = [152, 92, 91, 74, 85, 57, 41, 29, 72, 50, 37, 68, 67, 40, 45]

Analysis:-
 1) best score on the dataset - 0
 2) # edges that have the best score - 2

***** Quintet which includes the outgroup *****
 Here we will be analyzing the above dataset with a different quintet which includes the outgroup

***** Model Condition -model.10.5400000.0.00000037/ Replicate -1/ *****
 quintet ['0', '3', '5', '7', '8']




U = [499, 249, 252, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 10

***** Model Condition -model.10.5400000.0.00000037/ Replicate -2/ *****
 quintet ['0', '3', '5', '7', '8']




U = [149, 98, 127, 96, 63, 80, 22, 33, 93, 20, 22, 61, 95, 26, 15]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 3

***** Model Condition -model.10.5400000.0.00000037/ Replicate -3/ *****
 quintet ['0', '3', '5', '7', '8']




U = [799, 83, 92, 14, 0, 2, 0, 0, 2, 0, 0, 2, 6, 0, 0]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 3

***** Model Condition -model.10.1800000.0.00000011/ Replicate -1/ *****
 quintet ['0', '3', '5', '7', '8']




U = [399, 301, 295, 1, 1, 1, 1, 0, 0, 0, 1, 0, 0, 0, 0]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 8

***** Model Condition -model.10.1800000.0.00000011/ Replicate -2/ *****
 quintet ['0', '3', '5', '7', '8']




U = [534, 80, 71, 115, 16, 32, 0, 1, 20, 2, 0, 25, 104, 0, 0]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 1

***** Model Condition -model.10.1800000.0.00000011/ Replicate -3/ *****
 quintet ['0', '3', '5', '7', '8']



U = [592, 161, 172, 17, 6, 8, 2, 0, 14, 1, 0, 13, 13, 0, 1]

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 2

Corresponding 5-taxon tree

5/66

7/8

8/5

3/8

0/0

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 1

Corresponding 5-taxon tree

```

graph LR
    Root(( )) ---|0| Node1(( ))
    Root ---|0| Node2(( ))
    Node1 ---|0| Node3(( ))
    Node2 ---|30| Node4(( ))
    Node2 ---|42| Node5(( ))
    Node4 ---|7/30| Node6(( ))
    Node4 ---|5/2| Node7(( ))
    Node5 ---|8/42| Node8(( ))
    Node5 ---|3/31| Node9(( ))
  
```

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 4

Corresponding 5-taxon tree

0 135 79 79 92 92 92 92 0/0 0/0

5/135 8/114 3/92 7/92 0/0

Analysis:-

- 1) best score on the dataset - 0
- 2) # edges that have the best score - 2

[illegible]

Analysis:-

- 1) best score on the dataset - 12
- 2) # edges that have the best score - 4

Corresponding 5-taxon tree

140

5/17

53

53

43

43

7/43

3/14

0/0

Analysis:-
1)best score on the dataset - 0