

Introduction to HTML

Overview

- HTML stands for **Hyper Text Markup Language.**
- HTML describes the structure of web pages using markup.
- HTML is used to provide the content(words, images, audio, video, and so on) to the web pages.
- HTML is a tag-based language. They are defined within the angle brackets(< >)
- HTML files can be created using a text editor.

HTML document is a text document saved with the extension **.html or .htm** that contains texts and some tags written between "< >" which give the instructions needed to configure the web page.

Sample HTML document

```
<!DOCTYPE html>
<html>
<head>
    <title> Coding Ninjas </title>
</head>
<body>

<h1>Welcome to Coding Ninjas! </h1>
     Let's Start Learning 
</body>
</html>
```

Remember to save the above file with the .html extension.

The above code is called the **source code** of a website

All the keywords written between the **angular brackets(<>)** are different,tags used for different purposes.



- <!DOCTYPE html> tells the browser that the file being displayed is HTML5 page.
- <html> meant to contain all the HTML data and is the start of an HTML document.
- **<head>** provides information about the document. It is not displayed in the browser window.
- <title> provides a title for the document.
- <body> contains everything visible on the web page, such as headings, paragraphs, images, hyperlinks, tables, lists, etc.
- <h1> element defines a large heading
- element defines a paragraph

HTML ELEMENTS

Elements are the things that make up the web page. Tags just define the beginning and end of the elements. Everything that a web page includes is an HTML element.

<tagname> Content... </tagname>

- > The HTML element starts with a opening tag: <tagname>
- > The content of the HTML element is: **Content...**
- > The HTML element ends with an closing tag: </tagname>

Example : Hello World ! <h1> Hello World ! </h1>

br Tag

**
br>** tag is used to introduce a **single line break** between the contents. This means that when this tag is used in between a single line, the content after this tag will move to the next line.

Example: <h3>We are studying in**<br**>Coding Ninjas</h3>

We are studying in Coding Ninjas

Note: Some HTML elements have no content (like the
br> element). These elements are called empty elements. Empty elements do not have an end tag!



HTML document in Browser

The purpose of a web browser (Chrome, Edge, Firefox, Safari) is to read HTML documents and display them correctly.

Open the file saved with the **.html extension**, and automatically it will open in the browser and all the content written inside the <body> tag will be displayed in the browser.

A browser does not display the HTML tags but uses them to determine how to display the document:



View source code

By right-clicking on the web page and selecting the **view page source** option you can view the HTML code of that web page.

```
test.html
              C
                      i view-source:file:///C:/Users/Sa...
                                                               ৻ৄ
                                                                     (H)
Line wrap 🗌
    <!DOCTYPE html>
  2 <html>
  3 <head>
        <title> Coding Ninjas</title>
  5 </head>
    <body>
        <h1>Welcome to Coding Ninjas ! </h1>
  8
  9
         Let's Start Learning 
 10
 11 </body>
 12 </html>
```