

Zoveto Website — Full Mobile Optimization Implementation Prompt

Context & Goal

This is a Next.js 16 (App Router) + Tailwind CSS + Framer Motion + GSAP + Three.js website for Zoveto ERP (zoveto.com). The site looks excellent on desktop but has significant layout, overflow, readability, and spacing issues on mobile viewports (320px–430px). The goal is a **flawless, pixel-perfect mobile experience** that feels like a billion-dollar product — matching the quality of the desktop version.

Non-negotiable constraints:

- Typography system (font family, type scale, CSS variables) must remain 100% intact
 - All existing animations must be preserved — only disable/simplify on mobile if absolutely necessary for performance
 - No visual regressions on desktop (1024px+)
 - Zero horizontal overflow / scroll anywhere
 - Zero layout breakage at 320px, 375px, 390px, 430px viewport widths
 - All touch targets ≥ 44 px (iOS HIG standard)
 - Safe area insets (notch/home indicator) handled everywhere
-

File Map (all paths relative to project root)

- `app/globals.css` — Design tokens + base styles
- `app/layout.tsx` — Root layout, viewport config
- `app/page.tsx` — Home page
- `components/layout/Navbar.tsx` — Header + mobile menu
- `components/layout/Footer.tsx` — Footer grid
- `components/sections/Hero.tsx` — Hero section with 3D canvas
- `components/sections/HowItWorksLandingSection.tsx` — How it works
- `components/sections/SystemModulesStripSection.tsx` — Module strip / carousel
- `components/sections/PricingSection.tsx` — Pricing grid
- `components/sections/ComparisonSection.tsx` — Feature comparison table
- `components/sections/FAQSection.tsx` — FAQ accordions
- `components/sections/FinalCTASection.tsx` — Final CTA
- `components/sections/OSNetworkSection.tsx` — System architecture viz

- `components/sections/LogoMarquee.tsx` — Client logo strip
 - `components/ui/Button.tsx` — Button component
 - `tailwind.config.ts` — Tailwind config
-

TASK 1 — Navbar (`components/layout/Navbar.tsx`)

Issues

1. Hamburger button uses `position: "fixed", left: "min(330px, calc(100vw - 60px))"` inline style — on 320px viewport this places the button at 260px which causes overflow
2. Logo `max-w-[13rem]` (208px) is nearly full-width on small phones leaving no room for the menu button
3. Mobile menu overlay has no `safe-area-inset` padding on sides for Face ID notch devices
4. Module dropdown `w-[36rem]` can bleed off narrow screens if accidentally triggered

Fixes Required

A. Remove the inline fixed positioning on the hamburger button. Replace with a right-aligned flex approach:

// Change the mobile nav button container from any inline style positioning to:

```
<div className="flex items-center lg:hidden ml-auto">
```

```
  {/* hamburger button */}
```

```
</div>
```

B. Logo width on mobile:

// Change: `max-w-[13rem]`

// To: `max-w-[9rem] sm:max-w-[11rem] lg:max-w-[13rem]`

C. Mobile menu overlay safe area padding:

// Add to the mobile overlay container:

```
className="... px-5 pt-[calc(1.25rem+env(safe-area-inset-top,0px))]  
pb-[calc(1.25rem+env(safe-area-inset-bottom,0px))]  
pl-[calc(1.25rem+env(safe-area-inset-left,0px))]  
pr-[calc(1.25rem+env(safe-area-inset-right,0px))]"
```

D. Guard the desktop dropdown:

```
// Ensure the desktop modules dropdown has: overflow-hidden  
max-w-[min(36rem,calc(100vw-2rem))]
```

E. Navbar container — prevent overflow:

```
// Ensure root nav element has: overflow-hidden or overflow-x-clip
```

TASK 2 — Hero Section ([components/sections/Hero.tsx](#))

Issues

1. Body text hardcoded at `text-[18px]` with no mobile size reduction — too large at 320px
2. Trust/feature badge pills use `px-[18px]` and `text-[11px]` — at 320px viewport, multiple badges wrap incorrectly and look broken
3. Badge row may overflow if badges total width exceeds viewport
4. 3D HeroBrain canvas is always rendered — on low-end mobile devices this causes jank
5. CTA button group may need tighter spacing on 320px screens
6. Hero section min-height `min-h-[100dvh]` can feel cramped if content is tall

Fixes Required

A. Body text responsive sizing:

```
// Change: text-[18px]
```

```
// To:   text-[15px] sm:text-[17px] md:text-[18px]
```

B. Badge/pill tags — make them wrap cleanly:

```
// Badge container: add flex-wrap justify-center gap-2
```

```
// Each badge: change px-[18px] to px-[12px] sm:px-[18px]
```

// Each badge: change text-[11px] to text-[10px] sm:text-[11px]

C. 3D Canvas — conditional rendering for mobile:

// Wrap the HeroBrain / 3D canvas component:

```
import { useMediaQuery } from '@/hooks/useMediaQuery' // or use useState + useEffect
```

```
const isMobile = useMediaQuery('(max-width: 768px)')
```

// Then:

```
{!isMobile && <HeroBrain />}
```

// On mobile, replace with a high-quality static PNG/WebP fallback image

// OR a lightweight CSS/SVG illustration

D. CTA buttons — ensure clean stacking on 320px:

// Button group container:

```
className="flex flex-col gap-3 w-full sm:flex-row sm:w-auto sm:gap-4"
```

// Each button:

```
className="w-full sm:w-auto min-h-[48px]"
```

E. Hero container — tighter top padding on mobile:

// Hero outer: pt-[calc(var(--navbar-h)+1.5rem)] sm:pt-[calc(var(--navbar-h)+2.5rem)]

// so content doesn't sit right under the navbar

TASK 3 — Footer (`components/layout/Footer.tsx`)

Issues

1. `grid-cols-2 gap-x-10` — on 320px, each column is only ~140px wide after the 40px gap, making nav links unreadable

2. The enormous wordmark `clamp(2.9rem, 13.5vw, 10.25rem)` can push past container bounds on landscape small phones
3. Newsletter input row may not stack correctly on 320px

Fixes Required

A. Footer link columns grid:

// Change: `grid-cols-2 gap-x-10 gap-y-10 md:grid-cols-4`

// To: `grid-cols-2 gap-x-6 gap-y-8 sm:gap-x-10 sm:gap-y-10 md:grid-cols-4`

B. Wordmark fluid size — add a safer lower bound:

// Change: `clamp(2.9rem, 13.5vw, 10.25rem)`

// To: `clamp(2.2rem, 13.5vw, 10.25rem)`

// This prevents the text from overflowing at 320px landscape

C. Newsletter / email input — ensure full-width stacking:

// Input + button row:

`className="flex flex-col gap-2 w-full sm:flex-row sm:gap-0"`

// Input: `className="w-full rounded-lg sm:rounded-r-none ..."`

// Button: `className="w-full sm:w-auto rounded-lg sm:rounded-l-none ..."`

D. Footer top section padding:

// Reduce section padding on mobile:

`className="py-section-mobile lg:py-section" // ensure py-section-mobile is  $\leq 3.5\text{rem}$`

TASK 4 — How It Works Section

(`components/sections/HowItWorksLandingSection.tsx`)

Issues

1. Cards use `p-8` (32px) padding on all screens — on 320px this leaves only 256px content area
2. Section heading `text-3xl sm:text-4xl md:text-5xl` — 1.875rem base is large for 320px phones
3. Stats row (40% / 3× / Zero) inside each card — the 3-column stat grid may overflow on very narrow phones

Fixes Required

A. Card padding responsive:

// Change: `p-8`

// To: `p-5 sm:p-6 md:p-8`

B. Section heading responsive:

// Change: `text-3xl sm:text-4xl md:text-5xl`

// To: `text-2xl sm:text-3xl md:text-5xl`

C. Stats row inside cards:

// Stat grid:

`className="grid grid-cols-3 gap-2 sm:gap-4 mt-4"`

// Each stat value: `text-[clamp(1.1rem,3vw,1.5rem)] font-bold text-blue`

// Each stat label: `text-[10px] sm:text-xs text-muted`

D. Module icon container:

// Icon box: `w-10 h-10 sm:w-12 sm:h-12` (slightly smaller on mobile)

TASK 5 — System Modules Strip

(`components/sections/SystemModulesStripSection.tsx`)

Issues

1. Full-bleed section uses `left-1/2 w-screen -translate-x-1/2` — verify `overflow-x: clip` on body is protecting this
2. On mobile, module cards may have padding that is too generous
3. Horizontal tab/pill selectors for module categories may overflow

Fixes Required

A. Verify and enforce overflow protection:

// Wrap the full-bleed section in a div:

```
<div className="overflow-x-clip w-full">
```

```
  { /* full-bleed content */ }
```

```
</div>
```

B. Module category tab strip — make horizontally scrollable on mobile:

// Tab container:

```
className="flex gap-2 overflow-x-auto scrollbar-hide snap-x snap-mandatory pb-1 -mx-4 px-4  
sm:mx-0 sm:px-0 sm:flex-wrap sm:justify-center"
```

// Each tab:

```
className="flex-shrink-0 snap-start ..."
```

C. Card content padding on mobile:

// StripPanel inner padding:

```
className="p-5 sm:p-6 lg:p-8" // reduce from p-8 to p-5 on mobile
```

D. Card min-height — allow natural height on mobile:

// Change: min-h-[270px] sm:min-h-[290px] lg:min-h-[320px]

// To: min-h-0 sm:min-h-[270px] lg:min-h-[320px]

// Let content determine height naturally on mobile

TASK 6 — Pricing Section

(`components/sections/PricingSection.tsx`)

Issues

1. Pricing card grid — if using `grid-cols-3` or similar without mobile fallback, cards will be crushed
2. Billing toggle row may overflow on 320px
3. Feature comparison rows inside each card may be too dense

Fixes Required

A. Pricing card grid:

// Ensure the pricing grid is:

`className="grid grid-cols-1 gap-4 sm:grid-cols-2 xl:grid-cols-3"`

// On mobile: 1 card per row, full width

B. Billing toggle:

// Toggle container: `flex items-center justify-center gap-2 flex-wrap`

// Text labels: `text-sm` (not smaller)

C. Feature list inside cards:

// Feature row: `text-[13px] sm:text-sm gap-2`

// Icon: `w-4 h-4 flex-shrink-0`

D. Price display:

// Price number: text-[2rem] sm:text-[2.5rem] font-bold

// Currency symbol: text-lg sm:text-xl align top

E. CTA button in pricing card:

// Button: w-full min-h-[44px] mt-6

TASK 7 — Comparison Table

([components/sections/ComparisonSection.tsx](#))

Issues

1. Comparison tables are notoriously bad on mobile — a multi-column table with 4+ columns will cause horizontal scroll or crushed content
2. Feature labels may be truncated

Fixes Required

A. Mobile-first comparison layout — replace table with card-per-competitor:

// On mobile (< md), hide the full table and show a tab-based or accordion comparison:

```
<div className="block md:hidden">
```

```
  {/* Mobile: tabs for each competitor, rows showing feature comparison */}
```

```
  <div className="flex gap-2 overflow-x-auto pb-2">
```

```
    {competitors.map(c => <button key={c} className="flex-shrink-0 ...">Zoveto vs  
    {c}</button>}}
```

```
  </div>
```

```
  {/* Active competitor comparison */}
```

```
  <div className="mt-4 space-y-2">
```

```

{features.map(f => (

  <div key={f} className="flex items-center justify-between p-3 rounded-lg bg-white border">

    <span className="text-sm font-medium">{f.name}</span>

    <div className="flex gap-4">

      <span className="text-green-600 text-sm">✓ Zoveto</span>

      <span className="text-red-400 text-sm">{f.competitor ? '✓' : '✗'}
{activeCompetitor}</span>

    </div>

  </div>

)}}

</div>

</div>

<div className="hidden md:block">

  {/* Original full table */}

</div>

```

B. If keeping the table on mobile — enable horizontal scroll:

```

<div className="overflow-x-auto -mx-4 px-4 sm:mx-0 sm:px-0">

  <table className="min-w-[640px] w-full">

    {/* table content */}

  </table>

</div>

```

TASK 8 — OS Network / Architecture Section

([components/sections/OSNetworkSection.tsx](#))

Issues

1. Three.js canvas rendering on mobile is performance-heavy
2. Network visualization nodes/labels may be unreadable at small sizes

Fixes Required

A. Conditional Three.js rendering:

```
const isMobile = useMediaQuery('(max-width: 768px)')

// On mobile, show a static SVG/image representation of the architecture

{isMobile ? (

  <Image src="/assets/os-network-static.png" alt="System Architecture" ... />

) : (

  <OSNetworkCanvas />

)}
```

B. If keeping canvas on mobile — reduce canvas pixel ratio:

```
renderer.setPixelRatio(Math.min(window.devicePixelRatio, isMobile ? 1 : 2))
```

TASK 9 — Logo Marquee

([components/sections/LogoMarquee.tsx](#))

Issues

1. Logos may be too large or too small on mobile
2. Marquee speed may feel wrong on mobile

Fixes Required

A. Logo sizing in marquee:

// Each logo image: h-6 sm:h-8 (reduce from whatever current size)

// Logo container: px-6 sm:px-10 (reduce gap between logos on mobile)

B. Marquee animation speed — slightly slower on mobile:

// If using CSS animation: animation-duration: 25s sm:20s (or Framer Motion variants)

TASK 10 — Global CSS Fixes ([app/globals.css](#))

Additions Required

Add the following to [globals.css](#) after the existing mobile media queries:

```
/* — Mobile Typography Adjustments — */

@media (max-width: 640px) {

  :root {

    --text-display-xl: 2.8rem; /* was 4.5rem — too large on phone */

    --text-display-lg: 2.4rem;

    --text-display-md: 2rem;

    --text-display-sm: 1.65rem;

    --spacing-4xl: 4rem; /* was 8rem — too much vertical space on mobile */

    --spacing-3xl: 3rem;

  }

}
```

```
/* — Section Padding Mobile — */
```

```
@media (max-width: 640px) {
```

```
  .section-padding {
```

```
    padding-top: var(--spacing-3xl);
```

```
    padding-bottom: var(--spacing-3xl);
```

```
  }
```

```
}
```

```
/* — Prevent any stray overflow — */
```

```
* {
```

```
  max-width: 100%;
```

```
}
```

```
img, video, canvas, svg {
```

```
  max-width: 100%;
```

```
  height: auto;
```

```
}
```

```
/* — Scrollbar hide utility (for horizontal scroll strips) — */
```

```
.scrollbar-hide::-webkit-scrollbar { display: none; }
```

```
.scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
```

TASK 11 — Tailwind Config (`tailwind.config.ts`)

Additions Required

Ensure `screens` config includes a `xs` breakpoint for 375px+ targeting:

```
theme: {  
  
  extend: {  
  
    screens: {  
  
      xs: '375px', // ADD THIS if not present  
  
      sm: '640px',  
  
      md: '768px',  
  
      lg: '1024px',  
  
      xl: '1280px',  
  
      '2xl': '1536px',  
  
    },  
  
    spacing: {  
  
      'section': '5.5rem',  
  
      'section-mobile': '3rem', // Reduce from 3.5rem to 3rem  
  
    }  
  
  }  
  
}
```

TASK 12 — Create `useMediaQuery` Hook (if not existing)

Create `/hooks/useMediaQuery.ts`:

```
'use client'

import { useState, useEffect } from 'react'

export function useMediaQuery(query: string): boolean {

  const [matches, setMatches] = useState(false)

  useEffect(() => {

    const mql = window.matchMedia(query)

    setMatches(mql.matches)

    const handler = (e: MediaQueryListEvent) => setMatches(e.matches)

    mql.addEventListener('change', handler)

    return () => mql.removeEventListener('change', handler)

  }, [query])

  return matches

}
```

TASK 13 — FAQ Section (`components/sections/FAQSection.tsx`)

Fixes Required

A. Accordion question text sizing:

```
// Question: text-[15px] sm:text-base (not text-lg or text-xl on mobile)
```

// Answer body: text-sm sm:text-[15px] leading-relaxed

B. Accordion container padding:

// Each row: py-4 px-4 sm:px-6 (reduce horizontal padding)

C. Section heading:

// text-2xl sm:text-3xl md:text-4xl (scale down)

TASK 14 — Final CTA Section

([components/sections/FinalCTASection.tsx](#))

Fixes Required

A. Heading:

// Mobile: text-[1.7rem] sm:text-3xl md:text-4xl

// Use clamp: text-[clamp(1.7rem,5vw,3rem)]

B. Button row:

// flex flex-col gap-3 w-full max-w-xs mx-auto sm:flex-row sm:max-w-none sm:mx-0 sm:w-auto

C. Background treatment — ensure no overflow of decorative elements:

// Any absolute/fixed decorative blobs: overflow-hidden on the section wrapper

TASK 15 — WhatsApp Float Button

([components/layout/WhatsAppFloatButton.tsx](#))

Fixes Required

// Position: bottom-[calc(1.25rem+env(safe-area-inset-bottom,0px))] right-4 sm:right-6

// Size: w-12 h-12 sm:w-14 sm:h-14

// Ensure z-index doesn't conflict with mobile menu (menu should be higher z-index)

TASK 16 — Sticky Demo CTA Bar ([components/layout/StickyDemoCTA.tsx](#))

If a sticky bottom CTA bar exists on mobile:

// Container: fixed bottom-0 left-0 right-0 z-40

// Padding: px-4 py-3 pb-[calc(0.75rem+env(safe-area-inset-bottom,0px))]

// Button: w-full min-h-[48px] text-base font-semibold

TASK 17 — Contact/Demo Page ([app/contact/page.tsx](#))

Fixes Required

A. Form field layout:

// Name + company row: flex flex-col gap-4 sm:flex-row

// All inputs: min-h-[48px] text-base (prevents iOS zoom on focus)

// Textarea: min-h-[120px]

B. Form container:

// max-w-[min(100%,44rem)] mx-auto px-4 sm:px-6

C. Prevent iOS input zoom (critical):

/* In globals.css */

@media (max-width: 768px) {

input, select, textarea {

```
font-size: 16px !important; /* Prevents iOS auto-zoom */  
  
}  
  
}
```

TASK 18 — Module Detail Pages (`app/modules/[slug]/page.tsx`)

Fixes Required

A. Hero text on module pages:

```
// H1: text-[clamp(1.8rem,5vw,3.5rem)] (ensure clamp has a mobile-appropriate minimum)
```

B. Feature grid:

```
// grid-cols-1 gap-4 sm:grid-cols-2 lg:grid-cols-3
```

C. Screenshot / mockup images:

```
// Wrap in overflow-hidden rounded-xl
```

```
// Image: w-full h-auto (no fixed heights that crop content)
```

TASK 19 — Blog Page (`app/blog/page.tsx`)

Fixes Required

A. Blog card grid:

```
// grid-cols-1 gap-6 sm:grid-cols-2 lg:grid-cols-3
```

B. Blog post body (prose):

```
// Ensure .blog-prose has: max-w-[min(100%,72ch)] mx-auto px-4 sm:px-0
```

```
// Code blocks: overflow-x-auto with scrollbar-hide class
```

// Tables: overflow-x-auto wrapper

TESTING CHECKLIST (Run After All Changes)

Test each viewport using Chrome DevTools device emulator, in both portrait and landscape:

Viewports to Test

- ☐ iPhone SE (375×667) — portrait
- ☐ iPhone 14 Pro (393×852) — portrait
- ☐ iPhone 14 Pro Max (430×932) — portrait
- ☐ Galaxy S8 (360×740) — portrait
- ☐ Small Android (320×568) — portrait (edge case)
- ☐ iPhone SE — landscape (667×375)
- ☐ iPad Mini (768×1024) — portrait

Checks Per Viewport

- ☐ Zero horizontal scroll at any scroll position
- ☐ Navbar shows correctly — logo + hamburger visible, no overflow
- ☐ Mobile menu opens/closes correctly — covers full screen, no overflow
- ☐ All text is readable without zooming (minimum 14px effective size)
- ☐ All buttons/links have ≥ 44px touch target
- ☐ Hero section fits viewport with proper hierarchy
- ☐ Badge/pill tags wrap cleanly in hero
- ☐ How It Works cards don't overflow their grid column
- ☐ Module strip is scrollable or wraps cleanly
- ☐ Pricing cards stack vertically, one per row
- ☐ Footer links are readable, not crushed
- ☐ FAQ opens/closes correctly
- ☐ Forms have 16px font on inputs (no iOS zoom)
- ☐ WhatsApp button is above home indicator
- ☐ No elements with fixed widths leak outside viewport
- ☐ All images load and don't cause layout shift
- ☐ 3D canvas (if kept on mobile) doesn't freeze the page
- ☐ Animations don't cause jank (test on CPU throttle 4x in DevTools)

Automated Checks

Run Lighthouse mobile audit

```
npx lighthouse https://zoveto.com --preset=mobile --output=html  
--output-path=./lighthouse-mobile.html
```

Check for horizontal overflow with CSS

Add temporarily to globals.css for debugging:

```
# * { outline: 1px solid red !important; }
```

IMPLEMENTATION ORDER (Priority)

1. **TASK 10** — globals.css global overflow guards (5 min, highest risk prevention)
2. **TASK 1** — Navbar hamburger positioning fix (15 min, most visible bug)
3. **TASK 3** — Footer grid fix (10 min, widely visible)
4. **TASK 17** — iOS input zoom prevention (5 min, critical UX)
5. **TASK 2** — Hero section fixes (30 min)
6. **TASK 4** — How It Works cards (15 min)
7. **TASK 6** — Pricing section (20 min)
8. **TASK 7** — Comparison table (30 min — most complex)
9. **TASK 5** — Modules strip (20 min)
10. **TASK 8** — 3D canvas mobile fallback (45 min)
11. **TASKS 9, 11–16** — Remaining polish (60 min total)

Total estimated implementation time: ~4–5 hours

DO NOT CHANGE

- Font families (maintain existing font stack 100%)
- Font weight hierarchy (light/regular/medium/semibold/bold usage)
- CSS variable names in `:root`
- Color palette and design tokens
- Tailwind theme extension structure
- Any desktop layout (1024px+) unless explicitly noted above
- Animation easing curves and durations

- Existing accessible markup (ARIA labels, roles, focus management)
- SEO metadata, schema markup, or any content text