Bellabeat — Engagement Risk Overview

FitBit usage data — 32 users, 31 days (Apr–May 2016) | Pranta Dasgupta

Risk Overview | Behaviour | Recommendations

Filter Risk by : Select all | High Risk | Low Risk | Medium Risk

32	3	32%	6.99
Total users	High risk users	Days hitting 10k steps	Avg sleep hours

Users by Risk Level



Risk Distribution %



Step Count: Early vs Late Period



Daily step trend Apr to May 2016 (by risk group)



Bellabeat — Behavioural Patterns

FitBit usage data — 32 users, 31 days (Apr–May 2016) | Pranta Dasgupta

Risk Overview | Behaviour | Recommendations

Filter Risk by : Select all | High Risk | Low Risk | Medium Risk

Average daily steps by day of week



Activity time break down by risk group



Steps vs sedentary time — disengagement zone



Total calories burn by risk group



Bellabeat — Risk Profiles and Recommendations

FitBit usage data — 32 users, 31 days (Apr–May 2016) | Pranta Dasgupta

Risk Overview | Behaviour | Recommendations

Filter Risk by : Select all | High Risk | Low Risk | Medium Risk

Metrics	Users	Avg early steps	Avg late steps	Step Change %	Sleep Change %
Medium Risk	7	8,374.19	5,512.34	-38.80	-6.46
High Risk	3	8,105.70	5,537.60	-29.63	-7.45
Low Risk	22	7,632.73	8,048.54	24.05	-6.15

Step decline % by Risk Group



Finding 1: High priority

Medium risk users show steepest decline - 38.8% step drop

Medium risk users started strong with 8374 average steps but crashed harder than High risk . They are most urgent intervention target.

Recommendation: Deploy adaptive nudge notifications at 600+ sedentary minutes, personalized to each user's own baseline.

Finding 2: High priority

High Risk users show the steepest sleep decline — 7.45% reduction in sleep over the study period

Sleep declines across all user groups as the study progresses, High Risk users' sleep declines faster (7.45% vs 6.15%), accelerating disengagement. This creates a cycle of poor sleep → lower activity → further sleep decline.

Recommendation: Implement a sleep trend alert in the Bellabeat app — Trigger an alert if sleep drops >5% over 7 days. Show an insight linking sleep loss to predicted activity decline.

Finding 3: Medium priority

Low Risk users increased steps by +24.1%

Low risk went from 7633 steps to 8049 average steps .Their consistent behaviour is the blue print for Bellabeat onboarding.

Recommendation: Bellabeat can study their habits - notification response , logging frequency , screen time and implement that to their Leaf onboarding flow from day one.