QA Executive Test Summary Report

Project: Socify Multi-Tenant SaaS Platform

Environment: https://apps.dev.moaaapp.com

Candidate: Pranav Karmacharya (Junior QA Engineer)

Tenant: tester company 7 (qa-tester / forth branch)

Timeline: Received: Oct 6, 2026 | Completed: Oct 8, 2026 (~13 hrs)

Evaluation: Take-Home Technical Assignment (VanarX Tech Pvt. Ltd.)

1. Overall Assessment & Release Recommendation

RECOMMENDATION: NOT RECOMMENDED FOR RELEASE

Testing identified 16 genuine defects across 54 executed test scenarios. Severe issues include broken authentication guards allowing unauthorized direct URL access (BUG-003), CRM data persistence failure on page refresh (BUG-001), and raw ClickHouse database exception/schema leakage in the AI assistant (BUG-002). Release must be blocked until these critical and high-severity issues are resolved.

2. Modules Tested & Coverage Breakdown

- Authentication & Access Control (8 tests): Valid login, wrong password rejection, unregistered email, blank email validation, session reload persistence, unauthenticated direct URL access (BUG-003), and post-logout token cleanup.
- Navigation & Routing (6 tests): Subpage reload persistence, sidebar Content link mount, browser history, 404 routing, command palette (Ctrl+K), and branch switcher.
- Dashboard & Metrics (6 tests): Action buttons (Open inbox, See follow-ups), metric cards (Contacts with no assignee), onboarding CTAs, and missing channel permission banner.
- Customer / CRM (10 tests): Contact creation, empty validations, non-numeric phone sanitization, search by name/phone, mandatory phone edit & reload persistence, Devanagari names, international formats, and duplicate phone handling.
- Products & Catalog (8 tests): Valid creation, >16 digits price limit, >10 digits weight limit, negative pricing, character validation, mandatory fields, SKU variants, and category filters.
- Connections & Integrations (6 tests): Shopify store URL/Client ID validation, Daraz modal cancel freeze, Pathao dummy credentials and webhook secret handshake.
- Knowledge Base & AI (6 tests): Price lookup, inventory stock crash check, price challenge refutation, Romanized Nepali query, fuzzy matching, and fallback handling.
- Security & API (4 tests): Cross-tenant isolation verification, schema reconnaissance blocking, path slug tampering, and OpenAPI schema availability.

3. Summary of Identified Defects (16 Bugs)

Bug ID	Module	Severity	Title / Defect Description	Impact
BUG-001	Customer / CRM	High	Phone number update reverts on refresh despite "Saved successfully" toast.	Silent CRM data loss; contact records revert to stale data.
BUG-002	AI / Insights	Critical	AI assistant crashes with ClickHouse DB Exception (Code 47) and leaks internal schema.	CWE-209 Information Disclosure; internal tables & SQL query exposed in chat.
BUG-003	Auth / Security	Critical	Protected routes and pages accessible without authentication via direct URL navigation.	CWE-306 Broken Access Control; deep links flash components without auth.
BUG-004	Dashboard	High	Dashboard quick-action and widget navigation buttons suffer from dead clicks.	Primary dashboard action buttons do not route or respond to clicks.
BUG-005	Navigation	High	Browser refresh (F5) resets navigation and forcefully redirects user to Dashboard.	Loss of active user drawer context, nested route, and filters on refresh.
BUG-006	Products	High	Product creation fails silently; backend 16-digit and 10-digit validation errors hidden.	HTTP 400 Bad Request swallowed by frontend with zero user feedback.
BUG-007	Products	Medium	Product numeric fields lack client-side max length, digit constraints, and accept letters.	Input validation gap allows invalid characters to be pasted into price.
BUG-008	Content	High	Clicking "Content" in sidebar navigation immediately bounces user back to Dashboard.	Missing route component in client React router switch.
BUG-009	Connections	High	Daraz channel connection button state freezes upon modal cancellation.	UI state lockup prevents user from retrying connection without full reload.
BUG-010	Connections	High	Shopify integration accepts malformed URLs, symbols, and unlimited length.	Missing regex format validation; allows bogus URLs to be stored as active.
BUG-011	Connections	High	Pathao courier setup accepts dummy credentials without webhook handshake.	Blindly saves unverified credentials without verifying server-side handshake.
BUG-012	AI / Knowledge	Medium	AI assistant fails to retrieve or index product pricing for valid catalog products.	Returns "Product pricing is not included in Insights" for active products.
BUG-013	AI / NLP	Medium	AI assistant fails to recognize Romanized Nepali colloquial product queries.	Asking "qa test shampoo kati ho?" falls back to empty generic message.
BUG-014	AI / NLP	Medium	AI assistant fails to refute incorrect price challenge ("Is the price Rs. 1,500?").	Fails to correct user pricing misconceptions; triggers generic empty fallback.
BUG-015	Security / Storage	Medium	Incomplete session cleanup on logout; sensitive tenant tokens remain in localStorage.	Residual auth tokens and tenant_slug remain accessible post-signout.
BUG-016	UI / Permissions	Low	Dashboard displays raw technical permission error banner instead of user-friendly state.	Exposes technical string "No access. Required permission: socify:channels:read".

4. Major System Risks

- Access Control & Authorization: Direct URL navigation attempts rendering without active authentication guards.
- Data Persistence: Optimistic UI updates mask backend serializer failures on contact editing.

- Security Disclosure: Database engine, schema names (insights_dev), and SQL syntax leaked directly to end-users on unhandled exceptions.
- Workflow Friction: Broken dashboard action buttons, frozen modal states, and route bouncing degrade user experience.

5. Recommended Developer Actions

1. P0 (Critical): Implement strict route-level React auth guards (redirect to /login before rendering component tree) and sanitize ClickHouse AI exceptions to return polite fallbacks.
2. P1 (High): Fix backend serializer mapping for contact updates to ensure DB write before returning success toast.
3. P1 (High): Map HTTP 400 validation response objects to form fields on product and connection drawers.
4. P1 (High): Attach router navigation hooks to dashboard action buttons and mount the Content route component.