



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS




IT13: ADBMS
Chapter 2:SQL
Practice Assignment Solution Template

Write a query and paste a screenshot of your output below the question.


1. Create a database named CompanyDB.

```
CREATE DATABASE CompanyDB;  
  
USE CompanyDB;
```





Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



2. Create a table Employees with the following columns:

Employees (EmpID (Integer, Primary Key), EmpName, Salary, JoinDate)

```
CREATE TABLE Employees (  
    EmpID INT PRIMARY KEY,  
    EmpName VARCHAR(50),  
    Salary DECIMAL(10, 2),  
    JoinDate DATE  
);
```

```
desc Employees;
```

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following commands:

```
1 CREATE DATABASE CompanyDB;  
2 USE CompanyDB;  
3  
4 CREATE TABLE Employees (  
5     EmpID INT PRIMARY KEY,  
6     EmpName VARCHAR(50),  
7     Salary DECIMAL(10, 2),  
8     JoinDate DATE  
9 );  
10  
11 desc Employees;
```

The Results Grid shows the output of the DESCRIBE command:

Field	Type	Null	Key	Default	Extra
EmpID	int	NO	PRI		
EmpName	varchar(50)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			

The Action Output pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
1	23:25:49	CREATE DATABASE CompanyDB	1 row(s) affected	0.015 sec
2	23:25:49	USE CompanyDB	0 row(s) affected	0.000 sec
3	23:27:40	CREATE TABLE Employees (EmpID INT PRIMARY KEY, EmpName VARCHAR(50), Salary DECIMAL(10,2), JoinDate DATE)	0 row(s) affected	0.047 sec
4	23:28:14	desc Employees	4 row(s) returned	0.016 sec / 0.000 sec



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



3. Create a table Departments with:

Departments (DeptID (Integer, Primary Key), DeptName)

CREATE TABLE Departments (

DeptID INT PRIMARY KEY,

DeptName VARCHAR(100)

);

desc Departments;

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
7 Salary DECIMAL(10, 2),
8 JoinDate DATE
9 }}
10
11 desc Employees;
12
13 CREATE TABLE Departments (
14 DeptID INT PRIMARY KEY,
15 DeptName VARCHAR(100)
16 )
17
18 desc Departments;
```

The Result Grid shows the output of the SQL commands:

Field	Type	Null	Key	Default	Extra
DeptID	int	NO	PRI		
DeptName	varchar(100)	YES			

The Action Output shows the execution of the commands:

#	Time	Action	Message	Duration / Fetch
1	23:25:49	CREATE DATABASE CompanyDB	1 row(s) affected	0.015 sec
2	23:25:49	USE CompanyDB	0 row(s) affected	0.000 sec
3	23:27:40	CREATE TABLE Employees (EmpID INT PRIMARY KEY, EmpName VARCHAR(50), Salary DECIMAL(10, 2), JoinDate DATE)	0 row(s) affected	0.047 sec
4	23:28:14	desc Employees	4 row(s) returned	0.016 sec / 0.000 sec
5	23:30:19	CREATE TABLE Departments (DeptID INT PRIMARY KEY, DeptName VARCHAR(100))	0 row(s) affected	0.031 sec
6	23:30:19	desc Departments	2 row(s) returned	0.000 sec / 0.000 sec



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



4. Add a column Email (VARCHAR(100)) to the Employees table.

ALTER TABLE Employees ADD Email VARCHAR(100);
desc Employees;

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
10  
11 desc Employees;  
12  
13 CREATE TABLE Departments (  
14   DeptID INT PRIMARY KEY,  
15   DeptName VARCHAR(100)  
16 );  
17  
18 desc Departments;  
19  
20 ALTER TABLE Employees ADD Email VARCHAR(100);  
21 desc Employees;
```

The Result Grid shows the output of the queries:

Field	Type	Null	Key	Default	Extra
EmpID	int	NO	PRI		
EmpName	varchar(50)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			
Email	varchar(100)	YES			

The Action Output pane shows the execution results:

#	Time	Action	Message	Duration / Fetch
3	23:27:40	CREATE TABLE Employees (EmpID INT PRIMARY KEY, EmpName VARCHAR(50), Salary DECIMAL...	0 row(s) affected	0.047 sec
4	23:28:14	desc Employees	4 row(s) returned	0.016 sec / 0.000 sec
5	23:30:19	CREATE TABLE Departments (DeptID INT PRIMARY KEY, DeptName VARCHAR(100))	0 row(s) affected	0.031 sec
6	23:30:19	desc Departments	2 row(s) returned	0.000 sec / 0.000 sec
7	23:32:14	ALTER TABLE Employees ADD Email VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
8	23:32:14	desc Employees	5 row(s) returned	0.000 sec / 0.000 sec



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



5. Add a column dept_location to the Departments table.

ALTER TABLE Departments ADD dept_location VARCHAR(100);
desc Departments;

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
13 CREATE TABLE Departments (  
14     DeptID INT PRIMARY KEY,  
15     DeptName VARCHAR(100)  
16 );  
17  
18 desc Departments;  
19  
20 ALTER TABLE Employees ADD Email VARCHAR(100);  
21 desc Employees;  
22  
23 ALTER TABLE Departments ADD dept_location VARCHAR(100);  
24 desc Departments;
```

The Result Grid shows the output of the 'desc Departments;' query:

Field	Type	Null	Key	Default	Extra
DeptID	int	NO	PRI		INDEX
DeptName	varchar(100)	YES			INDEX
dept_location	varchar(100)	YES			INDEX

The Action Output pane shows the execution results of the queries:


#	Time	Action	Message	Duration / Fetch
5	23:30:19	CREATE TABLE Departments (DeptID INT PRIMARY KEY, DeptName VARCHAR(100))	0 row(s) affected	0.031 sec
6	23:30:19	desc Departments	2 row(s) returned	0.000 sec / 0.000 sec
7	23:32:14	ALTER TABLE Employees ADD Email VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
8	23:32:14	desc Employees	5 row(s) returned	0.000 sec / 0.000 sec
9	23:33:48	ALTER TABLE Departments ADD dept_location VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
10	23:33:48	desc Departments	3 row(s) returned	0.000 sec / 0.000 sec

6. Add a NOT NULL Constraint to the Phone column

ALTER TABLE Employees ADD Phone VARCHAR(15);

ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL;

desc Employees;



The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
18 desc Departments;
19
20 ALTER TABLE Employees ADD Email VARCHAR(100);
21 desc Employees;
22
23 ALTER TABLE Departments ADD dept_location VARCHAR(100);
24 desc Departments;
25
26
27 ALTER TABLE Employees ADD Phone VARCHAR(15);
28 ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL;
29 desc Employees;
```

The Result Grid shows the output of the queries:


Field	Type	Null	Key	Default	Extra
EmpName	varchar(50)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			
Email	varchar(100)	YES			
Phone	varchar(15)	NO			

The Action Output pane shows the execution results of the queries:

#	Time	Action	Message	Duration / Fetch
10	23:33:48	desc Departments	3 row(s) returned	0.000 sec / 0.000 sec
11	23:35:59	desc Employees	5 row(s) returned	0.000 sec / 0.000 sec
12	23:37:14	ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL	Error Code: 1054. Unknown column 'Phone' in 'employees'	0.000 sec
13	23:37:18	ALTER TABLE Employees ADD Phone VARCHAR(15)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
14	23:37:23	ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
15	23:37:35	desc Employees	6 row(s) returned	0.016 sec / 0.000 sec

7. Change the size of the EmpName column from VARCHAR (50) to VARCHAR (100).

ALTER TABLE Employees MODIFY EmpName VARCHAR(100);



The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
21. desc Employees;
22.
23. ALTER TABLE Departments ADD dept_location VARCHAR(100);
24. desc Departments;
25.
26.
27. ALTER TABLE Employees ADD Phone VARCHAR(15);
28. ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL;
29. desc Employees;
30.
31. ALTER TABLE Employees MODIFY EmpName VARCHAR(100);
32. desc Employees;
```

The Result Grid shows the structure of the Employees table:

Field	Type	Null	Key	Default	Extra
EmpID	int	NO	PR		
EmpName	varchar(100)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			
Email	varchar(100)	YES			

The Action Output pane shows the execution results of the queries:

#	Time	Action	Message	Duration / Fetch
12	23:37:14	ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL	Error Code: 1054. Unknown column 'Phone' in 'employees'	0.000 sec
13	23:37:18	ALTER TABLE Employees ADD Phone VARCHAR(15)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
14	23:37:23	ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
15	23:37:35	desc Employees	6 row(s) returned	0.016 sec / 0.000 sec
16	23:38:49	ALTER TABLE Employees MODIFY EmpName VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.110 sec
17	23:38:49	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



8. Drop the primary key Constraint from Departments

ALTER TABLE Departments DROP PRIMARY KEY;

desc Departments;

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
23 • ALTER TABLE Departments ADD dept_location VARCHAR(100);
24 • desc Departments;
25
26
27 • ALTER TABLE Employees ADD Phone VARCHAR(15);
28 • ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL;
29 • desc Employees;
30
31 • ALTER TABLE Employees MODIFY EmpName VARCHAR(100);
32 • desc Employees;
33
34 • ALTER TABLE Departments DROP PRIMARY KEY;
```

The Result Grid shows the output of the 'desc Departments;' query:

Field	Type	Null	Key	Default	Extra
DeptID	int	NO	YES		
DeptName	varchar(100)	YES			
dept_location	varchar(100)	YES			

The Action Output pane shows the execution results of the queries:

#	Time	Action	Message	Duration / Fetch
14	23:37:23	ALTER TABLE Employees MODIFY Phone VARCHAR(15) NOT NULL	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
15	23:37:35	desc Employees	6 row(s) returned	0.016 sec / 0.000 sec
16	23:38:49	ALTER TABLE Employees MODIFY EmpName VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.110 sec
17	23:38:49	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec
18	23:39:41	ALTER TABLE Departments DROP PRIMARY KEY	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
19	23:39:42	desc Departments	3 row(s) returned	0.000 sec / 0.000 sec


9. Create a foreign key constraint between two tables

ALTER TABLE Departments ADD PRIMARY KEY (DeptID);

ALTER TABLE Employees ADD DeptID INT;

ALTER TABLE Employees ADD CONSTRAINT fk_emp_dept FOREIGN KEY (DeptID) REFERENCES Departments(DeptID);

SHOW CREATE TABLE Employees;



The screenshot displays the MySQL Workbench interface. The SQL Editor contains the following queries:

```
30
31 ALTER TABLE Employees MODIFY EmpName VARCHAR(100);
32 desc Employees;
33
34 ALTER TABLE Departments DROP PRIMARY KEY;
35 desc Departments;
36
37 ALTER TABLE Departments ADD PRIMARY KEY (DeptID);
38 ALTER TABLE Employees ADD DeptID INT;
39 ALTER TABLE Employees ADD CONSTRAINT fk_emp_dept FOREIGN KEY (DeptID) REFERENCES Departments(DeptID);
40 SHOW CREATE TABLE Employees;
41
```

The Results pane shows the output of the queries:

#	Time	Action	Message	Duration / Fetch
17	23:38:49	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec
18	23:39:41	ALTER TABLE Departments DROP PRIMARY KEY	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
19	23:39:42	desc Departments	3 row(s) returned	0.000 sec / 0.000 sec
20	23:42:14	ALTER TABLE Departments ADD PRIMARY KEY (DeptID)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
21	23:42:52	desc fk_emp_dept	Error Code: 1146. Table 'companydb.fk_emp_dept' doesn't exist	0.000 sec
22	23:43:32	SHOW CREATE TABLE Employees	1 row(s) returned	0.000 sec / 0.000 sec

The 'SHOW CREATE TABLE Employees' query result is expanded, showing the table structure:

```
CREATE TABLE 'employees' (
  'EmpID' int NOT NULL,
  'EmpName' varchar(100) DEFAULT NULL,
  'Salary' decimal(10,2) DEFAULT NULL,
  'JoinDate' date DEFAULT NULL,
  'Email' varchar(100) DEFAULT NULL,
  'Phone' varchar(15) NOT NULL,
  PRIMARY KEY ('EmpID'))
```



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



10.the column EmpName to EmployeeName.

ALTER TABLE Employees RENAME COLUMN EmpName TO
EmployeeName;
desc Employees;

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following queries:

```
33
34 ALTER TABLE Departments DROP PRIMARY KEY;
35 desc Departments;
36
37 ALTER TABLE Departments ADD PRIMARY KEY (DeptID);
38 ALTER TABLE Employees ADD DeptID INT;
39 ALTER TABLE Employees ADD CONSTRAINT fk_emp_dept FOREIGN KEY (DeptID) REFERENCES Departments(DeptID);
40 SHOW CREATE TABLE Employees;
41
42
43 ALTER TABLE Employees RENAME COLUMN EmpName TO EmployeeName;
44 desc Employees;
```

The Result Grid shows the schema of the Employees table:

Field	Type	Null	Key	Default	Extra
EmpID	int	NO	PRI		
EmployeeName	varchar(100)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			
Email	varchar(100)	YES			

The Action Output pane shows the execution results of the queries:

#	Time	Action	Message	Duration / Fetch
19	23:39:42	desc Departments	3 row(s) returned	0.000 sec / 0.000 sec
20	23:42:14	ALTER TABLE Departments ADD PRIMARY KEY (DeptID)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
21	23:42:52	desc fk_emp_dept	Error Code: 1146. Table 'companydb.fk_emp_dept' doesn't exist	0.000 sec
22	23:43:32	SHOW CREATE TABLE Employees	1 row(s) returned	0.000 sec / 0.000 sec
23	23:45:09	ALTER TABLE Employees RENAME COLUMN EmpName TO EmployeeName	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
24	23:45:09	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec

11. Apply a CHECK constraint on the Age and Salary columns.

ALTER TABLE Employees ADD Age INT;


ALTER TABLE Employees

ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0),

ADD CONSTRAINT chk_emp_age CHECK (Age >= 18);

desc Employees;

SHOW CREATE TABLE Employees;



The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following queries:

```
40 SHOW CREATE TABLE Employees;  
41  
42  
43 ALTER TABLE Employees RENAME COLUMN EmpName TO EmployeeName;  
44 desc Employees;  
45  
46 ALTER TABLE Employees ADD Age INT;  
47 ALTER TABLE Employees  
48 ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0),  
49 ADD CONSTRAINT chk_emp_age CHECK (Age >= 18);  
50 desc Employees;  
51 SHOW CREATE TABLE Employees;
```

The Results Grid shows the output of the queries:

Table	Create Table
Employees	CREATE TABLE 'employees' ('EmpID' int NOT NULL, 'EmployeeName' varchar(100) DEFAULT NULL, 'Salary' decimal(10,2) DEFAULT NULL, 'JoinDate' date DEFAULT NULL, 'Email' varchar(100) DEFAULT NULL, 'Phone' varchar(15) NOT NULL, 'Age' int DEFAULT NULL


The Action Output pane shows the execution results:

#	Time	Action	Message	Duration / Fetch
24	23:45:09	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec
25	23:46:57	ALTER TABLE Employees ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0), ADD CONSTRAINT ch...	Error Code: 1054. Unknown column 'Age' in 'check constraint chk_emp_age expression'	0.000 sec
26	23:47:06	ALTER TABLE Employees ADD Age INT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
27	23:47:06	ALTER TABLE Employees ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0), ADD CONSTRAINT ch...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
28	23:47:06	desc Employees	7 row(s) returned	0.000 sec / 0.000 sec
29	23:47:43	SHOW CREATE TABLE Employees	1 row(s) returned	0.000 sec / 0.000 sec

12.Remove the Phone column from the Employees table.

ALTER TABLE Employees DROP COLUMN Phone;

desc Employees;



The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
43 ALTER TABLE Employees RENAME COLUMN EmpName TO EmployeeName;  
44 desc Employees;  
45  
46 ALTER TABLE Employees ADD Age INT;  
47 ALTER TABLE Employees  
48 ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0),  
49 ADD CONSTRAINT chk_emp_age CHECK (Age >= 18);  
50 desc Employees;  
51 SHOW CREATE TABLE Employees;  
52  
53 ALTER TABLE Employees DROP COLUMN Phone;  
54 desc Employees;
```

The Result Grid shows the structure of the Employees table:


Field	Type	Null	Key	Default	Extra
EmployeeName	varchar(100)	YES			INDEX
Salary	decimal(10,2)	YES			INDEX
JoinDate	date	YES			INDEX
Email	varchar(100)	YES			INDEX
Age	int	YES			INDEX

The Action Output pane shows the execution results of the queries:

#	Time	Action	Message	Duration / Fetch
26	23:47:06	ALTER TABLE Employees ADD Age INT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
27	23:47:06	ALTER TABLE Employees ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0), ADD CONSTRAINT ch...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
28	23:47:06	desc Employees	7 row(s) returned	0.000 sec / 0.000 sec
29	23:47:43	SHOW CREATE TABLE Employees	1 row(s) returned	0.000 sec / 0.000 sec
30	23:49:57	ALTER TABLE Employees DROP COLUMN Phone	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
31	23:49:57	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec

13. Rename the table Employees to EmployeeDetails.

RENAME TABLE Employees TO EmployeeDetails;
desc EmployeeDetails;



The screenshot shows the MySQL Workbench interface with a SQL file containing the following queries:

```

46 ALTER TABLE Employees ADD Age INT;
47 ALTER TABLE Employees
48 ADD CONSTRAINT chk_emp_salary CHECK (Salary > 0),
49 ADD CONSTRAINT chk_emp_age CHECK (Age >= 18);
50 desc Employees;
51 SHOW CREATE TABLE Employees;
52
53 ALTER TABLE Employees DROP COLUMN Phone;
54 desc Employees;
55
56 RENAME TABLE Employees TO EmployeeDetails;
57 desc EmployeeDetails;

```

The Result Grid shows the output of the queries:

Field	Type	Null	Key	Default	Extra
EmpID	INT	NO	PRI		
EmployeeName	varchar(100)	YES			
Salary	decimal(10,2)	YES			
JoinDate	date	YES			
Email	varchar(100)	YES			

The Action Output shows the execution of the queries:


#	Time	Action	Message	Duration / Fetch
29	23:47:43	SHOW CREATE TABLE Employees	1 row(s) returned	0.000 sec / 0.000 sec
30	23:49:57	ALTER TABLE Employees DROP COLUMN Phone	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
31	23:49:57	desc Employees	6 row(s) returned	0.000 sec / 0.000 sec
32	23:50:49	RENAME TABLE Employees TO EmployeeDetails	0 row(s) affected	0.016 sec
33	23:50:49	desc Employees	Error Code: 1146. Table 'companydb.employees' doesn't exist	0.000 sec
34	23:51:08	desc EmployeeDetails	6 row(s) returned	0.000 sec / 0.000 sec

14. Drop the CHECK constraints.

ALTER TABLE EmployeeDetails DROP CHECK chk_emp_salary;

ALTER TABLE EmployeeDetails DROP CHECK chk_emp_age;

SHOW CREATE TABLE EmployeeDetails;



The screenshot shows the MySQL Workbench interface with the following SQL queries in the SQL File 4 editor:

```

51 • SHOW CREATE TABLE Employees;
52
53 • ALTER TABLE Employees DROP COLUMN Phone;
54 • desc Employees;
55
56 • RENAME TABLE Employees TO EmployeeDetails;
57 • desc EmployeeDetails;
58
59
60 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_salary;
61 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_age;
62 • SHOW CREATE TABLE EmployeeDetails;

```

The Results Grid shows the execution output for these queries:

#	Time	Action	Message	Duration / Fetch
32	23:50:49	RENAME TABLE Employees TO EmployeeDetails	0 row(s) affected	0.016 sec
33	23:50:49	desc Employees	Error Code: 1146. Table 'companydb.employees' doesn't exist	0.000 sec
34	23:51:08	desc EmployeeDetails	6 row(s) returned	0.000 sec / 0.000 sec
35	23:52:28	ALTER TABLE EmployeeDetails DROP CHECK chk_emp_salary	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
36	23:52:28	ALTER TABLE EmployeeDetails DROP CHECK chk_emp_age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
37	23:52:28	SHOW CREATE TABLE EmployeeDetails	1 row(s) returned	0.000 sec / 0.000 sec

The Action Output pane shows the following details for the last query (SHOW CREATE TABLE EmployeeDetails):

```

CREATE TABLE 'employee' (
  'EmpID' int NOT NULL,
  'EmployeeName' varchar(100) DEFAULT NULL,
  'Salary' decimal(10,2) DEFAULT NULL,
  'JoinDate' date DEFAULT NULL,
  'Email' varchar(100) DEFAULT NULL,
  'Age' int DEFAULT NULL,
  PRIMARY KEY ('EmpID'))

```



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



15. Delete the Departments table permanently.

DROP TABLE Departments;

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following script:


```
50 • desc Employees;
51 • SHOW CREATE TABLE Employees;
52
53 • ALTER TABLE Employees DROP COLUMN Phone;
54 • desc Employees;
55
56 • RENAME TABLE Employees TO EmployeeDetails;
57 • desc EmployeeDetails;
58
59
60 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_salary;
61 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_age;
62 • SHOW CREATE TABLE EmployeeDetails;
63
64
65
66 • DROP TABLE Departments;
67
68 • DROP DATABASE CompanyDB;
```

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
37	23:52:28	SHOW CREATE TABLE EmployeeDetails	1 row(s) returned	0.000 sec / ...
38	23:53:39	ALTER TABLE EmployeeDetails DROP FOREIGN KEY fk_emp_dept	Error Code: 1091. Can't DROP fk_emp_dept; check that column/key exists	0.000 sec
39	23:53:47	ALTER TABLE EmployeeDetails DROP FOREIGN KEY fk_emp_dept	Error Code: 1091. Can't DROP fk_emp_dept; check that column/key exists	0.000 sec
40	23:53:49	ALTER TABLE EmployeeDetails DROP FOREIGN KEY fk_emp_dept	Error Code: 1091. Can't DROP fk_emp_dept; check that column/key exists	0.000 sec
41	23:54:47	DROP TABLE Departments	0 row(s) affected	0.016 sec
42	23:55:12	DROP TABLE Departments	Error Code: 1091. Unknown table 'companydb.departments'	0.000 sec



Maharashtra Education Society's
Institute of Management and Career Courses (IMCC), Pune
AUTONOMOUS



16. Drop the database.

DROP DATABASE CompanyDB;

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following script:

```
50 • desc Employees;
51 • SHOW CREATE TABLE Employees;
52
53 • ALTER TABLE Employees DROP COLUMN Phone;
54 • desc Employees;
55
56 • RENAME TABLE Employees TO EmployeeDetails;
57 • desc EmployeeDetails;
58
59
60 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_salary;
61 • ALTER TABLE EmployeeDetails DROP CHECK chk_emp_age;
62 • SHOW CREATE TABLE EmployeeDetails;
63
64
65
66 • DROP TABLE Departments;
67
68 • DROP DATABASE CompanyDB;
```

The Output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
40	23:53:49	ALTER TABLE EmployeeDetails DROP FOREIGN KEY fk_emp_dept	Error Code: 1091. Can't DROP 'fk_emp_dept'; check that column/key exists	0.000 sec
41	23:54:47	DROP TABLE Departments	0 row(s) affected	0.016 sec
42	23:55:32	DROP TABLE Departments	Error Code: 1051. Unknown table 'companydb.departments'	0.000 sec
43	23:55:38	desc Departments	Error Code: 1146. Table 'companydb.departments' doesn't exist	0.000 sec
44	23:56:22	DROP TABLE Departments	Error Code: 1051. Unknown table 'companydb.departments'	0.015 sec
45	23:56:27	DROP DATABASE CompanyDB	1 row(s) affected	0.047 sec