

SOC INCIDENT REPORT (L1)

WINDOWS TRUE POSITIVE INVESTIGATION

1. INCIDENT IDENTIFICATION

Field	Details
Incident ID	INC-2026-05
Ticket ID	SEC-OPS-2026-05
Alert ID / Event ID	WAZUH-ALERT-600999
Detection Source	SIEM (Wazuh) with Sysmon
Detection Rule Name	CRITICAL: Windows Persistence Correlation Detected
Severity Level	Critical (12)
Confidence Level	High
Date & Time Detected	2026-03-13 11:28:22 IST
Reporting Analyst	Sai Prasad, SOC Analyst L1
Business Unit / Asset Owner	sp

2. EXECUTIVE SUMMARY

Field	Details
Incident Type	True Positive - Unauthorized Access & Persistence
Initial Assessment	Confirmed compromise
Current Status	Closed
Impact Level	Low (No data exfiltration)

On March 13, 2026 at 11:26 IST, Wazuh SIEM triggered Rule 600999 for user `sp` on Agent2-windows-10 (192.168.29.80). The correlation rule detected PowerShell execution, hidden file creation in `.syslogs` directory, and scheduled task creation within 300 seconds.

Investigation confirmed this was a true positive. The attacker gained access via OpenSSH using compromised credentials from source IP 192.168.29.50. Reconnaissance commands were executed, followed by deployment of a PowerShell script masquerading as "Health Monitoring" that tracked Notepad.exe activity. A scheduled task "NotepadMonitor" was created for persistence.

The endpoint was isolated within 2 minutes, user account disabled within 2 minutes. No data exfiltration occurred as the script lacked exfiltration functionality and was contained within 5

minutes of execution. All malicious artifacts were removed, user credentials reset. The incident was fully remediated within 50 minutes.

3. AFFECTED ASSETS

Asset Type	Hostname / Identifier	IP Address	OS / Platform	Role
Workstation	Agent2-windows-10	192.168.29.80	Windows 11 Enterprise	Developer Workstation
User Account	sp	N/A	N/A	Developer
Attacker IP	N/A	192.168.29.50	N/A	Attacker VM

4. DETECTION DETAILS

Field	Details
Log Source(s)	Sysmon Operational Logs, Security Event Logs, OpenSSH Logs
Index / Data Source	Wazuh Archive Index
Timestamp Range Analyzed	Start: 2026-03-13 11:27:22 IST
End: 2026-03-13 12:17:02 IST	
Trigger Condition	Correlation of PowerShell + Hidden File + Scheduled Task within 300 seconds




Figure 1 wazuh-alert-600999

At 11:26:07 IST, Wazuh SIEM triggered Rule 600999 based on the following sequence:

Time	Event ID	Rule ID	Description
11:21:40	Sysmon 1	600001	PowerShell execution detected
11:22:32	Sysmon 11	600002	Hidden file created in .syslogs directory
11:22:42	Sysmon 1	600003	schtasks.exe execution detected
11:23:01	Sysmon 1	600003	schtasks.exe /Create detected
11:25:45	Sysmon 1	600001	PowerShell execution (background)
11:26:07	Correlation	600999	CRITICAL: Windows Persistence Correlation Detected


5. INVESTIGATION FINDINGS

5.1 Initial Access - SSH Authentication Analysis

Findings:

Time	Event	Source IP	Process
10:17-10:37	Legitimate user sessions	192.168.29.50	sshd.exe
11:20:45	ATTACKER ACCESS	192.168.29.50	sshd.exe
11:29:54	Investigation access	192.168.29.50	sshd.exe
12:15:28	Post-reboot test session	192.168.29.50	sshd.exe
12:16:39	Post-reboot test session	192.168.29.50	sshd.exe

Screenshots to Paste Here:



```
Administrator Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/powershell

PS C:\Windows\system32> Get-EventLog -LogName Security -FilterXPath '(EventID=1105 or EventID=1106)'
PS C:\Windows\system32> Write-Host "SSH LOGS FROM SECURITY LOG (Type 8) ==>" -ForegroundColor Cyan

==> SSH LOGS FROM SECURITY LOG (Type 8) ==>
PS C:\Windows\system32> $sshlogs = Get-EventLog -LogName Security -FilterXPath '(EventID=1105 or EventID=1106)' -MaxEvents 1000 |
> Where-Object { $_.Properties[0].Value -eq 8 -and $_.TimeCreated -gt ([Get-Date].AddHours(-24)) } |
> Select-Object TimeCreated,
> @Name, @ProcessName, @IpAddress, @Message
PS C:\Windows\system32> Sort-Object TimeCreated -Descending
PS C:\Windows\system32> $sshlogs | Format-Table -AutoSize

TimeCreated      Account ProcessName
-----
11-03-2020 11:25:47 sp      C:\Windows\System32\OpenSSH\sshd.exe
11-03-2020 11:20:45 sp      C:\Windows\System32\OpenSSH\sshd.exe

PS C:\Windows\system32> Write-Host "NOTE: Source IP not available in Security log for OpenSSH events!" -ForegroundColor Yellow
NOTE: Source IP not available in Security log for OpenSSH events
PS C:\Windows\system32> Write-Host "NOTE: OpenSSH Operational log from Source IP"
PS C:\Windows\system32> Write-Host "==> SSH LOGS FROM OPERATIONAL LOG ==>" -ForegroundColor Cyan

==> SSH LOGS FROM OPERATIONAL LOG ==>
PS C:\Windows\system32> Get-EventLog -LogName OpenSSHOperational -MaxEvents 100 -ErrorAction SilentlyContinue |
> Where-Object { $_.ID -eq 4 -and $_.Message -like "Accepted" -and $_.TimeCreated -gt ([Get-Date].AddHours(-24)) } |
> Select-Object TimeCreated,
> @Name, @Message, @IpAddress
PS C:\Windows\system32> Format-Table -AutoSize -Header

TimeCreated      Message
-----
11-03-2020 11:25:47 sshd: Accepted password for sp from 192.168.29.50 port 48232 ssh2
11-03-2020 11:20:45 sshd: Accepted password for sp from 192.168.29.50 port 38862 ssh2


PS C:\Windows\system32>
```

Figure 2 SSH Authentication Analysis

Observations:

- Attacker accessed endpoint at 11:20:45 from source IP 192.168.29.50
- User had legitimate sessions earlier at 10:17-10:37 from same IP
- 43minutes before attacker connected at 11:20
- Investigation session at 11:29 confirms analyst accessed the system
- Post-reboot test sessions at 12:15 and 12:16 are verification connections

5.2 Immediate Containment Actions




```
Select Administrator: Windows PowerShell
PS C:\Windows\system32>
PS C:\Windows\system32> # Create firewall rule to block all inbound traffic
PS C:\Windows\system32> New-NetFirewallRule -DisplayName "INCIDENT-600999-ISOLATION-INBOUND" `
>> -Direction Inbound `
>> -Action Block `
>> -Profile Any `
>> -Description "Emergency isolation for incident INC-2026-0042" `
>> -Enabled True

Name                               : {6be6ef4f-5f95-4991-bced-e5433f5a8026}
DisplayName                       : INCIDENT-600999-ISOLATION-INBOUND
Description                       : Emergency isolation for incident INC-2026-0042
DisplayGroup                      :
Group                             :
Enabled                           : True
Profile                           : Any
Platform                         : {}
Direction                        : Inbound
Action                            : Block
EdgeTraversalPolicy               : Block
LooseSourceMapping                : False
LocalOnlyMapping                 : False
Owner                             :
PrimaryStatus                     : OK
Status                           : The rule was parsed successfully from the store. (65536)
EnforcementStatus                 : NotApplicable
PolicyStoreSource                 : PersistentStore
PolicyStoreSourceType             : Local
RemoteDynamicKeywordAddresses    :
PolicyAppId                       :

PS C:\Windows\system32>
PS C:\Windows\system32> # Verify isolation rules are active
PS C:\Windows\system32> Get-NetFirewallRule -DisplayName "INCIDENT-600999-ISOLATION*" |
>> Format-Table DisplayName, Direction, Action, Enabled -AutoSize

DisplayName      Direction Action Enabled
-----
INCIDENT-600999-ISOLATION      Outbound Block    True
INCIDENT-600999-ISOLATION-INBOUND Inbound  Block    True
```

Figure 3 firewall-isolation



```
PS C:\Windows\system32>
PS C:\Windows\system32> # Disable user account (local account)
PS C:\Windows\system32> net user sp /active:no
The command completed successfully.

PS C:\Windows\system32>
PS C:\Windows\system32> # Verify account is disabled
PS C:\Windows\system32> net user sp | findstr /i "active"
Account active
No
PS C:\Windows\system32>
```

Figure 4 account-disabled

Observations:

- Both inbound and outbound traffic blocked within 2 minutes of detection
- User account disabled immediately to prevent further access
- Isolation rules verified active

5.3 Discovery Phase Reconstruction


File Created	Process	Commandline
13-03-2026 11:18:31	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "PasswordHistorySize"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:18:58	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "MinimumPasswordAge"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:19:24	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "MinimumPasswordLength"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:19:42	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "LockoutDuration"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:19:52	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "ResetLockoutCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:19:58	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "LockoutBadCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:20:02	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "LockoutBadCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:20:06	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "ResetLockoutCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:20:34	C:\Windows\System32\lsconfig.exe	lsconfig
13-03-2026 11:20:59	C:\Windows\System32\whoami.exe	whoami
13-03-2026 11:21:15	C:\Windows\System32\WETSTAT.EXE	wetstat
13-03-2026 11:21:26	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe	powershell
13-03-2026 11:22:58	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe	"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe -ExecutionPolicy Bypass -File C:\Users\vip\AppData\Local\syslog\health_monitor.ps1 C:\Windows\System32\lschtasks.exe" /Create /Job NtlogapMonitor /PS "powershell.exe -ExecutionPolicy Bypass -NoProfile -WindowStyle Hidden -File C:\Users\vip\AppData\Local\syslog\health_monitor.ps1" /SC ONLOGON /RU so /RL HIGH5ET /DELAY 6000-120 /I //
13-03-2026 11:23:16	C:\Windows\System32\lschtasks.exe	lschtasks
13-03-2026 11:23:22	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "PasswordHistorySize"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:23:48	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "MinimumPasswordAge"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:23:58	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "MinimumPasswordLength"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:24:02	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "LockoutDuration"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:24:06	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "ResetLockoutCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:24:08	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "LockoutBadCount"; Remove-Item %env:TEMP%\secpol.cfg
13-03-2026 11:24:08	C:\Windows\System64\WindowsPowerShell\v1.0\powershell.exe	powershell secedit /export /cfg %env:TEMP%\secpol.cfg; Get-Content %env:TEMP%\secpol.cfg Select-String "ResetLockoutCount"; Remove-Item %env:TEMP%\secpol.cfg

Figure 5 Discovery Phase Reconstruction

Observations:

- Attacker executed reconnaissance immediately after gaining access at 11:20:59
- Sequence completed within 40 seconds
- whoami /priv checks for available privileges
- -ExecutionPolicy Bypass allows unrestricted PowerShell execution
- Standard attacker reconnaissance pattern observed

5.4 PowerShell Script Location and Retrieval




```
Administrator: Windows PowerShell
PS C:\Windows\system32> Test-Path "C:\Users\sp\AppData\Local\.syslogs"
True
PS C:\Windows\system32> Get-ChildItem -Path "C:\Users\sp\AppData\Local\.syslogs" -Force

Directory: C:\Users\sp\AppData\Local\.syslogs

Mode                LastWriteTime         Length Name
----                -
-a-----         13-03-2026    11:22         1781 health_monitor.ps1
-a-----         13-03-2026    11:23          229 health_monitoring.log
-a-----         13-03-2026    11:22           14 monitor.pid
```

Figure 6 hidden-directory



```
# Health Monitoring System - Notepad Process Tracker

$BaseDir = "C:\Users\sp\AppData\Local\.syslogs"
$LogFile = "$BaseDir\health_monitoring.log"
$LockFile = "$BaseDir\monitor.pid"

# Prevent multiple instances
if (Test-Path $LockFile) {
    $Running = Get-Process -Id (Get-Content $LockFile) -ErrorAction SilentlyContinue
    if ($Running) { exit 0 }
}

# Save current process ID
$PID | Out-File $LockFile

# Initialize log file with start marker
$startTime = Get-Date -Format "yyyy-MM-dd HH:mm:ss"
Add-Content $LogFile "[ $startTime ] HEALTH MONITOR: Service started"

# Set end time (23 hours from now - Task Scheduler default timeout)
$endTime = (Get-Date).AddHours(23)

# Initial process count
$PrevCount = 0
try {
    $PrevCount = (Get-Process -Name notepad -ErrorAction Stop).Count
} catch {
    $PrevCount = 0
}

# Main monitoring loop
while ((Get-Date) -lt $endTime) {
    # Get current Notepad count
    try {
        $CurrentCount = (Get-Process -Name notepad -ErrorAction Stop).Count
    } catch {
        $CurrentCount = 0
    }

    $timestamp = Get-Date -Format "yyyy-MM-dd HH:mm:ss"


    # Detect OPENED
    if ($PrevCount -eq 0 -and $CurrentCount -gt 0) {
        Add-Content $LogFile "[ $timestamp ] HEALTH MONITOR: Notepad process detected - Application launched"
    }

    # Detect CLOSED
    if ($PrevCount -gt 0 -and $CurrentCount -eq 0) {
        Add-Content $LogFile "[ $timestamp ] HEALTH MONITOR: Notepad process terminated - Application closed"
    }

    $PrevCount = $CurrentCount
    Start-Sleep -Seconds 2
}

# Log exit and cleanup
$exitTime = Get-Date -Format "yyyy-MM-dd HH:mm:ss"
Add-Content $LogFile "[ $exitTime ] HEALTH MONITOR: Service paused (23h cycle complete)"
```

Figure 8 script-contents



```
PS C:\Windows\system32> Get-FileHash "C:\Users\sp\AppData\Local\.syslogs\health_monitor.ps1" -Algorithm SHA256


Algorithm Hash Path
-----
SHA256 B086A540AF33E14A543416057AC1ACB5D72E3A27249CAFE62D9F87FEAE2A28F6 C:\Users\sp\AppData\Local\.syslogs\health_m...
```

Figure 7 script-hash

Observations:

- Hidden directory created with +h attribute (defense evasion T1564.001)
- Script masquerades as "Health Monitoring System" (obfuscation T1027)
- PID lock file prevents multiple instances from running
- Script monitors Notepad.exe process every 2 seconds (collection T1119)
- No exfiltration functionality present in the code

5.5 Collected Data Log Analysis




```
Administrator: Windows PowerShell
PS C:\Windows\system32> # Read the collected data log
PS C:\Windows\system32> Get-Content "C:\Users\sp\AppData\Local\syslogs\health_monitoring.log"
[2026-03-13 11:22:52] HEALTH MONITOR: Service started
[2026-03-13 11:22:55] HEALTH MONITOR: Notepad process detected - Application launched
[2026-03-13 11:23:01] HEALTH MONITOR: Notepad process terminated - Application closed
PS C:\Windows\system32>
```

Figure 9 collected-data

Observations:

- Script executed at 11:22:00 (via scheduled task)
- User activity captured: Notepad opened at 11:22:55, closed at 11:23:01
- Script activity ceased after endpoint isolation
- Only minimal data collected before containment

5.6 Scheduled Task Investigation



```
Administrator: Windows PowerShell
PS C:\Windows\system32> schtasks /Query /TN "NotepadMonitor" /FO LIST /V


Folder: \
HostName: DESKTOP-IA4VHK8
TaskName: \NotepadMonitor
Next Run Time: N/A
Status: Ready
Logon Mode: Interactive only
Last Run Time: 30-11-1999 00:00:00
Last Result: 267011
Author: DESKTOP-IA4VHK8\sp
Task To Run: powershell.exe -ExecutionPolicy Bypass -NoProfile -WindowStyle Hidden -File C:\Users\sp\AppData\
Local\syslogs\health_monitor.ps1
Start In: N/A
Comment: N/A
Scheduled Task State: Enabled
Idle Time: Disabled
Power Management: Stop On Battery Mode, No Start On Batteries
Run As User: sp
Delete Task If Not Rescheduled: Disabled
Stop Task If Runs X Hours and X Mins: 72:00:00
Schedule: Scheduling data is not available in this format.
Schedule Type: At logon time
Start Time: N/A
Start Date: N/A
End Date: N/A
Days: N/A
Months: N/A
Repeat: Every: N/A
Repeat: Until: Time: N/A
Repeat: Until: Duration: N/A
Repeat: Stop If Still Running: N/A
PS C:\Windows\system32>
```

Figure 10 scheduled-task-details

Observations:

- Task created immediately after script creation
- Trigger: At logon with 10-second delay (persistence T1053.005)
- Hidden window style prevents user awareness (defense evasion T1564.003)
- ExecutionPolicy Bypass circumvents PowerShell restrictions
- Task last ran at 11:23:01

5.7 Full System Persistence Sweep



```
Select Administrator: Windows PowerShell
PS C:\Windows\system32> # Check common persistence locations
PS C:\Windows\system32>
PS C:\Windows\system32> Write-Host "=== STARTUP FOLDERS ===" -ForegroundColor Yellow
=== STARTUP FOLDERS ===
PS C:\Windows\system32> Get-ChildItem -Path "C:\Users\sp\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup" -Force -ErrorAction SilentlyContinue

Directory: C:\Users\sp\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup

Mode                LastWriteTime         Length Name
----                -
---hs-             15-01-2026    06:59          174 desktop.ini


PS C:\Windows\system32>
PS C:\Windows\system32> Write-Host "=== HKLM RUN KEYS ===" -ForegroundColor Yellow
=== HKLM RUN KEYS ===
PS C:\Windows\system32> Get-ItemProperty -Path "HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Run" -ErrorAction SilentlyContinue |
>> Select-Object * -ExcludeProperty PS* | Format-List

SecurityHealth : C:\Windows\system32\SecurityHealthSystray.exe
VBoxTray       : C:\Windows\system32\VBoxTray.exe

PS C:\Windows\system32>
PS C:\Windows\system32> Write-Host "=== HKCU RUN KEYS ===" -ForegroundColor Yellow
=== HKCU RUN KEYS ===
PS C:\Windows\system32> Get-ItemProperty -Path "HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\Run" -ErrorAction SilentlyContinue |
>> Select-Object * -ExcludeProperty PS* | Format-List

OneDrive : "C:\Users\sp\AppData\Local\Microsoft\OneDrive\OneDrive.exe" /background
```

Figure 11 persistence-sweep-startup



```
PS C:\Windows\system32> Get-WmiObject -Namespace root\subscription -Class __EventFilter -ErrorAction SilentlyContinue |
>> Select-Object Name, Query | Format-Table -AutoSize

Name          Query
-----
SCM Event Log Filter select * from MSFT_SCMEventLogEvent

PS C:\Windows\system32> Get-WmiObject -Namespace root\subscription -Class __EventConsumer -ErrorAction SilentlyContinue |
>> Select-Object Name | Format-Table -AutoSize

Name
----
SCM Event Log Consumer

PS C:\Windows\system32> Get-WmiObject -Namespace root\subscription -Class __FilterToConsumerBinding -ErrorAction SilentlyContinue |
>> Select-Object Filter, Consumer | Format-Table -AutoSize

Filter          Consumer
-----
__EventFilter.Name="SCM Event Log Filter" NTEventLogEventConsumer.Name="SCM Event Log Consumer"
```

Figure 12 WMI PERSISTENCE check

```

PS C:\Windows\system32>
PS C:\Windows\system32> Write-Host "=== ALL SCHEDULED TASKS (Non-Microsoft) ===" -ForegroundColor Yellow
=== ALL SCHEDULED TASKS (Non-Microsoft) ===
PS C:\Windows\system32> Get-ScheduledTask | Where-Object { $_.TaskName -notlike "**Microsoft*" } |
>>     Select-Object TaskName, State | Sort-Object TaskName | Format-Table -AutoSize

TaskName                                     State
-----
.NET Framework NGEN v4.0.30319               Ready
.NET Framework NGEN v4.0.30319 64            Ready
.NET Framework NGEN v4.0.30319 64 Critical    Disabled
.NET Framework NGEN v4.0.30319 Critical       Disabled
Account Cleanup                             Disabled
AD RMS Rights Policy Template Management (Automated) Disabled
AD RMS Rights Policy Template Management (Manual) Ready
AikCertEnrollTask                           Ready
AnalyzeSystem                               Ready
appuriverifierdaily                          Ready
appuriverifierinstall                       Ready
Automatic-Device-Join                       Disabled
BackgroundUploadTask                         Ready
Backup                                       Ready
Backup                                       Ready
BackupNonMaintenance                        Ready
BfeOnServiceStartTypeChange                 Ready
BgTaskRegistrationMaintenanceTask            Ready
BitLocker Encrypt All Drives                 Ready
BitLocker MDM policy Refresh                 Ready
CacheTask                                    Running
Calibration Loader                           Ready
CDSSync                                       Ready
Cellular                                     Ready
CleanupTemporaryState                       Ready
Consolidator                                Ready
CreateObjectTask                             Ready
CreateObjectTask                             Ready
CryptoPolicyTask                             Ready
Data Integrity Check And Scan                 Ready
Data Integrity Scan                          Ready
Data Integrity Scan for Crash Recovery         Ready
DetectHardwareChange                         Disabled
Device                                        Ready
Device Install Group Policy                  Ready
Device Install Reboot Required               Ready
Device User                                  Ready
Device-Sync                                  Disabled
Diagnostics                                  Ready
DirectXDatabaseUpdater                       Ready
DmClient                                      Ready
DmClientOnScenarioDownload                   Ready
DsSvcCleanup                                 Ready
dusmtask                                      Ready
DXGIAdapterCache                             Ready
EDP App Launch Task                          Ready
EDP Auth Task                                Ready
EDP Inaccessible Credentials Task             Ready
EDP Policy Manager                           Ready

```

Figure 13 persistence-sweep-tasks

Observations:

- Only one unauthorized persistence mechanism: NotepadMonitor scheduled task
- SCM Event Log Filter is legitimate (Service Control Manager logging)
- No suspicious FilterToConsumerBindings found
- All other locations clean (Startup, Registry, Services)

5.8 Lateral Movement Assessment

```
TimeCreated      Account SourceIP TargetComputer
-----
13-03-2026 11:25:42 sp - -
13-03-2026 11:20:42 sp - -

PS C:\Windows\system32>
PS C:\Windows\system32> # Check for explicit credential usage (Event ID 4648)
PS C:\Windows\system32> Get-WinEvent -LogName Security -FilterXPath '[System[EventID=4648]]' -MaxEvents 1000 -ErrorAction SilentlyContinue |
continue |
>> Where-Object { $_.TimeCreated -ge $startTime -and
>> $_.TimeCreated -le $endTime } |
>> Select-Object TimeCreated,
>> @({Name='Account';Expression={$_.Properties[1].Value}}),
>> @({Name='TargetServer';Expression={$_.Properties[8].Value}}) |
>> Format-Table -AutoSize

TimeCreated      Account      TargetServer
-----
13-03-2026 11:25:47 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:42 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:41 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:26 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:12 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:11 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:25:11 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:23:24 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:20:45 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:20:42 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:20:42 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:18:45 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:18:18 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:18:17 DESKTOP-IA4VHK8$ localhost
13-03-2026 11:18:17 DESKTOP-IA4VHK8$ localhost
```

Figure 14 lateral-movement-check

Observations:

- Type 3 logons at 11:25:47 and 11:18:17 are post-reboot test sessions
- 4648 events are all to localhost (normal system activity)
- No administrative share access (5140) detected
- No remote PowerShell sessions created

5.9 Exfiltration Assessment

```
PS C:\Windows\system32> Get-WinEvent -LogName Security -FilterXPath '[System[EventID=5156]]' -MaxEvents 1000 -ErrorAction SilentlyContinue |
continue |
>> Where-Object { $_.TimeCreated -ge $startTime -and
>> $_.TimeCreated -le $endTime } |
>> Select-Object TimeCreated,
>> @({Name='Process';Expression={$_.Properties[1].Value}}),
>> @({Name='DestIP';Expression={$_.Properties[4].Value}}),
>> @({Name='DestPort';Expression={$_.Properties[5].Value}}) |
>> Format-Table -AutoSize
PS C:\Windows\system32>
```

Figure 15 exfiltration-check-security

```

PS C:\Windows\system32> Get-WinEvent -LogName 'Microsoft-Windows-Sysmon/Operational' -FilterXPath '*[System[EventID=3]]' -MaxEvents 100
-ErrorAction SilentlyContinue |
>> Where-Object { $_.TimeCreated -ge $startTime -and
>> $_.TimeCreated -le $endTime } |
>> Select-Object TimeCreated,
>> @({Name='Image';Expression={$_.Properties[1].Value}}),
>> @({Name='DestIP';Expression={$_.Properties[13].Value}}),
>> @({Name='DestPort';Expression={$_.Properties[14].Value}}) |
>> Format-Table -AutoSize

TimeCreated      Image            DestIP DestPort
-----
13-03-2026 11:35:51 2026-03-13 06:05:56.665 False 51.116.253.169
13-03-2026 11:35:38 2026-03-13 06:05:42.772 False 57.155.141.119
13-03-2026 11:35:31 2026-03-13 06:05:35.917 True 2603:1063:27:3:0:0:0:14
13-03-2026 11:28:27 2026-03-13 05:58:31.456 True 2603:1063:5:130:0:0:365:7ea3
13-03-2026 11:28:22 2026-03-13 05:58:26.514 False 40.79.150.123
13-03-2026 11:28:10 2026-03-13 05:58:15.699 False 20.72.205.209
13-03-2026 11:25:42 2026-03-13 05:55:49.076 False 192.168.29.80
13-03-2026 11:25:20 2026-03-13 05:55:20.351 False 23.38.59.250
13-03-2026 11:25:20 2026-03-13 05:55:18.913 False 51.116.253.169
13-03-2026 11:20:43 2026-03-13 05:50:47.994 False 192.168.29.80
13-03-2026 11:20:43 2026-03-13 05:50:37.079 False 40.79.141.155
13-03-2026 11:18:29 2026-03-13 05:48:27.299 False 199.232.210.172
13-03-2026 11:18:29 2026-03-13 05:48:26.716 False 199.232.210.172
13-03-2026 11:18:29 2026-03-13 05:48:25.458 False 40.79.141.155
13-03-2026 11:18:29 2026-03-13 05:48:24.983 True 2603:1063:27:4:0:0:0:14
PS C:\Windows\system32>

```

Figure 16 exfiltration-check-sysmon

Critical Finding: NO DATA EXFILTRATION OCCURRED.

Supporting Evidence:

- No outbound connections in Security logs (5156) during compromise window
- No outbound connections in Sysmon logs (Event 3)
- Malicious script contains no exfiltration functionality
- Minimal data collected before isolation
- Endpoint isolation prevented any post-detection exfiltration

5.10 Threat Intelligence Correlation

Did you intend to search across the file corpus instead? [Click here](#)

Community Score: 0 / 94

10+ detected files communicating with this IP address

192.168.29.50

Last Analyze Date: 1 month ago

DETECTION DETAILS RELATIONS COMMUNITY

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Security vendors' analysis

Vendor	Analysis	Vendor	Analysis
Abusix	Clean	Acronis	Clean
ADMINUSLabs	Clean	AlIabs (MONITORAPP)	Clean
AlienVault	Clean	Antiy-AVL	Clean
benkow.cc	Clean	BitDefender	Clean
Blueliv	Clean	Certego	Clean
Chong Lua Dao	Clean	CINS Army	Clean
CMC Threat Intelligence	Clean	CRDF	Clean
Cyble	Clean	CyRadat	Clean
dezenmascara.me	Clean	DNSB	Clean
DrWeb	Clean	EmergingThreats	Clean

Do you want to automate checks?

Figure 17 virustotal-ip




Figure 18 virustotal-hash




Figure 19 abuseipdb

Threat Intelligence Summary:

- Source IP: 192.168.29.50 - Internal RFC1918 private IP. No external reputation checks applicable.
- File Hash:
B086A540AF33E14A543416057AC1ACB5D72E3A27249CAFE62D9FB7FEAE2A28F6 - Custom script, not known malware (0 detections)
- AbuseIPDB - Confirmed IP is private

All threat intelligence sources confirm no known malicious associations. The script is custom-built, and the IP is internal.

5.11 Scheduled Task Deletion

```
PS C:\Windows\system32> schtasks /Delete /TN "NotepadMonitor" /F
SUCCESS: The scheduled task "NotepadMonitor" was successfully deleted.
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify deletion
PS C:\Windows\system32> schtasks /Query /TN "NotepadMonitor" 2>$null
PS C:\Windows\system32> if ($?) {
>>   Write-Host "Task still exists!" -ForegroundColor Red
>> } else {
>>   Write-Host "Task successfully deleted" -ForegroundColor Green
>> }
Task successfully deleted
PS C:\Windows\system32>
```

Figure 20 task-deletion

5.12 Hidden Directory Removal

```
PS C:\Windows\system32> Remove-Item -Path "C:\Users\sp\AppData\Local\syslogs" -Recurse -Force -Verbose
VERBOSE: Performing the operation "Remove Directory" on target "C:\Users\sp\AppData\Local\syslogs".
VERBOSE: Performing the operation "Remove File" on target "C:\Users\sp\AppData\Local\syslogs\health_monitor.ps1".
VERBOSE: Performing the operation "Remove File" on target "C:\Users\sp\AppData\Local\syslogs\health_monitoring.log".
VERBOSE: Performing the operation "Remove File" on target "C:\Users\sp\AppData\Local\syslogs\monitor.pid".
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify removal
PS C:\Windows\system32> Test-Path "C:\Users\sp\AppData\Local\syslogs"
False
PS C:\Windows\system32>
```

Figure 21 directory-removal

5.13 User Account Remediation

```
PS C:\Windows\system32> net user sp /active:yes
The command completed successfully.
PS C:\Windows\system32>
```


Figure 22 account-remediation

5.14 Isolation Removal

```
PS C:\Windows\system32> Remove-NetFirewallRule -DisplayName "INCIDENT-600999-ISOLATION" -ErrorAction SilentlyContinue
PS C:\Windows\system32> Remove-NetFirewallRule -DisplayName "INCIDENT-600999-ISOLATION-INBOUND" -ErrorAction SilentlyContinue
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify rules are removed
PS C:\Windows\system32> Get-NetFirewallRule -DisplayName "INCIDENT-600999-ISOLATION*" -ErrorAction SilentlyContinue
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify network connectivity
PS C:\Windows\system32> Test-Connection -ComputerName 8.8.8.8 -Count 2 -Quiet
True
PS C:\Windows\system32>
```

Figure 23 isolation-removed

5.15 Post-Reboot Verification



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Windows\system32> schtasks /Query /TN "NotepadMonitor" 2>$null
PS C:\Windows\system32> if ($?) {
>>   Write-Host "Task still exists!" -ForegroundColor Red
>> } else {
>>   Write-Host "Clean: Task removed" -ForegroundColor Green
>> }
Clean: Task removed
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify hidden directory does not reappear
PS C:\Windows\system32> Test-Path "C:\Users\sp\AppData\Local\.syslogs"
False
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify no suspicious PowerShell processes
PS C:\Windows\system32> Get-Process -Name powershell -ErrorAction SilentlyContinue |
>>   Where-Object { $_.CommandLine -like "*health_monitor*" }
PS C:\Windows\system32>
PS C:\Windows\system32> # Verify no new suspicious scheduled tasks
PS C:\Windows\system32> Get-ScheduledTask | Where-Object { $_.TaskName -like "**Monitor*" -and $_.TaskName -notlike "**Microsoft*" } |
>>   Select-Object TaskName, State

TaskName      State
-----
FamilySafetyMonitor Ready
MsCtfMonitor  Ready

PS C:\Windows\system32>
```

Figure 24 post-reboot-verification

Observations:

- Scheduled task successfully removed and did not reappear
- Hidden directory permanently removed
- No residual PowerShell processes
- Only legitimate Windows Monitor tasks remain (FamilySafetyMonitor, MsCtfMonitor)

5.16 MITRE ATT&CK Mapping

Tactic	Technique ID	Technique Name	Observed Activity
Initial Access	T1078	Valid Accounts	SSH authentication with compromised credentials from 192.168.29.50
Execution	T1059.001	PowerShell	Interactive PowerShell and script execution
Persistence	T1053.005	Scheduled Task	NotepadMonitor task creation
Privilege Escalation	T1548.002	Bypass User Account Control	/RL HIGHEST in schtasks /Create
Defense Evasion	T1564.001	Hidden Files and Directories	.syslogs directory with hidden attribute
Defense Evasion	T1564.003	Hide Window	PowerShell -WindowStyle Hidden

Tactic	Technique ID	Technique Name	Observed Activity
Defense Evasion	T1027	Obfuscated Files or Information	Script masquerading as health monitor
Defense Evasion	T1036	Masquerading	Script named "health_monitor.ps1"
Discovery	T1033	System Owner/User Discovery	whoami
Discovery	T1069	Permission Groups Discovery	whoami /priv
Discovery	T1016	System Network Configuration Discovery	ipconfig
Discovery	T1049	System Network Connections Discovery	netstat -an
Collection	T1119	Automated Collection	Process monitoring every 2 seconds
Collection	T1074	Data Staged	health_monitoring.log local storage

6. ROOT CAUSE ANALYSIS

Immediate Cause:

- Compromised credentials for user "sp" used to authenticate via OpenSSH from IP 192.168.29.50

Contributing Factors:

- OpenSSH enabled on standard developer workstation
- No MFA requirement for SSH authentication
- User account with local administrative privileges
- No alerting on reconnaissance command sequence
- PowerShell execution policy bypass not detected
- No application whitelisting to prevent unauthorized PowerShell scripts

Why This is a True Positive:

- Reconnaissance commands executed immediately after access
- Hidden directory creation with masqueraded script name
- Scheduled task created for persistence
- User activity monitoring implemented
- Clear attacker intent established
- Multiple MITRE ATT&CK techniques observed

7. IMPACT ASSESSMENT (NIST SP 800-61)

Impact Category	Rating	Reasoning
Confidentiality Impact	None	No data exfiltration occurred. Log file remained local. No sensitive data accessed.
Integrity Impact	None	No files modified, no system changes beyond persistence. All changes reverted.
Availability Impact	Low	27 minutes endpoint downtime for remediation. No critical services affected.
Financial Impact	None	No data loss, no ransom demanded, no business disruption.
Reputational Impact	None	Incident contained internally, no public disclosure required.
Overall Business Impact	Low	Developer workstation, no critical systems affected.

8. CONTAINMENT AND ERADICATION SUMMARY

Action	Timestamp (IST)	Status	Verification Method
Endpoint isolation	11:30	Completed	Get-NetFirewallRule verified
User account disabled	11:32	Completed	net user verified
Process termination	11:47	Completed	Get-Process verified
Scheduled task deletion	11:49	Completed	schtasks /Query verified
Hidden directory removal	11:47	Completed	Test-Path verified
Password reset enforced	12:00	Completed	net user verified
Account re-enabled	12:02	Completed	net user verified
Isolation removed	12:05	Completed	Test-Connection verified
Post-reboot verification	12:15	Completed	Full persistence sweep verified

9. ESCALATION DECISION

Field	Details
Escalated to L2 / IR Team	No
Reason for Escalation	Incident contained at L1 level. No lateral movement, no data exfiltration. Full remediation achieved within SLA.
Escalation Time	N/A

10. INCIDENT CLASSIFICATION

Field	Details
True Positive / False Positive	True Positive
Attack Success	Partial (Persistence established, no exfiltration)
Policy Violation	Yes - Unauthorized SSH access
Compliance Impact	None - No regulated data involved

11. RECOMMENDATIONS

1. Disable OpenSSH on standard developer workstations to reduce the attack surface and prevent unauthorized remote access through compromised credentials.
2. Enforce an immediate password reset for the compromised user account **sp** and review password policy enforcement to ensure strong authentication practices.
3. Review and restrict **local administrator privileges** for standard user accounts to follow the principle of least privilege and limit attacker capabilities after credential compromise.
4. Implement detection rules to **alert on suspicious scheduled task creation** by non-administrative users, which can indicate persistence mechanisms commonly used by attackers.
5. Deploy SIEM correlation rules to detect **reconnaissance command sequences such as whoami, ipconfig, and netstat executed in rapid succession**, which are common indicators of attacker discovery activity.
6. Create monitoring rules to detect **PowerShell execution with the ExecutionPolicy Bypass parameter**, as this technique is frequently used to bypass PowerShell security restrictions.
7. Implement **Multi-Factor Authentication (MFA) for SSH authentication** to prevent unauthorized access even if credentials are compromised.
8. Enable **Task Scheduler operational logging through Group Policy** to improve visibility into scheduled task creation and execution events during security investigations.
9. Conduct **security awareness training for users** to reinforce password security practices and reduce the risk of credential compromise.
10. Enable **PowerShell Script Block Logging via Group Policy** to capture detailed visibility into executed PowerShell commands and scripts for future forensic analysis.
11. Implement **application whitelisting on critical endpoints** to prevent unauthorized script execution and reduce the risk of malicious persistence mechanisms.
12. Deploy **behavioral process monitoring and anomaly detection** to identify suspicious process activity patterns that may indicate attacker reconnaissance or persistence attempts.

12. TIMELINE OF KEY EVENTS

Time (IST)	Event	Source
11:20:45	Unauthorized SSH login using user sp from 192.168.29.50	OpenSSH logs
11:20:59	Attacker begins reconnaissance commands (whoami, ipconfig, netstat)	Sysmon process logs
11:21:40	PowerShell execution detected	Sysmon Event 1
11:22:00	Malicious script health_monitor.ps1 first executed	health_monitoring.log
11:22:32	Hidden directory <code>.syslogs</code> created in AppData	Sysmon Event 11
11:22:42	schtasks.exe executed to create persistence	Sysmon Event 1
11:23:01	Scheduled task NotepadMonitor executed	Task Scheduler logs
11:23:01	Notepad monitoring activity captured in log file	health_monitoring.log
11:26:07	Wazuh correlation rule 600999 triggered (multi-stage attack detected)	SIEM
11:27	SOC ticket SEC-OPS-2026-05 created	Jira
11:29	Investigation begins – SSH authentication analysis	Security logs
11:30	Endpoint isolated via Windows Firewall rules	Firewall rules
11:32	User account sp disabled	net user
11:36	Discovery phase reconstruction completed	Sysmon logs
11:40	Malicious PowerShell script analyzed	File analysis
11:43	Scheduled task NotepadMonitor identified as persistence	schtasks
11:47	Hidden <code>.syslogs</code> directory and script removed	File system
11:49	Scheduled task deleted	schtasks
11:52	Lateral movement investigation completed – none detected	Security logs
11:54	Exfiltration analysis completed – no outbound connections found	Sysmon + Security logs
12:00	User password reset enforced	Account remediation
12:05	Endpoint isolation removed after verification	Firewall
12:10	System rebooted and persistence checks performed	Verification
12:15	Post-reboot validation confirms clean system	PowerShell checks
12:17	Incident closed – True Positive Remediated	SOC

SLA Performance:

- Time to Triage: 1 minute (11:28 to 11:29)
- Time to Contain: 2 minute (11:30 to 11:32)
- Time to Eradicate: 21 minutes (11:33 to 11:54)
- Time to Close: 25 minutes

- SLA Target: 2 hours
- SLA Met: YES

13. COMPLIANCE & FRAMEWORK ALIGNMENT

Framework	Phase / Coverage
NIST Incident Response Phases	Detection → Analysis → Containment → Eradication → Recovery
MITRE ATT&CK Coverage	T1078, T1059.001, T1053.005, T1548.002, T1564.001, T1564.003, T1027, T1036, T1033, T1069, T1016, T1049, T1119, T1074
CIS Controls	Control 6 (Maintenance, Monitoring and Analysis of Audit Logs), Control 8 (Malware Defenses), Control 16 (Account Monitoring and Control)
ISO 27001	A.12.4 (Logging and Monitoring), A.12.6 (Technical Vulnerability Management), A.9.4 (System and Application Access Control)

14. LESSONS LEARNED

Aspect	Observation
What Worked Well	Rapid isolation prevented lateral movement and exfiltration
What Worked Well	Sysmon provided excellent visibility into file and process creation
What Worked Well	Correlation rule 600999 successfully identified attack pattern
What Worked Well	User account disabled within 2 minutes of confirmation
What Worked Well	OpenSSH logs provided source IP confirmation
Improvement Opportunity	Discovery phase (whoami/ipconfig/netstat) has no alerting
Improvement Opportunity	PowerShell ExecutionPolicy Bypass not detected
Improvement Opportunity	OpenSSH on workstations creates unnecessary risk
Improvement Opportunity	No MFA for SSH authentication
Improvement Opportunity	Task Scheduler logging not enabled (fix applied)
Improvement Opportunity	User had local admin privileges (unnecessary)

15. CLOSURE SUMMARY

Field	Details
Final Verdict	True Positive - Remediated
Attacker IP	192.168.29.50 (internal)
User Compromised	Yes (remediated)
Credentials Stolen	Yes (reset)
Data Exfiltrated	No - Confirmed by multiple independent sources
Persistence Installed	Yes (removed)
Lateral Movement	No - Contained to single endpoint
Affected Users	1 (sp)
Affected Endpoints	1 (WIN-ENDPOINT-42)
Investigation Duration	30 minutes
Time from Alert to Closure	30 minutes
Business Risk Post-Incident	Low
Incident Closed By	Sai Prasad, SOC Analyst L1
Closure Date & Time	2026-03-13 12:17 IST
Quality Assurance Review	Pending L2 Review