

# Cursor

OneCompiler

Upgrade

AI

MySQL

Run

Save

Login

queries.sql

+

1 CREATE TABLE employees (  
2 employee\_id INT,  
3 employee\_name VARCHAR(30),  
4 email VARCHAR(50)  
5 );  
6 INSERT INTO employees VALUES  
7 (101, 'Durga', 'durga@gmail.com'),  
8 (102, 'Dharanish', 'dharanish@gmail.com'),  
9 (103, 'Sabesh', 'sabesh@gmail.com'),  
10 (104, 'Likitha', 'likitha@gmail.com');  
11 DELIMITER //  
12 CREATE PROCEDURE GetEmailList()  
13 BEGIN  
14 DECLARE done INT DEFAULT 0;  
15 DECLARE emp\_email VARCHAR(50);  
16 DECLARE email\_list TEXT DEFAULT '';  
17 DECLARE emp\_cursor CURSOR FOR  
18 | SELECT email FROM employees;  
19 DECLARE CONTINUE HANDLER FOR NOT FOUND SET done = 1;  
20 OPEN emp\_cursor;  
21 read\_loop: LOOP  
22 | | FETCH emp\_cursor INTO emp\_email;

I/O

AI Agent

90 ms

STDM

Input for the program ( Optional )

Output:

+-----+  
| Employee\_Email\_list  
+-----+  
| durga@gmail.com; dharanish@gmail.com; sabesh@gmail.com; likitha@gmail.com;  
+-----+