

EXP2

1.

```
mysql> desc student;
```

Field	Type	Null	Key	Default	Extra
regno	int	YES		NULL	
name	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
mobilen	bigint	YES		NULL	
city	varchar(15)	YES		NULL	

```
6 rows in set (0.00 sec)

mysql> alter table student add primary key (regno);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc student;
```

Field	Type	Null	Key	Default	Extra
regno	int	NO	PRI	NULL	
name	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
mobilen	bigint	YES		NULL	
city	varchar(15)	YES		NULL	

```
6 rows in set (0.00 sec)
```

2.

```
mysql> alter table faculty add constraints check_gender check(gender in ('M','F'));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that correspo
heck_gender check(gender in ('M','F'))' at line 1
mysql> alter table faculty add constraint check_gender check(gender in ('M','F'));
Query OK, 0 rows affected (0.11 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> alter table faculty add primary key (facno);
ERROR 1072 (42000): Key column 'facno' doesn't exist in table
mysql> alter table faculty add primary key (Facno);
ERROR 1072 (42000): Key column 'Facno' doesn't exist in table
mysql> alter table student add primary key (facno);
ERROR 1068 (42000): Multiple primary key defined
mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
factno	varchar(4)	YES		NULL	
facname	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
doj	date	YES		NULL	
mobilen	bigint	YES		NULL	
dept	varchar(10)	YES		NULL	

```
7 rows in set (0.00 sec)
```

3.

```
mysql> alter table department add primary key (Deptno);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc department;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| deptno     | varchar(4)    | NO   | PRI | NULL    |       |
| deptname   | varchar(15)   | YES  |     | NULL    |       |
| depthead   | varchar(4)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

4.

```
mysql> alter table course add primary key (courseno);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> alter table course add constraint check_
-> \c
mysql> alter table course add constraint check_sem check(semno between 1 and 6);
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| courseno   | varchar(3)    | NO   | PRI | NULL    |       |
| courseDesc | varchar(14)   | YES  |     | NULL    |       |
| courseType | char(1)       | YES  |     | NULL    |       |
| semno      | char(1)       | YES  |     | NULL    |       |
| hallno     | varchar(4)    | YES  |     | NULL    |       |
| facno      | varchar(4)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

5.

```
mysql> alter table student2 add constraint uq_s1name unique (S1Name);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc student2;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| RegNo | int           | NO   | PRI | NULL    |       |
| S1Name | varchar(30)   | YES  | UNI | NULL    |       |
| Gender | char(1)       | YES  |     | NULL    |       |
| Age   | int           | YES  |     | NULL    |       |
| City  | varchar(20)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

6.

```
mysql> CREATE TABLE student3 (
->   RegNo INT,
->   Course VARCHAR(30),
->   Marks INT
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> ALTER TABLE student3
-> ADD CONSTRAINT fk_regno
-> FOREIGN KEY (RegNo)
-> REFERENCES student2(RegNo);
Query OK, 0 rows affected (0.11 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

7.

```
mysql> INSERT INTO student2
-> VALUES (101,'Allen','F',20,'Chennai');
Query OK, 1 row affected (0.04 sec)

mysql> INSERT INTO student3
-> VALUES (101,'DBMS',95);
Query OK, 1 row affected (0.04 sec)

mysql> ^C
mysql> INSERT INTO student3
-> VALUES (999,'DBMS',90);
ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails (`experiment1`.`student3`, CONSTRAINT `fk_regno` FOREIGN KEY (`RegNo`) REFERENCES `student2` (`RegNo`))
```