

todo-list/app/models/user.rb

```
class User < ApplicationRecord
  # Include default devise modules. Others available are:
  # :confirmable, :lockable, :timeoutable and :omniauthable
  devise :database_authenticatable, :registerable,
         :recoverable, :rememberable, :trackable, :validatable

  has_many :tasks
end
```

New.html.erb

```
<h1 class="task-header">
  New task
</h1>

<%= link_to 'Go back', tasks_path, class: ['action-button', 'back-button'] %>

<%= link_to 'Log out', destroy_user_session_path, method: :delete, class:
['action-button', 'log-out-button'] %>

<%= render 'form', task: @task, readonly: false %>
```

Show.html.erb

```
<h1 class="task-header">
  <%= @task.task %>
</h1>

<%= link_to 'Go back', tasks_path, class: ['action-button', 'back-button'] %>

<%= render 'form', task: @task, readonly: true %>
```

Index.html.erb

```
<h1 class="tasks-header">
  iTasks
</h1>

<p class="notice-container"><%= notice %></p>
```

```

<%= link_to 'Log out', destroy_user_session_path, method: :delete, class:
['action-button', 'log-out-button'] %>❖

<div class="tasks-container">
  <div class="tasks-todo">
    <h2 class="tasks-status">
      To-Do
    </h2>

    <ul class="tasks-list">
      <% @tasks.todo.each do |task| %>
        <% if task.user == current_user %>
          <li class="tasks-item">
            <%= render 'task', task: task %>
            <div class="task-buttons">
              <%= link_to fa_icon("pencil"), edit_task_path(task), class:
'task-button' %>
              <%= link_to fa_icon("trash-o"), task, class: 'task-button',
                method: :delete, data: { confirm: 'Are you sure?' }
            %>
            </div>
          </li>
        <% end %>
      <% end %>
    </ul>
  </div>

  <div class="tasks-buttons">
    <%= link_to 'New task', new_task_path, class: "action-button" %>
  </div>

  <div class="tasks-completed">
    <h2 class="tasks-status">
      Completed
    </h2>

    <ul class="tasks-list">
      <% @tasks.completed.each do |task| %>
        <% if task.user == current_user %>
          <li class="tasks-item">
            <%= render 'task', task: task %>
            <div class="task-buttons">
              <%= link_to fa_icon("trash-o"), task, class: 'task-button',
                method: :delete, data: { confirm: 'Are you sure?' }
            %>
            </div>
          </li>
        <% end %>
      <% end %>
    </ul>
  </div>

```

```

    <% end %>
  </ul>
</div>
</div>

```

task.html.erb

```

<%= link_to task, class: 'task-name' do %>
  <%= task.task %>
  <% if task.due_date.present? %>
    <time class="task-time <%= task.due_date <= Date.today ? 'is-due' : '' %>"
datetime="<%= task.due_date.strftime('%FT%T') %>">
      <%= task.due_date.strftime("%m/%d") %>
    </time>
  <% end %>
<% end %>

```

Edit.html.erb

```

<h1 class="task-header">
  Editing <%= @task.task %>
</h1>

<%= link_to 'Go back', tasks_path, class: ['action-button', 'back-button'] %>

<%= link_to 'Log out', destroy_user_session_path, method: :delete, class:
['action-button', 'log-out-button'] %>❖

<%= render 'form', task: @task, readonly: false %>

```

form.html.erb

```

<%= form_with(model: task, local: true) do |form| %>
  <% if task.errors.any? %>
    <div class="errors-container">
      <h2>
        <%= pluralize(task.errors.count, "error") %> prohibited this task from
being saved:
      </h2>

      <ul class="errors-list">
        <% task.errors.full_messages.each do |message| %>
          <li class="errors-item">
            <%= message %>
          </li>
        <% end %>
      </ul>
    </div>
  <% end %>

  <%= form.text_field :task, :readonly => task.task == task.task %>
  <%= form.submit %>
</form>

```

```

        <% end %>
    </ul>
</div>
<% end %>

<div class="form-container">
    <div class="form-field">
        <div class="form-label-container">
            <%= form.label :task, class: 'form-label' %>
        </div>
        <div class="form-input-container">
            <%= form.text_field :task, id: :task_task, class: 'form-input',
disabled: readonly %>
        </div>
    </div>

    <div class="field form-field">
        <div class="form-label-container">
            <%= form.label :details, class: 'form-label' %>
        </div>
        <div class="form-input-container">
            <%= form.text_area :details, id: :task_details, class: 'form-input',
disabled: readonly %>
        </div>
    </div>

    <div class="form-field">
        <div class="form-label-container">
            <%= form.label :due_date, class: 'form-label' %>
        </div>
        <div class="form-input-container">
            <%= form.date_field :due_date, id: :task_due_date, class: 'form-
input', disabled: readonly %>
        </div>
    </div>

    <div class="field form-field">
        <div class="form-label-container">
            <%= form.label :completed, class: 'form-label' %>
        </div>
        <div class="form-input-container">
            <%= form.check_box :completed, id: :task_completed, class: 'form-
input', disabled: readonly %>
        </div>
    </div>

    <% unless readonly %>
        <div class="field form-buttons">

```

```
        <%= form.submit class: 'action-button' %>
      </div>
    <% end %>
  </div>
<% end %>
```

Application.html.erb

```
<!DOCTYPE html>
<html>
  <head>
    <title>iTasks</title>
    <%= csrf_meta_tags %>

    <%= stylesheet_link_tag    'application',
'https://fonts.googleapis.com/css?family=Raleway', media: 'all', 'data-
turbolinks-track': 'reload' %>
    <%= javascript_include_tag 'application', 'data-turbolinks-track':
'reload' %>
  </head>

  <body>
    <%= yield %>
  </body>
</html>
```

Mailer.html.erb

```
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <style>
      /* Email styles need to be inline */
    </style>
  </head>

  <body>
    <%= yield %>
  </body>
</html>
```