

Exp .No : 8

Date :

SET UP A SINGLE HADOOP CLUSTER AND SHOW THE PROCESS USING WEB UI

AIM:

To set up a single hadoop cluster and show the process using web UI.

PROCEDURE:

1. **Install Java 8:** Download Java 8 from the link:

<http://www.oracle.com/technetwork/java/javase/downloads/jdk8-downloads-2133151.html>

- a. Set environmental variables:
 - i. User variable:
 - Variable: JAVA_HOME
 - Value: C:/java
 - ii. System variable:
 - Variable: PATH
 - Value: C:/java/bin
- b. Check on cmd, see below:



```
C:\> Command Prompt
Microsoft Windows [Version 10.0.19045.4780]
(c) Microsoft Corporation. All rights reserved.

C:\Users\user>cd \

C:\>java -version
java version "1.8.0_202"
Java(TM) SE Runtime Environment (build 1.8.0_202-b08)
Java HotSpot(TM) 64-Bit Server VM (build 25.202-b08, mixed mode)

C:\>
```

2. **Download Hadoop-3.3.6:** download Hadoop 3.3.6 from the link:

<http://www.apache.org/dyn/closer.cgi/hadoop/common/hadoop-3.3.6/hadoop-3.3.6.tar.gz>

- a. Put extracted Hadoop-3.3.6 files into C drive. Note that do not put these extracted files into Cdrive, where you installed your Windows.
- b. **Download “hadoop-common-3.3.6-bin-master”** from the link: <https://github.com/amihalik/hadoop-common-3.3.6-bin/tree/master/bin>. You will see 11 filesthere. Paste all these files into the “bin” folder of Hadoop-3.3.6.
- c. Create a “data” folder inside Hadoop-3.3.6, and also create two more folders in the “data” folderas “data” and “name.”
- d. Create a folder to store temporary data during execution of a project, such as “D:/hadoop/temp.”
- e. Create a log folder, such as “D:/hadoop/userlog”
- f. Go to Hadoop-3.3.6 →etc → Hadoop and edit four files:
 - i. core-site.xml
 - ii. hdfs-site.xml
 - iii. mapred-site.xml
 - iv. yarn-site.xml

core-site.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<configuration>
<property>
  <name>fs.defaultFS</name>
  <value>hdfs://localhost:9000</value>
</property>
</configuration>
```

hdfs-site.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<configuration>
  <property>
    <name>dfs.replication</name>
    <value>1</value>
  </property>
  <property>
    <name>dfs.namenode.name.dir</name>
    <value>file:///C:/hadoop-3.3.6/data/namenode</value>
  </property>
  <property>
    <name>dfs.datanode.data.dir</name>
    <value>file:///C:/hadoop-3.3.6/data/datanode</value>
  </property>
</configuration>
```

mapred-site.xml:

```
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<configuration>
<property>
  <name>mapreduce.framework.name</name>
  <value>yarn</value>
</property>
</configuration>
```

yarn-site.xml:

```
<?xml version="1.0"?>
<configuration>
  <property>
    <name>yarn.nodemanager.aux-services</name>
    <value>mapreduce_shuffle</value>
  </property>
</configuration>
```

- g. Go to the location: “Hadoop-3.3.6→etc→hadoop,” and edit “hadoop-env.cmd” by writingset
JAVA_HOME=C:/java/jdk1.8.0_202
- h. Set environmental variables: Do: My computer → Properties → Advance
system settings →
Advanced → Environmental variables
 - i. User variables:
 - Variable: HADOOP_HOME
 - Value: C:/hadoop-3.3.6
 - ii. System variable
 - Variable: Path
 - Value: C:/hadoop-3.3.6/bin
C:/hadoop-3.3.6/sbin
C:/hadoop-3.3.6/share/hadoop/common/*
C:/hadoop-3.3.6/share/hadoop/hdfs
C:/hadoop-3.3.6/share/hadoop/hdfs/lib/*
C:/hadoop-3.3.6/share/hadoop/hdfs/*
C:/hadoop-3.3.6/share/hadoop/yarn/lib/*
C:/hadoop-3.3.6/share/hadoop/yarn/*
C:/hadoop-3.3.6/share/hadoop/mapreduce/lib/*
C:/hadoop-3.3.6/share/hadoop/mapreduce/*
C:/hadoop-3.3.6/share/hadoop/common/lib/*
- i. Check on cmd; see below.

```
C:\Windows\System32>hadoop version
Hadoop 3.3.6
Source code repository https://github.com/apache/hadoop.git -r 1be78238728da9266a4f88195058f08fd012bf9c
Compiled by ubuntu on 2023-06-18T08:22Z
Compiled on platform linux-x86_64
Compiled with protoc 3.7.1
From source with checksum 5652179ad55f76cb287d9c633bb53bbd
This command was run using /C:/hadoop-3.3.6/share/hadoop/common/hadoop-common-3.3.6.jar
```

- j. **Format name-node:** On cmd go to the location “Hadoop-2.6.0→bin” by
writing on cmd “cdhadoop-2.6.0\bin” and then “hdfs namenode –format”
- k. Start Hadoop. Go to the location: “D:\hadoop-2.6.0\sbin.” Run the following
files as administrator “start-all.cmd”.
- l. Go to your web browser and search “localhost:9870” to access Hadoop
NameNode. For Resource Manager, search “localhost:8088”.

Namenode information

localhost:9870/dfshealth.html#tab-overview

Hadoop

Overview

Datanodes

Datanode Volume Failures

Snapshot

Startup Progress

Utilities

Overview 'localhost:9000' (✓active)

Started:	Sun Sep 08 00:06:16 +0530 2024
Version:	3.3.6, r1be78238728da9266a4f88195058f08fd012bf9c
Compiled:	Sun Jun 18 13:52:00 +0530 2023 by ubuntu from (HEAD detached at release-3.3.6-RC1)
Cluster ID:	CID-50e55097-947b-42ab-ac22-401506263472
Block Pool ID:	BP-1769990285-192.168.56.1-1724916758896

Summary

Security is off.

Safemode is off.

75 files and directories, 27 blocks (27 replicated blocks, 0 erasure coded block groups) = 102 total filesystem object(s).

All Applications

localhost:8088/cluster

All App

Cluster

About

Nodes

Node Labels

Applications

NEW

NEW SAVING

SUBMITTED

ACCEPTED

RUNNING

FINISHED

FAILED

KILLED

Scheduler

Tools

Cluster Metrics

Apps Submitted	Apps Pending	Apps Running	Apps Completed	Containers Running	Used Resources
0	0	0	0	0	<memory:0 B, vCores:0>

Cluster Nodes Metrics

Active Nodes	Decommissioning Nodes	Decommissioned Nodes
1	0	0

Scheduler Metrics

Scheduler Type	Scheduling Resource Type	Minimum Allocation
Capacity Scheduler	[memory-mb (unit=Mi), vcores]	<memory:1024, vCores:1>

Show 20 entries

ID	User	Name	Application Type	Application Tags	Queue	Application Priority	StartTime	LaunchTime	FinishTime	State	FinalStatus
No data											

Showing 0 to 0 of 0 entries

RESULT:

The set up of a single hadoop cluster and show the process using web UI on Windows system have been successfully completed.