

AI ASSISTED LAB ASSIGNMENT – 7.1

Error Debugging with AI

Name: A.V. Prasad

Roll_no:2503A52400

Batch_no:14

Task-1: Provide a Python snippet with a missing parenthesis in a print statement (e.g., `print "Hello ";`). Use AI to detect and fix the syntax

error.

Analyze:

Corrected code with proper syntax and AI explanation.

Input:

`#Missing parentheses in print statement`

```
print("Hello, World!"
```

```
# solve the error and give the correct code and explanation
```


Explanation:

The error in the code is due to a missing closing parenthesis for the `print` function. In Python, the `print` function requires both an opening and a closing parenthesis to properly enclose the string that you want to print.

The corrected code should be:

```
print("Hello, World!")
```

Output:



```
PS C:\Users\Prasad reddy\.vscode> & "C:\Users\Prasad reddy\AppData\Local\Programs\Python\Python314\python.exe" "c:/Users/Prasad reddy/.vscode/python.py/lab.py"
File "c:/Users/Prasad reddy/.vscode/python.py/lab.py", line 1
    print("Hello, World!"
    ^
SyntaxError: '(' was never closed
PS C:\Users\Prasad reddy\.vscode> & "C:\Users\Prasad reddy\AppData\Local\Programs\Python\Python314\python.exe" "c:/Users/Prasad reddy/.vscode/python.py/lab.py"
Hello, World!
PS C:\Users\Prasad reddy\.vscode>
```

:

Task-2: Supply a function where an if-condition mistakenly uses `=` instead of `==`. Let AI identify and fix the issue.

Input:

Correct the condition that mistakenly used assignment instead of equality.

```
def check_number(n):  
    if n == 10:  
        return "Ten"  
    else:  
        return "Not Ten"  
  
# Verification: three successful test cases.  
assert check_number(10) == "Ten"  
assert check_number(9) == "Not Ten"  
assert check_number(11) == "Not Ten"  
  
print(check_number(10)) # Output: Ten  
print(check_number(9))  
print("All tests passed.")
```

Explanation:

In Python, ```=``` assigns a value and cannot be used as a condition, causing a `SyntaxError`. The ```==``` operator compares values, so it correctly checks whether ```n``` is equal to 10.

Output:

```
PS C:\Users\Prasad reddy\.vscode> & "C:\Users\Prasad reddy\AppData\Local\Programs\Python\Python314\python.exe" "c:/Users/Prasad reddy/.vscode/python.py/lab.py"
Ten
Not Ten
All tests passed.
PS C:\Users\Prasad reddy\.vscode> 
```

Task-3: Provide code that attempts to open a non-existent file and crashes. Use AI to apply safe error handling.

Input:

#generate Provide code that attempts to open a non-existent file and crashes. Use AI to apply safe error handling.

```
from pathlib import Path
```

```
from tempfile import TemporaryDirectory
```

```
def read_file(filename):
```

```
    """Read a text file and return a user-friendly error instead of
    crashing."""
```

```
    try:
```

```
        with open(filename, "r", encoding="utf-8") as file:
```

```
            return file.read()
```

```
    except FileNotFoundError:
```

```
        return f"Error: The file '{filename}' was not found."
```

```
    except (OSError, UnicodeError) as error:
```

```
        return f"Error: Could not read '{filename}': {error}"
```

```
def run_tests():
```

```
    """Test an existing file, a missing file, and an invalid path."""
```

```

with TemporaryDirectory() as temporary_directory:

    existing_file = Path(temporary_directory) / "existing.txt"

    existing_file.write_text("File contents", encoding="utf-8")


    print("Existing file:")

    print(read_file(existing_file))


    print("Missing file:")

    print(read_file("nonexistent.txt"))


    print("Invalid path:")

    print(read_file("\0invalid-path"))

```

```

if __name__ == "__main__":

```

```

    run_tests()

```

Explanation:

The Python raises an **Attribute error**.The except block catches it instead of allowing the program to crash

Output:

```
PS C:\Users\Prasad Reddy\vscode> & "C:\Users\Prasad Reddy\AppData\Local\Programs\Python\Python314\python.exe" -c "C:\Users\Prasad Reddy\vscode\python.py\1a0.py"
Existing file:
File contents
Missing file:
Error: The file 'nonexistent.txt' was not found.
Invalid path:
Traceback (most recent call last):
```

Task-4: Give a class where a non-existent method is called (e.g., `obj.undefined_method()`). Use AI to debug and fix.

Input:

#Generate Give a class where a non-existent method is called (e.g., `obj.undefined_method()`). Use AI to debug and fix.

```
class Car:
```

```
    def start(self):
```

```
        return "Car started"
```

```
my_car = Car()
```

```
result = my_car.start()
```

```
# Three assert tests confirm that the corrected class and method call work.
```

```
assert isinstance(my_car, Car)
```

```
assert hasattr(my_car, "start")
```

```
assert result == "Car started"
```

```
print("All 3 assert tests passed.")
```

```
print("Output:", result)
```

Explanation:

The original code called ``my\_car.drive()``, but ``Car`` only defined ``start()``. Since the intended operation is to start the car, the call is corrected to ``my\_car.start()`` rather than adding an unrelated ``drive``

method.

Output:

```
PS C:\Users\Prasad reddy\.vscode> & "C:\Users\Prasad reddy\AppData\Local\Programs\Python\Python314\python.exe" "c:/Users/Prasad reddy/.vscode/python.py/lab.py"
All 3 assert tests passed.
Output: Car started
PS C:\Users\Prasad reddy\.vscode> 
```

Task-5: Provide code that adds an integer and string ('5' + 2) causing a TypeError. Use AI to resolve the bug.

Input:

#generate Provide code that adds an integer and string ('5' + 2) causing a TypeError. Use AI to resolve the bug. # Bug: TypeError due to mixing string and integer

Solution 1: convert the input to an integer before adding 5.

```
def add_five(value):  
    return int(value) + 5
```

Solution 2: convert the integer to a string for concatenation.

```
def append_five(value):  
    return str(value) + "5"
```

Validation: three assert test cases.

```
assert add_five("10") == 15
```

```
assert add_five(0) == 5
```

```
assert add_five("-2") == 3
```

```
assert append_five("10") == "105"
```

```
assert append_five(0) == "05"
```

```
assert append_five(12) == "125"
```

```
print(add_five("10"))
```


```
print(add_five(7))
```

```
print(append_five("10"))  
print("All tests passed.")
```

Explanation:

Corrected code that runs successfully for multiple inputs.
Type Error caused by mixing strings and integers

Output:

A terminal window with a dark background. The command prompt shows a PowerShell command to run a Python script. The output of the script is displayed in the terminal.

```
PS C:\Users\Prasad reddy\.vscode> & "C:\Users\Prasad reddy\AppData\Local\Programs\Python\Python314\python.exe" "c:/Users/Prasad reddy/.vscode/python.py/lab.py"  
15  
12  
105  
All tests passed.  
PS C:\Users\Prasad reddy\.vscode>
```

