

Lab 9.1 – Documentation Generation -Automatic documentation and code comments

Name: A.V.Prasad

Roll no: 2503A52400

Batch: 14

Task Description :1 – **Docstring , Inline comments , Google-style documentation**

Task: Compare the three approaches. Discuss their advantages and disadvantages. Explain suitable use cases. Recommend the best documentation style for a **mathematical utilities library**

Prompt: Explain what the function does, describe the input parameter, and describe the return value. Keep the documentation simple and suitable for a beginner.

Input:

```
def find_max_docstring(numbers):  
    """Return the maximum number from a list of  
    numbers."""  
    return max(numbers)
```

```
def find_max_inline(numbers):  
    # Check and return the maximum value in the input list  
    return max(numbers) # Built-in max function handles  
the comparison
```

```
def find_max_google(numbers):  
    """Finds the maximum value in a list of numbers.
```

Args:

numbers (list of int/float): A list of numerical values to search.

Returns:

int/float: The largest number in the list.

Raises:

ValueError: If the input list is empty.

```
"""
```

if not numbers:

```
    raise ValueError("The list of numbers cannot be  
empty.")
```

```
return max(numbers)
```

#example usage

```
numbers = [3, 5, 1, 8, 2]
```

```
print(find_max_docstring(numbers)) # Output: 8
```


```
print(find_max_inline(numbers)) # Output: 8
```

```
print(find_max_google(numbers)) # Output: 8
```

Explanation:

The purpose of this problem is to understand **different ways of documenting Python code**.

Output:



```
(project2) PS C:\Users\Prasad redddy\OneDrive\Attachments\AI Lab> & "C:\Users\Prasad redddy\OneDrive\Attachments\AI Lab\project2\scripts\python.exe" "C:\Users\Prasad redddy\OneDrive\Attachments\AI Lab\AI.py/AI.py"
8
8
8
(project2) PS C:\Users\Prasad redddy\OneDrive\Attachments\AI Lab> █
```

Task Description :2 – Documentation for login()

Task: Write documentation using all three formats. Critically compare the approaches. Recommend which documentation style would be most useful for **new developers joining a project**.

Prompt : Generate a clear inline comment to the following Python function. The comment should explain what the function is doing without unnecessarily explaining obvious Python syntax.

```
def find_max(numbers):
    return max(numbers)
```

Input:

```
def login_docstring(user, password, credentials):  
    """Verify if the provided password matches the stored  
    password for the given user in the credentials registry."""  
    return credentials.get(user) == password
```

```
def login_inline(user, password, credentials):  
    # Retrieve password for user and evaluate match  
    # Using .get() prevents KeyError if user is missing,  
    # returning None which safely compares False  
    return credentials.get(user) == password
```

```
def login_google(user, password, credentials):  
    """Authenticates a user against a provided credentials  
    store.
```

Args:

user (str): The unique identifier/username of the user trying to log in.

password (str): The plain-text security password provided by the client.

credentials (dict): A dictionary mapping usernames (str) to their corresponding correct passwords (str).

Returns:

bool: True if the user exists and the password matches; False otherwise.

"""

return credentials.get(user) == password

#example usage

```
credentials = {'alice': 'password123', 'bob': 'securepass'}
```

```
print(login_docstring('alice', 'password123', credentials)) #
```

Output: True

```
print(login_inline('alice', 'password123', credentials)) #
```

Output: True

```
print(login_google('alice', 'password123', credentials)) #
```

Output: True

Explanation:

This problem is similar to Problem 1, but the function represents a **login/authentication operation**.

Output:

```
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab> & "c:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab\project2\Scripts\python.exe" "c:/Users/Prasad_reddy/OneDrive/Attachments/AI Lab/AI.py/AI.py"
True
True
True
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab>
```

Task Description :3 – Calculator Module

Task: Display the module documentation in the terminal. Generate the documentation as an **HTML file** using Python's pydoc. Open the generated HTML file in a browser and verify it methods.

Prompt: Generate Convert the following Python function into a properly documented Google-style function. Include a description, Args section, and Returns section.

```
def find_max(numbers):
    return max(numbers)
```

Input:

```
"""A basic calculator module providing arithmetic
operations with structured documentation.
```

```
"""
```

```
def add(a, b):
```

"""Returns the sum of two numbers.

Args:

a (int/float): The first number.

b (int/float): The second number.

Returns:

int/float: The sum of a and b.

"""

return a + b

def subtract(a, b):

"""Returns the difference of two numbers.

Args:

a (int/float): The first number (minuend).

b (int/float): The second number (subtrahend).

Returns:

int/float: The difference of a and b.

```
"""
```

```
return a - b
```

```
def multiply(a, b):
```

```
    """Returns the product of two numbers.
```

```
    Args:
```

```
        a (int/float): The first factor.
```

```
        b (int/float): The second factor.
```

```
    Returns:
```

```
        int/float: The product of a and b.
```

```
    """
```

```
    return a * b
```

```
def divide(a, b):
```

```
    """Returns the quotient of two numbers.
```

```
    Args:
```

a (int/float): The dividend.

b (int/float): The divisor.

Returns:

float: The quotient of a divided by b.

Raises:

ZeroDivisionError: If the divisor b is zero.

.....

if b == 0:

 raise ZeroDivisionError("Division by zero is not allowed.")

 return a / b

#example usage

print(divide(10, 2)) # Output: 5.0

print(multiply(3, 4)) # Output: 12

print(subtract(10, 5)) # Output: 5


print(add(7, 3)) # Output: 10

Explanation:

This problem introduces **automatic documentation generation**.

Instead of manually creating a documentation website, Python's `pydoc` can read the docstrings from your program and generate documentation.

Output:



```
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab> & "c:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab\project2\Scripts\python.exe" "c:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab\AI.py\AI.py"
5.0
12
5
10
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab> |
```

Task Description :4 – Conversion Utilities Module

Task: Use **Copilot** to automatically generate docstrings. Generate the documentation in the terminal. Export the documentation to HTML. Open the HTML documentation in a browser.

Prompt: Generate Compare docstrings, inline comments, and Google-style documentation for the following Python function:

```
def find_max(numbers):  
    return max(numbers)
```

For each approach, explain:

1. Advantages
2. Disadvantages
3. Suitable use cases

Finally, recommend the most effective documentation style for a mathematical utilities library and justify your answer.

Input:

```
"""A conversion utility module providing functions to
convert numbers between decimal, binary, and
hexadecimal bases.
```

```
"""
```

```
def decimal_to_binary(n):
```

```
    """Converts a decimal integer to its binary string
    representation.
```

Args:

n (int): The decimal integer to convert.

Returns:

str: The binary representation of the integer (prefixed with '0b').

Raises:

TypeError: If the input is not an integer.

```
"""
```

```
if not isinstance(n, int):
```

```
    raise TypeError("Input must be an integer.")
```

```
return bin(n)
```

```
def binary_to_decimal(b):
```

```
    """Converts a binary string to its decimal integer  
    representation.
```

```
    Args:
```

```
        b (str): The binary string to convert (can optionally  
        start with '0b').
```

```
    Returns:
```

```
        int: The decimal integer value of the binary string.
```

```
    Raises:
```

```
        ValueError: If the input string is not a valid binary  
        number.
```

```
        TypeError: If the input is not a string.
```

```
"""
```

```
if not isinstance(b, str):  
    raise TypeError("Input must be a string.")  
return int(b, 2)
```

```
def decimal_to_hexadecimal(n):  
    """Converts a decimal integer to its hexadecimal string  
    representation.
```

Args:

n (int): The decimal integer to convert.

Returns:

str: The lowercase hexadecimal representation of the integer (prefixed with '0x').

Raises:

TypeError: If the input is not an integer.

```
"""
```

```
if not isinstance(n, int):  
    raise TypeError("Input must be an integer.")  
return hex(n)
```

#example usage

```
print(decimal_to_binary(10)) # Output: '0b1010'
```


```
print(binary_to_decimal('0b1010')) # Output: 10
```

```
print(decimal_to_hexadecimal(255)) # Output: '0xff'
```

Explanation:

This problem combines programming + AI-assisted documentation + automatic documentation generation.

Output:



```
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab> & "c:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab\project2\Scripts\python.exe" "c:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab\AI.py\AI.py"
0b1010
10
0xff
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI_Lab> █
```

Task-5: Course Management Module

Prompt: Generate a Python module named course.py for a simple course management system.

```
"""A course management module providing utilities to add,
remove, and retrieve course details.
```

```
"""
```

```
# In-memory database to store course information
```

```
_course_db = {}
```

```
def add_course(course_id, name, credits):
```

```
    """Adds a new course to the registry.
```

Args:

 course_id (str): The unique identifier for the course
(e.g., 'CS101').

 name (str): The name of the course.

 credits (int): The number of academic credits for the
course.

Raises:

 ValueError: If the course_id already exists in the
registry.

 TypeError: If credits is not an integer or if
course_id/name is not a string.

```
    """
```

```
    if not isinstance(course_id, str) or not isinstance(name,  
str):
```

```
        raise TypeError("course_id and name must be  
strings.")
```

```
    if not isinstance(credits, int):
```

```
        raise TypeError("credits must be an integer.")
```

```
    if course_id in _course_db:
```

```
        raise ValueError(f"Course with ID {course_id} already  
exists.")
```

```
    _course_db[course_id] = {  
        "name": name,  
        "credits": credits  
    }
```

```
def remove_course(course_id):
```

```
    """Removes an existing course from the registry.
```

Args:

 course_id (str): The unique identifier of the course to
be removed.

Raises:

 KeyError: If the course_id is not found in the registry.

```
    """
```

```
    if course_id not in _course_db:
```

```
        raise KeyError(f"Course with ID {course_id} does not  
exist.")
```

```
del _course_db[course_id]
```

```
def get_course(course_id):
```

```
    """Retrieves the details of a specific course.
```

```
    Args:
```

```
        course_id (str): The unique identifier of the course to  
        retrieve.
```

```
    Returns:
```

```
        dict: A dictionary containing the course 'name' and  
        'credits'.
```

```
    Raises:
```

```
        KeyError: If the course_id is not found in the registry.
```

```
    """
```

```
    if course_id not in _course_db:
```

```
        raise KeyError(f"Course with ID {course_id} does not  
        exist.")
```

```
    return _course_db[course_id]
```

```
#example usage
```

```
add_course('CS101', 'Introduction to Computer Science',  
4)
```

```
print(get_course('CS101')) # Output: {'name': 'Introduction  
to Computer Science', 'credits': 4}
```

Explanation:

Review the `course.py` module and check whether the documentation for `add_course()`, `remove_course()`, and `get_course()` is complete and consistent.

Output:

```
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab> & "c:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab\project2\Scripts\python.exe" "c:/Users/Prasad_reddy/OneDrive/Attachments/AI Lab/AI.py/AI.py"  
{'name': 'Introduction to Computer Science', 'credits': 4}  
(project2) PS C:\Users\Prasad_reddy\OneDrive\Attachments\AI Lab> []
```