PSEUDOCODE

-PRASANGA RAJBHANDARI

```
1. CREATE a dictionary called services with service names and prices

2. CREATE an empty list called bookings

3. DEFINE FUNCTION show_services:
    DISPLAY "Available Services"
    FOR EACH service in services:
        DISPLAY service name and price

4. DEFINE FUNCTION book_appointment:
    TRY:
        ASK user for name
        FORMAT name

        CALL show_services

        ASK user to choose a service
        ASK user to enter time

        IF service exists in services:
            CREATE booking record with name, service, time, price
            ADD booking to bookings list
            DISPLAY confirmation message
        ELSE:
            DISPLAY "Invalid service"

    EXCEPT:
```

```
        DISPLAY "Something went wrong"

5. DEFINE FUNCTION show_bookings:
    TRY:
        IF bookings list is empty:
            DISPLAY "No bookings available"
            STOP FUNCTION

        FOR EACH booking in bookings:
            DISPLAY booking details

    EXCEPT:
        DISPLAY error message

6. START MAIN LOOP:
    DISPLAY menu:
        1. Book
        2. View
        3. Exit

    TRY:
        ASK user for choice

        IF choice is 1:
            CALL book_appointment

        ELSE IF choice is 2:
            CALL show_bookings

        ELSE IF choice is 3:
```

```
            DISPLAY goodbye message
            END program

        ELSE:
            DISPLAY "Invalid choice"

    EXCEPT:
        DISPLAY "Invalid input"
```

7. REPEAT until user exits