

Salesforce Certified Platform Developer I

Time Taken: 29 minutes of 105 minutes total**Result:** Pass

Topic	Percentage Correct
Developer Fundamentals	92%
Process Automation and Logic	72%
User Interface	100%
Testing, Debugging, and Deployment	92%

Congratulations! You have successfully completed the certification exam to become a Salesforce Certified Platform Developer I. Welcome to the community of Certified Professionals!

[Exit Test](#)**Answers**

- | | | | |
|--------|---------|--------|---------|
| 1. CA | 2. AB | 3. D | 4. B |
| 5. D | 6. A | 7. A | 8. B |
| 9. D | 10. A | 11. A | 12. DBA |
| 13. C | 14. C | 15. D | 16. A |
| 17. BC | 18. D | 19. BD | 20. ABF |
| 21. D | 22. D | 23. AB | 24. D |
| 25. C | 26. D | 27. B | 28. C |
| 29. C | 30. D | 31. A | 32. B |
| 33. CD | 34. A | 35. A | 36. A |
| 37. C | 38. AB | 39. B | 40. C |
| 41. BD | 42. D | 43. A | 44. A |
| 45. C | 46. D | 47. C | 48. D |
| 49. D | 50. CDE | 51. A | 52. D |
| 53. AC | 54. D | 55. D | 56. A |
| 57. D | 58. DC | 59. CD | 60. C |
| 61. D | 62. BC | 63. B | 64. BC |
| 65. AD | | | |

[Submit Exam](#)



Salesforce Certified Platform Developer I

Time Remaining: 01:16:21

65 of 65. Where are two locations a developer can look to find information about the status of batch or future methods?

Choose 2 answers

- A. ☒ Apex Jobs
- B. ☐ Developer Console
- C. ☐ Paused Flow Interviews component
- D. ☒ Apex Flex Queue

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:16:32

64 of 65. A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debitAmount' should not be able to change once a value is assigned.

In which two ways can the developer declare the variables to ensure their value can only be assigned one time?

Choose 2 answers

- A. ☐ Use the `static` keyword and assign its value in a static initializer.
- B. ☒ Use the `final` keyword and assign its value when declaring the variable.
- C. ☒ Use the `final` keyword and assign its value in the class constructor.
- D. ☐ Use the `static` keyword and assign its value in the class constructor.



Salesforce Certified Platform Developer I

Time Remaining: 01:16:51

63 of 65.

Which scenario is valid for execution by unit tests?

- A. ☐ Load data from a remote site with a callout.
- B. ☒ Set the created date of a record using a system method.
- C. ☐ Execute anonymous Apex as a different user.
- D. ☐ Generate a Visualforce PDF with `getContentAsPDF()`.

☐ Mark this Item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:17:01

62 of 65. Universal Containers decides to use purely declarative development to build out a new Salesforce application.

Which two options can be used to build out the business logic layer for this application?

Choose 2 answers

- A. ☐ Batch Jobs
- B. ☒ Validation Rules
- C. ☒ Record-Triggered Flow
- D. ☐ Remote Actions

☐ Mark this Item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:17:10

61 of 65. A developer needs to make a custom Lightning Web Component available in the Salesforce Classic user interface.

Which approach can be used to accomplish this?

- A. ☐ Wrap the Lightning Web Component in an Aura Component and surface the Aura Component as a Visualforce tab.
- B. ☐ Embed the Lightning Web Component in a Visualforce Component and add directly to the page layout.
- C. ☐ Use a Visualforce page with a custom controller to invoke the Lightning Web Component using a call to an Apex method.
- D. ☒ Use the Lightning Out JavaScript library to embed the Lightning Web Component in a Visualforce page and add to the page layout.

☐ Mark this item for later review.

Provide question feedback here (optional):



Salesforce Certified Platform Developer I

Time Remaining: 01:17:20

60 of 65. A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of tests allowing them to test independent requirements for various types of Salesforce Cases.

Which approach can efficiently generate the required data for each unit test?

- A. ☐ Create a mock using the Stub API.
- B. ☐ Add `@IsTest(seeAllData=true)` at the start of the unit test class.
- C. ☒ Use `@TestSetup` with a void method.
- D. ☐ Create test data before `Test.startTest()` in the unit test.

☐ Mark this item for later review.

Provide question feedback here (optional):



Salesforce Certified Platform Developer I

Time Remaining: 01:17:27

60 of 65. A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of tests allowing them to test independent requirements for various types of Salesforce Cases.

Which approach can efficiently generate the required data for each unit test?

- A. ☐ Create a mock using the Stub API.
- B. ☐ Add `@IsTest(seeAllData=true)` at the start of the unit test class.
- C. ☒ Use `@TestSetup` with a void method.
- D. ☐ Create test data before `Test.startTest()` in the unit test.

☐ Mark this item for later review.

[Provide answer feedback](#) [Save feedback](#)

Time Remaining: 01:17:48

59 of 65. A business has a proprietary Order Management System (OMS) that creates orders from its website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates it in Salesforce.

The business notices that each update from the OMS creates a new order record in Salesforce.

Which two actions should prevent the duplicate order records from being created in Salesforce?

Choose 2 answers

- A. ☐ Use the order number from the OMS as an external ID.
- B. ☐ Write a trigger on the Order object to delete the duplicates.
- C. ☒ Ensure that the order number in the OMS is unique.
- D. ☒ Use the email on the contact record as an external ID.

☐ Mark this item for later review.

- Amount
- Account

Which two methods should the developer implement to fulfill the business requirement?

Choose 2 answers

- A. ☐ Create an after update trigger on the Opportunity object that calls a helper method using `@Future(Callout=true)` to perform the HTTP REST callout.
- B. ☐ Create a Remote Action on the Opportunity object that executes an Apex Immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- C. ☒ Create a custom Visualforce quick action that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.
- D. ☒ Create a Lightning component quick action that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

by DRAKE INTERNATIONAL

Salesforce Certified Platform Developer I

Time Remaining: 01:18:03

58 of 65. Universal Containers recently transitioned from Classic to Lightning Experience.

One of its business processes requires certain values from the Opportunity object to be sent via an HTTP REST callout to its external order management system when the user presses a custom button on the Opportunity detail page. Example values are as follows:

- Name
- Amount
- Account

Which two methods should the developer implement to fulfill the business requirement?

Choose 2 answers



Salesforce Certified Platform Developer I

Time Remaining: 01:18:15

57 of 65. Universal Containers has developed custom Apex code and Lightning Components in a Sandbox environment. They need to deploy the code and associated configurations to the Production environment.

What is the recommended process for deploying the code and configurations to Production?

- A. ☐ Use a change set to deploy the Apex code and Lightning Components.
- B. ☐ Use the Force.com IDE to deploy the Apex code and Lightning Components.
- C. ☐ Use the Ant Migration Tool to deploy the Apex code and Lightning Components.
- D. ☒ Use Salesforce CLI to deploy the Apex code and Lightning Components.

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:18:24

56 of 65. A developer wants to improve runtime performance of Apex calls by caching results on the client.

What is the most efficient way to implement this and follow best practices?

- A. ☒ Decorate the server-side method with `@AuraEnabled(cacheable=true)`.
- B. ☐ Decorate the server-side method with `@AuraEnabled(storable=true)`.
- C. ☐ Set a cookie in the browser for use upon return to the page.
- D. ☐ Call the `setStorable()` method on the action in the JavaScript client-side code.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here



Salesforce Certified Platform Developer I

Time Remaining: 01:18:33

55 of 65. Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered.

What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. ☐ Formula field
- B. ☐ Quick action
- C. ☐ Apex trigger
- D. ☒ Roll-up summary field



Salesforce Certified Platform Developer I

Time Remaining: 01:18:42

54 of 65. How many Accounts will be inserted by the following block of code?

```
for(Integer i = 0 ; i < 500; i++){  
    Account a = new Account (Name='New Account ' + i);  
    insert a;  
}
```

- A. ☐ 100
- B. ☐ 150
- C. ☐ 500
- D. ☒ 0

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:18:50

53 of 65. A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code?

Choose 2 answers

- A. ☒ Use `Test.loadData` to populate data in your test methods.
- B. ☐ Use the `@isTest(isParallel=true)` annotation in the test class.
- C. ☒ Create a static resource containing test data.
- D. ☐ Use the `@isTest(seeAllData=true)` annotation in the test class.



Salesforce Certified Platform Developer I

Time Remaining: 01:19:02

52 of 65. A custom object `Trainer__c` has a lookup field to another custom object `Gym__c`.

Which SOQL query will get the record for the Viridian City Gym and all it's trainers?

- A. ☐ `SELECT Id, (SELECT Id FROM Trainer__c) FROM Gym__c WHERE Name = 'Viridian City Gym'`
- B. ☐ `SELECT ID FROM Trainer__c WHERE Gym__r.Name = 'Viridian City Gym'`
- C. ☐ `SELECT Id, (SELECT Id FROM Trainers__c) FROM Gym__c WHERE Name = 'Viridian City Gym'`
- D. ☒ `SELECT Id, (SELECT Id FROM Trainers__r) FROM Gym__c WHERE Name = 'Viridian City Gym'`

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:19:10

51 of 65. What can be easily developed using the Lightning Component framework?

- A. ☒ Lightning Pages
- B. ☐ Salesforce integrations
- C. ☐ Customized JavaScript buttons
- D. ☐ Salesforce Classic user interface pages

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:19:17

50 of 65. Which three statements are accurate about debug logs?

Choose 3 answers

- A. ☐ Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. ☐ Only the 20 most recent debug logs for a user are kept.
- C. ☒ The maximum size of a debug log is 5 MB.
- D. ☒ System debug logs are retained for 24 hours.
- E. ☒ Debug logs can be set for specific users, classes, and triggers.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:19:27

49 of 65. A developer created a new `after insert` trigger on the Lead object that creates Task records for each Lead.

After deploying to production, an existing outside integration that inserts Lead records in batches to Salesforce is occasionally reporting total batch failures being caused by the Task insert statement. This causes the integration process in the outside system to stop, requiring a manual restart.

Which change should the developer make to allow the integration to continue when some records in a batch cause failures due to the Task insert statement, so that manual restarts are not needed?

- A. ☐ Use a try-catch block after the `insert` statement.
- B. ☐ Remove the Apex class from the integration user's profile.
- C. ☐ Deactivate the trigger before the integration runs.
- D. ☒ Use the Database method with `allOrNone` set to `false`.

 by DRAKE INTERNATIONAL

Salesforce Certified Platform Developer I

Time Remaining: 01:19:40

48 of 65.

While working in a sandbox, an Apex test fails when run in the Test Runner. However, executing the Apex logic in the Execute Anonymous window succeeds with no exceptions or errors.

Why did the method fail in the sandbox test framework but succeed in the Developer Console?

- A. ☐ The test method does not use `System.runAs` to execute as a specific user.
- B. ☐ The test method has a syntax error in the code.
- C. ☐ The test method is calling an `@future` method.
- D. ☒ The test method relies on existing data in the sandbox.

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:19:49

47 of 65. A developer wants to import 500 Opportunity records into a sandbox.

Why should the developer choose to use Data Loader instead of Data Import Wizard?

- A. ☐ Data Loader runs from the developer's browser.
- B. ☐ Data Import Wizard can not import all 500 records.
- C. ☒ Data Import Wizard does not support Opportunities.
- D. ☐ Data Loader automatically relates Opportunities to Accounts.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here
by DRAKE INTERNATIONAL

Salesforce Certified Platform Developer I

Time Remaining: 01:19:59

46 of 65. A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. ☐ An Apex trigger on the Opportunity object
- B. ☐ A record trigger flow on the Opportunity object
- C. ☐ An approval process on the Opportunity object
- D. ☒ An error condition formula on a validation rule on Opportunity

☐ Mark this item for later review.

Provide question feedback here (optional):



Salesforce Certified Platform Developer I

Time Remaining: 01:20:10

45 of 65. A developer created a trigger on a custom object. This custom object also has some dependent pick lists.

According to the order of execution rules, which step happens first?

- A. ☐ JavaScript validation is run in the browser.
- B. ☐ Old values are overwritten with the new record values.
- C. ☒ The original record is loaded from the database.
- D. ☐ System validation is run for maximum field lengths.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:20:23

44 of 65. An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship.

How can this be achieved?

- A. ☒ Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity.
- B. ☐ Write a trigger on the Opportunity object and use tree sorting to sum the amount for all related child objects under the Opportunity.
- C. ☐ Use the Streaming API to create real-time roll-up summaries.
- D. ☐ Use the Metadata API to create real-time roll-up summaries.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here



Salesforce Certified Platform Developer I

Time Remaining: 01:20:36

43 of 65. Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own.

What should the developer use to enforce sharing permissions for the currently logged in user while using the custom search tool?

- A. ☒ Use the `with sharing` keyword on the class declaration.
- B. ☐ Use the `UserInfo` Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- C. ☐ Use the `without sharing` keyword on the class declaration.
- D. ☐ Use the `schema describe` calls to determine if the logged-in user has access to the Account object.



Salesforce Certified Platform Developer I

Time Remaining: 01:20:45

42 of 65. What is the value of the `Trigger.old` context variable in a `before insert` trigger?

- A. ☐ A list of newly created sObjects without IDs
- B. ☐ An empty list of sObjects
- C. ☐ Undefined
- D. ☒ null

☐ Mark this Item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:20:55

41 of 65. When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a `PostalCodeToTimezone__c` custom object.

Which two automation tools can be used to implement this feature?

Choose 2 answers

- A. ☐ Approval process
- B. ☒ Account trigger
- C. ☐ Quick actions
- D. ☒ Fast Field Updates record-triggered flow

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining: 01:21:00

40 of 65. Which Lightning Web Component custom event property settings enable the event to bubble up the containment hierarchy and cross the Shadow DOM boundary?

- A. ☐ bubbles: false, composed: false
- B. ☐ bubbles: true, composed: false
- C. ☒ bubbles: true, composed: true
- D. ☐ bubbles: false, composed: true

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:21:07

39 of 65.

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. ☐ Lightning page
- B. ☒ Lightning component
- C. ☐ Lightning action
- D. ☐ Lightning flow

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Remaining: 01:21:14

38 of 65. Which two statements are true about using the @testSetup annotation in an Apex test class?

Choose 2 answers

- A. ☒ In a test setup method, test data is inserted once and made available for all test methods in the test class.
- B. ☒ The @testSetup annotation is not supported when the @isTest(SeeAllData=True) annotation is used.
- C. ☐ A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.
- D. ☐ Records created in the test setup method cannot be updated in individual test methods.

☐ Mark this item for later review.

Provide question feedback here (optional):

37 of 65. A developer considers the following snippet of code:

```
Boolean isOK;  
integer x;  
String theString = 'Hello';  
  
if (isOK == false && theString == 'Hello'){  
    x = 1;  
} else if (isOK == true && theString == 'Hello') {  
    x = 2;  
} else if (isOK != null && theString == 'Hello'){  
    x = 3;  
} else {  
    x = 4;  
}
```

Based on this code, what is the value of x?

- A. ☐ 3
- B. ☐ 2
- C. ☒ 4
- D. ☐ 1

Salesforce Certified Platform Developer I

Time Remaining: 01:21:41

36 of 65. In the following example, which sharing context will myMethod execute when it is invoked?

```
public Class myClass {  
    public void myMethod() { /* implementation */ }  
}
```

- A. ☒ Sharing rules will be inherited from the calling context.
- B. ☐ Sharing rules will be enforced by the instantiating class.
- C. ☐ Sharing rules will not be enforced for the running user.
- D. ☐ Sharing rules will be enforced for the running user.

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:21:52

35 of 65. Universal Containers decided to transition from Classic to Lightning Experience. They asked a developer to replace a JavaScript button that was being used to create records with prepopulated values.

What can the developer use to accomplish this?

- A. ☒ Quick Actions
- B. ☐ Validation rules
- C. ☐ Apex triggers
- D. ☐ Record triggered flows

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:22:03

34 of 65. What does the Lightning Component framework provide to developers?

- A. ☒ Prebuilt components that can be reused
- B. ☐ Extended governor limits for applications
- C. ☐ Support for Classic and Lightning UIs
- D. ☐ Templates to create custom components

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

33 of 65. Assuming that `name` is a String obtained by an `<apex:inputText>` tag on a Visualforce page, which two SOQL queries performed are safe from SOQL injection?

Choose 2 answers

- A. ☐

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '%\'';
```

```
List<Account> results = Database.query(query);
```
- B. ☐

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '%\'';
```

```
List<Account> results = Database.query(query);
```
- C. ☒

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '%\'';
```

```
List<Account> results = Database.query(query);
```
- D. ☒

```
String query = '%' + name + '%';
```

```
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:22:27

32 of 65. Cloud Kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. ☐ An invocable method
- B. ☒ An Apex controller
- C. ☐ An Apex REST class
- D. ☐ An outbound message

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:22:35

31 of 65. Universal Containers has an order system that uses an Order Number to identify an order for customers and service agents. Order records will be imported into Salesforce.

How should the Order Number field be defined in Salesforce?

- A. ☒ External ID and Unique
- B. ☐ Direct Lookup
- C. ☐ Lookup
- D. ☐ Indirect Lookup

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:22:45

30 of 65. A company has a custom object, `Order__c`, that has a required, unique external ID field called `Order_Number__c`.

Which statement should be used to perform the DML necessary to insert new records and update existing records in a list of `Order__c` records using the external ID field?

- A. ☐ `merge orders;`
- B. ☐ `merge orders Order_Number__c;`
- C. ☐ `upsert orders;`
- D. ☒ `upsert orders Order_Number__c;`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:22:54

29 of 65. A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. ☐ Order has a re-parentable master-detail field to Line Item.
- B. ☐ Line Item has a re-parentable lookup field to Order.
- C. ☒ Line Item has a re-parentable master-detail field to Order.
- D. ☐ Order has a re-parentable lookup field to Line Item.

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:23:02

28 of 65. Universal Containers has a Visualforce page that displays a table of every Container__c being rented by a given Account. Recently this page is failing with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. ☐ Implement pagination with an OffsetController.
- B. ☐ Use JavaScript remoting with SOQL Offset.
- C. ☒ Implement pagination with a StandardSetController.
- D. ☐ Use lazy loading and a transient List variable.

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:23:13

27 of 65. A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of Apex tests allowing them to test isolated requirements for various types of Salesforce cases.

Which approach can efficiently generate the required data for each unit test?

- A. ☐ Create test data before `Test.startTest()` in the unit test.
- B. ☒ Use `@TestSetup` with a void method.
- C. ☐ Create a mock using the `HttpCalloutMock` interface.
- D. ☐ Add `@IsTest(seeAllData=true)` at the start of the unit test class.

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:23:23

26 of 65. A lead developer creates a virtual class called "OrderRequest". Consider the following code snippet:

```
public class CustomerOrder{  
    //code implementation  
}
```

How can a developer use the OrderRequest class within the CustomerOrder class?

- A. ☐ `@Extends(class="OrderRequest")`
`public class CustomerOrder`
- B. ☐ `public class CustomerOrder extends OrderRequest`
- C. ☐ `@Implements(class="OrderRequest")`
`public class CustomerOrder`
- D. ☒ `public class CustomerOrder implements Order`

Time Remaining: 01:23:29

25 of 65. Refer to the following Apex code:

```
Integer x = 0;  
do {  
    x = 1;  
    x++;  
} while (x < 1);  
System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. ☐ 0
- B. ☐ 1
- C. ☒ 2
- D. ☐ 3

- ☐ Implement Change Data Capture.
- ☐ Implement the upsert DML statement.
- ☒ Implement a try/catch block for the DML.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

```
        .com';  
    }  
}  
update theseAccounts;  
}
```

When the code executes, a DML exception is thrown.

Salesforce Certified Platform Developer I

Time Remaining: 01:23:41

24 of 65. Considering the following code snippet:

```
public static void insertAccounts(List<Account>
theseAccounts){
    for(Account thisAccount : theseAccounts){
        if(thisAccount.website == null){
            thisAccount.website =
'https://www.demo.com';
        }
    }
    update theseAccounts;
}
```

When the code executes, a DML exception is thrown.

Salesforce Certified Platform Developer I

Time Remaining: 01:23:50

23 of 65. Which two actions may cause triggers to fire?

Choose 2 answers

- A. ☒ Updates to FeedItem
- B. ☒ Cascading delete operations
- C. ☐ Changing a user's default division when the transfer division option is checked
- D. ☐ Renaming or replacing a picklist entry

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining: 01:24:01

22 of 65. Universal Containers (UC) processes orders in Salesforce in a custom object, `Order__c`. They also allow sales reps to upload CSV files with thousands of orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

After the status for an `Order__c` is first set to 'Placed', the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. ☐ Callout from a `Queueable` class called from a trigger
- B. ☐ Callout from a `Batchable` class called from a scheduled job
- C. ☐ Flow with a callout from an invocable method
- D. ☒ Callout from an `@future` method called from a trigger

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:24:09

21 of 65. Which annotation exposes an Apex class as a RESTful web service?

- A. ☐ `@RestResource(urlMapping='/myService/**')`
- B. ☐ `@RemoteAction`
- C. ☐ `@HttpInvocable`
- D. ☒ `@AuraEnabled(cacheable=true)`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:24:15

20 of 65. Which three resources in an Aura component can contain JavaScript functions?

Choose 3 answers

- A. ☒ Renderer
- B. ☒ Controller
- C. ☐ Design
- D. ☐ Style
- E. ☒ Helper

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:24:20

19 of 65. What are two considerations for deploying from a sandbox to production?

Choose 2 answers

- A. ☐ Should deploy during business hours to ensure feedback can be quickly addressed.
- B. ☒ At least 75% of Apex code must be covered by unit tests.
- C. ☐ Unit tests must have calls to the System.assert method.
- D. ☒ All triggers must have at least one line of test coverage.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

18 of 65.

A Next Best Action strategy uses an Enhance element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors.

What is the correct definition of the Apex method?

- A. ☐ `@InvocableMethod
global List<List<Recommendation>> getLevel(List<ContactWrapper>
input)
{ /*implementation*/ }`
- B. ☐ `@InvocableMethod
global static List<Recommendation> getLevel(List<ContactWrapper>
input)
{ /*implementation*/ }`
- C. ☐ `@InvocableMethod
global Recommendation getLevel(ContactWrapper input)
{ /*implementation*/ }`
- D. ☒ `@InvocableMethod
global static List<List<Recommendation>>
getLevel(List<ContactWrapper> input)
{ /*implementation*/ }`

Salesforce Certified Platform Developer I

Time Remaining: 01:24:58

17 of 65. A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. ☐ Change Sets
- B. ☒ SFDX CLI
- C. ☒ VSCode
- D. ☐ Developer Console

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:25:07

16 of 65. A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user clicks a button called Next in the child component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. ☒ Create a custom event.
- B. ☐ Update a property on the parent.
- C. ☐ Fire a notification.
- D. ☐ Call a method in the Apex controller.

☐ Mark this item for later review.

D. ☒

```
global class WebserviceClass {  
    private static Boolean helperMethod() { /* implementation ... */  
    }  
    webservice static String updateRecords() { /* Implementation ...  
    */ }  
}
```

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back

Next >

Review All

Submit Exam

Salesforce Certified Platform Developer I

Time Remaining: 01:25:19

15 of 65. A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to include helper methods that are not used by the Web Application in the implementation of the Web Service Class.

Which code segment shows the correct declaration of the class and methods?

- A. ☐ `global class WebServiceClass {
 private static Boolean helperMethod() { /* implementation ... */
 }
 global String updateRecords() { /* implementation ... */ }
}`
- B. ☐ `webservice class WebServiceClass {
 private static Boolean helperMethod() { /* implementation ... */
 }
}`

Salesforce Certified Platform Developer I

Time Remaining: 01:25:30

14 of 65. Universal Containers is building a recruiting app with an Applicant object that stores information about an individual person and a Job object that represents a job. Each applicant may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. ☐ Master-detail field from Applicant to Job
- B. ☐ Lookup field from Applicant to Job
- C. ☒ Junction object between Applicant and Job
- D. ☐ Formula field on Applicant that references Job

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:25:40

13 of 65. Universal Containers needs to create a custom user interface component that allows users to enter information about their accounts. The component should be able to validate the user input before saving the information to the database.

What is the best technology to create this component?

- A. ☐ VUE JavaScript framework
- B. ☐ Visualforce
- C. ☒ Lightning Web Components
- D. ☐ Flow

☐ Mark this item for later review.

Provide question feedback here (optional):

Salesforce Certified Platform Developer I

Time Remaining: 01:25:50

12 of 65. Which three data types can a SOQL query return?

Choose 3 answers

- A. ☒ Integer
- B. ☒ sObject
- C. ☐ Double
- D. ☒ List
- E. ☐ Long

☐ Mark this item for later review.

Provide question feedback here (optional):

problem?

- A. ☒ Add a getter method for the `actType` attribute.
- B. ☐ Change `theAccount` attribute to public.
- C. ☐ Add `with sharing` to the custom controller.
- D. ☐ Convert `theAccount.Type` to a `String`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back

Next >

Review All

Submit Exam

Salesforce Certified Platform Developer I

Time Remaining: 01:26:06

11 of 65. A developer created a Visualforce page and custom controller to display the account type field as shown below.

Custom controller code:

```
public with sharing class customCtrlr{  
    private Account theAccount;  
    public String actType;  
  
    public customCtrlr() {  
        theAccount = [SELECT Id, Type FROM Account  
                      WHERE Id =  
:ApexPages.currentPage().getParameters().get('id')];  
        actType = theAccount.Type;  
    }  
}
```

Salesforce Certified Platform Developer I

Time Remaining: 01:26:17

10 of 65. A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. ☒ Select the Allow reparenting option on the master-detail relationship.
- B. ☐ Change the master-detail relationship to an external lookup relationship.
- C. ☐ Create a junction object between OrderItem and Order.
- D. ☐ Add without sharing to the Apex class declaration.

☐ Mark this item for later review.

Time Remaining: 01:26:29

9 of 65. Universal Containers has a support process that allows users to request support from its engineering team using a custom object, `Engineering_Support__c`.

Users should be able to associate multiple `Engineering_Support__c` records to a single Opportunity record. Additionally, aggregate information about the `Engineering_Support__c` records should be shown on the Opportunity record.

Which relationship field should be implemented to support these requirements?

- A. ☐ Master-detail field from Opportunity to `Engineering_Support__c`
- B. ☐ Lookup field from Opportunity to `Engineering_Support__c`
- C. ☐ Lookup field from `Engineering_Support__c` to Opportunity
- D. ☒ Master-detail field from `Engineering_Support__c` to Opportunity

☐ Mark this item for later review.

Provide question feedback here (optional):

Time Remaining: 01:26:52

8 of 65. A developer created this Apex trigger that calls `MyClass.myStaticMethod`:

```
trigger myTrigger on Contact(before insert)
{
    MyClass.myStaticMethod(trigger.new);
}
```

The developer creates a test class with a test method that calls `MyClass.myStaticMethod` directly, resulting in 81% overall code coverage.

What happens when the developer tries to deploy the trigger and two classes to production, assuming no other code exists?

- A. ☐ The deployment passes because both classes and the trigger were included in the deployment.
- B. ☒ The deployment fails because the Apex trigger has no code coverage.
- C. ☐ The deployment passes because the Apex code has the required >75% code coverage.
- D. ☐ The deployment fails because no assertions were made in the test method.

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:27:04

7 of 65.

An org has an existing flow that edits an Opportunity with an Update Records element. A developer must update the flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update must the developer make in the flow?

- A. ☒ Add a new Create Records element.
- B. ☐ Add a new Roll Back Records element.
- C. ☐ Add a new Get Records element.
- D. ☐ Add a new Update Records element.

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:27:12

6 of 65.

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org.

Which tool should the developer use to troubleshoot query performance?

- A. ☒ Developer Console
- B. ☐ AppExchange
- C. ☐ Visual Studio Code IDE
- D. ☐ Setup Menu

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:27:17

5 of 65. How should a developer write unit tests for a private method in an Apex class?

- A. ☐ Use the SeeAllData annotation.
- B. ☐ Add a test method in the Apex class.
- C. ☐ Mark the Apex class as global.
- D. ☒ Use the @TestVisible annotation.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:27:23

4 of 65. While developing an Apex class with custom search functionality that will be launched from a Lightning Web Component, how can the developer ensure only records accessible to the currently logged in user are displayed?

- A. ☐ Use the `inherited sharing` keyword.
- B. ☒ Use the `WITH SECURITY_ENFORCED` clause within the SOQL.
- C. ☐ Use the `with sharing` keyword.
- D. ☐ Use the `without sharing` keyword.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining: 01:27:30

3 of 65. Developers at Universal Containers (UC) use version control to share their code changes, but they notice that when they deploy their code to different environments they often have failures. They decide to set up Continuous Integration (CI).

What should the UC development team use to automatically run tests as part of their CI process?

- A. ☐ Visual Studio Code
- B. ☐ Force.com Toolkit
- C. ☐ Developer Console
- D. ☒ Salesforce CLI

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining: 01:27:43

2 of 65. As part of new feature development, a developer is asked to build a responsive application capable of responding to touch events, that will be executed on stateful clients.

Which two technologies are built on a framework that fully supports the business requirement?

Choose 2 answers

- A. ☒ Aura Components
- B. ☒ Lightning Web Components
- C. ☐ Visualforce Components
- D. ☐ Visualforce Pages

Salesforce Certified Platform Developer I

Time Remaining: 01:28:14

1 of 65. Which two characteristics are true for Lightning Web Component custom events?

Choose 2 answers

- A. ☒ By default a custom event only propagates to its immediate container.
- B. ☐ By default a custom event only propagates to its immediate container and to its immediate child component.
- C. ☒ Data may be passed in the payload of a custom event using a property called detail.
- D. ☐ Data may be passed in the payload of a custom event using @wire decorated properties.

☐ Mark this item for later review.