

Result: PASS

Topic	Percentage Correct
Developer Fundamentals	92%
Process Automation and Logic	94%
User Interface	100%
Testing, Debugging, and Deployment	83%

Congratulations! You have successfully completed the certification exam to become a Salesforce Certified Professional!

[Exit Test](#)

09E91403714A28E16A8D3C34EFC499FB



Answers

<u>1. B</u>	<u>2. BAC</u>	<u>3. A</u>	<u>4. AB</u>
<u>5. C</u>	<u>6. DEA</u>	<u>7. BCE</u>	<u>8. A</u>
<u>9. B</u>	<u>10. A</u>	<u>11. BC</u>	<u>12. D</u>
<u>13. B</u>	<u>14. B</u>	<u>15. D</u>	<u>16. C</u>
<u>17. CDE</u>	<u>18. BD</u>	<u>19. AD</u>	<u>20. A</u>
<u>21. B</u>	<u>22. D</u>	<u>23. DC</u>	<u>24. ECA</u>
<u>25. BD</u>	<u>26. C</u>	<u>27. A</u>	<u>28. CA</u>
<u>29. B</u>	<u>30. B</u>	<u>31. A</u>	<u>32. D</u>
<u>33. A</u>	<u>34. CB</u>	<u>35. D</u>	<u>36. D</u>
<u>37. A</u>	<u>38. A</u>	<u>39. D</u>	<u>40. DB</u>
<u>41. D</u>	<u>42. D</u>	<u>43. B</u>	<u>44. A</u>
<u>45. D</u>	<u>46. AB</u>	<u>47. A</u>	<u>48. C</u>
<u>49. C</u>	<u>50. C</u>	<u>51. D</u>	<u>52. B</u>
<u>53. B</u>	<u>54. A</u>	<u>55. CD</u>	<u>56. C</u>
<u>57. C</u>	<u>58. D</u>	<u>59. A</u>	<u>60. B</u>

[Submit Feedback](#)

Salesforce Certified Platform Developer I

Time Remaining

Show

60 of 60. Universal Containers wants to automatically assign new cases to the appropriate support representative based on the case origin. They have created a custom field on the Case object to store the support representative name.

What is the best solution to assign the case to the appropriate support representative?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Use a formula field on the Case object.
- B. ☒ Use a trigger on the Case object.
- C. ☐ Use a validation rule on the Case object.
- D. ☐ Use an Assignment Flow element.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

59 of 60. Universal Containers (UC) uses a custom object called Vendor. The Vendor custom object has a master-detail relationship with the standard Account object.

Based on some internal discussions, the UC administrator tried to change the master-detail relationship to a lookup relationship, but was not able to do so.

What is a possible reason that this change was not permitted?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ The Account object has a roll-up summary field on the Vendor object.
- B. ☐ The Account object does not allow changing a field type for a custom field.
- C. ☐ Some of the Vendor records have null for the Account field.
- D. ☐ The organization wide default for the Vendor object is Public Read/Write.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

58 of 60. What is a benefit of developing applications in a multi-tenant environmer

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Enforced unit testing and code coverage best practices
- B. ☐ Preconfigured storage for big data
- C. ☐ Unlimited processing power and memory
- D. ☒ Access to predefined computing resources

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

57 of 60. When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in another custom object called `PostalCodeToTimezone__c`.

What is the optimal way to implement this feature?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Build an account assignment rule.
- B. ☐ Create a formula field.
- C. ☒ Build a flow with Flow Builder.
- D. ☐ Create an account approval process.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

56 of 60. What is the result of the following code?

```
Account a = new Account();  
Database.insert(a, false);
```

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ The record will be created and no error will be reported.
- B. ☐ The record will not be created and an exception will be thrown.
- C. ☒ The record will not be created and no error will be reported.
- D. ☐ The record will be created and a message will be in the debug log.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

55 of 60. A developer at AW Computing is tasked to create the supporting test class for a programmatic customization that leverages records stored within the custom object, `Pricing_Structure__c`. AW Computing has a complex pricing structure for each item on the store, spanning more than 500 records.

Which two approaches can the developer use to ensure `Pricing_Structure__c` records are available when the test class is executed?

09E91403714A28E16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ Use the `Test.loadData()` method.
- B. ☐ Use `withoutSharing` on the class declaration.
- C. ☒ Use the `@IsTest(SeeAllData=true)` annotation.
- D. ☒ Use a Test Data Factory class.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

54 of 60. What is the result of the following code snippet?

```
public void doWork(Account acct) {  
    for (Integer i = 0; i <= 200; i++) {  
        insert acct;  
    }  
}
```

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ 0 Accounts are inserted.
- B. ☐ 1 Account is inserted.
- C. ☐ 200 Accounts are inserted.
- D. ☐ 201 Accounts are inserted.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

53 of 60. When using Salesforce DX, what does a developer need to enable to create and manage scratch orgs?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Environment Hub
- B. ☒ Dev Hub
- C. ☐ Sandbox
- D. ☐ Production

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

52 of 60. A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of tests allowing them to test independent requirements for various types of Salesforce Cases.

Which approach can efficiently generate the required data for each unit test?

09E91403714A28E16A8D3C34EFC499FB

- A. ☐ Create test data before `Test.startTest()` in the unit test.
- B. ☒ Use `@TestSetup` with a void method.
- C. ☐ Add `@IsTest(seeAllData=true)` at the start of the unit test class.
- D. ☐ Create a mock using the Stub API.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

51 of 60. Which statement generates a list of Leads and Contacts that have a field with the phrase 'ACME'?

09E91403714A28E16A8D3C34EFC499FB

- A. ☐ `List<List<SObject>> searchList = [SELECT Name, ID FROM Contact, Lead WHERE Name like '%ACME%'];`
- B. ☐ `List<SObject> searchList = [FIND '*ACME*' IN ALL FIELDS RETURNING Contact, Lead];`
- C. ☐ `Map<SObject> searchList = [FIND '*ACME*' IN ALL FIELDS RETURNING Contact, Lead];`
- D. ☒ `List<List<SObject>> searchList = [FIND '*ACME*' IN ALL FIELDS RETURNING Contact, Lead];`

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

50 of 60.

A developer must create a Lightning component that allows users to input Contact record information to create a Contact record, including a `Salary__c` custom field.

What should the developer use, along with a `lightning-record-edit-form`, so that `Salary__c` field functions as a currency input and is only viewable and editable by users that have the correct field level permissions on `Salary__c`?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ `<lightning-input type="number" value="Salary__c" formatter="currency">`
`</lightning-input>`
- B. ☐ `<lightning-input-currency value="Salary__c">`
`</lightning-input-currency>`
- C. ☒ `<lightning-input-field field-name="Salary__c">`
`</lightning-input-field>`
- D. ☐ `<lightning-formatted-number value="Salary__c" format-style="currency">`
`</lightning-formatted-number>`

☐ Mark this item for later review.

Comments:

Salesforce Certified Platform Developer I

Time Remaining

Show

49 of 60. What can be easily developed using the Lightning Component framework

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Salesforce Classic user interface pages
- B. ☐ Salesforce integrations
- C. ☒ Lightning Pages
- D. ☐ Customized JavaScript buttons

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

48 of 60. While writing an Apex class, a developer wants to make sure that all functionality being developed is handled as specified by the requirements.

Which approach should the developer use to be sure that the Apex class is working according to specifications?

09E91403714A28E16A8D3C34EFC499FB

- A. ☐ Create a test class to execute the business logic and run the test in the Developer Console.
- B. ☐ Run the code in an Execute Anonymous block in the Developer Console.
- C. ☒ Include a try/catch block to the Apex class.
- D. ☐ Include a savepoint and `Database.rollback()`.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

47 of 60. An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship.

How can this be achieved?

09E91403714A28E16A8D3C34EFC499FB

- A. ☒ Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity.
- B. ☐ Use the Metadata API to create real-time roll-up summaries.
- C. ☐ Write a trigger on the Opportunity object and use an aggregate function to sum the amount for all related child objects under the Opportunity.
- D. ☐ Use the Streaming API to create real-time roll-up summaries.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

46 of 60. Universal Containers wants to assess the advantages of declarative development versus programmatic customization for specific use cases in its Salesforce implementation.

What are two characteristics of declarative development over programmatic customization?

09E91403714A28E16ABD3C34EFC499FB

Choose 2 answers

- A. ☒ Declarative development does not require Apex test classes.
- B. ☒ Declarative development can be done using the Setup menu.
- C. ☐ Declarative code logic does not require maintenance or review.
- D. ☐ Declarative development has higher design limits and query limits.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

45 of 60. A developer wants to mark each Account in a `List<Account>` as either Active or Inactive, based on the value in the `LastModifiedDate` field of each Account being greater than 90 days in the past.

Which Apex technique should the developer use?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ A `switch` statement, with a `for` loop inside
- B. ☐ An if-else statement, with a `for` loop inside
- C. ☐ A `for` loop, with a `switch` statement inside
- D. ☒ A `for` loop, with an if or if/else statement inside

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

44 of 60. How does the Lightning Component framework help developers implement solutions faster?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ By providing device-awareness for mobile and desktops
- B. ☐ By providing an Agile process with default steps
- C. ☐ By providing change history and version control
- D. ☐ By providing code review standards and processes

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

43 of 60. A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Add without sharing to the Apex class declaration.
- B. ☒ Select the Allow reparenting option on the master-detail relationship.
- C. ☐ Change the master-detail relationship to an external lookup relationship.
- D. ☐ Create a junction object between OrderItem and Order.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

42 of 60. A lead developer creates an Apex interface called `Laptop`. Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the `Laptop` interface within the `SilverLaptop` class?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ `@Extends(class="Laptop")`
public class SilverLaptop
- B. ☐ `@Interface(class="Laptop")`
public class SilverLaptop
- C. ☐ `public class SilverLaptop implements Laptop`
- D. ☒ `public class SilverLaptop extends Laptop`

☐ Mark this item for later review.

Comments:

Salesforce Certified Platform Developer I

Time Remaining

Show

41 of 60. A developer wrote Apex code that calls out to an external system using REST API.

How should a developer write the test to prove the code is working as intended?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Write a class that implements `WebServiceMock`.
- B. ☐ Write a class that extends `WebServiceMock`.
- C. ☐ Write a class that extends `HTTPOutMock`.
- D. ☒ Write a class that implements `HTTPOutMock`.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

40 of 60. Universal Containers (UC) is developing a process for their sales teams that requires all sales reps to through a set of scripted steps with each new customer they create.

In the first step of collecting information, UC's ERP system must be checked via a REST endpoint to see if the customer exists. If the customer exists, the data must be presented to the sales rep in Salesforce.

Which two should a developer implement to satisfy the requirements?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ Trigger
- B. ☒ Invocable method
- C. ☐ Future method
- D. ☒ Flow

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

39 of 60.

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐ A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- B. ☐ A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience
- C. ☐ A Lightning component in Salesforce Classic and a Lightning component in Lightning Experience
- D. ☒ A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Time Remaining

Show

38 of 60. What should a developer use to script the deployment and unit test execution as part of continuous integration?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ Salesforce CLI
- B. ☐ Developer Console
- C. ☐ Execute Anonymous
- D. ☐ VS Code

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

37 of 60. A developer considers the following snippet of code:

```
Boolean isOK;  
integer x;  
String theString = 'Hello';  
  
if (isOK == false && theString == 'Hello'){  
    x = 1;  
} else if (isOK == true && theString == 'Hello') {  
    x = 2;  
} else if (isOK != null && theString == 'Hello'){  
    x = 3;  
} else {  
    x = 4;  
}
```

Based on this code, what is the value of x?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ 4
- B. ☐ 3
- C. ☐ 2
- D. ☐ 1

Salesforce Certified Platform Developer I

Time Remaining

Show

36 of 60. A `PrimaryId__c` custom field exists on the `Candidate__c` custom object. The field is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process, Universal Containers has a CSV file that contains updated data for all candidates in the system. The file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- 09E91403714A28E16ABD3C34EFC499FB
- A. ☐ Upload the CSV into a custom object related to `Candidate__c`.
 - B. ☐ Create a before save flow to correctly map the records.
 - C. ☐ Create a before insert trigger to correctly map the records.
 - D. ☒ Update the `PrimaryId__c` field definition to mark it as an External Id.

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining

Show

35 of 60. Considering the following code snippet:

```
public static void insertAccounts(List<Account> theseAccounts){  
    for(Account thisAccount : theseAccounts){  
        if(thisAccount.website == null){  
            thisAccount.website = 'https://www.demo.com';  
        }  
    }  
    update theseAccounts;  
}
```

When the code executes, a DML exception is thrown.

How should a developer modify the code to ensure exceptions are handled gracefully?

- 09E91403714A28E16ABD3C34EFC499FB
- A. ☐ Implement the `update` DML statement.
 - B. ☐ Remove null items from the list of Accounts.
 - C. ☐ Implement Change Data Capture.
 - D. ☒ Implement a try/catch block for the DML.

Salesforce Certified Platform Developer I

Time Remaining

Show

34 of 60. A development team wants to use a deployment script to automatically deploy to a sandbox during development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

09E91403714A28E16A8D3C34EFC499FB

Choose 2 answers

- A. ☐ Developer Console
- B. ☒ Ant Migration Tool
- C. ☒ SFDX CLI
- D. ☐ Change Sets

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

33 of 60. How many Accounts will be inserted by the following block of code?

```
for(Integer i = 0 ; i < 500; i++){  
    Account a = new Account (Name='New Account ' + i);  
    insert a;  
}
```

09E91403714A28E16A8D3C34EFC499FB

- A. ☒ 0
- B. ☐ 100
- C. ☐ 500
- D. ☐ 150

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

32 of 60. The `Job_Application__c` custom object has a field that is a master-detail relationship to the Contact object, where the Contact object is the master.

As part of a feature implementation, a developer needs to retrieve a list containing Contact records where the related Account Industry is 'Technology', while also retrieving the Contact's `Job_Application__c` records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of Contacts?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ `[SELECT Id, (SELECT Id FROM Job_Application__c) FROM Contact WHERE Account.Industry = 'Technology'];`
- B. ☐ `[SELECT Id, (SELECT Id FROM Job_Applications__c) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- C. ☐ `[SELECT Id, (SELECT Id FROM Job_Applications__c) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- D. ☒ `[SELECT Id, (SELECT Id FROM Job_Applications__c) FROM Contact WHERE Account.Industry = 'Technology'];`

☐ Mark this item for later review.

Salesforce Certified Platform Developer I

Time Remaining

Show

31 of 60.

A developer must implement a `CheckPaymentProcessor` class that provides check processing payment capabilities that adhere to what is defined for payments in the `PaymentProcessor` interface.

```
public interface PaymentProcessor {  
    void pay(Decimal amount);  
}
```

Which implementation is correct to use the `PaymentProcessor` interface class?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒

```
public class CheckPaymentProcessor implements PaymentProcessor {  
    public void pay(Decimal amount) {  
        // functional code here  
    }  
}
```
- B. ☐

```
public class CheckPaymentProcessor extends PaymentProcessor {  
    public void pay(Decimal amount);  
}
```

```

25:         }
26:     }

```

What should the developer change about the code to address the failure while still having the code update all of the Assets correctly?

09E91403714A2BE16A8D3C34EFC499FB

- A. ☐ Add a `LIMIT` clause to the SOQL query on line 16 to limit the number of Assets queried for an Account.
- B. ☒ Change the `getAssetsToUpdate` method to process all Accounts in one call and call it outside of the `for` loop that starts on line 03.
- C. ☐ Add `List<Asset> assets = [SELECT Id, Status__c FROM Asset WHERE AccountId = :acctId]` to line 14 and iterate over the assets list in the `for` loop on line 15.
- D. ☐ Move all of the logic to a `Queueable` class that queries for and updates the Assets and call it from the trigger.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

30 of 60. A developer deployed a trigger to update the `Status__c` of Assets related to an Account when the Account's status changes and a nightly integration that updates Accounts in bulk has started to fail with limit failures.

```

01: trigger AccountTrigger on Account(after update) {
02:     List<Asset> assetsToUpdate = new List<Asset>();
03:     for (Account newA : Trigger.new) {
04:         Account oldA = Trigger.oldMap.get(newA.Id);
05:         if (oldA.Status__c != newA.Status__c) {
06:             assetsToUpdate.addAll(
AccountHelper.getAssetsToUpdate(newA) );
07:         }
08:     }
09:     update assetsToUpdate;
10: }

11: public class AccountHelper {
12:     public static List<Asset> getAssetsToUpdate(Account acct) {
13:         List<Asset> assetsToUpdate = new List<Asset>();
14:
15:         for (Asset asst : [
16:             SELECT Id, Status__c
17:             FROM Asset

```

Salesforce Certified Platform Developer I

Time Remaining

Show

29 of 60.

A developer must write an Apex method that will be called from a Lightning component. The method may delete an Account stored in the `accountRec` variable.

Which method should a developer use to ensure only users that should be able to delete Accounts can successfully perform deletions?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ `accountRec.isDeletable()`
- B. ☒ `schema.sObjectType.Account.isDeletable()`
- C. ☐ `Account.isDeletable()`
- D. ☐ `accountRec.sObjectType.isDeletable()`

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

28 of 60. A developer creates a Lightning web component that imports a method within an Apex class. When a Validate button is pressed, the method runs to execute complex validations.

In this implementation scenario, which two options are part of the Controller according to the MVC architecture?

09E91403714A28E16ABD3C34EFC499FB

Choose 2 answers

- A. ☒ JavaScript file
- B. ☐ XML file
- C. ☒ Apex class
- D. ☐ HTML file

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

27 of 60. A developer writes a trigger on the Account object on the before update event that increments a count field. A record triggered flow also increments the count field every time that an Account is created or updated.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ 2
- B. ☐ 3
- C. ☐ 4
- D. ☐ 1

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

26 of 60. Universal Containers (UC) uses out-of-the-box order management, that has a Master-Detail relationship between Order and Order Line Item.

UC stores the availability date on each Order Line Item and Orders are only shipped when all of the Order Line Items are available.

Which method should be used to calculate the estimated ship date for an Order?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Use a LATEST formula on each of the latest availability date fields.
- B. ☐ Use a DAYS formula on each of the availability date fields and a COUNT Roll Up Summary field on the Order.
- C. ☒ Use a MAX Roll-Up Summary field on the latest availability date fields.
- D. ☐ Use a CEILING formula on each of the latest availability date fields.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

25 of 60. When importing and exporting data into Salesforce, which two statements are true?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. ☒ Data import wizard is an application that is installed on your computer.
- C. ☐ Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- D. ☒ Developer and Developer Pro sandboxes have different storage limits.

09E91403714A2BE16ABD3C34EFC499FB

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

24 of 60.

Which three code lines are required to create a Lightning component on a Visualforce page?

09E91403714A2BE16ABD3C34EFC499FB

Choose 3 answers

- A. ☒ `$Lightning.createComponent`
- B. ☐ `<apex:slds/>`
- C. ☒ `$Lightning.use`
- D. ☐ `$Lightning.useComponent`
- E. ☒ `<apex:includeLightning/>`

09E91403714A2BE16ABD3C34EFC499FB

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

23 of 60. Which two statements are true about using the @testSetup annotation in an Apex test class?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ In a test setup method, test data is inserted once and made available for all test methods in the test class.
- B. ☐ Records created in the test setup method cannot be updated in individual test methods.
- C. ☒ A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.
- D. ☒ The @testSetup annotation is not supported when the @isTest(SeeAllData=True) annotation is used.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

22 of 60.

A Next Best Action strategy uses an Enhance element that invokes an Apex method determine a discount level for a Contact, based on a number of factors.

What is the correct definition of the Apex method?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐

```
@InvocableMethod
global static List<Recommendation> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```
- B. ☐

```
@InvocableMethod
global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```
- C. ☐

```
@InvocableMethod
global Recommendation getLevel(ContactWrapper input)
{ /*implementation*/ }
```
- D. ☒

```
@InvocableMethod
global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

Salesforce Certified Platform Developer I

Time Remaining

Show

21 of 60. A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ The `isAccessible()` method must be used for field-level access checks.
- B. ☒ Lightning Data Service handles sharing rules and field-level security.
- C. ☐ The `with sharing` keyword must be used to enforce sharing rules.
- D. ☐ Lightning Data Service ignores field-level security.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

20 of 60. A developer creates a batch Apex job to update a large number of records and receives reports of the job timing out and not completing.

What is the first step towards troubleshooting the issue?

09E91403714A28E16ABD3C34EFC499FB

- A. ☒ Check the asynchronous job monitoring page to view the job status and logs.
- B. ☐ Check the debug logs for the batch job.
- C. ☐ Disable the batch job and recreate it with a smaller number of records.
- D. ☐ Decrease the batch size to reduce the load on the system.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

19 of 60. What are two benefits of using External IDs?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☒ An External ID field can be used to reference an ID from another external system.
- B. ☐ An External ID can be a formula field to help create a unique key from two fields in Salesforce.
- C. ☐ An External ID can be used with Salesforce Mobile to make external data visible.
- D. ☒ An External ID is indexed and can improve the performance of SOQL queries.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

18 of 60. A developer completed modifications to a customized feature that is comprised of two elements:

- Apex trigger
- Trigger handler Apex class

What are two factors that the developer must take into account to properly deploy the modification to the production environment?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ All methods in the test classes must use `@isTest`.
- B. ☒ At least one line of code must be executed for the Apex trigger.
- C. ☐ Test methods must be declared with the `testMethod` keyword.
- D. ☒ Apex classes must have at least 75% code coverage org-wide.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

17 of 60. For which three items can a trace flag be configured?

09E91403714A28E164803C34EFC499FB

Choose 3 answers

- A. ☐ Visualforce
- B. ☐ Flow
- C. ☒ User
- D. ☒ Apex Class
- E. ☒ Apex Trigger

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

16 of 60.

What can be used to override the Account's standard Edit button for Lightning Experience?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Lightning flow
- B. ☐ Lightning action
- C. ☒ Lightning component
- D. ☐ Lightning page

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

15 of 60. A developer needs to make a custom Lightning Web Component available in the Salesforce Classic user interface.

Which approach can be used to accomplish this?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Wrap the Lightning Web Component in an Aura Component and surface the Aura Component as a Visualforce tab.
- B. ☐ Embed the Lightning Web Component in a Visualforce Component and add directly to the page layout.
- C. ☐ Use a Visualforce page with a custom controller to invoke the Lightning Web Component using a call to an Apex method.
- D. ☒ Use the Lightning Out JavaScript library to embed the Lightning Web Component in a Visualforce page and add to the page layout.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

14 of 60. A developer wants to improve runtime performance of Apex calls by caching results on the client.

What is the most efficient way to implement this and follow best practices?

09E91403714A28E16ABD3C34EFC499FB

- A. ☐ Call the `setStorable()` method on the action in the JavaScript client-side code.
- B. ☒ Decorate the server-side method with `@AuraEnabled(cacheable=true)`.
- C. ☐ Decorate the server-side method with `@AuraEnabled(storable=true)`.
- D. ☐ Set a cookie in the browser for use upon return to the page.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

13 of 60. A lead developer creates a virtual class called "OrderRequest". Consider the following code snippet:

```
public class CustomerOrder{  
    //code implementation  
}
```

How can a developer use the OrderRequest class within the CustomerOrder class?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐ public class CustomerOrder implements Order
- B. ☒ public class CustomerOrder extends OrderRequest
- C. ☐ @Extends(class="OrderRequest")
public class CustomerOrder
- D. ☐ @Implements(class="OrderRequest")
public class CustomerOrder

☐ Mark this item for later review.

Comments:

Salesforce Certified Platform Developer I

Time Remaining

Show

12 of 60.

Universal Containers wants Opportunities to no longer be editable when reaching the Closed/Won stage.

How should a developer accomplish this?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐ Use the Process Automation settings.
- B. ☐ Use Flow Builder.
- C. ☐ Mark fields as read-only on the page layout.
- D. ☒ Use a validation rule.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

11 of 60. The Account object in an organization has a master-detail relationship to a child object called Branch. The following automations exist:

- Roll-up summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

Which two things should the developer consider while testing the trigger code?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☐ The validation rules will cause the trigger to fire again.
- B. ☒ Rollup summary fields can cause the parent record to go through Save.
- C. ☒ The trigger may fire multiple times during a transaction.
- D. ☐ Duplicate rules are executed once all DML operations commit to the database.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

10 of 60. Which Lightning Web Component custom event property settings enable the event to bubble up the containment hierarchy and cross the Shadow DOM boundary?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☒ bubbles: true, composed: true
- B. ☐ bubbles: true, composed: false
- C. ☐ bubbles: false, composed: false
- D. ☐ bubbles: false, composed: true

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

9 of 60.

An org has an existing flow that edits an Opportunity with an Update Records element. A developer must update the flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update must the developer make in the flow?

- 09E91403714A2BE16ABD3C34EFC499FB
- A. ☐ Add a new Update Records element.
 - B. ☒ Add a new Create Records element.
 - C. ☐ Add a new Get Records element.
 - D. ☐ Add a new Roll Back Records element.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

8 of 60. A developer wants to import 500 Opportunity records into a sandbox.

Why should the developer choose to use Data Loader instead of Data Import Wizard?

- 09E91403714A2BE16ABD3C34EFC499FB
- A. ☒ Data Import Wizard does not support Opportunities.
 - B. ☐ Data Loader automatically relates Opportunities to Accounts.
 - C. ☐ Data Loader runs from the developer's browser.
 - D. ☐ Data Import Wizard can not import all 500 records.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

7 of 60. Which three resources in an Aura component can contain JavaScript functions?

09E91403714A2BE16ABD3C34EFC499FB

Choose 3 answers

- A. ☐ Style
- B. ☒ Helper
- C. ☒ Renderer
- D. ☐ Design
- E. ☒ Controller

09E91403714A2BE16ABD3C34EFC499FB

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

6 of 60. Which three data types can a SOQL query return?

09E91403714A2BE16ABD3C34EFC499FB

Choose 3 answers

- A. ☒ sObject
- B. ☐ Double
- C. ☐ Long
- D. ☒ List
- E. ☒ Integer

09E91403714A2BE16ABD3C34EFC499FB

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

5 of 60.

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations.

Which type of Salesforce orgs should they use for their development?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐ Developer sandboxes
- B. ☐ Developer orgs
- C. ☒ Scratch orgs
- D. ☐ Full Copy sandboxes

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

4 of 60. Which two are best practices when it comes to Aura component and application event handling?

09E91403714A2BE16ABD3C34EFC499FB

Choose 2 answers

- A. ☒ Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. ☒ Handle low-level events in the event handler and re-fire them as higher-level events.
- C. ☐ Try to use application events as opposed to component events.
- D. ☐ Use component events to communicate actions that should be handled at the application level.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

3 of 60. Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered.

What is the best practice to get the sum of all Order Line item totals on the Order record?

- 09E91403714A28E16ABD3C34EFC499FB
- A. ☒ Roll-up summary field
 - B. ☐ Formula field
 - C. ☐ Quick action
 - D. ☐ Apex trigger

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining

Show

2 of 60. What are three considerations when using the `@InvocableMethod` annotation in Apex?

09E91403714A28E16ABD3C34EFC499FB

Choose 3 answers

- A. ☒ Only one method using the `@InvocableMethod` annotation can be defined per Apex class.
- B. ☒ A method using the `@InvocableMethod` annotation must be declared as static.
- C. ☒ A method using the `@InvocableMethod` annotation can be declared as Public or Global.
- D. ☐ A method using the `@InvocableMethod` annotation can have multiple input parameters.
- E. ☐ A method using the `@InvocableMethod` annotation must define a return value.

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...

Time Remaining

Show

1 of 60.

What should be used to create scratch orgs?

09E91403714A2BE16ABD3C34EFC499FB

- A. ☐ Workbench
- B. ☒ Salesforce CLI
- C. ☐ Developer Console
- D. ☐ Sandbox refresh

09E91403714A2BE16ABD3C34EFC499FB

☐ Mark this item for later review.

Comments:

Please Provide Feedback here...