

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Happy Rose Day! 🌹 </title>
  <style>
    body {
      background-color: #fff5f5;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
      overflow: hidden;
    }

    .container {
      text-align: center;
      animation: fadeIn 2s ease-in;
    }

    /* Simple CSS Rose */
    .rose {
      position: relative;
      width: 100px;
      height: 100px;
      background: #e63946;
      border-radius: 50% 50% 50% 50% / 80% 80% 20% 20%;
      margin: 0 auto 20px;
      box-shadow: inset 0 0 20px rgba(0,0,0,0.2);
      animation: pulse 2s infinite;
    }

    .rose::after {
      content: "";
      position: absolute;
      width: 10px;
      height: 100px;
      background: #2d6a4f;
      top: 95px;
      left: 45px;
      z-index: -1;
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="rose">
      <div class="rose::after">
    </div>
  </div>
</body>
</html>
```

```

    }

    h1 {
      color: #d62828;
      font-size: 2.5rem;
      margin-bottom: 10px;
    }

    p {
      color: #555;
      font-size: 1.2rem;
      max-width: 300px;
      line-height: 1.5;
    }

    .heart {
      color: #e63946;
      font-size: 20px;
    }

    @keyframes pulse {
      0% { transform: scale(1); }
      50% { transform: scale(1.1); }
      100% { transform: scale(1); }
    }

    @keyframes fadeIn {
      from { opacity: 0; transform: translateY(20px); }
      to { opacity: 1; transform: translateY(0); }
    }
  </style>
</head>
<body>

  <div class="container">
    <div class="rose"></div>
    <h1>Happy Rose Day!</h1>
    <p>To the person who makes my life bloom every single day. <br>
      <strong>I love you!</strong></p>
    <div class="heart">♥♥♥</div>
  </div>

</body>
</html>

```

