Task

1. What is DOM in JavaScript

→ Document Object Model is a Programming interface for web pages.

→ It represents HTML document as a tree of objects allowing JS to access, modify, add or delete elements dynamically

2. Element Selection

→ They can be selected using Selectors.

document.getElementsById("id")

" .getElementsByClassName("class")

getElementsByTagName("tag")

. querySelector(CSS Select)

. querySelectorAll("CSS Select)

3. Style.display:

→ It is a CSS Property accessed through JS that controls how an element is displayed

~~element.display Style~~

element.style.display = "none";

→ none

block

inline

4. hide element

→ By using style.display = "none"

5. Show element:

→ By using style.display = "block"

6. Toggle function using if

```
const toggle=( )=>{
    document.getElementById("idname");
    if ( element.style.display ===="none") {
        element.style.display = "block";
    }
    else{
        element.style.display = "none"
    }
}
```

7. Display - not set:

→ return empty string

8. Display : "none"

→ Element is completely removed from the layout

~~→ Visi~~

Visibility hidden :

→ Element is invisible ~~by~~ but occupies space

9. Toggle using ternary operator

variable.style.display = variable.style.display === "none" ? "Block" : "none"

10.

Event listener are better because

→ Keeps HTM and JS seperate
Makes code clean and maintained
Allows multiple events on same element