Array of Objects

Normal Array :

```
let array_hero=["loki","Thor","Peter","Tony","Steve"]
console.log(array_hero)

let fruit_list=["Apple","Banana","Mango","orange"]
console.log(fruit_list)

let number_set = [10,20,30,40,50]
console.log(number_set)

let colour_group = ["Red","Blue","Green","yellow"]
console.log(colour_group)

let score_board = [87, 78, 16]
console.log(score_board)

let odd_numbers = [1,3,5,7,9]
console.log(odd_numbers)

let even_numbers = [2,4,6,8,10]
console.log(even_numbers)
```

2D Array :

```
let dimensional_array = [1, [2,3,4], 5, 6, [7,8,9]]
console.log(dimensional_array)

let seating_plan = ["A1", "A2"], ["B1", "B2"], ["C1, C2"]]
console.log (seating_plan)
let movie_set = ["Thor", "Dark world", "Ragnarok"]
                ["Home Coming", "Far From Home", "Now way"]
                ["First Avengers", "Winter Soldier", "Civil war"]

console.log(movie_set)

let number_grid = [[10,20], [30,40], [50,60]]
console.log (number_grid)

let game_scores = [ [100,120], [200,260], [300,333]
console.log (game_scores)

let chess_board = [["rook", "knight"], ["bishop", "Pawn"]
                   ["Queen", "king"]]

console.log (chess board)
```

Mixed Array:

```
let mixed_array = [ 10, 20, "Money", 10*20]
console.log( mixed_array)
let user_profile = [ "Prasanth", 26, True]
console.log( user_profile)
let car_details = [ "Toyota", 2022 , false]
console.log (car_details)
let device_status = [ "Asus", "Laptop", 16 , True]
console.log (device_Status)
let mobile_Status = [ "Vivo", "X90", 2023 ]
console.log ( mobile_Status)
let game_Stats = [ "God of War", 2018, 200]
console.log (game_Stats)
let Product_item = [ "Mouse", 2000, True ]
console.log (product_item)
```

Objects:

Normal objects:

```
let user_profile = {name: "Prasanth", age: 26}
console.log (user_profile)
let car_details = {Brand: "Toyota", year: 2022}
console.log (car_details)
let phone_specs = {Brand: Vivo, model: "X90"}
console.log (phone_specs)
let movie_data {name: "Inception", year: 2010}
console.log (movie_data)
let game_stats = {name: "Witcher3", hours: 120}
console.log (game_stats)
let city_weather = {name: "Chennai", temp: 40}
console.log (city_weather)
let laptop_specs = {Brand: "Asus", gpu: "RTX 4050"}
console.log (laptop_specs)
```

Nested objects:

```
let car_engine = { brand : "Toyota", engine : { Type : Volume,
                                                Power: 150 }}

console.log (car_engine)

let phone_data = { brand : "Vivo", Camera : { Rear : 50,
                                              front : 32 }}

console. log [Phone_data])

let game-Stats = { name : "Witche 3", Player : { Level : 50,
                                                 Sword : "Aerondite" }}

console. log (game_Stats)

let laptop_details = { Brand : "Asus", hardware : { Ram : "16GB",
                                                    Rom : "1TB" }}

console. log (laptop_details)

let movie_details = { name : "Inception", Director :
                      { name : "Nolan", Age : 53 }}

console. log (movie_details)
```

Normal function :

```
function display_name ( ) {
        console.log("Loki")}
display_name();

function show_name () {
        console . log ("second show")}
show_name()
```

Anonymous function :

```
let print_city = function () {
        console.log ("Chennai")}
Print_city();
```

Arrow function :

```
let print year = ( ) => {
        console .log ("2026")
    }
Print_year();
```

Arguments and Parameters :

```
let input_a = 100
let input_b = 20
let sum = (a,b) => {
        ~~let~~ return a+b;
    }
let output_c = sum(input_a, input_c);
console.log(output_c)

let difference = (a,b) => {
        return a-b;
    }
let output_d = difference(input_a, input_b);
console.log(output_d)
```