HTML & CSS PRACTICAL DOCUMENT

1. Design HTML Web Page (Static)
2. Types of CSS

1. Design HTML Web Page (Static)

Aim

To design and develop a static web page using HTML5 containing headings, paragraphs, hyperlinks, lists, tables, and a form.

Theory

HTML (HyperText Markup Language) is the standard markup language used to create and structure web pages. HTML uses tags and elements to define the content and structure of a webpage.

A static webpage displays fixed content. The content remains the same until the HTML code is manually changed. Static webpages are generally created using HTML and CSS.

Important HTML Tags

Tag	Purpose
<html>	Defines the HTML document
<head>	Contains metadata and page information
<title>	Defines the browser tab title
<body>	Contains visible webpage content
<h1>–<h6>	Defines headings
<p>	Defines a paragraph
<a>	Creates a hyperlink
<img>	Displays an image
	Creates an unordered list
	Creates an ordered list
<table>	Creates a table
<form>	Creates a form
<input>	Creates input fields
<button>	Creates a button

HTML Code

```
<!DOCTYPE html>
<html>
<head>
    <title>My College Web Page</title>
</head>

<body>

    <h1>Welcome to My College</h1>

    <h2>About the College</h2>

    <p>
        Our college provides quality education and helps students
        develop technical and professional skills.
    </p>

    <hr>

    <h2>Student Information</h2>

    <table border="1" cellpadding="10">
        <tr>
            <th>Student ID</th>
            <th>Name</th>
            <th>Department</th>
            <th>CGPA</th>
        </tr>

        <tr>
            <td>101</td>
            <td>Prasanthi</td>
            <td>CSE</td>
            <td>9.59</td>
        </tr>

        <tr>
            <td>102</td>
            <td>Ravi</td>
            <td>CSE</td>
            <td>8.75</td>
        </tr>

        <tr>
            <td>103</td>
            <td>Sneha</td>
            <td>ECE</td>
            <td>9.10</td>
        </tr>
    </table>

    <br>

    <h2>Courses Offered</h2>

    <ul>
        <li>Computer Science Engineering</li>
```

```
        <li>Electronics and Communication Engineering</li>
        <li>Information Technology</li>
        <li>Mechanical Engineering</li>
    </ul>

    <h2>Useful Link</h2>

    <p>
        Visit
        <a href="https://www.google.com" target="_blank">
            Google
        </a>
    </p>

    <h2>Student Registration Form</h2>

    <form>

        <label>Name:</label>
        <input type="text" name="name">
        <br><br>

        <label>Email:</label>
        <input type="email" name="email">
        <br><br>

        <label>Gender:</label>

        <input type="radio" name="gender" value="male">
        Male

        <input type="radio" name="gender" value="female">
        Female

        <br><br>

        <label>Department:</label>

        <select>
            <option>CSE</option>
            <option>ECE</option>
            <option>IT</option>
            <option>MECH</option>
        </select>

        <br><br>

        <input type="submit" value="Register">


    </form>


</body>
</html>
```

Expected Output

The webpage displays a Welcome to My College heading, an About the College paragraph, a student information table, a list of courses, a Google hyperlink, and a student registration form containing Name, email, Gender, Department and Register button.

Actual output





Result

Thus, a static HTML5 webpage was successfully designed using different HTML elements such as headings, paragraphs, tables, lists, hyperlinks, and forms.

2. Types of CSS

Aim

To study and implement the different types of CSS with suitable examples.

Theory

CSS (Cascading Style Sheets) is used to control the appearance, layout, colors, fonts, spacing, and overall design of HTML webpages.

There are three main types of CSS:

1. Inline CSS
2. Internal CSS
3. External CSS

2.1 Inline CSS

Inline CSS is written directly inside the HTML element using the style attribute. It is useful when a style needs to be applied to only one particular element.

Syntax

```
<tag style="property:value;">Content</tag>
```

Example

```
<!DOCTYPE html>
<html>
<head>
    <title>Inline CSS</title>
</head>
<body>


    <h1 style="color: blue; text-align: center;">
        Welcome to My Website
    </h1>

    <p style="color: green; font-size: 20px;">
        This paragraph uses Inline CSS.
    </p>

</body>
</html>
```

Output

The heading appears blue and centered. The paragraph appears green with a larger font



2.2 Internal CSS

Internal CSS is written inside the <style> element within the <head> section of an HTML document. It is useful when styles need to be applied to a single webpage.

Example

```
<!DOCTYPE html>
<html>
<head>

    <title>Internal CSS</title>

    <style>
        body {
            background-color: lightgray;
        }

        h1 {
            color: blue;
            text-align: center;
        }

        p {
            color: green;
            font-size: 20px;
        }
    </style>

</head>
<body>


    <h1>Welcome to My Website</h1>

    <p>
        This webpage uses Internal CSS.
    </p>
```

```
</body>
</html>
```

Output

The webpage has a light gray background, a blue centered heading, and a green paragraph with a larger font.



2.3 External CSS

External CSS is written in a separate .css file and connected to an HTML document using the <link> element. It is useful when the same styles need to be applied to multiple webpages.

HTML File – index.html

```
<!DOCTYPE html>
<html>
<head>

    <title>External CSS</title>

    <link rel="stylesheet" href="style.css">

</head>
<body>

    <h1>Welcome to My Website</h1>

    <p>
        This webpage uses External CSS.
    </p>
```

```
    <button>Click Me</button>

</body>
</html>
```

CSS File – style.css

```
body {
    background-color: lightblue;
}


h1 {
    color: darkblue;
    text-align: center;
}

p {
    color: darkgreen;
    font-size: 20px;
    text-align: center;
}

button {
    display: block;
    margin: auto;
    padding: 10px 20px;
}
```

Output

The webpage displays a light blue background, dark blue centered heading, green paragraph, and centered button.



Difference Between Types of CSS

Feature	Inline CSS	Internal CSS	External CSS

Location	Inside HTML element	Inside <style>	Separate .css file
Scope	Single element	Single webpage	Multiple webpages
Reusability	Low	Medium	High
Maintenance	Difficult	Moderate	Easy
Files Required	HTML only	HTML only	HTML + CSS

CSS Syntax

The basic CSS syntax is:

```
selector {
    property: value;
}
```

Example:

```
p {
    color: blue;
    font-size: 18px;
}
```

Here, p is the selector, color is the property, and blue is the value.

Advantages of CSS

- Improves the appearance of webpages.
- Provides better control over webpage layout.
- Reduces repetition of styling code.
- Makes websites easier to maintain.
- Allows the same style to be applied to multiple webpages.
- Supports responsive web design.
- Separates content (HTML) from presentation (CSS).

Result

Thus, the three types of CSS—Inline, Internal, and External CSS—were studied and implemented successfully with suitable examples.

J.prasanthi

A24126552144

CSM-C