



Zigo Digital

Website Project Workflow & Admin Guide

Structured reference for understanding the public website, admin panel, backend data flow, SEO tools, analytics, and local hosting steps.

Item	Details
Prepared for	Prasanth M, Founder - Zigo Digital
Website	http://localhost:3000
Admin panel	http://localhost:3000/admin/login
Prepared on	13 June 2026

Private document

This guide includes admin access details. Do not share it publicly. Before live production hosting, change the password and ADMIN_SESSION_SECRET in the hosting environment.

START HERE

1. Quick Access Details

Item	Current value
Public website	http://localhost:3000
Admin login	http://localhost:3000/admin/login
Admin username	zigodigitalinfo@gmail.com
Admin password	Prasanth
Business phone	7373507257
Business email	zigodigitalinfo@gmail.com
Address	Chinnalapatti, Dindigul
Project folder	C:\Users\prasa\OneDrive\Documents\extention\zigo-digital

Production security note

The current login details work for the local admin panel. For public hosting, keep the username if you want, but change the password, set a strong ADMIN_SESSION_SECRET, and keep Supabase keys private.

Local viewing command

Because npm may not be recognized on this computer, use the included local start script.

```
cd C:\Users\prasa\OneDrive\Documents\extention\zigo-digital
.\start-local.cmd
Open: http://localhost:3000
```

Keep the command window open while viewing the website. Closing it stops localhost.

2. How The Website Works

The site has two connected layers: the public website for visitors and the admin panel for managing content. Content is saved through server actions into local JSON storage now, and can move to Supabase for production.

Step	Visitor / Admin action	System response
1	Visitor opens public pages like Home, Services, Portfolio, Blog, Tools, or Contact.	Next.js renders the page and VisitTracker records a non-admin page visit.
2	Visitor clicks WhatsApp, reads a case study, opens a blog, or submits the contact form.	Enquiries are saved through submitEnquiry; analytics updates page view and visitor counts.

Step	Visitor / Admin action	System response
3	Admin logs in at /admin/login.	A secure HTTP-only admin session cookie is created.
4	Admin adds portfolio, team member, service, blog post, or checks enquiries.	Server actions save data to Supabase if configured, otherwise to data/cms.json.
5	Admin publishes new content.	Public pages revalidate and show the updated content. Portfolio logos feed the client logo carousel automatically.

Simple mental model

Public pages create trust and enquiries. Admin pages control the content. The backend stores content. Analytics shows how many visitors and page views the website receives.

WEBSITE MODULES

3. Public Website Modules

Module	URL	Purpose
Home	/	First impression, hero, services preview, proof, client logo marquee, and enquiry CTAs.
About	/about	Explains Zigo Digital, positioning, founder-led approach, mission, and trust message.
Services	/services	Animated service experience explaining pain points, Zigo solution, deliverables, and CTA.
Portfolio	/portfolio	Case study grid with client logos, industries, service tags, and case study links.
Case Study	/portfolio/[slug]	Detailed client story: problem, goal, strategy, execution, results, and CTA.
Team	/team	Active team members ordered by display order, currently Prasanth first and Surya second.
Blog	/blog and /blog/[slug]	Marketing, AI tools, industry learning, SEO content, and thought-leadership articles.
Tools	/tools	Tool hub with dropdown navigation. SEO Audit Tool is live.
SEO Audit Tool	/tools/seo-audit	Analyzes a website and returns a branded SEO/AEO report with action points.
Contact	/contact	Lead capture form and direct contact path.

Header order

- Home
- About
- Services
- Portfolio
- Team
- Blog
- Tools
- Contact

Client logo section

The client logo marquee is dynamic. When a future portfolio case is added with a logo image URL and Published enabled, that logo automatically appears in the scrolling client logo section and links to that case study.

Part	How it works
Component	components/client-logo-marquee.tsx
Dynamic function	logosFromPortfolioCases(portfolioCases)
Logo source	Published portfolio cases with logoImage / logo_image_url
Fallback logos	lib/site-data.ts clientLogos

ADMIN MODULES

4. Admin Panel Workflow

The admin panel is the content control room for the website. It is protected by login and is designed so you can manage the important website sections without editing code.

Admin page	URL	What you can manage
Dashboard	/admin/dashboard	Portfolio count, blog count, team count, services count, enquiries, page views, website visitors, most visited pages, and recent visits.
Portfolio	/admin/portfolio	Add, edit, delete, and publish case studies. Add client logo, industry, problem, strategy, results, metrics, testimonial, and case study slug.
Team	/admin/team	Add multiple team members with image, role, bio, skills, social links, active status, and display order.
Services	/admin/services	Edit service title, slug, pain point, solution text, deliverables, icon, active status, and order.
Blog	/admin/blog	Create and edit blog posts with title, slug, excerpt, content, tags, category, SEO title, SEO description, canonical URL, featured and published status.
Enquiries	/admin/enquiries	View leads submitted from the contact form: name, business, phone, email, service needed, message, status, and date.

Admin login flow

- 1 Open `http://localhost:3000/admin/login`.
- 2 Enter username `zigodigitalinfo@gmail.com` and password `Prasanth`.
- 3 The login API validates credentials and sets the `zigo_admin_session` cookie.
- 4 The proxy protects every `/admin` page except `/admin/login`.
- 5 If Supabase auth is configured, the login form can also use Supabase email/password auth as a fallback.

Auth part	File / value
Login API	<code>app/api/admin/login/route.ts</code>
Login form	<code>components/admin/login-form.tsx</code>
Auth helper	<code>lib/admin-auth.ts</code>
Protected route logic	<code>proxy.ts</code>
Session cookie	<code>zigo_admin_session</code>

BACKEND AND STORAGE

5. Backend Details

This is a Next.js App Router project. Pages, server actions, and API routes live in the same application. The backend layer is written in TypeScript and uses a local JSON fallback until Supabase keys are added.

Layer	Implementation
Framework	Next.js 16 App Router
UI	React 19, Tailwind CSS, Framer Motion, Lucide icons
Validation	Zod
Backend actions	lib/actions.ts
Data access	lib/cms.ts
Local storage	data/cms.json
Production database option	Supabase tables in supabase/schema.sql
Image config	next.config.ts allows res.cloudinary.com images

Data mode decision

If Supabase keys exist	If Supabase keys are missing
createSupabaseAdminClient() writes and reads from Supabase tables.	The same admin pages write and read data/cms.json.
Good for production, multi-device access, persistent cloud database, and hosted admin work.	Good for local development and testing on this computer.

DATABASE SCHEMA

6. Supabase Tables

When moving to production, run supabase/schema.sql in Supabase. These are the main tables used by the website.

Table	Main purpose	Important fields
portfolio_cases	Case studies and client logos.	client_name, slug, industry, logo_image_url, problem, goal, solution, services_provided, strategy, results_summary, metrics_json, published
team_members	Team page and team admin.	name, role, bio, image_url, skills, instagram_url, linkedin_url, display_order, active
services	Services page and service admin.	title, slug, short_description, pain_point, detailed_description, deliverables, icon, active, display_order

Table	Main purpose	Important fields
enquiries	Contact form leads.	name, business_name, phone, email, service_needed, message, status, created_at
blog_posts	Blog list and blog detail pages.	title, slug, excerpt, content, category, tags, cover_image_url, author, published, featured, seo_title, seo_description, canonical_url
analytics_visits	Page views and unique visitor tracking.	visitor_id, path, title, referrer, user_agent, created_at
Important The local JSON file is enough for testing, but for production hosting you should use Supabase so content survives deployments and can be managed safely online.		

ANALYTICS

7. Analytics And Visitor Count

The website has a built-in lightweight analytics feature. It tracks public page visits and shows the result in the admin dashboard.

- 1 VisitTracker runs on public pages and ignores /admin and /api routes.
- 2 It creates or reuses a visitor ID in the browser localStorage key zigo-visitor-id.
- 3 It avoids duplicate tracking for the same page inside one browser session using sessionStorage.
- 4 It sends the visit to /api/analytics/visit using sendBeacon or fetch.
- 5 The backend stores the visit in Supabase or data/cms.json.
- 6 Admin Dashboard displays Page Views, Website Visitors, Most Visited Pages, and Recent Visits.

Part	File
Tracker component	components/visit-tracker.tsx
API route	app/api/analytics/visit/route.ts
Storage function	recordAnalyticsVisit() in lib/cms.ts
Dashboard display	app/admin/dashboard/page.tsx

SEO AND TOOLS

8. SEO, AEO, Blog Links, And Tools

The website includes SEO foundations and a live SEO audit tool. The blog is designed for industry learning, marketing ideas, AI tools, and search-friendly educational content.

SEO foundations already included

- sitemap.xml generated from navigation, published portfolio cases, and published blog posts.
- robots.txt route available for search engines.
- Blog detail pages can use SEO title, SEO description, canonical URL, and structured content.
- Blog content supports markdown-like headings, lists, blockquotes, and links.
- Internal links and outbound links work from blog content using markdown syntax.
- SEO Audit Tool checks important SEO and AEO signals from any public URL.

Blog link format

Inside a blog post, use these formats:

Internal link: [View our services](/services)
Case study link: [O 2 Y Hair Fixing case study](/portfolio/o-2-y-hair-fixing)
Outbound link: [Google Search Central](https://developers.google.com/search)

SEO Audit Tool flow

Step	What happens
1	User opens /tools/seo-audit and enters a website URL.
2	API route app/api/tools/seo-audit/route.ts fetches the public HTML.
3	It checks HTTP status, title, meta description, H1, canonical, viewport, image alt text, JSON-LD schema, social preview tags, robots.txt, sitemap.xml, AEO readiness, and conversion trust signals.
4	It returns a branded Zigo Digital report with score, grade, executive summary, metrics, top terms, checks, recommendations, and opportunities.

AEO meaning

AEO means Answer Engine Optimization. It helps pages become easier for AI answer systems and search engines to understand through clear questions, direct answers, FAQ style sections, schema, and strong internal linking.

DAILY OPERATION

9. Content Update Workflows

Add a new client case study

- 1 Go to /admin/portfolio and click Add Case Study.
- 2 Fill client name, slug, industry, logo image URL, short description, problem, goal, solution, services, platforms, strategy, execution, results, metrics, and testimonial.
- 3 Enable Published when the case study is ready.
- 4 Save the case study.
- 5 The case appears on /portfolio, opens at /portfolio/[slug], and the logo automatically appears in the scrolling client logo section.

Add a blog post

- 1 Go to /admin/blog and click Write Blog.
- 2 Add a keyword-focused title, slug, excerpt, category, tags, and full content.
- 3 Use headings, short paragraphs, internal links, outbound links, and CTA links.
- 4 Add SEO title, SEO description, and canonical URL if needed.
- 5 Enable Published and optionally Featured, then save.

Add team members

- 1 Go to /admin/team.
- 2 Add image URL, name, role, bio, skills, social links, active status, and display order.
- 3 Use display order 1 for Prasanth M and 2 for Surya M. Future members can use 3, 4, 5, etc.
- 4 Only Active members show on /team.

Review enquiries

- 1 Visitor submits the contact form from /contact or a CTA section.
- 2 The enquiry is saved to Supabase or data/cms.json.
- 3 Open /admin/enquiries to read the lead details and follow up by phone, email, or WhatsApp.

RUN AND DEPLOY

10. Local Hosting And Production Checklist

Local viewing

```
cd C:\Users\prasa\OneDrive\Documents\extention\zigo-digital
.\start-local.cmd
Website: http://localhost:3000
Admin: http://localhost:3000/admin/login
```

If Node and npm are installed globally later, you can also run `npm run dev`, `npm run build`, and `npm run start`.

Production checklist

- Create `.env.local` or hosting environment variables from `.env.example`.
- Set `NEXT_PUBLIC_SITE_URL` to the real domain.
- Add `NEXT_PUBLIC_SUPABASE_URL` and `NEXT_PUBLIC_SUPABASE_ANON_KEY`.
- Add `SUPABASE_SERVICE_ROLE_KEY` privately in the server environment only.
- Change `ADMIN_PASSWORD` from Prasanth to a stronger private password.
- Change `ADMIN_SESSION_SECRET` to a long random secret.
- Run `supabase/schema.sql` in Supabase.
- Test `/admin/login`, `/admin/dashboard`, contact form, blog publishing, portfolio publishing, `sitemap.xml`, `robots.txt`, and `/tools/seo-audit`.
- Run `npm run build` before final deployment if npm is available in the hosting build environment.

Recommended hosting path

For a public website, deploy the Next.js app to a platform like Vercel and connect Supabase as the production database. Keep admin secrets only in hosting environment variables, not inside public files.

DEVELOPER REFERENCE

11. Main File And Folder Map

Folder / file	What it controls
app/	Public pages, admin pages, API routes, sitemap, robots, layout, and global app routes.
app/admin/	Admin dashboard, portfolio, team, services, blog, enquiries, and login pages.
app/api/	Login API, analytics tracking API, and SEO audit API.
components/	Reusable public UI: header, footer, service cards, portfolio cards, logo marquee, contact form, WhatsApp button, animations.
components/admin/	Admin shell, login form, and admin content forms.
components/tools/	SEO audit tool UI.
lib/site-data.ts	Default site data, nav order, tools list, services, fallback logos, team, portfolio, blog content.
lib/cms.ts	Reads/writes local JSON or Supabase. Also summarizes analytics visits.
lib/actions.ts	Server actions for enquiries, portfolio cases, team members, services, and blog posts.
lib/admin-auth.ts	Admin email, password, session cookie name, and session secret.
lib/supabase.ts	Supabase browser, server, and admin clients plus configuration check.
data/cms.json	Local content database used when Supabase is not configured.
public/assets/	Logo, founder image, hero image, and client logo image files.
supabase/schema.sql	Production database table setup.
start-local.cmd	Local start command for computers where npm is not recognized.

12. Maintenance Notes

- Back up data/cms.json if you are using local mode and adding important content.
- Use clean slugs such as o-2-y-hair-fixing, grace-speech-and-hearing, or gunas-craft.
- For logos, use public assets or stable Cloudinary URLs. The full logo should be visible inside the logo card.
- For blog SEO, write one clear H1 topic, helpful H2 questions, short direct answers, internal links, and a CTA near the end.
- Use the SEO Audit Tool after major content changes to find missing title, meta, H1, schema, image alt, sitemap, and conversion signals.
- Before public launch, test pages on mobile and desktop, check all header links, and confirm WhatsApp/contact paths work.

Current live tool status

The SEO Audit Tool is live in the Tools section. The landing page builder was removed. Future tools can be added under /tools and listed inside toolItems in lib/site-data.ts.

13. One-Page Quick Reference

Need	Where to go
Open website	http://localhost:3000
Open admin	http://localhost:3000/admin/login
Login	zigodigitalinfo@gmail.com / Prasanth
Start locally	.\start-local.cmd from the zigo-digital folder
Add case study	/admin/portfolio -> Add Case Study -> Published
Auto logo condition	Case study must be Published and have a logo image URL
Add blog	/admin/blog -> Write Blog -> Published
Check visitors	/admin/dashboard -> Website Visitors and Page Views
Check leads	/admin/enquiries
Run SEO audit	/tools/seo-audit
Local data	data/cms.json
Production schema	supabase/schema.sql