FULL STACK DEVELOPMENT – SUMMARY

Chapter – 3

- ✓ **IF conditions**
- ✓ **IF-ELSE conditions**
- ✓ **ELSE-IF Ladder conditions**
- ✓ **SWITCH-CASE statements**
- ✓ **“FOR” Loop**
- ✓ **“WHILE” Loop**
- ✓ **“DO-WHILE” Loop**
- ✓ **ENHANCED “FOR” Loop**

IF CONDITIONS:-

The if statement is used to execute a block of code only when a condition is true.

SYNTAX:-

```
If (condition) {

    // code to be executed.

}
```

IF ELSE CONDITION:-

- The if-else statement is used to execute one block of code .
- If the condition is true and another block if the condition is false.

SYNTAX:-

```
If (condition) {

  //code if condition is true

} else {

   // code if condition is false
```

}

ELSE IF LADDER CONDITIONS :-

- The else – if ladder is used when there are multiple conditions to check.
- The program executes the block of the first condition that is true.

SYNTAX:-

```
If (condition1) {
  //code
}
else  if { condition2){
   // code
}
else  if { condition3) {
        // code
}

Else {
        // code
}
```

SWITCH CASE STATEMENT:-

- A switch – case statement is a control structure used to execute one block of code .
- The multiple options based on the value of an expression.

SYNTAX:-

```
switch (expression) {

  case value1:

    // Code block

    break;

  case value2:

    // Code block

     break;

  case value3:
```

```
        // Code block
        break;
    default:
        // Default code block
}
```

FOR LOOP:-

A for loop is used to execute a block of code repeatedly for a specific number of times.

SYNTAX:-

For(initialization; condition;(increament / decreament) {

WHILE LOOP:-

A while loop is used to execute a block of code repeatedly as long as a

specific condition is true.

SYNTAX:-

```
While (condition) {
      // code to be executed
}
```

DO WHILE LOOP:-

A do while loop executes the code block at least once , then checks the condition.

SYNTAX:-

```
do {
}while (condition);
```

ENHANCED "FOR "LOOP:-

The enhanced for loop is used to iterate the through arrays or collections without using an index.

SYNTAX:-

```
For (data type variable: collections) {
    // code to execute
}
```