Assignment 12

1) Write a query that selects all customers whose ratings are equal to or greater than ANY of Serres'.

```
mysql> select * from customers
        where Rating>=Any(
        select Rating from customers
    -> where Snum=1002
        Cname
                    City
                                Rating
                                         Snum
 Cnum
  2002
         Giovanni
                    Rome
                                   200
                                         1003
  2003
                    San Jose
         Liu
                                   200
                                         1002
  2004
                    Berlin
         Grass
                                   300
                                         1002
 2008
                    San Jose
         Cisneros
                                   300
                                         1007
 rows in set (0.01 sec)
```

2) Write a query using ANY or ALL that will find all salespeople who have no customers located in their city.

```
mysql> select * from salespeople s
        where not exists
    -> (select 1 from customers c
       where c.snum=s.snum and c.city=s.city);
                    City
         Sname
  Snum
                                 Comm
  1004
         Motika
                    London
                                 0.11
                    Barcelona
  1007
                                0.15
                    New York
                                 0.10
  rows in set (0.01 sec)
```

3) Write a query that selects all orders for amounts greater than any for the customers in London.

```
mysql> SELECT *
    -> FROM orders O
    -> WHERE Amt > ANY (
    -> SELECT Amt
    -> FROM orders
    -> WHERE Cnum IN (
    -> SELECT Cnum
    -> FROM customers
    -> WHERE City = 'London'
                                  Cnum
 Onum
                    0date
                                          Snum
         Amt
  3002
         1900.10
                    1990-10-03
                                  2007
                                          1004
 3005
         5160.45
                                  2003
                    1990-10-03
                                          1002
  3006
         1098.16
                    1990-10-03
                                  2008
                                          1007
                                          1003
         1713.23
  3009
                    1990-10-04
                                  2002
 3008
         4723.00
                    1990-10-05
                                          1001
                                  2006
 3010
         1309.95
                    1990-10-06
                                  2004
                                          1002
         9891.88
                    1990-10-06
  3011
                                  2006
                                          1001
7 rows in set (0.01 sec)
```

4) Write the above query using MIN or MAX.

```
mysql>
        SELECT *
        FROM orders
        WHERE Amt > (SELECT MIN(Rating)
        FROM customers
    ->
        WHERE City = 'London');
  Onum
                    Odate
                                  Cnum
                                         Snum
         Amt
  3003
          767.19
                    1990-10-03
                                  2001
                                         1001
         1900.10
  3002
                    1990-10-03
                                  2007
                                         1004
  3005
         5160.45
                    1990-10-03
                                  2003
                                         1002
  3006
         1098.16
                    1990-10-03
                                  2008
                                         1007
                    1990-10-04
  3009
         1713.23
                                  2002
                                         1003
         4723.00
  3008
                    1990-10-05
                                  2006
                                         1001
                    1990-10-06
  3010
         1309.95
                                  2004
                                         1002
         9891.88
                                         1001
  3011
                    1990-10-06
                                  2006
8 rows in set (0.00 sec)
```