

Title: Lists and Tables in HTML

Objective:

- To implement list tags in HTML
- To implement table tags in HTML

Theory:

1. Introduction

Lists and tables are important elements in HTML that help organize content.

- Lists are used to display items in a structured way, either ordered (numbered) or unordered (bulleted).
- Tables are used to present data in rows and columns, making information easy to read and compare.

2. List Tags in HTML

HTML supports different types of lists:

- `<ul>` → Unordered list (bullets)
- `<ol>` → Ordered list (numbers/letters)
- `<li>` → List items inside `<ul>` or `<ol>`

Lists can also be nested, meaning one list can be placed inside another.

Example:

```
<ol>
  <li>First Semester</li>
  <ul>
    <li>Applied Physics</li>
    <li>Drawing</li>
    <li>Nepali</li>
  </ul>
</ol>
```

3. Table Tags in HTML

Tables are created using the following tags:

- `<table>` → Defines the table
- `<tr>` → Table row
- `<th>` → Table header (bold by default)
- `<td>` → Table data cell

Example:

```
<table>
  <tr>
    <th>Sn</th>
    <th>Name</th>
    <th>Address</th>
    <th>Salary</th>
  </tr>
  <tr>
    <td>1</td>
    <td>Bahadur Thapa</td>
```

```
<td>Australia</td>
<td>20000</td>
</tr>
</table>
```

Full Program:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    table, th, td {
      border: 1px solid black;
      border-collapse: collapse;
      width: 500px;
      height: 100px;
      text-align: left;
    }
    th, td {
      padding: 10px;
    }
  </style>
</head>
<body>
  <h1>Everest Engineering College</h1>
  <h2>Located in Sanepa, Lalitpur EEC provides following courses</h2>

  <h2>BE Civil</h2>
  <ol>
    <li>First Semester</li>
    <ol type="disc">
      <li>Applied Physics</li>
      <li>Drawing</li>
      <li>Nepali</li>
    </ol>
    <li>Second Semester</li>
    <ul>
      <li>Applied Physics</li>
      <li>Drawing</li>
      <li>Nepali</li>
    </ul>
  </ol>
```

```

<h2>BE IT</h2>
<ol>
  <li>First Semester</li>
    <ol type="disc">
      <li>Applied Physics</li>
      <li>Drawing</li>
      <ul type="disc">
        <li>Architecture Drawing</li>
        <li>Man Drawing</li>
      </ul>
    </ol>
  <li>Second Semester</li>
    <ul>
      <li>Applied Physics</li>
      <li>Nepali</li>
    </ul>
</ol>
<table bgcolor="red">
  <tr>
    <th>Sn</th>
    <th>Name</th>
    <th>Address</th>
    <th>Salary</th>
  </tr>
  <tr>
    <td>1</td>
    <td>Papu Bhai</td>
    <td>Australia</td>
    <td>20000</td>
  </tr>
</table>
</body>
</html>

```

Output:

Discussion:

In this lab, I learned how to use list tags (, ,) to organize course information in a structured way. I also practiced nested lists, where one list is placed inside another.

Additionally, I implemented a table with rows and columns to display structured data. The use of CSS styling (borders, padding, background color) made the table more readable.

This exercise helped me understand how lists are useful for organizing content hierarchically, while tables are effective for presenting structured data.

Conclusion:

Lists and tables are fundamental HTML elements for organizing and presenting information.

- Lists are best for sequential or grouped items.
- Tables are best for structured data with multiple attributes.

Through this lab, I successfully implemented both lists and tables in HTML, achieving the objective of learning how to organize content effectively on a webpage.