```
-- 1 CREATING A DATABASE
Create database Company_DB;



-- 2 CREATING A TABLE
create table employees(
                emp_id     INT PRIMARY KEY,
  first_name VARCHAR(50) NOT NULL,
  last_name VARCHAR(50) NOT NULL,
  gender CHAR(1) NOT NULL,
  salary DECIMAL(10,2) NOT NULL,
  department VARCHAR(50)
  );
-- 3  INSERTING DATA....



INSERT INTO employees(emp_id, first_name, last_name, gender, salary, department) Values
  (101,'Prashant','Kumar','M','55000','IT'),
  (102,'Rahul', 'Sharma','M','48000','HR'),
  (103,'Priya','Singh','F','62000','Finance'),
  (104,'Aman','Verma','M','51000','Sales'),
  (105,'Neha','Gupta','F','59000','IT');



-- 4 Display the record
select * from employees;
```

```
-- 35 Rename the column first_name to fname.
ALTER table employees RENAME column first_name TO fname;



-- 38 Create the departments table
Create table department(
        dept_id INT PRIMARY KEY,
  dept_name VARCHAR(50)
  );

-- 39 insert Data into departments
INSERT INTO department (dept_id,dept_name)
        values(1,'IT'),
                (2,'HR'),
      (3,'Finance'),
      (4,'Sales');



-- 40 Add a new column named dept_id to the employees table.
ALTER TABLE employees ADD COLUMN dept_id INT;

-- 41 Update Prashant's dept_id to 1.
UPDATE employees SET dept_id = 1 WHERE fname = 'Prashant';

 -- 42 Now update the other employees' dept_id values.

 UPDATE employees SET dept_id = CASE
        WHEN fname = 'Rahul' then 2
        when fname = 'Priya' then 3
  WHEN fname = 'Aman' then 4
  WHEN fname = 'Neha' then 1
END
where fname IN ('Rahul','Priya','Aman','Neha');
```