

Overview -

Build a single Intellicar platform and deploy it as one product, but organize the customer experience into two domain-specific workspaces. The underlying capabilities and data remain shared, while navigation, KPIs, permissions, workflows and packaging are specialized by domain.

Intellicar One

One platform. Multiple industries. Domain-specific workflows.

Implementation Analysis -

Category	Independent	Single	Cluster
Launch new segment	Low - new code base and infra setup	Fast, but rarely fits the workflow	Moderate - merge with most relevant stream
Engineering duplication	High - all parallel stack	None, but increased tech debt	Low - common shared core
Use case fit	High	Poor -generic for all	Strong -built around JTBD
Cross sell across segment	Difficult - no visibility of other modules.	Possible - generic nature can restrict versatility	Strong - Similar shared use case with cross selling opportunity.
Roadmap Implementation	High - competing resources for same task/feature	High - Increased tech debt and slow implementation.	Low - focused backlog and future development.
Disaster and Risk management	Low	High	Moderate

Segment based use case

Segment	Primary Business question	Key Product and capability	Market players
Battery OEM	How healthy are my batteries and how long will they remain usable?	SoH/SoC, degradation curve, thermal monitoring, cycle count, battery diagnostics, warranty tracking, predictive failure	PointO
Swapping Station	How efficiently is my swapping network operating?	Real-time battery inventory, station health, swap analytics, battery movement, utilization, revenue analytics, predictive maintenance	Battery smart
Finance and leasing	What is the current risk and value of the EV asset I have financed?	Asset tracking, utilization, battery health, maintenance history, risk scoring, residual value, abnormal usage/theft alerts	Revfin, Vidyut
B2B Fleet	How efficiently are my vehicles and drivers operating?	Live tracking, trip management, geofencing, driver analytics, utilization, energy consumption, maintenance, SLA/performance analytics	Greencell mobility, zivo
Last mile mobility	How do I maximize vehicle availability and deliveries per vehicle?	Live tracking, trip/route analytics, battery/range monitoring, driver management, utilization, geofencing, maintenance, charging/swapping analytics	Bounce
Vehicle OEM	How are my vehicles performing in the real world?	Vehicle telemetry, CAN/ECU diagnostics, DTC monitoring, OTA/FOTA, firmware management, vehicle health, warranty analytics, production/QC analytics	MG, TATA

Product architecture -


One deployment + one core platform + modular capabilities + 2 experience clusters

Single deployment with logical cluster resulting in unified platform with specialized feature and user experience

Clusters-

1. Fleet and mobility
 - a. B2B Fleet
 - b. Last mile mobility
 - c. Vehicle OEM
2. Asset intelligence and Finance
 - a. Battery OEM
 - b. Swapping station
 - c. Finance and leasing

Layer 3 - Customer facing Application



Access control -

RBAC - Role based access control

1. Create a user role and define permission at individual module level.
2. This access can be given per asset as well.

3. Each module has View and Edit permission allowing users to do only assigned activity as per the role.

Modular workspace -

Each of the features is a module with permission of View and Edit.

Cluster 1 - Fleet and mobility

Modules -

Module Name	B2B fleet	Last mile mobility	Vehicle OEM
Geofencing	yes	yes	
Live Tracking	yes	yes	yes
Routes, schedules and trips	yes	yes	
Vehicle health	yes	yes	yes
Charging event	yes	yes	yes
Hubs and vehicles	yes	yes	
Alerts	yes	yes	yes
FOTA	yes	yes	yes
Driver analytics	yes	yes	yes
Vehicle telemetry	yes	yes	yes
Maintenance	yes	yes	yes