

Group A: Assignment No: 3

1) Creating, Dropping, and altering Database tables.

```
student@student22:~$ jps
4724 NameNode
4852 DataNode
7017 Jps
5261 ResourceManager
5054 SecondaryNameNode
5390 NodeManager
student@student22:~$ cd /usr/local/hive/bin
student@student22:/usr/local/hive/bin$ ./hive
SLF4J: Class path contains multiple SLF4J bindings.
SLF4J: Found binding in [jar:file:/home/edureka/apache-hive-2.1.0-bin/lib/log4j-slf4j-impl-2.4.1.jar!/org/slf4j/impl/StaticLoggerBinder.class]
SLF4J: Found binding in [jar:file:/usr/local/hadoop/hadoop-2.7.0/share/hadoop/common/lib/slf4j-log4j12-1.7.10.jar!/org/slf4j/impl/StaticLoggerBinder.class]
SLF4J: See http://www.slf4j.org/codes.html#multiple_bindings for an explanation.
SLF4J: Actual binding is of type [org.apache.logging.slf4j.Log4jLoggerFactory]
```

```
Logging initialized using configuration in jar:file:/home/edureka/apache-hive-2.1.0-bin/lib/hive-common-2.1.0.jar!/hive-log4j2.properties Async: true
Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions.
Consider using a different execution engine (i.e. spark, tez) or using Hive 1.X releases.
hive> set hive.cli.print.current.db=true;
```

```
hive (default)> show databases;
OK
Aatif
aishwarya_desai
default
Time taken: 0.291 seconds, Fetched: 4 row(s)
hive (default)> use Aatif;
OK
Time taken: 0.01 seconds
hive (Aatif)> show tables;
OK
Aatif
Time taken: 0.039 seconds, Fetched: 1 row(s)
```

```
hive (Aatif)> Create Database TEIT;
OK
Time taken: 0.172 seconds
```

```
hive (Aatif)> use TEIT;
OK
Time taken: 0.007 seconds
```

```
hive (TEIT)> Create Table Student(FirstName STRING, LastName STRING, StudentId INT);
```

```
OK
```

```
Time taken: 0.361 seconds
```

```
hive (TEIT)> ALTER DATABASE TEIT SET DBPROPERTIES('creator' = 'Ansari Aatif', 'created_for' = 'Learning Hive');
```

```
OK
```

```
Time taken: 0.103 seconds
```

```
hive (TEIT)> DESCRIBE DATABASE EXTENDED TEIT;
```

```
OK
```

```
teit
```

```
hdfs://localhost:9000/user/hive/warehouse/teit.db    studentUSER    {creator=Ansari Aatif, created_for=Learning Hive}
```

```
Time taken: 0.009 seconds, Fetched: 1 row(s)
```

```
hive (TEIT)> DROP DATABASE TEIT CASCADE;
```

```
OK
```

```
Time taken: 1.6 seconds
```

```
hive (TEIT)> show databases;
```

```
OK
```

```
Aatif
```

```
aishwarya_desai
```

```
default
```

```
Time taken: 0.005 seconds, Fetched: 4 row(s)
```

```
hive (TEIT)>
```

2) Creating an external Hive table.

```
hive (TEIT)> DROP DATABASE TEIT CASCADE;
```

```
OK
```

```
Time taken: 1.6 seconds
```

```
hive (TEIT)> show databases;
```

```
OK
```

```
Aatif
```

```
aishwarya_desai
```

```
default
```

```
Time taken: 0.005 seconds, Fetched: 4 row(s)
```

```
hive (TEIT)> create database TEIT;
```

```
OK
```

```
Time taken: 0.145 seconds
```

```
hive (TEIT)> use TEIT;
```

```
OK
```

```
Time taken: 0.006 seconds
```

```
hive (TEIT)> Create Table Student_Data(FirstName STRING, LastName STRING, StudentId INT);
```

```
OK
```

Time taken: 0.211 seconds

Download data set of 2007 & 2008 from <http://stat-computing.org/dataexpo/2009/the-data.html>

3) Load table with data,insert new values and fields in the table :

```
hive> set hive.cli.print.current.db=true;
```

```
hive (default)> show databases;
```

```
OK
```

```
Aatif
```

```
aishwarya_desai
```

```
default
```

```
first
```

```
flight
```

```
te111
```

Time taken: 0.883 seconds, Fetched: 6 row(s)

```
hive (default)> create database TEIT;
```

```
OK
```

Time taken: 0.259 seconds

```
hive (default)> use TEIT;
```

```
OK
```

Time taken: 0.006 seconds

```
hive (TEIT)> CREATE TABLE IF NOT EXISTS Flight(Year SMALLINT, Month  
TINYINT, DayofMonth TINYINT, DayOfWeek TINYINT, DepTime SMALLINT)  
COMMENT 'Flight' ROW FORMAT DELIMITED FIELDS TERMINATED BY ','  
STORED AS TEXTFILE TBLPROPERTIES ('creator'= 'Ansari Aatif');
```

```
OK
```

Time taken: 0.495 seconds

```
hive (TEIT)> load data local inpath '/home/student/Desktop/2007.csv' into table Flight;  
Loading data to table teit.flight
```

```
OK
```

Time taken: 1.381 seconds

```
hive (TEIT)> SELECT * FROM Flight;
```

```
OK
```

```
NULL NULL NULL NULL NULL
```

```
1987 10 14 3 741
```

```
1987 10 15 4 729
```

```
1987 10 17 6 741
```

```
1987 10 18 7 729
```

```
1987 10 19 1 749
```

```
1987 10 21 3 728
```

```
1987 10 22 4 728
```

```
1987 10 23 5 731
```

Time taken: 0.893 seconds, Fetched: 200 row(s)
hive (TEIT)>

hive (TEIT)> CREATE TABLE IF NOT EXISTS Flight2009(Year SMALLINT, Month TINYINT, DayofMonth TINYINT, DayOfWeek TINYINT, DepTime SMALLINT) COMMENT 'Flight' ROW FORMAT DELIMITED FIELDS TERMINATED BY ',' STORED AS TEXTFILE TBLPROPERTIES ('creator'= 'Ansari Aatif ');
OK
Time taken: 0.083 seconds

hive (TEIT)> load data local inpath '/home/student/Desktop/2009dataset.csv' into table Flight2009;
Loading data to table teit.flight2009
OK

Time taken: 0.583 seconds
hive (TEIT)> SELECT * FROM Flight2009;
OK

Year	Month	DayofMonth	DayOfWeek	DepTime
1987	10	14	3	741
1987	10	15	4	729
1987	10	17	6	741
1987	10	18	7	729
1987	10	19	1	749
1987	10	21	3	728
1987	10	22	4	728
1987	10	23	5	731

Time taken: 0.104 seconds, Fetched: 200 row(s)
hive (TEIT)>

4) JOIN

hive (TEIT)> SELECT m8.Year, m8.Month, m7.Year, m7.Month FROM Flight2009 m8 JOIN Flight m7;

Year	Month	Year	Month
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10
1987	10	1987	10

5) Find the average departure delay per day in 2008.

Calculate average delay

hive> select sum(delay) from hbase_flight_new;

Day 5 under the results in Step (B) — had the highest number of delays.