

AIEC

Screen Bible v1.0  
75 screens · 9 roles · 5 themes

FOUNDATION

- 00 Pixel Foundation
- 00b Component Library

SHARED

- F First Run · 9

FIELD ROLES

- R Rider · 11
- T Technician · 9
- Q QC Inspector · 6

COMMERCE

- S Sales Engine · 6
- C Customer · 10
- P Supplier · 6

GROWTH & CONTROL

- O Onboarding · 6
- A Admin · 9
- W Owner · 4

CLOSE

- Handoff Map
- ✓ Build Order

ALL INDIA ELEVATORS COMPANY · PUNE, MAHARASHTRA

# The Screen Bible

Every screen in the AIEC platform, described the way the person using it experiences it — in their voice, in their light, at their pixel dimensions. Nine roles. Seventy-five screens. One rule per screen that cannot be broken.

9 roles

75 screens

5 themes

3 languages

5 breakpoints

Owner · Mr. Prashant Vasant Wable

HOW TO READ THIS

## Three things per screen, and nothing else

The Operating Manual told you *what* the business does. This document tells your build team *where every pixel goes*. Each screen card carries exactly three things.

1 · The voice

2 · The wireframe

I speak as the person on that screen — Ravi on his bike, Sunita in a shaft, a builder with ₹8 lakh at stake. If the description doesn't survive being said out loud by a real user, the screen is wrong.

Rendered in that role's actual theme colours. The Rider blocks are white and orange. The Technician blocks are dark slate. Reading this document is also seeing the app.

3 · The pixel table

Every zone with its exact height, every type size, every tap target, every state. A developer should never have to ask "how big?"

The one non-negotiable per screen

Every card ends with a single boxed rule. It is the thing that, if you break it, breaks the business — not the layout. Examples: the Rider's capture flow must finish in under 15 seconds; the Technician's evidence camera must have no gallery button; the Customer's home screen must never show two primary actions.

PART 00 · FOUNDATION

The Pixel Foundation

Seventy-five screens cannot be designed one at a time. They are assembled from one grid, five token sets and sixteen components. Get this part right and the rest of the document is mostly arithmetic.

0.1 · The grid

Base unit is 8px. A 4px half-step exists for optical alignment inside components only — never for layout spacing. Every vertical rhythm value in this document is a multiple of 8 unless it is inside a component.

| TOKEN   | VALUE | USED FOR                                               |
|---------|-------|--------------------------------------------------------|
| space-0 | 4px   | Icon-to-label gap, optical nudge. Layout use is a bug. |
| space-1 | 8px   | Inside a chip, between stacked meta lines              |
| space-2 | 16px  | Card inner padding (field themes), list row gap        |
| space-3 | 24px  | Card inner padding (Premium), section gap              |

|                  |               |                                                                                                                                                                             |
|------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| space-4          | 32px          | Between screen zones                                                                                                                                                        |
| space-5          | 48px          | Above a primary action, below a hero number                                                                                                                                 |
| radius-s / m / l | 6 / 12 / 20px | Chip / card / sheet                                                                                                                                                         |
| edge-guard       | 16px          | No interactive control may sit closer than this to any screen edge. Law 9 sets the floor at 8px; field themes use 16px because cracked screens are normal, not exceptional. |

0.2 · The five breakpoints

One codebase. The *capture flow never degrades* — images and map tiles degrade instead.

| BP | RANGE      | REAL DEVICE                                           | LAYOUT                                                                                            | DESIGN WIDTH |
|----|------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------|
| xs | < 360px    | ₹6–8k Android, 5" 480×854                             | Single column, essential actions only, map raster tiles at 0.5×, photo preview 240px longest edge | 320px        |
| sm | 360–480px  | Redmi / Realme — <b>most riders &amp; technicians</b> | Single column, bottom nav 64px, map full-bleed behind content                                     | 360px        |
| md | 481–834px  | Tablet, builder on site                               | Map + 320px right side panel                                                                      | 768px        |
| lg | 835–1440px | Laptop — sales desk, supplier office                  | Map + two panels + persistent 240px filter rail                                                   | 1280px       |
| xl | > 1440px   | Admin desktop / TV wall                               | 4-panel command view + 40px live alert ticker                                                     | 1920px       |

Design at 360 first. Every field screen in this document is drawn at 360×800 unless the header says otherwise. If it does not work at 360, it does not exist.

0.3 · The five theme token sets

These are not one skin with a colour variable. Layout density, type size and tap-target height change with the theme, because the physical working condition changes.

# SUNLIGHT

RIDER · ONBOARDING · OUTDOORS, GLARE,  
ONE HAND, HELMET ON

Base text **22px** · primary button **72px** tall · one  
primary action per screen · voice input on every text  
field. Orange is a *fill* colour with white labels at  
24px+ — never small orange text on white

Labels never contain orange text or white.

| TOKEN                | HEX                         | TYPE ROLE         | SIZE / WEIGHT                                |
|----------------------|-----------------------------|-------------------|----------------------------------------------|
| bg / surface         | #FFFFFF / #FFF7F0           | display           | 44px / 800                                   |
| accent-fill          | #EA5B00                     | headline          | 32px / 700                                   |
| accent-text          | #B34400                     | subhead           | 26px / 600                                   |
| text / muted         | #1A1208 / #6B5540           | body<br>(minimum) | 22px / 400                                   |
| line                 | #F0C9A0                     | label / caption   | 18px / 600 — labels only, never running text |
| pass / block / money | #00893D / #C1121F / #B26A00 | button label      | 24px / 700                                   |

SLATE

TECHNICIAN · QC · DIM SHAFT, GLOVES,  
DIRTY HANDS, 2G

Camera occupies **60% of viewport height** ·  
tick targets **56×56px** · primary button **64px**.  
Cyan is the only bright colour, reserved for  
"this is actionable". Everything else is grey so  
the eye finds the action instantly in the dark.



| TOKEN                    | HEX                         | TYPE ROLE            | SIZE / WEIGHT                         |
|--------------------------|-----------------------------|----------------------|---------------------------------------|
| bg / surface / surface-2 | #11161C / #171E26 / #1E2731 | step title           | 30px / 700                            |
| line                     | #2A3541                     | step number + pay    | 24px / 600                            |
| accent (cyan)            | #2DD4D4                     | SOP instruction body | 20px / 400 · line-height 1.55         |
| text / muted             | #D6E4EC / #7C93A3           | safety warning       | 20px / 700 · always on #FF5A5F ground |
| pass / warn / block      | #35D07F / #FFB020 / #FF5A5F | meta / timestamp     | 16px / 400                            |
| locked                   | #8B7BC7                     | evidence slot label  | 18px / 500                            |

PREMIUM

CUSTOMER · OFFICE OR SITE, TABLET OR  
PHONE, ₹8 LAKH OF ANXIETY

Serif display for headings, sans for everything  
operational. Gold is **never** a background for text —  
it is a 2px ring, a rule, or a progress arc. Whitespace  
is the product: minimum **24px** gutters, **32px**  
between blocks.



| TOKEN                   | HEX               | TYPE ROLE       | FACE & SIZE                                                                      |
|-------------------------|-------------------|-----------------|----------------------------------------------------------------------------------|
| bg / surface            | #FDFCF8 / #FFFFFF | display         | Serif — Fraunces / Lora Latin, Tiro Devanagari<br>Marathi for MR·HI · 40px / 600 |
| gold-arc (fill<br>only) | #C9A227           | section head    | Serif · 28px / 600                                                               |
| gold-text               | #A9862F           | body            | IBM Plex Sans · 17px / 400 · line-height 1.65                                    |
| text / muted            | #241D0E / #6E6248 | money<br>figure | Plex Sans · 30px / 600 · tabular-nums, Indian<br>grouping ₹5,53,500              |
| line                    | #E4D9B8           | legal / terms   | Plex Sans · 14px / 400 — never smaller, this is a<br>contract                    |

## COMMAND

ADMIN · SALES DESK · SUPPLIER · 2–3  
MONITORS, KEYBOARD-DRIVEN

Density is the feature. Row height **32px**, base  
text **13px**, every list keyboard-navigable with  
**J** **K** and actionable with **1**–**3**. Blue  
accent, not orange — Admin is not a field  
role and must never be confused with one at  
a glance.



| TOKEN                   | HEX                                   | TYPE ROLE         | SIZE / WEIGHT                          |
|-------------------------|---------------------------------------|-------------------|----------------------------------------|
| bg / panel /<br>panel-2 | #0D1117 / #131A22 / #182029           | panel title       | 17px / 700 · .04em tracking, uppercase |
| line                    | #232D3A                               | alert headline    | 14px / 600                             |
| accent                  | #4C9AFF                               | table body        | 13px / 400 · row 32px                  |
| P0 / P1 / P2 /<br>P3    | #FF4757 / #FF7A45 / #FFB020 / #FFD666 | ID / mono<br>data | 12px / 500 · Plex Mono, tabular        |
| text / muted            | #C9D6E4 / #73879B                     | column<br>header  | 10px / 600 · .13em, uppercase          |

# EXECUTIVE

OWNER · READ STANDING UP, IN TEN SECONDS, ON A PHONE

Four panels, four questions, zero operational noise. Hero numerals at **88px**. If a number needs a second glance to parse, it is the wrong number or the wrong size. Charts over tables, always.



| TOKEN        | HEX               | TYPE ROLE       | SIZE / WEIGHT                                     |
|--------------|-------------------|-----------------|---------------------------------------------------|
| bg / surface | #0A0C10 / #10141A | hero numeral    | 88px / 800 · tabular, tracking −.03em             |
| money        | #E8B93B           | panel metric    | 48px / 700                                        |
| up / down    | #34D399 / #F87171 | metric label    | 20px / 500                                        |
| text / muted | #E6EAF0 / #8492A4 | supporting line | 20px / 400 — nothing on this screen is below 20px |

## 0.4 · Tap targets, by theme

| THEME     | PRIMARY | SECONDARY | ABSOLUTE MIN | REASON                                                |
|-----------|---------|-----------|--------------|-------------------------------------------------------|
| Sunlight  | 72px    | 56px      | 48px         | Thumb, in a glove, on a bike, in glare                |
| Slate     | 64px    | 56px      | 48px         | Work glove contact patch ≈ 14mm                       |
| Premium   | 52px    | 44px      | 44px         | Considered taps, no urgency                           |
| Command   | 32px    | 28px      | 24px         | Mouse + keyboard. <b>Mobile cut-down forces 44px.</b> |
| Executive | 56px    | 48px      | 44px         | Read one-handed while walking                         |

## 0.5 · Motion

| EVENT                      | DURATION | CURVE                     | REDUCED-MOTION FALLBACK                    |
|----------------------------|----------|---------------------------|--------------------------------------------|
| Coin drop (money credited) | 640ms    | cubic-bezier(.2,.9,.25,1) | 180ms opacity fade + one 40ms haptic pulse |
| Money Meter counter roll   | 420ms    | ease-out                  | Instant set                                |
| Entity Card sheet rise     | 260ms    | ease-out                  | 140ms fade                                 |

**Motion that must never be removed**

The coin drop is not decoration — it is the three-second gap between effort and reward that Law 4 is built on. Under `prefers-reduced-motion` it becomes a fade plus a haptic, never nothing. A silent credit is a broken motivation engine.

## The Component Library

## C-01 • Task Card LAW 5

The diagram illustrates a mobile app screen layout for a ride booking confirmation. The screen is divided into several sections with specific dimensions and colors:

- Header:** A pink bar at the top with a height of 40px, containing a white back arrow and the text "Kothrud, 2.4 km · 8 min ride".
- Installment Info:** A section with a height of 70px, containing the text "Install: Bracket Row 3" and "SOP Step 7".
- Estimate:** A section with a height of 40px, containing a clock icon and the text "Est. 45 min".
- Price:** A section with a height of 70px, containing a rupee icon and the text "₹180 on approval".
- Buttons:** Two buttons at the bottom, each with a height of 72px. The left button is labeled "ACCEPT" and the right button is labeled "SKIP".

Additional details include a 16px edge guard on the left and a 16px edge guard on the right. The overall dimensions of the screen are 328x296px at a 360 viewport.

| PART | SPEC |
|------|------|
|------|------|

|               |                                                                                                                             |
|---------------|-----------------------------------------------------------------------------------------------------------------------------|
| Card          | 328×296px, radius 12px, padding 24px, 1px line, elevation 0 (flat — shadows are unreadable in glare)                        |
| Distance line | Always first. Real driving distance, never straight-line. Ride time from live traffic.                                      |
| Work line     | Max 2 lines, ellipsis after. Never a paragraph.                                                                             |
| Money line    | Largest non-heading element on the card. Bold. Always includes the clearing condition — "on approval", "instant", "at NOC". |
| ACCEPT        | 196×72px, fill #EA5B00, label 24px/700 #FFF                                                                                 |
| SKIP          | 116×72px, ghost, 2px #F0C9A0 border, label #6B5540                                                                          |
| Slate variant | Same structure, 64px buttons, cyan fill, 20px body                                                                          |

**Non-negotiable**

SKIP is free and unpenalised, and the card must say so nowhere — because it is never punished, it never needs defending. A forced-accept card produces exactly the failure the SOP engine exists to prevent.

C-02 · Entity Card

LAW 1 + 2

Tapping *any* pin on *any* map in *any* role opens this. Same structure everywhere so a user who learns it once knows every map in the product.


| ZONE           | HEIGHT | CONTENTS                                                                                                                                                  |
|----------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Grabber        | 20px   | 4×40px pill, centred, #C4C4C4 at 40% — drag to expand full-screen                                                                                         |
| Photo strip    | 120px  | Horizontal scroll, 120×120px tiles, 8px gap. Tap = full-screen with EXIF + server timestamp overlay.                                                      |
| ID row         | 40px   | <div>MH-PUN-KOT-LIFT-0089-K</div> in Plex Mono 14px + copy icon + QR icon (opens 240×240px QR)                                                            |
| Status row     | 36px   | Colour dot 12px + stage label + time-in-stage. Colour follows the universal legend, never a role-local palette.                                           |
| Money row      | 44px   | Role-filtered. Rider sees their commission. Customer sees their balance. Technician sees their step value. <b>No role ever sees another role's money.</b> |
| Primary action | 64px   | Exactly one. Its label is a verb.                                                                                                                         |

|          |                                                                                         |
|----------|-----------------------------------------------------------------------------------------|
| Timeline | Reverse-chronological, 48px rows, each with actor · action · timestamp · evidence thumb |
|----------|-----------------------------------------------------------------------------------------|

C-03 · Money Meter

LAW 4

Persistent, on every screen of every earning role. Never scrolls away.



Slate variant · 360×56px, pinned below the top bar

| PART               | SPEC                                                                                                                                 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Bar                | 100%×56px, sticky, z-index above map, below modals                                                                                   |
| Today figure       | 24px/700, tabular-nums, Indian grouping. Rolls on change over 420ms.                                                                 |
| Progress track     | 6px tall, radius 3px. Fill = next tier bonus, not "today's target" — the meter must always point at money that is <i>reachable</i> . |
| Tap                | Opens the wallet ledger. Every line carries a <code>WLET</code> ID and taps through to the evidence that earned it.                  |
| Pending vs Cleared | Pending in muted, Cleared in full text colour, with a Friday payout countdown in the ledger header.                                  |

C-04 · Progress Ring

CUSTOMER ONLY

| PART           | SPEC                                                                                                                                                                    |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ring           | 240×240px, stroke 10px, track #E4D9B8, fill #C9A227, cap round, sweep from −90°                                                                                         |
| Centre         | Percentage 48px serif/600 · stage label 15px/600 uppercase .1em · never more than 2 lines                                                                               |
| Milestone rail | Below ring, 32px tall: 6 nodes, 10px dots, 2px connector. Done = filled gold, current = 14px gold ring, future = 8px #E4D9B8.                                           |
| Animation      | On stage change: arc sweeps to the new value over 900ms ease-out, node fills at 60% of the sweep. This is the customer's single moment of reassurance — do not skip it. |

C-05 · Evidence Camera Slot

LAW 11

The component that makes evidence-gated payment possible. It appears in Technician, QC, Customer SOP, and Supplier packing.

| PART           | SPEC                                                                                                                                                                                                                                                                                                                          |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Empty slot     | 328×72px row: 48px dashed square + requirement text 18px +  . Tap anywhere on the row opens the camera.                                                                                                                                    |
| Camera view    | Occupies 60vh minimum. Framing overlay is a 2px cyan outline of the expected subject shape, plus a one-line instruction at 20px.                                                                                                                                                                                              |
| Shutter        | 88×88px circle, centred, 32px above the safe-area bottom                                                                                                                                                                                                                                                                      |
| Gallery button | <b>Does not exist.</b> Not hidden, not disabled — absent from the DOM. This is checked in CI.                                                                                                                                                                                                                                 |
| Filled slot    | 72px row: 56×56px thumb + filename-free label + status chip (  /  /  ) |
| Rejection      | Inline, 3 lines max, always names the fix: "Torque reading not legible — move 20cm closer." Never "invalid photo".                                                                                                                                                                                                            |
| Offline        | Slot fills immediately with a  chip. The technician is never blocked by network. Verification runs on sync.                                                                                                                                 |

C-06 • Map Pin LAW 2

One legend for the entire product. A colour means the same thing on the Rider's map, the Owner's heatmap and the Admin's console.

| COLOUR | HEX     | MEANING                       | PIN BEHAVIOUR                                        |
|--------|---------|-------------------------------|------------------------------------------------------|
| Grey   | #9AA5B1 | New lead, untouched           | 28px teardrop, static                                |
| Blue   | #4C9AFF | In sales / negotiation        | 28px, static                                         |
| Purple | #B98BFF | Won, awaiting shaft readiness | 28px, static                                         |
| Orange | #FF8B4D | Container in transit          | 28px + motion trail, updates every 30s               |
| Yellow | #FFC94D | Installation in progress      | 28px + thin arc showing SOP % complete               |
| Green  | #3FBF6E | Handover done, NOC issued     | 24px, de-emphasised — finished work should recede    |
| Red    | #E8464B | Blocked / SLA breach / alert  | 32px + <b>pulse 1400ms</b> — the only pin that moves |
| Black  | #2A3441 | Lost / cancelled              | 20px, 40% opacity                                    |

Clustering at  $z \geq 15$ . Circle badge 40px, count in 15px/700, ring colour = highest-seventy pin inside. A cluster containing one red pin is red.

C-07 • Bottom Navigation

| PART       | SPEC                                                                                                             |
|------------|------------------------------------------------------------------------------------------------------------------|
| Bar        | 100%×64px + safe-area inset. Field themes only (Rider, Technician, QC, Customer phone).                          |
| Items      | Max 5. Icon 26px + label 12px/600. Active = accent icon + 3px accent bar at the top edge of the item.            |
| Rider      | Map · Leads · Earn · Rank · Me                                                                                   |
| Technician | Map · Step · Materials · Money · Me                                                                              |
| Customer   | My Lift · Payments · Progress · Docs · Support                                                                   |
| Never      | No hamburger menu in any field theme. A menu a gloved hand has to hunt through is a menu that does not get used. |

C-08 • Help FAB LAW 8

| PART           | SPEC                                                                                                                                                                                                                                                                                                                |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bubble         | 56×56px, default position bottom-right, 16px from right, 80px from bottom (clears the nav bar). Draggable; position persists per user per screen.                                                                                                                                                                   |
| Collision rule | Auto-repositions 24px away if it would overlap any primary action. Never covers the shutter, ACCEPT, or PAY.                                                                                                                                                                                                        |
| Sheet          | Rises to 72vh. Four tabs, 48px tall: <b>What is this screen</b> (3 lines) · <b>Show me</b> (20–40s screen recording of this exact screen) · <b>Ask AI</b> (knows role, screen, job ID, current blocker; answers with a tappable action) · <b>Call Admin</b> (one tap, auto-attaches screen_id, job ID, last error). |
| Telemetry      | Every open logs <code>screen_id</code> . 15+ opens on one screen in a week fires a <b>Confusing Screen P4</b> alert to Admin. The help button is also the UX defect detector.                                                                                                                                       |

C-09 • Language Globe LAW 6

| PART             | SPEC                                                                                                                                                          |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control          | 44×44px globe in the top bar of every screen, right side, before any overflow icon                                                                            |
| Menu             | Three rows, 56px: <b>English</b> · मराठी · हिंदी, each rendered in its own script                                                                             |
| Switch behaviour | Instant. No app restart, no navigation, <b>no form data loss</b> — half-typed fields, half-filled evidence slots and in-progress camera sessions all survive. |

|                      |                                                                                                                                                                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scope</b>         | UI · SOP text · safety warnings · AI voice prompts · outbound voice bot · WhatsApp templates · push notifications · Help content · video subtitles & audio track · generated PDFs (quotation, agreement, NOC, AMC) · number and date format (₹1,50,000 — never ₹150,000) |
| <b>Defaults</b>      | Rider & Technician → मराठी · Customer → English · Admin & Owner → English. All overridable, remembered per user.                                                                                                                                                         |
| <b>Layout budget</b> | Devanagari runs ~ <b>15% longer</b> than English and sits taller. Every button and label is designed at Marathi length first; English is the one with spare room, never the reverse.                                                                                     |

## C-10 · Demo Ribbon LAW 10

| PART                        | SPEC                                                                                                                                      |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ribbon</b>               | <b>100%×28px</b> , pinned above everything including modals. Fill #EA5B00, label <b>DEMO MODE</b> 12px/700 .16em uppercase #FFF, centred. |
| <b>Displaces</b>            | Pushes all content down 28px. Does not overlay — an overlay can be screenshotted away.                                                    |
| <b>Convert bar</b>          | <b>100%×48px</b> at the bottom: "Liked it? Create your real account →". Present on every demo screen.                                     |
| <b>What is real in demo</b> | Map, GPS and camera are <b>genuinely live</b> . Only money and messaging are simulated.                                                   |

## C-11 · SOS Button TECHNICIAN / QC ONLY

| PART           | SPEC                                                                                                                                                                                |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Control</b> | <b>56×56px</b> circle, #FF5A5F, top-right of every Slate screen. <b>Long-press 800ms</b> to fire — a tap does nothing, because pockets press buttons.                               |
| <b>On fire</b> | Simultaneously: admin voice call dials · live GPS pushed · nearest hospital surfaced with navigation · emergency contact SMS'd · insurance claim record opened · site clock paused. |
| <b>Cancel</b>  | 10-second countdown with a 64px CANCEL. After 10s it is not cancellable — a false alarm costs a phone call, a missed alarm costs a person.                                          |

## C-12 · Gate Card LAW 12

The visual language of a hard block. Used at all five payment gates. A gate must never look like an error — an error implies something went wrong; a gate means the system is working.

| PART      | SPEC                                                                                                                     |
|-----------|--------------------------------------------------------------------------------------------------------------------------|
| Card      | Radius 12px, 1px #B98BFF border, background = surface at 100% with a 6% #B98BFF wash. <b>Never red.</b>                  |
| Icon      | 32px padlock, #B98BFF, closed. Open padlock is reserved for the unlocked state and must animate on transition.           |
| Structure | Line 1: what is locked · Line 2: the exact condition that unlocks it · Line 3: who can act. Three lines, no more.        |
| Action    | If the viewer can unlock it, one primary button. If they cannot, <b>no button</b> — a disabled button invites hammering. |

C-13 · Deadline Bar

2-WEEK CLOCK

| STATE           | APPEARANCE                   | BEHAVIOUR                                                                                                     |
|-----------------|------------------------------|---------------------------------------------------------------------------------------------------------------|
| Ahead           | #35D07F fill, 40px bar       | Shows the extra bonus reachable. "1.5 days ahead — ₹1,000 extra if you finish 2 days early."                  |
| On track        | #7C93A3, 40px bar            | <b>Silent.</b> No push, no colour, no celebration. Noise when things are fine trains users to ignore the bar. |
| Slipping 1 day  | #FFB020, 40px                | Diagnostic push with three tappable answers: material / site access / technical. Never an open text field.    |
| Slipping 2 days | #FF7A45, 48px + amber banner | Admin notified; helper offered at company cost; on-time bonus shown as at-risk, not lost.                     |
| Slipping 3+     | #FF5A5F, 48px                | Reassignment review. Completed steps stay paid — always.                                                      |

C-14 · ID Chip & QR

LAW 1

| PART            | SPEC                                                                                                                                                                                               |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chip            | Plex Mono 13px/500, letter-spacing .04em, 1px line, radius 6px, padding 3×8px. Segments separated by a hyphen at 40% opacity so the eye parses <code>MH-PUN-KOT-LIFT-0089-K</code> in five chunks. |
| Long-press      | Copy + haptic + toast "ID copied"                                                                                                                                                                  |
| QR              | 240×240px, quiet zone 4 modules, error correction level <b>M</b> . Printed stickers use level <b>Q</b> — site dust and adhesive damage are normal.                                                 |
| Check character | Damm algorithm, last position. Catches single-digit typos and transpositions, including verbal ones over a phone.                                                                                  |
| Global search   | Typing any ID fragment anywhere in the app jumps to that record. <code>KOT-LIFT-0089</code> is enough.                                                                                             |

C-15 · Alert Card

ADMIN

| PART     | SPEC                                                                                                                                               |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Card     | 100%×auto, min 96px, 4px left severity stripe (P0 #FF4757 → P4 #73879B), 12px padding                                                              |
| Line 1   | Severity chip + entity ID + age. Age in mono, tabular, counts up live.                                                                             |
| Line 2   | What happened, one sentence, no jargon.                                                                                                            |
| Line 3   | <b>What the system already did.</b> This line is why one person can run a city — the admin reads what is already handled before deciding anything. |
| Actions  | 2–3 buttons, 28px, bound to 1 2 3. Target median resolution <b>under 90 seconds</b> .                                                              |
| Evidence | Inline thumbs, 64×64px, expand in place. The admin must never leave the queue to make a decision.                                                  |

C-16 · Coin-Drop Toast


LAW 4


| PART         | SPEC                                                                                                                                                                                                                     |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toast        | Rises from the Money Meter, 220×64px, radius 32px, money-colour fill                                                                                                                                                     |
| Content      | +₹40 at 28px/800 + a coin glyph that falls 40px with a 0.9 bounce                                                                                                                                                        |
| Sound        | 140ms rising two-tone chime, –18 LUFS. Respects device silent mode; haptic fires regardless.                                                                                                                             |
| Total budget | Effort-to-reward gap must stay <b>under 3 seconds</b> end to end, including the network round trip. If verification is slower, credit optimistically as Pending and reconcile — never make the worker wait to feel paid. |

PART 01 · SHARED · 9 SCREENS

First Run

Download to inside the app in under 90 seconds. Every role passes through here, and the two doors never touch each other again after this point.





Language chips appear **before** login — a Marathi rider never reads an English word to get in.


RAVI · CANDIDATE RIDER · FIRST LAUNCH

I have never used this app. The first thing I see is not a form — it is my own city, dimmed, and three words in my language. I tap **मराठी** before I tap anything else.

| ZONE           | Y / SIZE         | SPEC                                                                                                                               |
|----------------|------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Background     | full-bleed       | Live Pune map tile at 24% opacity over #0C0F14. <b>Live, not an image</b> — it begins warming the tile cache while the user reads. |
| Mark           | y240 · 88px      | Centred, #EA5B00                                                                                                                   |
| Wordmark       | y380 · 18px/700  | .12em tracking, uppercase, #FFF                                                                                                    |
| Tagline        | y424 · 20px/400  | Two lines, #DCE3EC at 80%. Transliterated Marathi in Latin script deliberately — it reads to all three audiences.                  |
| Language chips | y700 · 3×96×56px | 16px gap, radius 28px, 2px border. Selected = filled #EA5B00.                                                                      |
| Duration       | 1200ms max       | Auto-advances to F2. Tapping anywhere skips. <b>Never gate on a network call</b> — splash resolves offline.                        |

Non-negotiable

Language selection persists before any account exists — stored on device, applied to F2 onward, and carried into the account at creation.



Two buttons. No email field, no signup form, no "learn more".

PRASHANT · SHOWING AN INVESTOR AT A TABLE

I hand them the phone. There is nothing to explain. Two buttons — one is real, one is a sandbox, and they can never contaminate each other. That is the whole pitch for the architecture in one screen.

| ELEMENT       | SPEC                                                                                                                                                                                           |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Google button | 328×72px, y360, white fill, 1px #DADCE0, Google mark 24px at x24, label 20px/600 #1A1208. Follows Google's brand guidelines exactly — a non-conformant button gets the OAuth client suspended. |
| Demo button   | 328×72px, y448, fill #EA5B00, label 20px/700 #FFF                                                                                                                                              |
| Order         | Google is <b>above</b> Demo. Real users are the default path; demo is the affordance, not the destination.                                                                                     |
| Legal line    | 13px/400, links underlined. Present before first tap, not after — consent cannot be retroactive.                                                                                               |
| Nothing else  | No third button. No social proof. No feature carousel. Anything added here delays the 90-second target and dilutes the one architectural fact this screen exists to communicate.               |

Non-negotiable

A demo account can convert to real (data does **not** carry over). A real account can **never**

enter demo. This is a one-way door enforced at the tenant layer, not by hiding a button.

F3 Demo Role Grid

360×800 · pre-theme

DEMO MODE

← Who do you want to be?

Tap any role. No password.

Rider

Sales

Customer

Technician

QC

Supplier

Admin

Owner

Liked it? Create real account →

28px ribbon

y64 · 26px/700

y100 · 18px

y152

156×132

y300

y448

y596

48px bar

8 tiles, 2×4. Tap = inside. No password, no OTP, no wait.

A CANDIDATE TECHNICIAN, EVALUATING WHETHER TO APPLY

I do not want to give my Aadhaar to an app I have not seen. So I tap **Technician** and I am standing in a fake job with real photos, a real map, and ₹4,320 in a fake wallet. Now I know what the work looks like before I commit anything.

| ELEMENT        | SPEC                                                                                                                                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tile           | 156×132px, 16px gap, radius 12px, 1px line. Icon 40px, label 18px/600 at 16px from bottom.                                                                                                                 |
| Grid           | 2 columns at sm; 4 columns at md+; tiles grow to 200×160 at lg.                                                                                                                                            |
| Seeded sandbox | 40 leads · 12 running jobs · 3 containers moving · wallet ₹4,320 · leaderboard with names. <b>An empty demo kills conversion</b> — the sandbox must look alive on second one.                              |
| Reset          | Demo tenant resets to clean seed every 24h. State survives within a session only.                                                                                                                          |
| Isolation      | Distinct schema, <code>is_demo = true</code> , mock payment provider with no gateway keys loaded, outbound WhatsApp/SMS/voice disabled <b>at the network layer</b> — not by a feature flag a bug can flip. |

F4·F5 Google OAuth → Phone & OTP

360×800

Your mobile number

This is how we reach you about your work and your money.

+91

98765 43210

SEND OTP

after send

4

8

1

Auto-reading SMS...

Resend in 0:24

y120 · 26px/700

y164 · 18px #6B5540

y240

64px, 24px numerals

y336

72px

6 boxes

48×64 each

16px


18px mono

Phone + OTP is the true identity key in India. Email is not.

SUNITA · APPLYING AS A TECHNICIAN

My Google account is my brother's old one. My phone number is mine. The app knows which of those two actually identifies me — it asks for the number, and it reads the SMS itself so I do not have to switch apps with dirty hands.

| ELEMENT        | SPEC                                                                                                                           |
|----------------|--------------------------------------------------------------------------------------------------------------------------------|
| Country prefix | 64×64px, locked to +91 at launch, tappable for future geography                                                                |
| Number field   | 248×64px, <code>inputmode="numeric"</code> , <code>autocomplete="tel"</code> , 24px tabular numerals, auto-spaces as 5+5       |
| OTP boxes      | 6 × 48×64px, 8px gap, 28px/600 centred. SMS Retriever API auto-fills; the field is still manually editable.                    |
| Resend         | 30s cooldown, mono countdown. After 2 failed sends, offers <b>voice OTP call</b> — critical for low-signal construction areas. |
| Role detection | Number already in system → role auto-assigned, straight to F9. New number → F6.                                                |
| Error copy     | "That code has expired — we sent a new one." Never "Invalid OTP".                                                              |



Four intents, written as the user's goal — not as an org chart.


A BUILDER IN BANER

I am not a "customer role". I need a lift in my building. The app asks me the question I would actually answer out loud, and it tells me it will take two screens. So I do it now instead of later.

| ROUTE    | NEXT                                                        | TIME TO DONE           |
|----------|-------------------------------------------------------------|------------------------|
| Customer | Site address (map-pin drop, not a text field) + lift basics | ~90 seconds            |
| Worker   | Full aggregator funnel — see <a href="#">Part 08</a>        | <48h to first job      |
| Supplier | GST · product catalogue · monthly capacity · bank details   | ~15 min + verification |
| Partner  | City · territory polygon on map · royalty agreement         | Human-reviewed         |

Copy rule

Every option names the user's goal and its cost in time. "Worker onboarding" is what we call it internally; **"I want work"** is what goes on the button.



|                                                                                                             |                                     |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------|
| We need your location                                                                                       | y248 · 26px/700                     |
| So your lead gets the right address automatically, and so your ₹40 is credited without you typing anything. | y300 · 20px/400<br>line-height 1.55 |
| We stop tracking the moment you tap END RIDE.                                                               | y440 · 18px<br>#B34400 bold         |
| <div>ALLOW LOCATION</div>                                                                                   | y620<br>72px                        |
| Not now                                                                                                     | y712 · text btn                     |

Our screen first. The OS dialog only after ALLOW is tapped.


RAVI

Every app asks for my location. This one tells me **why**, in Marathi, and it tells me when it stops. That last line is the reason I say yes.

| PERMISSION        | THE REASON WE SHOW                             | IF DENIED                                                                        |
|-------------------|------------------------------------------------|----------------------------------------------------------------------------------|
| Location (Always) | Auto-address, geofenced check-in, route credit | 🔒 Field roles cannot capture leads or check in. Screen re-shown, never bypassed. |
| Camera            | All evidence, QR scans, handover proof         | 🔒 No SOP step can be completed                                                   |
| Storage           | Offline photo queue while you are in a shaft   | Photos held in RAM only — explicit risk-of-loss warning shown                    |
| Notifications     | Your task list and your money alerts           | Daily schedule cannot be enforced; user warned they will miss job offers         |
| Microphone        | Voice input and voice notes                    | Text fallback, no block                                                          |

Non-negotiable · DPDP Act

Location tracking **stops at check-out**. Not "reduces frequency" — stops. Tracking a worker's off-hours movement is unlawful under the DPDP Act and is the fastest way to lose a field workforce. The reason screen promises it; the code must honour it, and the promise must be auditable.



Four cards, spotlight cut-out over the live element, skippable at any point.

THE SYSTEM, TO ITSELF

The user sees a map. They do not see that in the last 400 milliseconds I minted their location ID, opened a wallet ledger, subscribed them to a daily routine schedule and wrote line one of a timeline that will outlive the job.

F8 · Coach marks

| CARD  | COPY                                                | SPOTLIGHT TARGET         |
|-------|-----------------------------------------------------|--------------------------|
| 1 / 4 | "This is your map. Everything lives here."          | Map canvas               |
| 2 / 4 | "This is your Money Meter. It updates as you work." | C-03, 56px bar           |
| 3 / 4 | "This is your next task. The clock is running."     | Task card / schedule row |
| 4 / 4 | "Stuck? Tap the ? button. It knows this screen."    | C-08 FAB                 |

Card 296×140px · scrim #000 62% · spotlight = 12px-radius cut-out with an 8px feather · SKIP text button top-right, 44px target, always present.

F9 · Silent provisioning

| CREATED                | FROM                                                                            |
|------------------------|---------------------------------------------------------------------------------|
| Unique Location ID     | GPS fix, or declared address reverse-geocoded to a GIS ward polygon → zone code |
| Wallet ledger          | Empty, Pending/Cleared split, Friday payout cycle attached                      |
| Daily Routine Schedule | Role-specific template, timezone Asia/Kolkata, first dispatch queued            |
| Timeline record        | Line 1: account created · actor · server timestamp · device fingerprint         |
| Theme + language       | Role default, overridden by the F1 chip choice if the user made one             |

Non-negotiable

Total elapsed time from app icon tap to a usable home map: **under 90 seconds** on a

₹8,000 Android over 3G. This is a tested budget, not an aspiration — it belongs in CI as a performance assertion.

PART 02 · ROLE 1 · 11 SCREENS

The Field Rider

Ravi Kadam · MH-PUN-KOT-RIDR-0112-M

SUNLIGHT · मराठी · 360×800 · 6–8 HRS OUTDOORS

A two-wheeler, a helmet, one free hand, direct sun on the screen, and 38 km of Pune a day. Everything below is designed for that and nothing else.



RAVI, DESCRIBING HIS OWN REQUIREMENTS

I do not want a menu. I want the phone to already be on the screen I need when I take it out of my pocket. I want one button, big enough that I can hit it without looking properly, because I am standing next to my bike with my helmet on and a truck is reversing behind me. And when I do the work, I want to see the money — not on Friday, **now**, with the sound. If I have to think about the app, the app has failed. My job is finding shafts, not operating software.

R7 Schedule — where the day begins

360×800 · Sunlight LAW 3

☰

गुरुवार · KOT

🌐 मर

56px top bar

आज · कोथरूड (KOT)

y88 · 32px/700

08:00 राईड सुरू ● check-in

64px row

08:00–12:00 झोन स्वीप – 5

64px

12:00–12:30 ब्रेक (₹30 नोंदवा)

64px

12:30–17:00 झोन स्वीप – 3

64px

17:30 राईड संपवा + सारांश


64px

👤 आजची शक्यता

96px card

₹640 + ₹240 बोनस

32px/700



Pushed at 07:45 with a 15-second Marathi audio prompt. Tapping the notification lands here.

RAVI · 07:45, STILL AT HOME

The phone talks to me before I open anything. "शुभ सकाळ रवी. आज कोथरूड झोन. काल तुम्ही ६ लीड्स केल्या — आज ८ केल्या तर ₹240 बोनस." It names yesterday's number and today's bonus. I have not decided to work yet — but I already know exactly what today is worth.

| ZONE           | Y / SIZE       | SPEC                                                                                                                                                                                                                   |
|----------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Top bar        | 0–56px         | Day + zone code, 18px/600. Globe at right, 44px.                                                                                                                                                                       |
| Zone heading   | y88 · 32px/700 | Zone name in the user's language + the 3-letter code in mono — the code is what they will hear on a call.                                                                                                              |
| Schedule rows  | 64px each      | Time in mono 20px at x16 (fixed 72px column), task 22px/500. Completed rows get a 24px ✓ and drop to 60% opacity — <b>they never disappear</b> , because seeing the morning's finished work is part of the motivation. |
| Potential card | y496 · 328×96  | Fill #FFF7F0, 1px #F0C9A0. Base and bonus shown as separate figures, never summed — the bonus must read as <i>earnable</i> , not owed.                                                                                 |
| START RIDE     | y656 · 328×72  | Only primary action on the screen. Disabled state does not exist — if GPS is off, tapping it opens the fix, it does not grey out.                                                                                      |


Why the audio prompt matters


Ravi is putting on his shoes. His hands are busy and his phone is on the table. A 15-second spoken prompt in Marathi reaches him; a push notification banner does not. Audio is the primary channel for this role at 07:45 — text is the fallback, not the other way round.

R1 Ride Map — home

360×800 · Sunlight

LAW 2





Map is full-bleed behind everything. Capture button never leaves the screen.


RAVI · 08:22, SPOTS A G+4 WITH AN OPEN SHAFT

I stop the bike. I do not unlock into a menu, I do not search for anything. The app is already here, and the orange button is already at my thumb. That is the entire design.

| LAYER              | SPEC                                                                                                                                                                                                                                                                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Top strip          | 100%×48px, #FFF at 94% over the map, 20px/700. Three live figures: leads · rupees · km. Updates without animation — motion in the periphery while riding is a hazard.                                                                                                              |
| Own position       | 18px blue dot + 40px accuracy halo. Heading arrow appears only above 8 km/h.                                                                                                                                                                                                       |
| Route trail        | 4px #4C9AFF at 70%, simplified with Douglas–Peucker at 8m tolerance so a full day renders on a cheap GPU.                                                                                                                                                                          |
| Own pins           | 28px grey teardrops, tappable → Entity Card (C-02)                                                                                                                                                                                                                                 |
| Other riders' pins | Same shape at <b>30% opacity</b> , not tappable. Visible for one reason only: so two riders never capture the same shaft.                                                                                                                                                          |
| Heatmap            | 250m grid cells, #EA5B00 at 12–38% alpha. Scored on: new building-plan approvals in the ward · historical lead-to-win conversion · days since last rider visit · distance from current position · competitor installations detected · construction density from satellite imagery. |
| CAPTURE            | 328×72px, y664, fixed. <b>Never scrolls, never hides, never has a confirm step.</b>                                                                                                                                                                                                |
| List toggle        | ☰ top-right, 56px. List is a <i>toggle</i> , never the default view.                                                                                                                                                                                                               |

Non-negotiable

If GPS is unavailable, CAPTURE greys with one line: "बाहेर या — या लीडसाठी GPS हवा" (Step outside — GPS needed for this lead). It never allows a capture without a fix, because an unlocatable lead is a lead that cannot be de-duplicated, routed, or commissioned.



Camera never closes between taps. Three shutters, no screen changes.

RAVI

Shutter. Shutter. Shutter. The camera does not close, does not ask me anything, does not make me choose a category. Three photos: the shaft, the building, the board with the number on it. Helmet stays on.

| STEP                | OVERLAY INSTRUCTION            | WHAT THE APP DOES                                                                         |
|---------------------|--------------------------------|-------------------------------------------------------------------------------------------|
| TAP 1 —<br>Shaft    | "शाफ्टचं पूर्ण तोंड फ्रेम करा" | 📍 GPS locked at shutter moment, not before and not after. Server timestamps on receipt.   |
| TAP 2 —<br>Building | "आता पूर्ण इमारत"              | Used later by the quote engine for floor-count vision and by Sales for the WhatsApp photo |
| TAP 3 —<br>Board    | "साइट बोर्ड किंवा नंबरचा फोटो" | 📷 <b>On-device OCR</b> extracts phone, builder name, project name                         |

| ELEMENT       | SPEC                                                                                                                                      |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Progress dots | y24, 3 × 10px, 12px gap, filled #EA5B00. The only chrome at the top besides X.                                                            |
| Framing guide | 2px dashed #EA5B00, inset 32px, aspect matched to the subject. Turns solid #00893D when the on-device detector sees the expected subject. |
| Instruction   | y596, 22px/600 #FFF on a 62% black scrim strip 64px tall — <b>never</b> plain text on live video, which is unreadable in sun.             |
| Shutter       | 88×88px, y668, centred. 6px white ring, 68px inner fill. 120px total touch target.                                                        |

|              |                                                                                                                                              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| GPS badge    | y764, 16px mono, shows live accuracy. Turns amber above ±20m with "थोडं बाहेर या".                                                           |
| Between taps | 0ms of screen change. A 200ms shutter flash and the dot advances. Closing and reopening the camera between shots would double the flow time. |

## R2d Confirm — one screen, pre-filled, nothing mandatory

360×800 · Sunlight

|                                 |                     |
|---------------------------------|---------------------|
| ← तपासा                         | ग्लोबल मर           |
| [ ] [ ] [ ] 3 फोटो              | 88px thumbs         |
| आपोआप ओळखलं                     | y168 · 18px #B34400 |
| सर्व्हे 42, कोथरूड, पुणे 411038 | 64px row 22px       |
| श्रीजी हाइट्स [बदला]            | 64px + edit         |
| 98XXXXXX21 [बदला]               | 64px                |
| मजले: G+4 [बदला]                | 64px                |
| शाफ्ट: तयार [बदला]              | 64px                |
| व्हॉइस नोट (ऐच्छिक)             | 64px                |
| ID: MH-PUN-KOT-LEAD-0447-J      | y620 · 14px mono    |
| सबमिट                           | y664<br>72px        |

Total elapsed from first shutter to SUBMIT: 11 seconds.

RAVI

Everything is already filled in. The address it got from GPS, the builder's name and the number it read off the board. I only touch it if it is wrong — and if it is wrong I fix it **by speaking**, because my hands are in gloves.

| ELEMENT          | SPEC                                                                                                                                             |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Thumb strip      | 3 × 88×88px, 8px gap. Tap = full-screen review, swipe-down to retake that one shot only.                                                         |
| Auto-detect rows | 64px each. Icon 24px at x16 · value 22px/500 · [बदला] as a 56px text button at the right. Every row is editable; <b>zero rows are required</b> . |
| Voice correction | Tapping [बदला] on any row opens a 64px mic bar, not a keyboard. Keyboard is the secondary path via a small keyboard icon.                        |
| ID line          | Generated and shown <b>before</b> submit. The rider sees the ID exist. This is Law 1 made visible on day one.                                    |

SUBMIT

328×72px. Optimistic — writes locally, returns to R1 instantly, syncs in background.

What happens the instant SUBMIT is tapped

| VISIBLE                                     | SILENT                                                                                     |
|---------------------------------------------|--------------------------------------------------------------------------------------------|
| Coin drop + ₹40, 140ms chime, haptic        | MH-PUN-KOT-LEAD-0447-J minted                                                              |
| Top strip rolls to "1 लीड · ₹40 · 4.2 किमी" | 3 EVID records auto-tagged to the lead — no "attach to job" step exists                    |
| New grey pin drops on the map               | Duplicate check against every pin within 50m                                               |
| Return to R1, camera-ready                  | Quality score computed; lead pushed to Sales immediately — no batching, no end-of-day sync |

The quality gate

A lead scoring below threshold credits ₹10 instead of ₹40 with one line: "फोटो अस्पष्ट — पूर्ण ₹40 साठी पुन्हा काढायचा?" This stops photo-spam farming without punishing an honest rider on a bad-light day. The retake path must be one tap, and the ₹10 is kept either way.


Non-negotiable

15 seconds is the hard ceiling for the whole capture flow. Instrument it, put the p95 on the Admin dashboard, and treat a regression as a P1. Past 15 seconds, riders stop capturing — and lead volume is the top of the entire revenue funnel.

R3 My Leads

360×800 · Sunlight

|                                         |           |                |
|-----------------------------------------|-----------|----------------|
| माझ्या लीड्स                            | ₹४० नकाशा | 56px           |
| [सर्व][चालू][जिकल्या][गेल्या]           |           | 48px filter    |
| <input type="checkbox"/> श्रीजी हाइट्स  | जिकली     | 104px row      |
| KOT-LEAD-0447 · 12 ऑग                   |           | 16px mono      |
| ₹1,500 मिळाले                           |           | 22px/700 green |
| <input type="checkbox"/> साई रेसिडेन्सी | विक्रीत   | 104px          |
| KOT-LEAD-0451 · 14 ऑग                   |           |                |
| ₹1,500 शक्य                             |           | muted          |
| <input type="checkbox"/> अज्ञात साइट    | नवीन      | 104px          |
| KOT-LEAD-0452 · 15 ऑग                   |           |                |



The only list-first screen the rider has — and it is reached from the map, not instead of it.

RAVI · IN A CHAI BREAK


This is the screen I actually check. Not to count photos — to see which of my sites **converted**. The ₹40 is lunch. The ₹1,500 is rent. I want to know which pin turned purple.

| ELEMENT           | SPEC                                                                                                                                                                   |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Row               | 328×104px: 72×72px thumb at x16 · name 22px/600 · status dot + label at right · ID 16px mono muted · money line 22px/700                                               |
| Money line states | <div>₹1,500 मिळाले</div> earned & cleared · <div>₹1,500 शक्य</div> possible, still in funnel ·<br><div>₹0 — गेली</div> lost, with reason on tap                        |
| Filters           | 4 chips, 48px, single-select. Default <b>All</b> . Counts shown in each chip.                                                                                          |
| Tap row           | Opens C-02 Entity Card showing the sales stage, the bot transcript summary (read-only), and the commission position                                                    |
| Boundary          | The rider sees the funnel stage and their own commission. They do <b>not</b> see the deal value, the customer's phone number after handoff, or the negotiation detail. |


R4·R5·R6 Coverage · Earnings · Leaderboard

360×800 · Sunlight


R4 COVERAGE



R5 EARNINGS



R6 LEADERBOARD



44px/800

countdown

64px rows

highlighted

Three secondary screens. Each answers exactly one question.

#### R4 · Coverage — "where have I not been?"

| ELEMENT             | SPEC                                                                                                                  |
|---------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Grid overlay</b> | 250m cells on the map: covered today = #00893D at 20% · covered this week = grey 12% · never visited = #EA5B00 at 30% |
| <b>Stat block</b>   | 4 figures at 32px/700 with 18px labels: distance · area covered · <b>new ground</b> · quality score                   |
| <b>New ground</b>   | The figure that pays. Bonus is ₹15/lead in an unvisited grid cell, so this number is the one shown in accent colour.  |

#### R5 · Earnings — "when do I actually get it?"

| ELEMENT                 | SPEC                                                                                                                                                    |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hero figure</b>      | <b>Cleared</b> at 44px/800. Pending at 26px below it, muted. Cleared is the bigger number because it is the trustworthy one.                            |
| <b>Payout countdown</b> | "शुक्रवारी: 2 दिवस" — Friday auto-payout to the linked bank account, always visible                                                                     |
| <b>Ledger rows</b>      | <b>64px</b> : reason 22px · amount 22px/700 · time 16px mono. Every row carries a <span>WLET</span> ID and taps through to the evidence that earned it. |
| <b>Penalties</b>        | Shown in the same list, in #C1121F, never hidden in a separate tab. Deduct from Pending first, then Cleared.                                            |

#### R6 · Leaderboard — "am I winning?"

| ELEMENT           | SPEC                                                                                                                                                                      |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Own row</b>    | Always pinned in view with a 3px #EA5B00 left bar, even when scrolled away from the visible range                                                                         |
| <b>Rank delta</b> | ▲2 / ▼1 in pass/block colour, 20px. Movement is the motivating signal, not position.                                                                                      |
| <b>Streak</b>     | 🔥 + day count. <b>Loss aversion</b> : at 20:00 on a zero-capture day the app warns the streak is at risk — that warning outperforms every positive prompt in the product. |
| <b>Names</b>      | First name + surname initial only. Full names of field workers are never exposed to peers.                                                                                |

|                                                                                                                                                                                                                                                                                                                                     |                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| रवी · KOT · गुरुवार                                                                                                                                                                                                                                                                                                                 | y64 · 26px/700         |
| लीड्स 8  टारगेट                                                                                                                                                                                                                                    | 48px rows              |
| अंतर 38.4 किमी                                                                                                                                                                                                                                                                                                                      | 22px                   |
| क्षेत्र 6.2 किमी²                                                                                                                                                                                                                                                                                                                   |                        |
| नवीन भाग 2.1 किमी²                                                                                                                                                                                                                                                                                                                  |                        |
| गुणवत्ता 91%                                                                                                                                                                                                                                                                                                                        |                        |
| <div><div> बेस ₹320</div><div> टारगेट बोनस ₹240</div><div> ब्रेक ₹30</div></div> | 22px                   |
| <div><div> आज ₹590</div><div> प्रलंबित कमिशन ₹4,200</div></div>                                                                                                   | 36px/800<br>22px muted |
| <div><div> #3 (▲2)</div><div> 11 दिवस</div></div>                                                                                                                 |                        |
| <div><div> उद्या: बानेर (BAN). 3 हॉट</div><div>झोन तयार. सुचवलेली वेळ 08:00</div></div>                                                                                                                                                            | 20px card              |

Ends on tomorrow, not on today. The last thing he reads is the next zone.

RAVI · 17:30

Eight leads, target hit, ₹590 today and ₹4,200 waiting on deals I already found. And before I put the phone away it tells me tomorrow is Baner, three hot zones, start at eight. I do not have to plan anything. I just have to show up.

| ELEMENT           | SPEC                                                                                                                                                                                                                                                |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stat rows         | 48px, label left 22px/400, value right 22px/600 tabular. Target-hit rows carry a 20px ✓ in #00893D.                                                                                                                                                 |
| Money block       | Separated by a 2px rule. Components itemised, total at 36px/800. <b>Pending conversion commissions shown separately and never added to the day total</b> — conflating earned and possible money destroys trust the first time a deal falls through. |
| Tomorrow card     | Last block on the screen. Zone, hot-zone count, suggested start time. Dismissible; regenerates at 07:45 as R7.                                                                                                                                      |
| Location tracking | <b>Stops here.</b> A visible confirmation line: "स्थान ट्रैकिंग बंद" (location tracking off). Non-negotiable under DPDP.                                                                                                                            |

What blocks Ravi

| SITUATION | WHAT THE SCREEN DOES |
|-----------|----------------------|
|-----------|----------------------|

|                         |                                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------------------------------|
| No network              | Full offline capture. Photos + GPS queued locally. Wallet shows ₹40 (SYNCING) .<br>The rider is never blocked. |
| GPS unavailable indoors | CAPTURE greys: "बाहेर या — GPS हवा"                                                                            |
| Duplicate within 50m    | 🔒 Blocked with the existing pin shown: "आधीच रवीने 12 ऑगला घेतली — पिन बघा"                                    |
| Mock location detected  | 🔒 isFromMockProvider on every ping. Detected → instant suspension, pending credits frozen, admin alert.        |
| Battery < 10%           | Low-power mode: map simplifies to vector-only, GPS interval drops to 60s. <b>Capture stays full quality.</b>   |
| Stationary 90+ min      | Welfare check ping. No response in 15 min → admin alert. Framed and worded as safety, never as surveillance.   |

The money design behind this role

₹40 per lead, ₹10 for a poor one, ₹30 for logging a break, ₹15/lead on new ground, ₹240 daily target, ₹500 weekly streak — and then **₹1,500 on conversion and ₹1,000 at NOC**. The two large amounts are deliberately back-loaded. Capture volume pays lunch; conversion pays rent. This is what aligns the rider with revenue instead of with photo count, and it is why the quality gate matters more than the capture reward.

PART 03 · ROLE 2 · 6 SCREENS

The Automated Sales Engine

Mostly nobody

COMMAND (LIGHT VARIANT) · ENGLISH · 1280×800 ·  
~90% MACHINE

One human Sales Desk operator exists to catch what the bot cannot close: negotiations below the 30% line, and customers who explicitly ask for a person. Everything else runs without a screen being opened.




THE SALES DESK OPERATOR, DESCRIBING HER OWN REQUIREMENTS

Do not give me a pipeline to work. Give me the four deals a day the machine could not finish, and give them to me **already assembled** — the transcript, every quote

version, the exact margin position, and what the system thinks I should offer. I do not want to research a deal. I want to open it, read three numbers, and make one call. If I am doing data entry, something upstream is broken.

S1 Pipeline Map — home

1280×800 · Command LAW 2



Colour = funnel stage, using the universal legend. Lasso any shape → filter → bulk action.

| ELEMENT      | SPEC                                                                                                                                                         |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Filter rail  | 240px persistent at lg+. Multi-select, instant, no Apply button. Counts live in each row.                                                                    |
| Map          | Fills remaining width. Pin colours are the C-06 legend — <b>never a sales-local palette</b> , because Admin looks at the same city.                          |
| Lasso        | Freehand polygon. Everything inside filters the pipeline and the footer stats. Bulk actions: re-sequence · reassign language · export · send to Manual Desk. |
| Footer strip | 40px: lead count · pipeline value · average margin held. Updates with the selection.                                                                         |
| Keyboard     | <span>/</span> search · <span>J</span> <span>K</span> next/prev pin · <span>Enter</span> open S2 · <span>L</span> lasso · <span>Esc</span> clear             |

S3 Bot Console — every automated conversation, live

1280×800 · Command



WAK-LEAD-0388    Awaiting    EN    18:22

HAD-LEAD-0401    ⚠ Escalate    मर    02:41

P1 stripe

THREAD KOT-LEAD-0447                    [→ Desk]

🗣 12:04    नमस्कार    🙋 आम्ही आज तुमच्या...

👤 12:09    दर किती?

🗣 12:09    [quotation v1 · ₹8,00,000]

👤 12:14    खूप जास्त आहे

🗣 12:14    [concession 8% · ₹7,36,000]

bubbles

MARGIN NOW        41% → floor 20%

32px gauge

Read-only by default. Taking over a thread is an explicit, logged action.

THE OPERATOR

I watch thirty-four conversations I am not having. The only rows I care about are the amber ones. Everything else is the machine doing its job, and I have learned to leave it alone.

| ELEMENT            | SPEC                                                                                                                                                                                                                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Thread list        | 32px rows: ID mono 12px · stage · language chip · age counting up live in tabular mono. Escalation candidates carry a 4px #FF7A45 left stripe.                                                                                     |
| Transcript         | Bubbles 13px, bot left / customer right. Every quotation and concession rendered as an inline card, not text — the operator must see the <i>number</i> at a glance.                                                                |
| Margin gauge       | 32px bar showing current margin against the 20% floor. Turns #FFB020 below 25%, #FF4757 at the floor.                                                                                                                              |
| Language switching | The bot switches mid-thread the moment the customer replies in another language. The console shows the switch as a divider, not a new thread.                                                                                      |
| Handoff triggers   | Customer asks for a person · sentiment turns negative · a technical question outside the script · price challenged more than twice · <b>any safety or legal question</b> . All five fire an immediate transfer, not a queue entry. |

S5    Quote Builder — the pricing ladder made visible

1280×800 · Admin-locked

MARGIN FLOOR IS CODE

QUOTE · KOT-QUOT-0447-01-R

INPUTS

COMPUTED

Shaft (AI vision) 1.6×1.8    Base ₹5,00,000

Floors / stops    G+4 · 5

Capacity    6p / 480kg

Door    Automatic

Finish    SS

|                                                                            |                              |         |
|----------------------------------------------------------------------------|------------------------------|---------|
| Zone logistics                                                             | KOT                          |         |
| Steel index                                                                | +2.1% ▲                      |         |
| ₹8,00,000                                                                  | LIST (base +60%)             | 22px    |
| ₹6,15,000                                                                  | BOT FLOOR (-30%) ≈23% margin | 22px    |
|                                                                            | human desk only              |         |
| ₹6,00,000                                                                  | 🔒 HARD FLOOR · 20%           | #FF4757 |
|                                                                            | Owner override only          |         |
| ▲ Market sanity: list is at 87th pctile of zone comparables – within range |                              | #FFB020 |

The three bands are a physical control, not a policy note.

| BAND       | VALUE ON THIS DEAL    | WHO CAN REACH IT                                                                                                                                            |
|------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| List price | ₹8,00,000             | Base +60%. What the customer first sees.                                                                                                                    |
| Bot floor  | ₹6,15,000             | Bot, auto-approved. ≈23% margin retained.                                                                                                                   |
| Desk band  | ₹6,15,000 – ₹6,00,000 | Human operator only, 20–30% margin                                                                                                                          |
| Hard floor | ₹6,00,000             | 🔒 20%. <b>The system cannot render a lower number.</b> Not the bot, not the desk, not Admin. Owner override only, with a written reason logged permanently. |


Market sanity check — why 60% headroom does not backfire

The 60% markup exists so the customer experiences *winning* a negotiation, which is what closes deals in this market. But an inflated list price destroys trust with an informed buyer holding three other quotes. So the engine compares the list price against the zone's 90th-percentile competitor quote for the same configuration and **automatically reduces the starting markup** if it exceeds it. Fake discounts on a fake price only work once.

| GENERATED PDF CONTAINS                      | DETAIL                                                                                                     |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 3D shaft rendering                          | Built from <b>the rider's actual photos</b> . No stock imagery ever appears in a customer-facing document. |
| Itemised spec · timeline · payment schedule | 10k / 90% / 10%, EMI options, warranty, AMC terms                                                          |
| Its own ID                                  | MH-PUN-KOT-QUOT-0447-01-R — every revision increments and is retained                                      |
| Language                                    | Rendered in the customer's language, including the numerals grouping                                       |

S4 Manual Desk — the only screen a human works

1280×800 · Command



Everything pre-assembled. The operator makes one decision, not five.

| ELEMENT        | SPEC                                                                                                                                                                                                          |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Card           | 100%×200px, 4px left stripe by urgency. Everything needed to decide is inside it — the operator never navigates away.                                                                                         |
| Margin pair    | Current and post-concession shown together at 20px/600. The gauge underneath makes the floor physical.                                                                                                        |
| AI suggestion  | Counter-offer + the exchange to demand + predicted win probability. Presented as a recommendation with a one-tap accept, never auto-sent.                                                                     |
| Own commission | <b>Shown on every card.</b> 1% of deal value, ×1.5 if margin is held above 25%. Law 5 — the operator sees exactly what protecting the margin is worth to them personally.                                     |
| Below 20%      |  The Refuse action is the only one available. Escalation to Owner requires a typed reason and is written to the audit log. |

The negotiation bot's rules, as coded

**Never opens with a discount** — opens with value: warranty, 2-week install guarantee, IoT-secured material. **Concedes in decreasing steps:** 8% → 5% → 3% → 2% → final, never one large drop. **Every concession needs an exchange:** faster payment, an AMC add-on, a referral, a testimonial. **Uses real scarcity only** — "this supplier rate is locked for 72 hours" is said because it genuinely is. **Detects fatigue:** three rounds with no movement offers a human call rather than grinding.

S2·S6    **Lead Card · Conversion Analytics**

1280×800 · Command

S2 LEAD CARD

[ ][ ][ ] site

KOT-LEAD-0447

●

 Negotiating

Score 82 · Hot

Rider Ravi K.

Captured 08:23

QUOTES

v1 ₹8,00,000

v2 ₹7,36,000

v3 ₹6,58,000 ←

TRANSCRIPT ▾

CALL AUDIO ▶

[→ Manual Desk]

S6 ANALYTICS

FUNNEL BY ZONE

KOT  31%

BAN  24%

WAK  17%

HAD  27%

BY LIFT TYPE

Auto/SS 28%

Manual/MS 19%

BY RIDER (top 5)

Sachin 34%

Ravi 31%


Amol 22%

Avg deal ₹6.4L

Every quote version retained. Every call recorded. Nothing overwritten.

**The lead scoring engine (runs at T+0 seconds)**

| SIGNAL                  | WEIGHT | SOURCE                                     |
|-------------------------|--------|--------------------------------------------|
| Shaft readiness         | 25%    | AI vision on the rider's photo             |
| Floor count             | 20%    | OCR + vision — higher = larger order value |
| Zone conversion history | 15%    | Rolling 90-day, per ward polygon           |
| Contact quality         | 15%    | Mobile > landline > none                   |
| Builder type            | 15%    | Individual / small builder / developer     |
| Photo clarity           | 10%    | Same score that gates the rider's ₹40      |



**The first WhatsApp message — the psychological core**

It shows the customer **a photo of their own building**. It is not a broadcast and cannot

be mistaken for spam. Three tappable quick-replies, no typing required: हो, दर पाठवा नंतर बोला नको. Maximum **three** follow-ups (+24h, +72h with a finance angle, +7d final), then stop — both a WhatsApp policy requirement and simple respect.

#### Non-negotiable

Every claim the voice bot makes is scripted and logged. **No improvisation on price or specification, ever.** Full transcript and audio saved as a CHAT record against the lead. This is what makes the sales motion defensible if a customer later disputes what they were told.

## The cascade — what fires 2 minutes after the token clears

| # | AUTOMATIC ACTION                                                                                                                                           | HUMAN INVOLVEMENT |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1 | <span>CUST</span> ID created, account activated, Premium theme loaded                                                                                      | None              |
| 2 | <span>LIFT</span> ID created — the physical unit now exists in the system                                                                                  | None              |
| 3 | Map pin turns  purple across every role's map simultaneously            | None              |
| 4 | Shaft Readiness SOP dispatched to the customer                                                                                                             | None              |
| 5 | QC inspection auto-scheduled for shaft-ready + 1 day                                                                                                       | None              |
| 6 | Supplier notified, material tentatively allocated                                                                                                          | None              |
| 7 |  Rider credited ₹1,500 — <b>with a push naming the site he captured</b> | None              |
| 8 | AMC pre-enrolment created, dormant until NOC                                                                                                               | None              |

#### Why ₹10,000, collected inside the signature flow

A ₹10k token on an ₹8-lakh purchase is under 1.3% — low enough that a builder pays it without calling a committee meeting. It is not revenue, it is a **commitment device**. The moment money moves, the psychology flips from "considering vendors" to "our lift project has started." Collecting it on the same screen as the signature, before the customer navigates away, roughly doubles collection versus sending a payment link afterwards.

# The Customer

## A builder who has paid ₹10,000 and owes ₹6,05,000

PREMIUM · ENGLISH · 390×844 PHONE & 1024×768 TABLET



Their entire experience of this company from here on is this app. **Anxiety reduction is the product.** It must feel closer to a private bank than to a ticketing tool.

THE CUSTOMER, DESCRIBING HIS OWN REQUIREMENTS

I have paid ten thousand rupees to a company I found through a WhatsApp message. In three weeks I am going to transfer five and a half lakh. I do not need features. I need to open this app and know, in two seconds, three things: **where is my project, what do I owe, and what do I have to do next.** If I ever have to phone someone to find that out, you have lost me — and I will tell every builder I know.

C1    **My Lift — home**    390×844 · Premium

Shreeji Heights  
MH-PUN-KOT-LIFT-0089-K

EN

12%  
TOKEN PAID

Token Shaft QC Matl Instl Hand

Next: Prepare your shaft  
Target: 25 August

OPEN SHAFT CHECKLIST

[ your site pin on the map ]

[Lift][Pay][Progress][Docs][Help]

56px  
13px mono

y120  
ring 240px  
48px serif  
15px .1em

y400 · 32px  
12px labels

y460 · 23px serif  
y494 · 17px

y560  
52px gold ring

y648 · 140px

64px

One ring, one next action, one map. Nothing else competes.

THE CUSTOMER · DAY 0, FIVE MINUTES AFTER PAYING

Twelve percent. Token paid. Next thing: prepare the shaft, by the 25th. That is the entire screen and it is exactly enough. I close the app feeling like this is under control.

| ELEMENT          | SPEC                                                                                                                                              |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Progress ring    | C-04, 240×240px at y120, centred. Stroke 10px, track #E4D9B8, fill #C9A227.                                                                       |
| Percentage       | 48px serif/600. Stage label below at 15px/600 .1em uppercase.                                                                                     |
| Milestone rail   | 32px tall at y400. Six nodes: Token · Shaft · QC · Material · Install · Handover. Labels 12px, current node 14px gold ring.                       |
| Next action text | 23px serif at y460, target date at 17px below. Written as an instruction to the customer, not a status.                                           |
| Primary action   | <b>Exactly one, ever.</b> 342×52px, 2px #C9A227 ring, label #241D0E. Gold is a ring, never a fill behind text.                                    |
| Map card         | 342×140px at y648, radius 12px. Shows their pin; during Stage 5 the container moves on it; during Stage 8 the technician's live position appears. |


Non-negotiable


**Never more than one primary action on this screen at a time.** If the shaft checklist and a payment are both outstanding, the ring shows the earlier gate and the payment waits. Two calls to action on an ₹8-lakh purchase reads as chaos, and chaos is what this screen exists to remove.

C3 Shaft Readiness SOP

390×844 · Premium

WHERE PROJECTS LOSE 3–6 WEEKS





Illustrated diagram, the requirement, **the reason**, then a camera button.

THE CUSTOMER

I am not going to climb into a shaft with a measuring tape. My site contractor will. So the button I actually use is the last one — **Share with my contractor** — and then I watch the ticks fill up without phoning anyone.

| ELEMENT        | SPEC                                                                                                                                                                                                              |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Item · done    | 96px, 60% opacity, ✓ in #1E7A46, verification date + photo count                                                                                                                                                  |
| Item · active  | 168px, white surface, 1px #E4D9B8. Contains: number, requirement 17px/600, 88×88px diagram, the reason in 15px, evidence requirement, and a 52px camera button.                                                   |
| Item · locked  | 72px, padlock #B98BFF, no button. Sequence matters — barricading before dimensions is meaningless.                                                                                                                |
| The "why" line | <b>Mandatory on every item.</b> A customer who understands why the earth pit matters photographs the earth pit. One who does not, argues about it.                                                                |
| Guest link     | Limited-scope, no account required. The contractor uploads against the checklist and every upload is still 📍 geofenced and 📷 camera-only. Link expires at QC clearance.                                           |
| AI pre-check   | On every upload: is this actually a shaft (not a wall, not a ceiling, not a screenshot)? Is the measuring tape legible? Is the geotag on site? Rejections return instantly with the reason, before a human looks. |

| THE 10 ITEMS                                      | EVIDENCE REQUIRED                       |
|---------------------------------------------------|-----------------------------------------|
| 1 · Shaft internal dimensions per drawing (±25mm) | 📷 with the AIEC measuring tape in frame |
| 2 · Shaft plumb and true, walls plastered         | 📷 4 photos, one per wall                |
| 3 · Pit depth per GA drawing, waterproofed, dry   | 📷 with depth marker                     |
| 4 · Overhead headroom clear                       | 📷 upward                                |
| 5 · Machine room / MRL space ready, ventilated    | 📷                                       |
| 6 · 3-phase power terminated, earthing done       | 📷 DB + earth pit                        |
| 7 · Shaft openings barricaded, safe access        | 📷                                       |
| 8 · Scaffold or working platform available        | 📷                                       |
| 9 · Container storage space, truck-accessible     | 📷 of the approach                       |

10 · Water and lighting at the shaft



The 14-day rule, stated upfront

Reminders on days 3, 7, 10 and 13. Beyond 14 days the material allocation is released to another customer and the schedule re-baselines. **There is no penalty** — only a lost queue position — and this is written on this screen from day one. A disclosed consequence is a term; an undisclosed one is a dispute.

C6 Live Container

390×844 · Premium

DOES MORE FOR TRUST THAN ANY BROCHURE

|                                                                                                                                                                                                                    |                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| ← Your material<br>CONT-0231                                                                                                                                                                                       | 13px mono            |
| [ live map · truck moving ]<br> →  your site | 280px<br>updates 30s |
| From Chakan Supplier Hub<br>ETA Today, 14:20 · 28 km away                                                                                                                                                          | 44px rows<br>17px    |
|  Digital lock      SEALED                                                                                                       | 44px                 |
|  CCTV internal + external • LIVE                                                                                                | 44px                 |
|  Motion sensor      normal                                                                                                      | 44px                 |
|  Container temp      34°C                                                                                                       | 44px                 |
| Due on arrival<br>₹5,53,500                                                                                                                                                                                        | 15px<br>30px/600     |
| <div>PAY NOW</div> <div>APPLY FOR EMI</div>                                                                                                                                                                        | 52px                 |

Their material, moving toward them, locked, on camera.

THE CUSTOMER · ARRIVAL MORNING

I can see the truck. I can open the camera and look at my own material sitting inside a locked box. Nobody has asked me for five and a half lakh yet, and the goods are already at my gate. **That** is when I pay without hesitating.


| ELEMENT   | SPEC                                                                                                                           |
|-----------|--------------------------------------------------------------------------------------------------------------------------------|
| Map       | 390×280px, full-bleed. Truck pin orange with a motion trail, position refreshed every 30s. ETA recalculated from live traffic. |
| Telemetry | 44px each, label left 15px muted, value right 17px/600. Live indicators use a 8px                                              |

|               |                                                                                                                                                                                    |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| rows          | pulsing dot in #1E7A46.                                                                                                                                                            |
| CCTV          | Tapping the row opens the internal or external stream full-screen. Customer has view access to <b>their own container only</b> , and only between dispatch and unlock.             |
| Payment block | Amount at 30px/600 tabular with Indian grouping. Two 52px buttons side by side — this is the one screen where two actions are correct, because they are alternatives, not a queue. |
| EMI path      | NBFC integration, material-in-container as collateral. KYC in-app, decision typically in minutes, disbursement direct to escrow. C5 then shows a schedule instead of a lump sum.   |

C5+    **The 90% Gate → Triple-Key Unlock**


390×844 · Premium

GATE 3 OF 5



Two of three opens nothing. There is no override at any level.

**The 90% sequence, strictly ordered**



**If not paid within 48 hours**

Container never unlocks · truck recalled · material returns to supplier · token treated per the agreement clause. **Zero loss to the company, zero loss to the supplier, no material stranded on a site.** This is the financial spine of the whole model and it must be visible to the customer as a stated term from day 0, never sprung as a surprise on arrival day.

| KEY           | HELD BY    | VERIFICATION                                                                                                                                           |
|---------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 · OTP       | Customer   | SMS to the registered number only. Not email, not in-app — the number is the identity.                                                                 |
| 2 · Biometric | Technician | Fingerprint +  geofence. The assigned technician, not any technician. |
| 3 · System    | Platform   | Automatic <b>if and only if</b> keys 1 and 2 are valid, within the same 5-minute window, in the same geofence, and payment has settled.                |

Immediately after unlock

-  Both parties photograph the full material spread
-  AI counts and verifies items against the BOM
-  Customer and technician both e-sign the handover receipt with liveness selfies
-  EVID package sealed with a hash, stored permanently

What this screen actually is

From this second, material custody transfers to the customer's site under the technician's working responsibility. The company's material liability ends here — and it ends with photo, video, biometric, GPS and dual-signature proof. **This is the strongest liability document in the entire system.** Design it like a document, not like a button.

C7·C8    **Installation Progress → Handover & NOC**

390×844 · Premium

GATE 5 OF 5

C7 PROGRESS

29% · On schedule

11 days remaining

Day 3 · Step 7/24

Guide rails aligned 

[ ] [ ]

Verified 11:42

Next: Machine mounting · tmrw

Day 2 · Step 6

...

C8 HANDOVER

TRIAL RUNS

●●●●●●○○○

10 dots

7 of 10 complete

Run 7

Floor 3→G · 8.2s

Levelling ±2mm 

Ride quality 

Rate your lift 

Rate technician 

[ SIGN HANDOVER ]

The customer sees progress and evidence. Never the technician's pay.

| C7 ELEMENT  | SPEC                                                                                                                                                                                                       |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header      | Percentage + schedule status + days remaining. Status uses the C-13 language:<br><div>ON SCHEDULE</div> <div>1 DAY BEHIND</div> .                                                                          |
| Day entry   | 160px: day + step + title + ✓ + 2 evidence thumbs 72×72px + AI verification timestamp + next step preview                                                                                                  |
| Never shown | <b>The technician's payment, penalties, rating or level.</b> Exposing a worker's earnings to the client destroys their dignity and invites interference. This boundary is enforced at the API, not the UI. |

| C8 ELEMENT        | SPEC                                                                                                                                                                    |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Presence gate     | All three — customer, technician, QC — must be 📍 geofenced on site simultaneously. The screen shows three presence dots and will not advance until all three are green. |
| Trial run counter | 10 dots, filled as each run completes. Each run auto-logs floor, door open/close time, levelling accuracy, ride quality. The customer drives; the app counts.           |
| Ratings           | Two separate stars: the lift, and the technician. Both required before signing.                                                                                         |
| Triple signature  | Customer · Technician · QC, each with 📷 liveness capture. Then the final 10% payment screen opens in the same flow.                                                     |
| NOC release       | 🔒 NOC + warranty + operating manual release <b>only after the final payment clears.</b>                                                                                 |

Why the NOC is the final lever — and the one condition on using it

The customer cannot obtain the operating licence from the Electrical Inspectorate without the installer's completion documentation. Withholding the NOC until the final 10% clears makes the last payment effectively self-collecting: no collection calls, no legal notices, no bad debt. It is the single most effective receivables mechanism in the design. **It must be explicitly stated in the agreement the customer signs on day 0.** A disclosed document lever is a payment term. An undisclosed one is a dispute you will lose.

|                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C2 QUOTATION & AGREEMENT                                                                                                                                                     |
| <div><div>Signed agreement AGMT-0447</div><div>3 Sep · e-signed · hash verified</div><div>[ View in EN   मराठी   हिंदी ]</div></div> <div>72px</div> <div>side-by-side</div> |

|                      |           |              |
|----------------------|-----------|--------------|
| Quotation v3 (final) | ₹6,15,000 | history kept |
| Quotation v2         | ₹7,36,000 |              |
| Quotation v1         | ₹8,00,000 |              |

C4 DRAWINGS (released only after QC pass)

|                           |   |           |
|---------------------------|---|-----------|
| 🔒 Released 15 Aug         |   | 64px rows |
| General Arrangement       | ↓ |           |
| Shaft section             | ↓ |           |
| Pit & headroom detail     | ↓ |           |
| Power single-line diagram | ↓ |           |
| Civil requirement sheet   | ↓ |           |
| Cabin finish render       | ↓ |           |
| All watermarked LIFT-0089 |   |           |

Every document versioned, watermarked with the LIFT ID, downloadable in three languages.

| SCREEN                   | KEY REQUIREMENT                                                                                                                                                                                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C2 Quotation & Agreement | All versions retained and viewable. Signed PDF with a verifiable hash. <b>Side-by-side language view</b> — a customer signing a Marathi agreement can read the English clause next to it, which is what makes trilingual legal documents actually usable.                                              |
| C4 Drawings              | 🔒 Released <b>only after QC clearance</b> . Issuing drawings against an unverified shaft causes exactly the rework this stage exists to prevent.                                                                                                                                                       |
| C5 Payments              | Schedule · receipts · EMI schedule · outstanding. Every line carries a <span>PAYT</span> ID. Indian numbering throughout.                                                                                                                                                                              |
| C9 Support Bot           | Complaint by chat, voice note, or a single <b>"Lift not working"</b> button. Triage: safety-critical (person trapped) → immediate emergency dispatch, all SLAs bypassed, admin phone rings. Non-critical → nearest technician with a live ETA on the map. Every complaint gets a <span>CMPL</span> ID. |
| C10 AMC                  | Service schedule, every past visit with photos and checklist, renewal. Predictive maintenance: IoT data on door cycles, motor current and levelling drift flags likely failures <i>before</i> a breakdown.                                                                                             |

Customer-side incentives (Law 4, inverted — savings, not earnings)

| ACTION                          | BENEFIT          |
|---------------------------------|------------------|
| Shaft ready in under 10 days    | ₹5,000 off       |
| Full payment upfront            | 2% off           |
| Verified referral that converts | ₹10,000 credit   |
| 5★ review with photo            | Free AMC quarter |

PART 05 · ROLE 4 · 6 SCREENS

The QC Inspector

A Level 5 promoted technician who never installs

SLATE · मराठी / हिंदी · 360×800

They only judge. **The person who does the work can never be the person who approves the work.** That single rule is what makes this evidence trail credible to an NBFC, an insurer and a court.



DEEPAK, QC INSPECTOR, DESCRIBING HIS OWN REQUIREMENTS

Give me the checklist and the camera and get out of the way. But understand what you are asking me to do: you are asking me to fail people I trained with. So the app had better make failing **easier** than passing — one tap for FAIL with a photo already framed, and a bonus when the defect I caught turns out to be real. If passing everything is the profitable behaviour, you have built a rubber stamp, not an inspector.

Q1·Q2 Inspection Map → Pre-Install Shaft Checklist

360×800 · Slate

Q1 MAP

₹4,200 wk 🔥 6d

◆ 3.1km ₹450

◆ 6.4km

●YOU

◆ 11km

sorted by real driving distance not straight line

NEXT

Kothrud · 3.1 km

Shaft clearance

🕒 45 min ₹450

[ ACCEPT ]

Q2 CHECKLIST (18 items)

← Shaft clearance

KOT-LIFT-0089 8/18

DIMENSIONS 4/4 ☒ | group hdr

PIT 3/4

8 Pit drainage

ref photo

correct / incorrect

152px

64px pair

[PASS][FAIL][C/D]

56px×3

📷 required

HEADROOM 0/2

MACHINE ROOM 0/4

FAIL is the same size and distance as PASS. Never make failing harder.

| ELEMENT         | SPEC                                                                                                                                                                                               |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Q1 sort         | <b>Real driving distance</b> , not straight-line. An inspector routed 3 km across a river is an inspector who declines.                                                                            |
| Q2 groups       | 8 collapsible groups with completion counts: Dimensions (width, depth, plumb, diagonal at 3 heights) · Pit · Headroom · Machine room · Electrical · Openings · Safety · Site access.               |
| Item card       | 328×152px. Contains a <b>correct/incorrect reference photo pair</b> at 64×64px — this is what makes an inspection consistent between two different inspectors.                                     |
| Verdict buttons | Three, each 100×56px, equal weight: <span>PASS</span> <span>FAIL</span> <span>CONDITIONAL</span> . Photo mandatory on all three; a note mandatory on FAIL and CONDITIONAL.                         |
| AI cross-check  | Measurements verified against the GA drawing tolerance automatically. A dimension outside tolerance that the inspector marked PASS raises a warning <i>before</i> the report is signed.            |
| Outcome         | All PASS → <span>●</span> cleared → drawings released to customer → material allocated. Any FAIL → <span>●</span> annotated rework list to the customer, re-inspection auto-booked, drawings held. |

### The anti-rubber-stamp mechanism

₹450 for the inspection, **+₹150 only when a defect they caught is later confirmed**, and **–₹1,000 plus a rating drop** when a defect they missed surfaces later. If a shaft passes clearance and the technician then reports a dimensional problem, an **Inspector Accountability Review** fires automatically; on repeat, Level 5 status is revoked. Passing is not the profitable behaviour. Being correct is.

### Q3·Q4 Surprise Audit Queue & Post-Install Checklist

360×800 · Slate

UNANNOUNCED

|                                    |              |
|------------------------------------|--------------|
| ⚡ SURPRISE AUDIT                   | 48px, cyan   |
| Appears ≤60 min before the visit   | 16px         |
| WAK-LIFT-0102 • 62% complete       |              |
| Technician: (hidden until arrival) | ← deliberate |
| 8.4 km • ⌚ 90 min • 💰 ₹800         |              |
| [ ACCEPT ]                         | 64px         |
| Q3 covers                          |              |
| ☐ SOP sequence adherence           | 56px, rows   |

- Torque + fasteners (wrench 🛠️)

Rail alignment (laser 📐)

Wiring routing & termination

Safety gear installation

Material used vs BOM

Scrap accounting

Housekeeping & site safety

Technician PPE compliance

The technician's app shows nothing. The first they know is the inspector standing there.

How surprise is actually engineered

| MECHANISM           | IMPLEMENTATION                                                                                                                           |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Random timing       | Between 40% and 90% installation progress, exact hour randomised                                                                         |
| Random selection    | <b>100%</b> of the first 3 jobs for any new technician · <b>30%</b> baseline thereafter · <b>100%</b> for anyone flagged                 |
| Zero advance notice | Neither technician nor customer is told. The task appears on the inspector's phone ≤60 minutes before.                                   |
| Rotation lock       | 🔒 The same inspector cannot audit the same technician twice in <b>90 days</b> . This kills collusion structurally rather than by policy. |
| Distance rule       | Inspector drawn from a <i>different</i> zone wherever supply allows                                                                      |
| Silent arrival      | No push, no calendar entry, no map pin on the technician's device                                                                        |

| RESULT           | CONSEQUENCE                                                                        |
|------------------|------------------------------------------------------------------------------------|
| Pass             | Technician's held payout releases · rating up · streak preserved                   |
| Minor issues     | Rectification list, 48h window, payout holds until re-verified                     |
| Major failure    | 🔒 Work stopped immediately · payout frozen · admin alerted · job may be reassigned |
| Safety violation | 🔒 Immediate site stop · technician suspended · full incident report to Owner       |

Q5 REPORT BUILDER

Auto-assembles from the checklist: every verdict, every photo, AI tolerance results, inspector's digital signature, its own QCIN ID chained to the LIFT ID. Generated in the customer's language, not the inspector's.

Q6 EARNINGS & RATING

₹450 clearance · +₹150 confirmed defect · ₹800 surprise audit · ₹1,200 emergency · ₹500 handover attendance · −₹1,000 missed defect · +₹3,000 monthly accuracy above 95%. Accuracy percentage displayed as the hero figure, above earnings.

PART 06 · ROLE 5 · 6 SCREENS

Supplier & the Smart IoT Container

### Independent manufacturers and fabricators

COMMAND (LIGHT) · EN + मराठी LABELS · 1280×800 WAREHOUSE DESKTOP

The company holds **zero inventory**. This is the asset-light law in physical form: material sits with the supplier until the customer's money arrives.

THE SUPPLIER, DESCRIBING HIS OWN REQUIREMENTS

Everyone in this industry pays me in ninety days. You are telling me you will pay me the **same day** the container is delivered, because the customer's money lands before mine goes out. That is the only sentence in your pitch I care about. In exchange I will pack your material into eight sealed pouches instead of dumping it in a pile — because the packing screen tells me exactly what goes in each one, and because I get ranked on it.

P1·P2

Order Board → Kit Packing

1280×800 · Command light

THE MICRO-THEFT FIREWALL

P2 KIT PACKING · KOT-LIFT-0089

| KIT | CONTENTS                                    | UNLOCKS | SCAN | 28px hdr    |
|-----|---------------------------------------------|---------|------|-------------|
| A   | Rail brackets, fasteners, shims             | Step 4  | ✓    | 32px rows   |
| B   | Guide rails, fishplates                     | Step 6  | ✓    |             |
| C   | Machine mounting hw                         | Step 9  | ✓    |             |
| D   | Control panel, harness, cable 42.5m ← exact | Step 12 | ⌚    | #FFB020     |
| E   | Car frame, cabin                            | Step 15 | ○    |             |
| F   | Landing doors ×5                            | Step 18 | ○    | each sealed |
| G   | Safety gear, gov, ARD                       | Step 21 | ○    |             |
| H   | Trims, commissioning                        | Step 23 | ○    |             |

🔒

BOM: cable length computed from shaft height 14.2m → 42.5m. A request for more is an anomaly, not a phone call.

Eight phase sealed pouches, each with its own KITB ID and QR.

| ELEMENT  | SPEC                                                                                                                                                                                                     |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Row      | 32px: kit letter · contents · unlock step · scan status. Scanning the pouch QR at pack time sets  and prints the label. |
| Label    | Printed <b>bilingually (EN + मराठी)</b> , carries the <span>KITB</span> QR, the parent <span>LIFT</span> ID, and the unlock step in large type.                                                          |
| Help     | C-08 on this screen shows the <b>correct kit contents photo</b> for each phase — the fastest way to eliminate packing errors.                                                                            |
| BOM lock | Cable length computed from shaft height. Quantities are derived, never typed.                                                                                                                            |

Why sealed phase-pouches work where inventory registers fail

Micro-theft in this industry is not dramatic. It is twelve metres of copper cable here, a box of fasteners there — individually trivial, collectively **3–5% of material cost**. A pouch that can only be opened *at the site, by a specific technician, at a specific verified SOP stage, with an open-photo required*, removes both the opportunity and the deniability at once.

P3·P4 Container Loading & Sealing → Live Fleet

1280×800 · Command light

P3 SEAL CONTAINER · CONT-0231

8/8 kits scanned in

 Loaded-container photo

 Digital seal applied

IOT ARRAY — ARMED

GPS

● live

1 Hz

Accelerometer

● armed

tilt/impact

Door sensor

● armed

CCTV internal

● standby

trigger-rec

CCTV external

● standby

Digital lock

 triple-key

Battery+solar

● 100%

30-day auto

Siren

● armed

110 dB

[

DISPATCH

]

32px rows

Genuine IoT hardware from day one. No simulated telemetry in production.

| TRANSIT EVENT | SYSTEM RESPONSE                                                      |
|---------------|----------------------------------------------------------------------|
| Departure     | Live tracking visible simultaneously to customer, admin and supplier |

|                             |                                                                                                                                                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Route deviation > 2 km      | Alert to admin, route replayed on the map                                                                                                                                                                                 |
| Off-hours motion            |  110 dB siren fires · CCTV clip captured and attached · P0 push to Admin, Customer and Supplier · route locked · police contact surfaced |
| Geofence arrival            | Customer's 48-hour payment window opens automatically                                                                                                                                                                     |
| Payment received            | Escrow settles → <b>supplier paid automatically, same day</b>                                                                                                                                                             |
| Payment not received in 48h | Truck recalled · material returns · supplier made whole · zero loss anywhere                                                                                                                                              |

## P5 Payments · P6 Performance Rating

| TRIGGER                             | EFFECT                                    |
|-------------------------------------|-------------------------------------------|
| Container delivered + customer paid | 100% of supplier invoice, same day        |
| Early delivery                      | +1%                                       |
| Late delivery                       | -2% per day, capped at 10%                |
| Material rejected at QC             | Full replacement at supplier cost         |
| Quality rating > 4.7 for 3 months   | Priority allocation in the ranking engine |

### Allocation is ranked, never relationship-based

On QC clearance the system scores every eligible supplier on price · lead time · quality rating · distance to site · current capacity · past on-time percentage. The top-ranked supplier gets a **4-hour acceptance window** before it cascades to the next. **Cap any single supplier at 40% of allocation** — a supplier holding most volume eventually dictates terms.

## B5 · Scrap return & wastage accounting

| OUTCOME              | EFFECT                                                                                                                        |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Within BOM tolerance |  Zero-Wastage Bonus ₹500 to the technician |
| Shortfall            | Market price + <b>20% penalty</b> , auto-deducted from the technician's wallet                                                |
| Excess scrap copper  | Returned to supplier, credited back to the job's margin                                                                       |
| Pattern across jobs  |  Fraud flag, admin review                  |

PART 07 · ROLE 6 · 9 SCREENS

The Installation Technician

The highest-risk role in the business, and the one the entire money model rests on.  
Read this part twice.

Sunita Pawar · L3 · MH-PUN-KOT-

TECH-0087-D

SLATE · मराठी · 360×800 · 14 DAYS PER JOB

Inside a concrete shaft. Poor light, no network, dirty hands, gloves on. Paid entirely on verified output — ₹1,200 to ₹3,500 per SOP step, 24 steps, ≈₹42,000 a job.

SUNITA, DESCRIBING HER OWN REQUIREMENTS

Tell me the step. Show me the video in Marathi. Tell me what photo you need and what it pays. Then let me work — and when I come out of that shaft with no signal all day, do not lose a single photo and do not tell me the step failed because your server could not be reached. I will accept your AI checking my work. I will **not** accept being unpaid for work I actually did because a photo was blurry and nobody would look at it. Give me a human within four hours, and pay me while it is being reviewed.

T0Job Offer

360×800 · SlateLAW 5, PUREST FORM

|                                 |              |
|---------------------------------|--------------|
| NEW JOB                         | 16px cyan    |
| MH-PUN-KOT-LIFT-0089            | 14px mono    |
| 📍 कोथरूड · 4.2 किमी             | 20px         |
| G+4 · 6 person · Auto door · SS | 20px         |
| सुरू 22 ऑग अंतिम 5 सप्टें       | 20px         |
| आवश्यक लेव्हल: L3               | 20px #35D07F |
| 🔔 एकूण जॉब व्हॅल्यू ₹42,000     | 24px rows    |
| 🔔 वेळेत बोनस ₹5,000             |              |
| 🔔 शून्य वेस्टेज बोनस ₹500       |              |
| 🔔 5★ कस्टमर बोनस ₹2,000         |              |
| 🔔 कमाल शक्य ₹49,500             | 30px/700     |

स्वीकारा    नकार    64px each

The full earning potential, before saying yes.